

OUTPUT:

CB3491_Cyber_Security / Cyber_Security_814723104109.ipynb ↑ To

Preview Code Blame 18261 lines (18261 loc) · 1010 KB Raw Copy Download Edit

```
print("✅ Visualization Completed – Your dashboard is ready!")
```

🔍 Dataset Overview:

	Country	Year	Attack Type	Target Industry	\
0	China	2019	Phishing	Education	
1	China	2019	Ransomware	Retail	
2	India	2017	Man-in-the-Middle	IT	
3	UK	2024	Ransomware	Telecommunications	
4	Germany	2018	Man-in-the-Middle	IT	

	Financial Loss (in Million \$)	Number of Affected Users	Attack Source	\
0	80.53	773169	Hacker Group	
1	62.19	295961	Hacker Group	
2	38.65	605895	Hacker Group	
3	41.44	659320	Nation-state	
4	74.41	810682	Insider	

	Security Vulnerability Type	Defense Mechanism Used	\
0	Unpatched Software	VPN	
1	Unpatched Software	Firewall	
2	Weak Passwords	VPN	
3	Social Engineering	AI-based Detection	
4	Social Engineering	VPN	


	Incident Resolution Time (in Hours)
0	63
1	71
2	20
3	7
4	68

📊 Columns: ['Country', 'Year', 'Attack Type', 'Target Industry', 'Financial Loss (in Million \$)', 'Number of Affected Users', 'Attack Source', 'Security Vulnerability Type', 'Defense Mechanism Used', 'Incident Resolution Time (in Hours)']

Common Cyber Attack Types



✔ Visualization Completed – Your dashboard is ready!



Heatmap: Attack Types vs Target Industries (Financial Loss)

