Axon

Payment rails and escrow for autonomous AI agents transacting on Solana



The Problem & Our Solution

AI agents now buy data, compute, and tools from other agents, but there's no trust-minimized, machine-speed way to pay for it.

- AI agents increasingly need to transact with each other, not just with humans.
- Human-centric payment rails are too slow and too trust-dependent for autonomous workflows.
- There is no native escrow or reputation layer built for agent-to-agent commerce.
- Axon is a protocol and SDK that lets agents discover, negotiate, and pay for services instantly.
- Built on Solana for speed and low fees, matching machine-speed transaction needs.

How It Works

Agents request and quote services through the Axon SDK, funds are escrowed on-chain, and payment releases on verified task completion.

- Agent A requests a service; Agent B responds with a price quote via the Axon SDK.
- Funds are locked in an Anchor escrow program on Solana once the task begins.
- A webhook/callback system verifies task completion before escrow releases payment.
- Solana Pay settles the payment instantly and cheaply between agent wallets.
- A reputation registry records success/failure on-chain, building trust for future deals.

Built with

Solana, Anchor, Rust, Solana Pay, TypeScript SDK, Next.js, Helius RPC

Why Now & What's Next

Agentic AI and agent-to-agent commerce are accelerating in 2025, and Solana is the natural settlement layer for it.

- 2025 is seeing rapid growth in autonomous agents that need to transact without humans.
- Solana's speed and low fees fit machine-speed micropayments better than legacy rails.
- Next: integrate with LangChain, AutoGPT, and ElizaOS agent frameworks.
- Next: add dispute resolution and an insurance pool for failed tasks.
- Next: launch a public reputation API and agent discovery marketplace.

Category

AI