CITEALPHA · OCOTILLO INNOVATION PRIVATE LIMITED · 28 OCT 2026

TRD — Implementing the four seats and the accept split

Product: CiteAlpha · **Legal entity:** Ocotillo Innovation Private Limited **Status:** final for the next development cycle · **Date:** 28 Oct 2026 **Specifies:** BRD_ROLES.md · PRD_ROLES.md **Also implements:** the 25 Oct 2026 terminal pass (PRD section 7) and the 28 Oct 2026 public-page corrections (PRD section 4). Source files `docs/prd/PRD_TERMINAL.md` and `docs/PLAN_ROLE_UX.md` stay as the dated record. This TRD is the build document. **Execute with:** `citealpha-production` for seats · `citealpha-expert-ux` for the public pages and the terminal pass · `index-integrity` before any accept-path change ships

Extend `entitlements.py` and `session_auth.py`. Do not add a second authorisation service, a new admin app, or a new export pipeline. Plan ∩ role stays the rule. No published GCI moves in steps 1–4 or 6–8. Step 5 only changes who may call the existing review route.

---

1. Build order

Ship in this order. Each step is releasable on its own, except step 6 and step 9 when they edit `EvidenceTable.tsx` or `HomePage.tsx`: those two edits land together, so a reader never sees a year view sitting on a misleading change.

Step	Ships	Risk if skipped
1	Feature sets for `pm`, `data`, `oversight`, `ir`	Later UI would show buttons the server rejects, or the reverse
2	Invite allow-list and plain-language menu	Owners cannot appoint the seats
3	IR company allow-list on the user row	An IR seat could pack any company
4	`org_audit` on the audit route; analyst removed from it	Oversight has no trail, or every analyst still sees it
5	Accept restricted to reviewer, admin, owner	The new seats are pointless if analyst can still publish
6	Public-page truth (PRD section 4)	Seats land on pages that still misread
7	First-screen landings and Analyst grouping	Seats can do the job but open on the wrong room
8	Holdings "since last visit", developers field table, board-pack link	The landing exists and the job is still a click away
9	Terminal pass (PRD section 7): year view, docked source, compact density, pills on the URL, palette, short frame	The analyst still cannot read one metric across years or keep the filing beside the table

2. Step 1 – Entitlements

File: `backend/app/services/entitlements.py`, `ROLE_FEATURES`.

Add four keys. Do not give them `desk_write`, `labeling`, or `analyst_agent`.

```
pm:         tracker, research, read_api, feedback, holdings, alerts
data:       tracker, research, read_api, feedback, em_export
oversight:  tracker, research, read_api, feedback, org_audit
ir:         tracker, research, read_api, feedback, pack_export
```

`org_audit` and `pack_export` are new feature names. They are not added to `PLAN_FEATURES`. They are role features, so a plan that already includes `tracker` does not need a new plan row. `holdings`, `alerts`, and `em_export` already exist on the Desk, Enterprise, and One-Stop plans. Intersection means:

- `pm` on Pilot has no holdings, because Pilot's feature set has none.
- `data` on Pilot has no `em_export`.
- `ir` pack export does not require `em_export`.

`admin` and `owner` already receive `orgs.ALL_FEATURES`. Add `org_audit` and `pack_export` to that union by including them in `ALL_FEATURES` only if a plan does not already carry them. Cleaner: `_role_features` for admin/owner returns `orgs.ALL_FEATURES | {"org_audit", "pack_export"}`. Do not put those two names on the Pilot plan, or every admin on Pilot would be fine (they should have them) and a viewer would not (correct).

Tests: `backend/tests/test_entitlements_access.py`

- `pm` ∩ desk includes `holdings` and excludes `desk_write`.
- `data` ∩ enterprise includes `em_export` and excludes `desk_write`.
- `data` ∩ pilot excludes `em_export`.
- `oversight` includes `org_audit` and excludes `desk_write`.
- `ir` includes `pack_export` and excludes `desk_write`.
- Unknown role still falls through to viewer.

3. Step 2 – Appointing the seat

Files: `backend/app/services/session_auth.py` (`_DESK_ASSIGNABLE`, `seat_role_for_actor`, the known-role set near line 42), `frontend/src/components/OrgAdminPanel.tsx`.

Add `pm`, `data`, `oversight`, `ir` to `_DESK_ASSIGNABLE` and to the role set the session layer already recognises. Keep the rule that only an owner may appoint `admin`. Nobody appoints `owner` from this menu.

`member` and `partner` keep mapping to `viewer`.

The invite `<select>` currently prints the raw id. Map id → label in the component:

id	label
viewer	Viewer
pm	Portfolio
data	Data
ir	Investor relations
oversight	Oversight
analyst	Analyst

id	label
labeler	Labeler
reviewer	Reviewer
admin	Admin

Show the one-sentence description from PRD section 1 under the select. Strings live in `en.json`.

Tests: extend the seat-role tests that cover `seat_role_for_actor`. An admin appointing `pm` succeeds. An admin appointing `admin` is 403. An unknown id is 400.

4. Step 3 — IR allow-list

Store: a `company_scope` list on the user row the auth store already writes (`auth_db` / Postgres user columns). Empty list is the default. Do not add a new table for a single list of company ids.

API: the existing member-update route used by organisation settings gains an optional `company_scope` field, accepted only when the target role is `ir`, and only from an owner or admin of that org. Ids that are not companies return 400. A scope on any other role is stored as empty and ignored.

Enforcement: the board-pack export (the existing `board_scorecard` export in `services/agent/exports.py`, called from the dossier link) checks `pack_export` and, for role `ir`, `company_id in company_scope`. Owner, admin, analyst, and reviewer keep today's export right without a list. IR outside the list is 403 with `detail` the sentence in PRD section 5.

UI: `OrgMembersPanel` shows the company search only on an `ir` row.

Tests: scope save, empty scope export 403, in-scope 200, other-role scope ignored.

5. Step 4 — Audit feature

File: `backend/app/api/routes.py`, `GET /api/audit`.

Replace the role tuple `owner, admin, reviewer, analyst` with `require_feature("org_audit")` plus the existing org match. Grant `org_audit` to `oversight`, `reviewer`, `admin`, and `owner` in `ROLE_FEATURES` (reviewer already listed; add the feature to that set). Remove it from `analyst`.

Org settings audit section (`OrgSettingsPage.tsx`, `section=audit`) renders for anyone with `org_audit`. Invites, billing, destinations, and style stay behind owner/admin as they are now. Oversight opening those sections gets the existing denial.

Tests: analyst `GET /api/audit` is 403. Oversight of the same org is 200. Oversight of another org is 403.

6. Step 5 — Who may accept

File: `backend/app/api/routes.py`, `POST /api/review`.

Today the route is `require_feature("desk_write")`, which `analyst` holds, and the reviewer recorded is `auth.get("org")` (the org id, not the person).

Change:

- `action=accept` requires role in `reviewer`, `admin`, `owner`. Anyone else, including `analyst` with `desk_write`, gets 403 and the repository is not called.
- `edit` and `reject` on a row that is already in the published set use the same role check. An analyst may still run extract into the pending queue (`desk_write` on the extract routes). They may not move a pending row to accepted.
- The reviewer string stored on the row is the actor's user id or email, not the org id. The audit event uses the same actor.

This is the change `index-steward` reviews. It does not by itself recompute a GCI. The next real accept still follows the score-ledger and changelog protocol if a number moves.

Tests: analyst accept 403 and the stored score unchanged. Reviewer accept 200 and the audit actor is that user. Labeler, pm, data, ir, oversight, viewer all 403.

7. Step 6 — Public pages

PRD section 4. No new routes. Where a row below names `HomePage.tsx` or `EvidenceTable.tsx`, ship it in the same change as step 9.

Item	Owner	Done when
One published-count sentence on screener, snapshot, and reading room	`HomePage.tsx`, `RankingsPage.tsx`, `ResearchPage.tsx`	The three pages name the same count for "published GCI"
Guest screener opens on India; title follows the index; markets other than India leave the public control	`HomePage.tsx`	`/tracker` with a cleared preference is an India index
"Not scored" chip in the tier cell; score cell is one coverage sentence; sample data is called sample data	`HomePage.tsx`, `TierBadge.tsx`, `en.json`	No "Demo", no pipeline stage in the score cell
Growth-rate change labeled as a change in the rate; guest page returns to six panels	`CompanyDetailPage.tsx`	Infosys does not show a −26.2% that reads as revenue
Promise-after-result flag	`EvidenceTable.tsx`	The FY25 operating-margin row is flagged; 76.5 unchanged
Snapshot heading matches the table; cite sentence includes the tier	`RankingsPage.tsx`	Provisional rows are called provisional in the heading and in the copied sentence
Drop the expert chip; reading-room list matches the published set or says why it does not	`ResearchPage.tsx`	The chip is gone
Explorer hub lede, "Open a surface", and homepage cards	sights hub, `LandingPage.tsx`, `en.json`	Search, boards, and agents are not offered as Explorer rooms

Sort is unchanged. Do not implement closed-results-then-GCI unless the owner confirms the proposal recorded in the BRD.

Copy hygiene: extend `backend/tests/test_public_copy_hygiene.py` if a banned string was the thing removed. Do not add a new banned-term test that forbids the word "reviewer".

8. Step 7 — Landing and Analyst groups

Landing. After a session is established, if the location is `/` or the post-login default, send:

role	path
pm	`/holdings`
data	`/developers`
ir	`/companies/{id}` when `company_scope` has one id; `/tracker?scope=ir` when it has several or none
oversight	`/org/settings?section=audit`
analyst	`/analyst`
reviewer	`/desk?tab=review`
labeler	`/desk?tab=labeling`
viewer, guest	`/tracker`
owner, admin	`/tracker`

Implement the redirect in the existing auth landing (`frontend/src/lib/auth.tsx` or the post-login path in `App.tsx`). A bookmarked route is not overridden: the redirect runs only when they signed in from the login page or from `/`.

Analyst groups. `AnalystPage.tsx` groups the skills it already loads. Grouping is presentation. Skill ids and the runtime stay in `backend/app/skills/` and `services/agent/`.

Group	Skill ids
This print	`results_prep`, `concall_questions`, `coverage_monitor`
Learn a name	`company_ramp`, `company_note`
Board, credit, and events	`board_scorecard`, `peer_delivery_grid`, `corporate_action_brief`, `drhp_reader`, `usfda_watch`, `rating_tracker`, `debate_map`, plus the project-only skills behind the existing project gate

A skill id the page does not recognise falls into the third group, so a new skill file does not disappear.

9. Step 8 — The job on the landing

Holdings. `HoldingsPage.tsx` and `services/holdings.py`. "Since you last opened this" reads the document store and published outcomes for identifiers in the saved file. It writes nothing to the score. Persist the last-open timestamp on the org holdings record that already exists.

Developers. `DevelopersPage.tsx`. The field table is static copy plus one sample row drawn from the existing published export, not a new schema service. The download button calls the export route that already checks `em_export`.

Board pack. `CompanyDetailPage.tsx` shows the text link when the seat has `pack_export` or `ic_export` and, for `ir`, the company is in scope. The link calls the existing export. It does not add a pack builder.

10. Step 9 — Terminal pass

PRD section 7. Extend the owners below. Do not add a component, a context, a route, or an endpoint that the list forbids.

Year view. `EvidenceTable.tsx` and `CompanyDetailPage.tsx`. A toggle on the evidence panel: "By year" first, "By row" one control away. Group `outcomes` already on `GET /api/companies/{id}/gci` by `metricDisplayName()`. Columns are periods on that company, newest first. Cell text is guided band, reported figure, outcome word. Pending stays pending. A missing year is an em dash. The track column is closed-year outcome words, oldest to newest. No new `/api/v1/companies/{ticker}/guidance-history`.

Dock. `SourceViewer.tsx` and `SourceViewerContext.tsx`. The existing `openSource()` becomes a dock beside the table, about 60/40, instead of a centered dialog. Promise links call it too. Highlight uses `span_start` / `span_end`. Escape closes. "Open original" and the `/c/{citationId}` copy stay. Callers on Filing Search, the revision trail, and Disclosure Explorer are not given a second viewer. No page rectangle. No fetch of NSE, BSE, EDGAR, or the issuer.

Density. `HomePage.tsx`, `CompanyDetailPage.tsx`, `styles.css`, and the existing account `density` preference. Compact is the default. Comfortable applies when the account says so. Numbers: IBM Plex Sans, `tabular-nums`, right-aligned. Tickers and fiscal periods: IBM Plex Mono. Do not add JetBrains Mono or Roboto Mono. Target: at least 25 screener rows on 1920×1080 without scrolling the window.

Pills. `HomePage.tsx`. Replace the checkbox with two pills, "Scored only (n)" and "All (n)", counts from the loaded list. Persist `scored=1` or `scored=0` on the URL. Default is scored only on every India index, including NSE All and BSE All. The unused `screener.filter.all` string in `en.json` is the one to use. The long unscored essay leaves once the pills state the count. The disclaimer line stays.

Chip. `TierBadge.tsx`. "Not scored" where the tier cell is empty. Existing tier colours. No emoji. Deep stays.

Palette and frame. `NavMenu.tsx` and `App.tsx`. Cmd+K / Ctrl+K, and `/` when focus is outside a field. Company hits go through `GET /api/companies/search` (`searchCompanies` in `api.ts`). Tool hits are the nav routes that already exist. Recent company ids live in `localStorage` and are not a watchlist. Marketing routes keep the current header. Working routes (`/tracker`, `/companies`, `/research`, `/analyst`, `/rankings`, `/desk`, `/sights`, `/ninja`, `/holdings`) render the short frame: mark, palette hint, account, and Sign in when signed out. No `/console` routes. No second host.

Tests. Dossier evidence (year row, pending cell, track), screener URL round-trip, source viewer dock and Escape, palette search, public-copy check. `tests/test_score_consistency.py` still runs and is expected to stay green, because this step does not touch the scorer.

Do not add: `GuidancePivotMatrix`, a second citation context, a second palette library if a short list will do, `/console` routes, or a guidance-history endpoint.

11. Data and migration

- Existing users keep their role. No mass rewrite.
- `member` rows stay valid and keep resolving as viewer.
- `company_scope` defaults to `[]`.
- No score ledger row is written by the migration.
- Sessions issued before the deploy keep working. The next entitlements read picks up the new feature set.

12. Tests to run before merge

- `pytest backend/tests/test_entitlements_access.py backend/tests/test_production_auth.py` and the seat-role tests touched in step 2.
- A new test module `backend/tests/test_role_seats.py` for the accept 403 matrix and the IR scope 403.
- `backend/tests/test_public_copy_hygiene.py` after step 6.
- Frontend tests already on the dossier evidence table, the screener filter, and the source viewer, updated for the year toggle, the `scored` query, and the dock. `tests/test_score_consistency.py` still runs after step 9.
- `cd frontend && npm run build`.
- Playwright, if a spec already covers the invite select or the screener: update the option labels and the India default. Do not add a new suite for its own sake.

13. Rollback

Feature sets and the accept check are the only server behavior changes that can lock someone out.

- Rollback of step 5 restores analyst accept. Do that only with the index steward, and write a changelog entry if any accept happened under the new rule and is being reversed.
- Rollback of steps 1–4 returns unknown roles to the viewer feature set (`_role_features` falls back to viewer). Anyone already stored as `pm` would suddenly look like a viewer until the code returns. Prefer a forward fix.
- Steps 6, 8, and 9 are presentation. Revert the commit. Step 6 and step 9 revert together when they share a file.

14. Explicit non-work

- No new FastAPI router package.
- No change to `gci_scoring.py`, tier thresholds, or the score cache in this TRD.
- No platform-role edit in `admin_portal.py` beyond leaving those roles without the new product features.
- No `app.` host, no `/console` prefix, no guidance-history endpoint, and no second source viewer. The short frame in step 9 is the working header.