

Индивидуальный проект - этап 4

Этук Нсе-Абаси Акпан¹

2 октября, 2024, Москва, Россия

¹Российский Университет Дружбы Народов

Цели и задачи работы

Цель лабораторной работы

Целью данной работы является изучение сканера уязвимостей nikto.

Процесс выполнения лабораторной работы

Nikto — это популярный сканер веб-серверов с открытым исходным кодом, который проверяет веб-серверы на наличие уязвимостей, неправильных настроек, устаревших версий ПО и прочих проблем безопасности.

Nikto написан на Perl, и для его работы необходимо наличие Perl на системе.

Сканирование веб-сервера

```
perl nikto.pl -h <URL>
```

Nikto может использоваться для пассивного сканирования DVWA, выявления базовых уязвимостей и проверок на неправильную конфигурацию.

Когда DVWA запущено, мы можем использовать Nikto для сканирования. Основной командой для сканирования будет:

```
perl nikto.pl -h http://localhost/dvwa/
```

Сканирование localhost

```
(user@Stark) ~$ nikto -h localhost
- Nikto v2.5.0

+ Target IP: 127.0.0.1
+ Target Hostname: localhost
+ Target Port: 80
+ Start Time: 2024-10-02 11:43:05 (GMT+3)

+ Server: Apache/2.4.59 (Ubuntu)
+ /: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options
+ /: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/
+ No CGI Directories found (use '-C all' to force check all possible dirs)
+ /: Server may leak inodes via ETags, header found with file /, inode: 291d, size: 621d9a3c1c127, mtime: g2ip. See: http://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2003-1410
+ OPTIONS: Allowed HTTP Methods: POST, OPTIONS, HEAD, GET .
+ /server-status: This reveals Apache information. Comment out appropriate line in the Apache conf file or restrict access to allowed sources. See: OSVD
B-561
+ 785B requests: 0 error(s) and 5 item(s) reported on remote host
+ End Time: 2024-10-02 11:43:24 (GMT+3) (19 seconds)

+ 1 host(s) tested
```

Figure 1: Тестирование localhost

Сканирование localhost/dvwa/

```
user@Etuk:~$  
$ nikto -h localhost -p80 /dvwa  
- Nikto v2.5.0  
  
+-----+  
+ Target IP: 127.0.0.1  
+ Target Hostname: localhost  
+ Target Port: 80  
+ Target Path: /dvwa  
+ Start Time: 2024-10-02 11:45:25 (GMT2)  
+-----+  
+ Server: Apache/2.4.39 (Debian)  
+ /dvwa/: The anti-clickjacking X-Frame-Options header is not present. See: https://developer.mozilla.org/en-US/docs/Web/HTTP/Headers/X-Frame-Options  
+ /dvwa/: The X-Content-Type-Options header is not set. This could allow the user agent to render the content of the site in a different fashion to the  
MIME type. See: https://www.netsparker.com/web-vulnerability-scanner/vulnerabilities/missing-content-type-header/  
+ No CGI Directories found (use "-C all" to force check all possible dirs)  
+ OPTIONS: Allowed HTTP Methods: POST, OPTIONS, HEAD, GET .  
+ 7849 requests: 0 error(s) and 3 item(s) reported on remote host  
+ End Time: 2024-10-02 11:45:45 (GMT2) (20 seconds)  
  
+ 1 host(s) tested
```

Figure 2: Тестирование localhost/dvwa/

Выводы по проделанной работе

Мы изучили возможности сканера nikto.