

CROP DATA SHEET · VEGETABLE · BRASSICA

Cabbage

Heavier heads and a bigger harvest, on less synthetic input.

+24.8%

HARVEST WEIGHT

FIELD TRIAL VS. UNTREATED

+24.8%

HARVEST WEIGHT

Heavier harvest vs. untreated.

30–50%

LESS NITROGEN

Matched yield at reduced N (Harman 2011).


Improved

VIGOR

Stronger, darker, more uniform heads.



WHEN TO APPLY



Apply by **seed treatment**, **in-furrow** at planting, or as a **foliar pass**. Earlier is better, but a foliar pass well into the **vegetative stage** still delivers a real benefit — it is never too late to start.

HOW THE PROGRAM WORKS

Holds up under stress

Living inputs help the plant manage heat, drought and salinity, so more of the season goes into the crop.

More growth

Symbiotic signalling lifts growth rate and nutrient-use efficiency across the canopy.

Healthier root zone

A richer root environment frees up soil nutrients, so the crop leans less on synthetic NPK.

FIELD-TRIAL EVIDENCE

Cabbage is part of the verified trial record. Figures are from independent replicated trials with cooperator identities withheld, shown as ranges, never a guarantee for a given field.

YEAR	REGION	APPLICATION	RESULT
Field	Replicated	Two-step program	+24.8% harvest weight

Independent contract-research trials; cooperator names withheld. Figures are verified ranges, never a guarantee for a given field.



See your numbers.

Scan or tap to open our benefit calculator, pre-filled for cabbage at 100 acres with typical yield and price. Adjust to your farm and see your projected net gain and return.

[ESTIMATE YOUR BENEFIT →](#)

✓ CHEMICAL-FREE

✓ PESTICIDE-FREE

✓ OMRI LISTED

✓ NON-GMO

Build your program for the season.

advisors@symmbiotic.com · (845) 393-9539 · Symm 2026

[CONTACT A REP →](#)