

CROP DATA SHEET · BERRY

# Cranberry

Healthier vines and steadier set in demanding bog conditions.

**+8-10%**

TYPICAL YIELD GAIN

CROSS-CROP AVERAGE · UP TO ~14% UNDER STRESS

**+8-10%**

**YIELD**

Typical gain vs. untreated; greater as heat or drought stress rises.

**30-50%**

**LESS NITROGEN**


Matched full-rate yield at reduced N (Harman 2011).

**Improved**

**ROOTS & VIGOR**

Stronger root development and establishment across trials.

## WHEN TO APPLY



Apply by **seed treatment**, **in-furrow** at planting, or as a **foliar pass**. Earlier is better, but a foliar pass well into the **vegetative stage** still delivers a real benefit — it is never too late to start.

## HOW THE PROGRAM WORKS

### Holds up under stress

Living inputs help the plant manage heat, drought and salinity, so more of the season goes into the crop.

### More growth

Symbiotic signalling lifts growth rate and nutrient-use efficiency across the canopy.

### Healthier root zone

A richer root environment frees up soil nutrients, so the crop leans less on synthetic NPK.

## FIELD-TRIAL EVIDENCE

Cranberry has not yet been through a Symm-specific field trial, so the figures below are the general cross-crop results from independent peer-reviewed research. They point to where the program helps most in cranberry: supporting vine vigor and fruit set through stress, and improving nutrient-use efficiency.

| YEAR | REGION                           | APPLICATION          | RESULT                                   |
|------|----------------------------------|----------------------|------------------------------------------|
| —    | Peer-reviewed (Cornell / Harman) | Trichoderma research | <b>+8-10% yield, improved roots</b>      |
| 2011 | Peer-reviewed · Harman           | Nitrogen study       | <b>30-50% N reduction, no yield loss</b> |

General cross-crop figures from independent peer-reviewed research, shown as ranges; not cranberry-specific trial results and never a guarantee for a given field. Yield gain is typically +8 to 10%, up to ~14% under abiotic stress.



## See your numbers.

Scan or tap to open our benefit calculator, pre-filled for cranberry at 100 acres with typical yield and price. Adjust to your farm and see your projected net gain and return.

[ESTIMATE YOUR BENEFIT →](#)

✓ CHEMICAL-FREE

✓ PESTICIDE-FREE

✓ OMRI LISTED

✓ NON-GMO

**Build your program for the season.**

advisors@sympbiotic.com · (845) 393-9539 · Symm 2026

[CONTACT A REP →](#)