

CROP DATA SHEET · LEAFY VEGETABLE

Spinach

Better germination and stronger seedlings, even after drought.

+27% GERMINATION
SEED-TREATED VS. UNTREATED

+27%

GERMINATION

More seed emerged vs. untreated.

85.7→95.6%

VIABILITY

Higher seedling viability after drought.


+53.7%

SEEDLING BIOMASS

More biomass after one week of drought.



WHEN TO APPLY



Apply by **seed treatment**, **in-furrow** at planting, or as a **foliar pass**. Earlier is better, but a foliar pass well into the **vegetative stage** still delivers a real benefit — it is never too late to start.

HOW THE PROGRAM WORKS

Holds up under stress

Living inputs help the plant manage heat, drought and salinity, so more of the season goes into the crop.

More growth

Symbiotic signalling lifts growth rate and nutrient-use efficiency across the canopy.

Healthier root zone

A richer root environment frees up soil nutrients, so the crop leans less on synthetic NPK.

FIELD-TRIAL EVIDENCE

Spinach is part of the verified trial record. Figures are from independent replicated trials with cooperator identities withheld, shown as ranges, never a guarantee for a given field.

YEAR	REGION	APPLICATION	RESULT
Container	Replicated	Seed treatment	+27% germination (36/50 vs 46/50)
Container	Drought	Seed treatment	Viability 85.7→95.6%, +53.7% biomass

Independent contract-research trials; cooperator names withheld. Figures are verified ranges, never a guarantee for a given field.



See your numbers.

Scan or tap to open our benefit calculator, pre-filled for spinach at 100 acres with typical yield and price. Adjust to your farm and see your projected net gain and return.

[ESTIMATE YOUR BENEFIT →](#)

✓ CHEMICAL-FREE

✓ PESTICIDE-FREE

✓ OMRI LISTED

✓ NON-GMO

Build your program for the season.

advisors@symbiotic.com · (845) 393-9539 · Symm 2026

[CONTACT A REP →](#)