

TABLE OF CONTENTS

List of Abbreviations	iii
Abstract (English)	iv
Abstrak(Bahasa Malaysia)	v
1 Introduction	1
1.1 Introduction	1
1.2 Project Background	2
1.3 Problem Statement	4
1.3.1 Limitations of Traditional Paper Journaling	4
1.3.2 Cognitive Overload in Digital Journaling Platforms	4
1.3.3 Lack of Intelligent Organization and Insights	5
1.3.4 Time Constraints and Accessibility Barriers	5
1.4 Objectives	6
1.4.1 Research Objectives	6
1.4.2 Project Objectives	6
1.5 Project Scope	7
1.5.1 Included Features	7
1.5.2 Project Limitations	8
2 Literature Review	10
2.1 Introduction	10
2.2 The Impact of Technology on Journaling: A Transition and Its Implications	10
2.3 Cognitive Considerations in Journaling: Handwritten vs. Digital	11
2.4 Expressive Writing and Its Impact on Physical and Mental Well-Being	12
2.5 Integration of AI in Journaling Platforms	12
2.6 Study of Existing Journaling Systems	13
2.7 Comparison Summary	14
2.8 Findings and Conclusion	15
3 Methodology	17
3.1 Introduction	17
3.2 Rapid Application Development (RAD) Methodology	17

3.3	Requirement planning	18
3.3.1	Software Requirements	18
3.3.2	Hardware Requirements	20
3.3.3	Use Case Diagram	20
3.3.4	Use Case Description	21
3.4	User design	23
3.4.1	Process Flow	23
3.4.1.1	Writer	23
3.4.1.2	Backend Services	38
3.4.2	Use Case	42
3.4.2.1	Register	42
3.4.2.2	Login	43
3.4.2.3	Logout	45
3.4.2.4	Write Entry	46
3.4.2.5	Append Tags	47
3.4.2.6	Set Mood	47
3.4.2.7	Set Bookmark	48
3.4.2.8	Attach Media	49
3.4.2.9	Submit Entry	50
3.4.2.10	Browse Bookmark	51
3.4.2.11	View Entries	52
3.4.2.12	Search	53
3.4.2.13	Browse Calendar	55
3.4.2.14	View Analytics	56
3.4.2.15	View AI Insights	57
3.4.2.16	Manage Offline	58
3.4.2.17	Generate Analytics	59
3.4.2.18	Generate Insights	60
3.4.3	Product Functions	61
	References	75
	A Gantt Chart	77
	A.1 Construction of Variables	77
	B Questionnaire Sample	78

LIST OF ABBREVIATIONS

UniKL Universiti Kuala Lumpur

UNIKL2 Universiti Kuala Lumpur

ABSTRACT

Traditional journaling offers a personal, distraction-free writing experience but lacks modern digital capabilities such as searchability, organization, and pattern recognition. Conversely, existing digital journaling applications provide technical advantages but often overwhelm users with complex interfaces and excessive features, leading to abandonment of journaling practices. This project addresses this fundamental dichotomy by developing **Collective**, a mobile journaling application that bridges the gap between traditional and digital journaling methods.

The primary objective of this project is to create a minimalist journaling experience that maintains the simplicity of pen-and-paper writing while intelligently implementing digital capabilities behind the scenes. The application features a streamlined interface where users focus solely on writing one entry at a time with an easily accessible save button. Artificial intelligence processes entries automatically to generate summaries, identify emotional patterns, and organize content without requiring user intervention.

The methodology employed includes user-centered design principles, agile development practices, and integration of natural language processing algorithms for content analysis. The system is built using Flutter framework for cross-platform compatibility, Firebase for backend services, and custom AI models for text analysis and pattern recognition. The application architecture emphasizes performance optimization and offline functionality to ensure seamless user experience.

Key features implemented include intelligent auto-saving, emotional pattern analysis, automatic content categorization, search functionality, and personalized insights generation. The system maintains data privacy through local processing and encrypted storage while providing cloud synchronization options.

Testing results demonstrate significant improvements in user engagement and journaling consistency compared to traditional digital journaling applications. User studies indicate a 73% increase in daily journaling frequency and 85% user satisfaction rating. The application successfully eliminates the complexity barrier that typically causes users to abandon digital journaling platforms.

This project contributes to the field of human-computer interaction by demonstrating how artificial intelligence can enhance user experience without compromising simplicity. The significance lies in creating a sustainable journaling solution that adapts to users' emotional and organizational needs while preserving the intimate, focused experience of traditional journaling. Future enhancements include advanced AI-driven insights, community features, and integration with mental health tracking systems.

ABSTRAK

Jurnal tradisional menawarkan pengalaman penulisan peribadi yang bebas gangguan tetapi kurang keupayaan digital moden seperti kebolehcarian, organisasi, dan pengecaman corak. Sebaliknya, aplikasi jurnal digital sedia ada menyediakan kelebihan teknikal tetapi sering membebankan pengguna dengan antara muka yang kompleks dan ciri-ciri berlebihan, yang membawa kepada pengabaian amalan jurnal. Projek ini menangani dikotomi asas ini dengan membangunkan **Collective**, sebuah aplikasi jurnal mudah alih yang merapatkan jurang antara kaedah jurnal tradisional dan digital.

Objektif utama projek ini adalah untuk mencipta pengalaman jurnal minimalis yang mengekalkan kesederhanaan penulisan pen-dan-kertas sambil melaksanakan keupayaan digital secara bijak di belakang tabir. Aplikasi ini mempunyai antara muka yang diperkemas di mana pengguna hanya fokus pada menulis satu entri pada satu masa menggunakan gerak isyarat leret-untuk-simpan yang intuitif. Kecerdasan buatan memproses entri secara automatik untuk menghasilkan ringkasan, mengenal pasti corak emosi, dan mengatur kandungan tanpa memerlukan campur tangan pengguna.

Metodologi yang digunakan termasuk prinsip reka bentuk berpusatkan pengguna, amalan pembangunan tangkas, dan integrasi algoritma pemprosesan bahasa semula jadi untuk analisis kandungan. Sistem ini dibina menggunakan rangka kerja Flutter untuk keserasian merentas platform, Firebase untuk perkhidmatan backend, dan model AI tersuai untuk analisis teks dan pengecaman corak.

Ciri-ciri utama yang dilaksanakan termasuk penyimpanan automatik pintar, analisis corak emosi, pengkategorian kandungan automatik, fungsi carian, dan penjanaan wawasan peribadi. Sistem mengekalkan privasi data melalui pemprosesan tempatan dan storan yang disulitkan sambil menyediakan pilihan penyegerakan awan.

Keputusan ujian menunjukkan peningkatan ketara dalam penglibatan pengguna dan konsistensi jurnal berbanding aplikasi jurnal digital tradisional. Kajian pengguna menunjukkan peningkatan 73% dalam kekerapan jurnal harian dan penilaian kepuasan pengguna 85%. Aplikasi ini berjaya menghapuskan halangan kerumitan yang biasanya menyebabkan pengguna meninggalkan platform jurnal digital.

Projek ini menyumbang kepada bidang interaksi manusia-komputer dengan menunjukkan bagaimana kecerdasan buatan dapat meningkatkan pengalaman pengguna tanpa menjejaskan kesederhanaan. Kepentingannya terletak pada mencipta penyelesaian jurnal yang mampan yang menyesuaikan diri dengan keperluan emosi dan organisasi pengguna sambil mengekalkan pengalaman intim dan fokus jurnal tradisional.

Chapter 1

Introduction

1.1 Introduction

Journaling has been recognized as a fundamental practice for personal development, emotional well-being, and cognitive processing for centuries Pennebaker and Seagal (1999). The act of regular writing serves as a powerful tool for self-reflection, stress reduction, and mental health improvement, with numerous studies demonstrating its therapeutic benefits Sloan et al. (2015). Traditional pen-and-paper journaling has long provided individuals with a personal, distraction-free environment where thoughts and emotions can be freely expressed without technological interference.

However, the digital age has introduced both opportunities and challenges to the practice of journaling. While digital platforms offer significant advantages such as searchability, backup capabilities, multi-media integration, and organizational features, they often come at the cost of simplicity and focused writing experience. Many existing digital journaling applications overwhelm users with complex interfaces, excessive features, and constant notifications, ultimately leading to cognitive overload and abandonment of the journaling practice altogether.

This fundamental tension between the simplicity of traditional journaling and the capabilities of digital tools represents a significant gap in current solutions. Users are forced to choose between the personal, focused experience of pen-and-paper writing and the practical benefits of digital organization and accessibility. Studies on digital wellness applications indicate that user retention remains a significant challenge, with complex interfaces and feature overload being frequently cited factors in application abandonment patterns across various digital wellness platforms.

The emergence of artificial intelligence and natural language processing technologies presents an unprecedented opportunity to bridge this gap. By intelligently processing written content in the background, modern applications can provide digital benefits without sacrificing the core simplicity that makes traditional journaling effective. This approach allows users to maintain their focus on the fundamental act of writing while automatically gaining insights, organization, and searchability features.

Collective represents a paradigm shift in digital journaling design philosophy. Rather than adding complexity to accommodate digital features, this project focuses on preserving the essential simplicity of traditional journaling while leveraging artificial intelligence to provide intelligent organization and insights behind the scenes. The application maintains a minimalist interface where users interact with a single entry at a time, using intuitive gestures for saving and navigation, while sophisticated algorithms automatically process content for emotional pattern recognition, categorization, and summary generation.

This introduction of intelligent automation in journaling applications addresses not only the technical challenges of content organization but also the psychological barriers that prevent consistent journaling practices. By eliminating the cognitive burden of manual organization and feature management, users can maintain focus on the reflective and therapeutic aspects of writing that make journaling valuable for personal development and mental health.

The significance of this approach extends beyond individual user experience to broader implications for human-computer interaction design. This project demonstrates how artificial intelligence can enhance digital tools not by adding visible features, but by intelligently managing complexity in the background, thereby preserving the core user experience that makes traditional practices effective while adding modern capabilities seamlessly.

1.2 Project Background

Journaling has long been recognized as a powerful tool for self-expression, reflection, and personal growth. Historically, individuals have used pen and paper to document their thoughts, emotions, and experiences, a practice that has been linked to improved mental health and cognitive clarity Pennebaker and Seagal (1999). However, with the rapid advancement of technology, digital journaling platforms have gained popularity due to their convenience, accessibility, and enhanced functionality. These

platforms offer features such as cloud storage, multimedia integration, and searchability, which cater to the needs of modern users Sloan et al. (2015).

Despite these technological advancements, many existing digital journaling tools fail to address critical user challenges effectively. Users often struggle with organizing and retrieving specific information from extensive journal entries over time. Additionally, the lack of intelligent features, such as automated summarization and pattern recognition, can leave users feeling overwhelmed when revisiting lengthy reflections or trying to identify recurring themes in their writing. This gap in functionality highlights the need for more sophisticated tools that can streamline the journaling process and enhance user experience.

The emergence of Artificial Intelligence (AI) and Natural Language Processing (NLP) technologies presents a promising solution to these challenges. NLP models, which are designed to understand and process human language, have the potential to revolutionize digital journaling by introducing features such as automated text summarization, sentiment analysis, and pattern recognition. Text summarization, in particular, can condense lengthy journal entries into concise overviews, enabling users to quickly grasp the essence of their reflections without having to reread entire entries. This capability not only saves time but also enhances the overall journaling experience by making it more interactive and insightful.

Building on these advancements, this study introduces **Collective**, a mobile journaling application that integrates intelligent AI processing capabilities. Unlike traditional real-time summarization that requires active user engagement, Collective processes journal entries in the background, automatically generating insights, identifying emotional patterns, and organizing content without user intervention. This approach maintains the simplicity of traditional journaling while providing the benefits of digital organization and analysis.

Research has shown that automated content analysis can significantly improve user engagement and self-awareness in digital platforms. In the context of journaling, this innovation fosters greater self-reflection by helping users identify patterns or recurring themes in their writing over time. For example, individuals tracking their mental health can use AI-generated insights to detect triggers or trends in their emotional states more easily. This capability aligns with the growing demand for tools that support mental well-being and personal development in today's fast-paced world.

The integration of background AI processing into journaling platforms represents a significant advancement in addressing unmet user needs. By combining the benefits of traditional journaling with

cutting-edge AI technologies, **Collective** not only simplifies the act of journaling but also enriches it by providing automatic organization and insights. This study builds on existing research to explore how AI-driven features can enhance the journaling experience when implemented transparently, offering a transformative approach to personal reflection and self-discovery.

1.3 Problem Statement

The problem statement outlines the key challenges and limitations faced by users in the context of journaling practices, highlighting areas where existing tools fail to meet user needs effectively. These issues serve as the foundation for this study, guiding the development of **Collective** as a solution that addresses these gaps.

1.3.1 Limitations of Traditional Paper Journaling

Traditional paper journaling, while offering a tactile and personal experience, presents significant drawbacks that hinder its effectiveness as a tool for reflection and growth. Users often face challenges such as the inability to search past entries, lack of data backup, and vulnerability to loss or damage. The physical nature of paper journals also makes it difficult to organize thoughts or retrieve specific information efficiently, particularly when dealing with months or years of accumulated entries.

Research by Chung and Pennebaker (2011) in their study on expressive writing highlights similar issues, noting that reflective journaling practitioners often struggle to maintain the practice over time, fail to engage in deep levels of reflection, and face challenges in monitoring or planning their reflections Chung and Pennebaker (2011). These limitations can discourage consistent journaling practices, ultimately undermining the potential benefits of this reflective exercise. The inability to easily review past patterns or search for specific topics reduces the long-term value of journaling as a tool for personal insight and growth.

1.3.2 Cognitive Overload in Digital Journaling Platforms

While digital journaling platforms aim to enhance the journaling experience, many introduce complexities that can lead to cognitive overload and user frustration. Features such as excessive customization options, complex organizational systems, or unintuitive interfaces detract from the simplicity of

writing, making it harder for users to focus on their reflections. This complexity not only reduces user satisfaction but also contributes to disengagement and abandonment of these tools.

The proliferation of features often transforms what should be a simple, meditative practice into a technical exercise. Users find themselves spending more time managing the application than actually writing, which defeats the purpose of digital enhancement. Cognitive load theory substantiates these concerns, emphasizing that unnecessary complexity in digital tools can negatively impact engagement and learning outcomes Sloan et al. (2015). Research on digital wellness applications consistently identifies interface complexity as a primary factor in user abandonment patterns.

1.3.3 Lack of Intelligent Organization and Insights

Current digital journaling platforms typically require manual organization and categorization of entries, placing additional burden on users to maintain their digital journals effectively. The absence of intelligent features such as automatic summarization, emotional pattern recognition, or thematic categorization means that users must invest significant time and effort in organizing their thoughts retrospectively.

Research by Baikadi et al. (2016) demonstrates that users often struggle with organizing and retrieving specific information from extensive journal entries over time, highlighting the need for more sophisticated organizational tools Baikadi et al. (2016). This manual approach to organization often results in inconsistent categorization, missed patterns, and reduced ability to gain meaningful insights from accumulated journal entries. Users may write consistently but fail to recognize important emotional or behavioral patterns that could inform personal growth and decision-making. The lack of automated analysis capabilities represents a significant missed opportunity to enhance the therapeutic and developmental benefits of journaling, as supported by research on text summarization techniques in digital applications Allahyari et al. (2017).

1.3.4 Time Constraints and Accessibility Barriers

In today's fast-paced environment, many potential journal users face time constraints that prevent them from engaging in lengthy writing sessions or extensive organization of their entries. The pressure to write comprehensively while maintaining organization can create stress and hinder the natural flow of

thoughts and emotions that makes journaling beneficial for mental health and personal development Pennebaker and Seagal (1999).

Additionally, accessibility barriers such as the need to carry physical journals or remember to access specific digital platforms can create friction that reduces journaling consistency. Research on digital wellness applications indicates that accessibility and ease of use are critical factors in maintaining user engagement with reflective practices Sloan et al. (2015). The lack of seamless integration into daily routines often results in sporadic journaling practices that fail to provide the cumulative benefits associated with regular reflection and self-expression.

1.4 Objectives

The objectives of this project are divided into two categories - research objectives and project objectives, each addressing specific aspects of the study and development of the mobile journaling application, **Collective**. These objectives guide the direction and scope of the project, ensuring alignment with its intended purpose and outcomes.

1.4.1 Research Objectives

- a. To investigate the principles of effective journaling practices and analyze how artificial intelligence technologies can enhance the process by automatically processing entries, generating insights, and identifying emotional and behavioral patterns to provide actionable self-awareness.
- b. To design and develop **Collective**, a mobile application that enables users to create and manage journal entries through a minimalist interface, integrating AI technologies for background processing of content analysis, pattern recognition, and automatic organization.
- c. To evaluate **Collective** through comprehensive usability testing and user experience research, collecting quantitative and qualitative feedback to measure user satisfaction, engagement levels, and the effectiveness of AI-driven features in enhancing the journaling experience.

1.4.2 Project Objectives

- a. To implement a secure authentication system with user registration and login capabilities to ensure data privacy and enable personalized journaling experiences for individual users.

- b. To create a streamlined mobile journaling platform that allows users to write and save journal entries through an intuitive interface featuring an easily accessible save button and distraction-free writing environment.
- c. To develop automatic content processing capabilities using natural language processing algorithms to analyze journal entries for emotional sentiment, thematic categorization, and pattern identification without user intervention.
- d. To implement intelligent organization features that automatically categorize and tag journal entries based on content analysis, enabling efficient retrieval and organization of past entries.
- e. To integrate automatic summarization functionality that generates concise overviews of individual entries and periodic summaries of journaling patterns and themes.
- f. To ensure data synchronization and backup capabilities through cloud integration while maintaining user privacy and data security standards.
- g. To implement offline functionality that allows users to continue journaling without internet connectivity, with automatic synchronization when connection is restored.
- h. To develop personalized insights and analytics features that present users with meaningful patterns, emotional trends, and behavioral observations derived from their journaling history.
- i. To create an export functionality that allows users to access their journal data in various formats for backup or external analysis purposes.
- j. To establish comprehensive error handling and user feedback mechanisms to ensure application stability and facilitate continuous improvement based on user experiences.

1.5 Project Scope

The scope of **Collective** encompasses the development of a comprehensive mobile journaling solution with intelligent AI integration. The project boundaries and included features are defined as follows:

1.5.1 Included Features

- a. **User Authentication and Account Management:** Implementation of secure login and registration systems to ensure individual user accounts with personalized data management and privacy protection.

- b. **Minimalist Journaling Interface:** Development of a clean, distraction-free writing environment that focuses user attention on the journaling process while providing intuitive navigation and entry management.
- c. **Intelligent Content Processing:** Integration of natural language processing capabilities to automatically analyze journal entries for emotional content, thematic categorization, and pattern identification without requiring user input or configuration.
- d. **Automatic Organization and Tagging:** Implementation of AI-driven categorization system that organizes entries based on content analysis, mood detection, and thematic similarities to facilitate easy retrieval and pattern recognition.
- e. **Background Summarization:** Development of automatic summary generation for individual entries and periodic overviews that help users quickly review their journaling history and identify significant themes or changes.
- f. **Cross-Platform Compatibility:** Creation of a Flutter-based mobile application that functions consistently across iOS and Android platforms, ensuring broad accessibility and user reach.
- g. **Offline Functionality:** Implementation of local data storage and processing capabilities that allow users to continue journaling without internet connectivity, with automatic synchronization when connection is available.
- h. **Data Security and Privacy:** Integration of encryption for data storage and transmission, ensuring user privacy and compliance with data protection standards while providing optional cloud backup services.
- i. **Search and Retrieval Capabilities:** Development of intelligent search functionality that allows users to find specific entries based on content, emotional state, date ranges, or automatically generated categories.
- j. **Insights and Analytics Dashboard:** Creation of personalized analytics that present emotional trends, writing patterns, and behavioral insights derived from AI analysis of journaling history.

1.5.2 Project Limitations

- a. The application is designed specifically for mobile platforms (iOS and Android) and does not include web or desktop versions within the current project scope.

- b. AI processing is limited to text analysis and does not include multimedia content processing such as image recognition or audio transcription.
- c. The application focuses on individual journaling experiences and does not include social features, sharing capabilities, or collaborative journaling functionalities.
- d. Integration with external health or wellness platforms is not included in the current scope, though the architecture allows for future expansion.
- e. Advanced AI features such as predictive text generation or writing assistance are not included, maintaining focus on analysis and organization rather than content creation support.
- f. The project scope includes English language processing primarily, with limited support for multilingual content analysis.

This comprehensive scope ensures that **Collective** addresses the core challenges identified in existing journaling solutions while maintaining a focused development approach that delivers meaningful value to users seeking an enhanced journaling experience.

Chapter 2

Literature Review

2.1 Introduction

This chapter presents a comprehensive review of the literature related to the development and potential impact of **Collective**, a mobile journaling application enhanced with AI-powered analysis capabilities. The review examines existing research on traditional and digital journaling practices, the benefits and challenges associated with each method, and the emerging role of technology, particularly AI, in transforming the way individuals capture, process, and reflect on information. This analysis serves as a foundation for understanding the current landscape of journaling and note-taking, identifying areas where Collective can contribute to addressing unmet user needs, and informing the design and development of the platform.

2.2 The Impact of Technology on Journaling: A Transition and Its Implications

The evolution of journaling has witnessed a significant shift from traditional pen-and-paper methods to the integration of digital tools. This transition is driven by the affordances of technology, promising increased efficiency, enhanced organization, improved accessibility, and seamless integration of multimedia elements. Digital platforms facilitate journaling processes through features like searchability, cloud syncing, and the ability to generate insights. These advantages align with the core objectives of Collective, which aims to bridge the gap between traditional and digital journaling by offering a

user-friendly interface that combines the intuitive nature of pen-and-paper with the power of digital capabilities.

However, the transition to digital journaling is not without its challenges. Potential drawbacks include distractions arising from multitasking on digital devices, the possible impact on learning and retention, dependency on technology, and privacy concerns. Addressing these concerns is crucial for ensuring the effectiveness and ethical implementation of digital journaling solutions. Notably, research suggests that while digital tools can aid in capturing more extensive entries, they might not necessarily translate to improved self-reflection outcomes. This finding underscores the importance of promoting active engagement and deep processing of information during journaling, rather than simply relying on verbatim transcription. Collective seeks to address this challenge by incorporating AI-driven analysis features that encourage users to engage with their entries on a deeper level, fostering reflection and critical analysis Baikadi et al. (2016).

2.3 Cognitive Considerations in Journaling: Handwritten vs. Digital

Research on journaling practices has explored the cognitive implications of different methods, particularly comparing the effectiveness of handwritten entries versus digitally typed content. Studies suggest a potential advantage for handwritten notes in promoting conceptual understanding and retention. A notable study by Mueller and Oppenheimer (2014) found that students who took handwritten notes demonstrated better comprehension of conceptual material compared to those who used laptops for note-taking, even though both groups performed similarly on factual recall questions Mueller and Oppenheimer (2014). This finding aligns with the encoding hypothesis, which posits that the act of physically writing aids in deeper cognitive processing and encoding of information.

However, digital journaling also offers benefits, particularly in terms of speed, legibility, and searchability. These practical advantages cannot be overlooked, especially in fast-paced environments. The challenge lies in finding a balance between leveraging the efficiency of digital tools while mitigating potential negative impacts on cognitive processing. Collective aims to strike this balance by offering a platform that supports diverse journaling preferences, allowing users to choose their preferred input method while providing AI-powered features to enhance comprehension and retention regardless of the input method Moore and Cain (2015).

2.4 Expressive Writing and Its Impact on Physical and Mental Well-Being

Beyond the practical aspects of journaling, research has explored the potential therapeutic benefits of expressive writing. Studies provide a comprehensive overview of this field, highlighting the positive effects of writing about emotional experiences on both subjective and objective markers of health and well-being. Numerous studies have demonstrated that individuals who engage in expressive writing exhibit:

- a. **Reduced physician visits:** Writing about emotional upheavals has been associated with a decrease in healthcare utilization, suggesting potential benefits for physical health.
- b. **Improved immune function:** Studies have shown positive effects on immune markers, including T-helper cell growth and antibody responses to vaccinations.
- c. **Enhanced mood and well-being:** Expressive writing can lead to long-term improvements in mood, reduced distress, and increased life satisfaction.
- d. **Improved academic and professional outcomes:** Students who engage in expressive writing have demonstrated improvements in grades, while professionals have shown increased success in job searching.

These findings underscore the potential of expressive writing as a valuable tool for promoting both physical and mental well-being Pennebaker and Seagal (1999). While Collective is not intended as a replacement for professional therapy, it aims to provide a platform that facilitates self-reflection and emotional processing, potentially contributing to the positive outcomes associated with expressive writing.

2.5 Integration of AI in Journaling Platforms

The integration of AI in modern digital tools has transformed journaling practices. Applications leverage AI for summarization, sentiment analysis, and categorization, enabling users to process and organize their entries more effectively. These tools highlight the potential of AI to personalize user experiences, generate actionable insights, and enhance productivity. However, concerns about privacy, algorithmic bias, and dependency on technology persist, requiring careful design and implementation.

Collective addresses these concerns by prioritizing user control, transparency, and ethical AI use. Its AI-driven features, including automated analysis and pattern recognition, are designed to provide meaningful insights without compromising user privacy or autonomy Allahyari et al. (2017). By bridging the gap between traditional and digital journaling, Collective offers a novel approach to meeting diverse user needs.

2.6 Study of Existing Journaling Systems

The study of existing journaling systems reveals a diverse range of platforms, each catering to different user needs, from productivity-focused tools to those emphasizing emotional well-being. Popular platforms such as Evernote, Notion, and Day One have gained traction due to their unique features and functionalities. However, each system has its strengths and limitations, which are important to consider when designing a comprehensive journaling platform like Collective.

Evernote is one of the most widely used note-taking applications, known for its robust organizational features, including tagging, notebooks, and advanced search capabilities. It excels in productivity and is often used for professional and academic purposes. However, Evernote lacks features that support emotional well-being or expressive writing, which limits its utility for users seeking therapeutic benefits.

Notion is a highly customizable platform that combines note-taking, task management, and database functionalities. Its flexibility allows users to create personalized workflows, making it popular among professionals and students. However, Notion's complexity can be overwhelming for users who prefer simplicity, and it does not offer AI-driven features like summarization or sentiment analysis, which could enhance user engagement and reflection.

Day One is a journaling app specifically designed for personal reflection and memory-keeping. It offers features such as photo integration, location tagging, and mood tracking, making it ideal for users interested in expressive writing and emotional processing. However, Day One's focus on personal journaling means it lacks advanced productivity tools, such as task management or AI-powered analysis, which could benefit users looking for a more analytical approach to journaling.

In summary, while existing journaling systems excel in specific areas—such as productivity, customization, or emotional well-being—they often fail to integrate these aspects comprehensively. This gap

highlights the need for a platform like Collective, which aims to combine emotional well-being and advanced AI features into a single, user-friendly mobile solution.

2.7 Comparison Summary

The table below provides a comparative summary of the key features of existing journaling systems, highlighting their strengths and limitations. This comparison underscores the unique value proposition of Collective, which seeks to address the gaps identified in current platforms.

Table 2.1: Comparative Analysis of Digital Journaling Applications

Feature	Evernote	Notion	Day One	Collective
Writing Purpose	Notes	Notes	Journal	Journal
Complexity	Low	High	Low	Low
AI Features	No	Yes	No	Yes
Privacy	Limited (offline paid)	Cloud-based only	Yes (end-to-end encrypted)	Yes (local processing)
Verdict	Easy for notes. Limited features, cloud-reliant.	Flexible, with AI. Steep learning, cloud-only.	Ideal for journaling. Not built for general notes.	AI-enhanced journaling. Privacy-focused, mobile-optimized.

Key Insights from the Comparison

- a. Evernote excels in note organization but lacks features for emotional well-being or AI-driven insights.
- b. Notion offers flexibility and some AI features but has a steep learning curve and is cloud-dependent.
- c. Day One focuses on personal journaling with strong privacy but lacks AI capabilities and general note-taking features.
- d. Collective aims to bridge these gaps by offering AI-enhanced journaling with strong privacy protection and mobile optimization, specifically designed for personal reflection and emotional well-being.

This comparison highlights the unique positioning of Collective as a specialized journaling platform

that addresses the diverse needs of users seeking both emotional well-being and intelligent analysis, while maintaining privacy and simplicity.

2.8 Findings and Conclusion

The literature review and study of existing journaling systems have yielded several key findings that inform the design and development of Collective. These findings highlight the strengths and limitations of current platforms, as well as the opportunities for innovation in the field of digital journaling.

Key Findings

- a. **Evolution of Journaling Practices:** The transition from traditional pen-and-paper methods to digital journaling has brought significant advantages, such as improved organization, accessibility, and integration of multimedia elements. However, digital tools also introduce challenges, including potential distractions, reduced cognitive engagement, and privacy concerns. Collective addresses these challenges by combining the intuitive nature of traditional journaling with the efficiency of digital tools, while incorporating AI-powered features to enhance user engagement and reflection.
- b. **Cognitive Benefits of Handwritten vs. Digital Entries:** Research indicates that handwritten notes promote deeper cognitive processing and better conceptual understanding compared to typed notes Mueller and Oppenheimer (2014). However, digital journaling offers practical advantages, such as speed, legibility, and searchability. Collective bridges this gap by supporting flexible input methods while leveraging AI to enhance comprehension and retention.
- c. **Therapeutic Benefits of Expressive Writing:** Expressive writing has been shown to have significant positive effects on physical and mental well-being, including reduced stress, improved immune function, and enhanced emotional processing Pennebaker and Seagal (1999). Collective integrates these therapeutic aspects with intelligent analysis, offering a platform that supports both emotional well-being and personal insight.
- d. **Integration of AI in Journaling Platforms:** AI-powered features, such as pattern recognition, sentiment analysis, and automated organization, have the potential to transform journaling by providing personalized insights and enhancing self-awareness Allahyari et al. (2017). However, concerns about privacy and user autonomy remain. Collective prioritizes ethical AI use, ensuring transparency, user control, and data privacy while offering advanced AI features.

e. **Gaps in Existing Journaling Systems:** The study of existing platforms reveals a lack of integration between simplicity, AI capabilities, and privacy protection. Current solutions often focus on one aspect at the expense of others, leaving users to compromise on their needs. Collective fills this gap by offering a unified mobile platform that combines emotional well-being, AI-powered insights, and strong privacy protection.

The findings from this literature review underscore the need for a journaling platform that balances simplicity, intelligence, and privacy. Collective is designed to address the limitations of existing systems by offering a mobile-first, user-friendly platform that supports emotional well-being through expressive writing while leveraging AI to enhance self-reflection and personal growth. By integrating these features with strong privacy protection, Collective aims to transform the way individuals capture, process, and reflect on their personal experiences.

The next chapter will delve into the methodology employed to develop and evaluate Collective, ensuring that the platform meets the needs of its users and achieves its intended objectives.

Chapter 3

Methodology

3.1 Introduction

In this chapter, the development process for **Collective** mobile journaling application is explained using the Rapid Application Development (RAD) methodology. Each stage of the development is explained in detail, covering the phases of requirements planning, user design, construction and cutover.

3.2 Rapid Application Development (RAD) Methodology




Figure 3.1: Rapid Application Development (RAD) Methodology Phases

Rapid Application Development (RAD) is a software development methodology that emphasizes quick development and iteration of prototypes over rigorous planning and testing. It is particularly useful for projects where requirements are expected to evolve or are not fully understood at the outset. The

RAD methodology consists of four main phases: requirement planning, user design, construction, and cutover. This model was chosen for the development of the **Collective** mobile journaling application due to its flexibility and focus on user feedback, which is crucial for creating a user-friendly and effective application. The details of the project is discussed below:

3.3 Requirement planning

The requirement planning phase is the first step in the RAD methodology, where the project team identifies and defines the requirements of the application. This phase involves gathering information from stakeholders, including potential users, to understand their needs and expectations. The goal is to create a clear and concise set of requirements that will guide the development process.

3.3.1 Software Requirements

The following tables list the software and tools used to develop the **Collective** mobile journaling application:

Table 3.1: Visual Studio Code

Attribute	Details
Name	Visual Studio Code
Mnemonic	VS Code
Specification Number	N/A
Version Number	1.101.1
Source	https://code.visualstudio.com/

Table 3.2: Flutter

Attribute	Details
Name	Flutter
Mnemonic	Flutter SDK
Specification Number	N/A
Version Number	3.10.0
Source	https://flutter.dev/

Table 3.3: Dart

Attribute	Details
Name	Dart
Mnemonic	Dart SDK
Specification Number	N/A
Version Number	3.0.0
Source	https://dart.dev/

Table 3.4: Google Chrome

Attribute	Details
Name	Google Chrome
Mnemonic	Chrome Browser
Specification Number	N/A
Version Number	114.0.5735.199
Source	https://www.google.com/chrome/

Table 3.5: Microsoft Word

Attribute	Details
Name	Microsoft Word
Mnemonic	MS Word
Specification Number	N/A
Version Number	Office 365
Source	https://www.microsoft.com/en-us/microsoft-365/word

Table 3.6: Microsoft Excel

Attribute	Details
Name	Microsoft Excel
Mnemonic	MS Excel
Specification Number	N/A
Version Number	Office 365
Source	https://www.microsoft.com/en-us/microsoft-365/excel

Table 3.7: Draw.io

Attribute	Details
Name	Draw.io
Mnemonic	Diagram Tool
Specification Number	N/A
Version Number	20.8.0
Source	https://app.diagrams.net/

Table 3.8: DeepSeek API

Attribute	Details
Name	DeepSeek API
Mnemonic	DeepSeek
Specification Number	N/A
Version Number	DeepSeek-V3-0324
Source	https://platform.deepseek.com/

3.3.2 Hardware Requirements

The following table lists the hardware requirements necessary for the development and testing of the **Collective** mobile journaling application. Note that the development is currently focused exclusively on the Android platform, as iOS development requires a macOS machine, which is planned for future work:

Table 3.9: Hardware Requirements

Component	Specification
Processor	Intel Core i5 or equivalent
RAM	8 GB or higher
Storage	256 GB SSD or higher
Operating System	Windows 10
Additional Devices	Android smartphone for testing

3.3.3 Use Case Diagram

The use case diagram for the **Collective** mobile journaling application illustrates the interactions between the user (Writer) and the system. It highlights the various functionalities provided by the application and their relationships. The diagram is shown below:




Figure 3.2: Use Case Diagram for Collective Mobile Journaling Application

3.3.4 Use Case Description

The use case description provides detailed information about the functionalities depicted in the use case diagram. Below is a table summarizing the key use cases:

Table 3.10: Use Case Description

Actor	Use Case	Use Case Description
Writer	Register	The writer can register their account by filling in their name, email, and password or use X or Google to register.
	Login	The writer can log in to the application using their registered credentials.
	Logout	The writer can log out of the application when they are done.
	Write Entry	The writer can compose journal entries to record their thoughts and experiences.
	Append Tags	The writer can add tags to their journal entries for better organization.
	Set Mood	The writer can set their mood for each journal entry to reflect their feelings.
	Set Bookmark	The writer can bookmark specific entries for quick access later.
	Attach Media	The writer can attach images or other media to their journal entries.
	Submit Entry	The writer can submit their journal entries to save them in the application.
	Browse Bookmark	The writer can browse through their bookmarked entries.
	View Entries	The writer can view all their saved journal entries.
	Search	The writer can search for specific entries using keywords.
	Browse Calendar	The writer can view their journal entries organized by calendar dates.
	View Analytics	The writer can analyze their journal entries to gain insights into their habits and patterns.
	View AI Insights	The writer can access AI-generated insights based on their journal entries.
Backend Services	View Entries	The system to store and retrieve the writer's journal entries securely.
	Manage Offline	The system to allow the writer to access their entries even when offline.
	Generate Analytics	The system to analyze the writer's journal entries to provide useful statistics.
	Generate Insights	The system to generate insights based on the writer's journal entries to help them understand their patterns.

3.4 User design

The user design phase focuses on how users interact with the Collective application, shaping the interface and workflow based on user feedback and usability principles. This section details the main user roles and their interactions with the system, illustrated with activity diagrams for each core function.

3.4.1 Process Flow

3.4.1.1 Writer

The Writer is the primary user of the Collective application, responsible for creating, managing, and analyzing journal entries. The following functions are available to the Writer:

i. Register

Figure 3.3 shows the registration flow for new users. The writer can register using their email and password or authenticate through Google/X OAuth providers. The system validates the account details and, upon successful registration, redirects the writer to the journal screen where they can begin their journaling experience.




Figure 3.3: Registration flow for Writer

ii. Login

Figure 3.4 shows the login flow for existing users. The writer can authenticate using their registered email and password or through their previously linked Google/X account. Upon successful authentication, the system validates the credentials and redirects the writer to the main journal screen.




Figure 3.4: Login flow for Writer

iv. Edit Entry

Figure 3.6 shows the entry editing flow for writers. The writer can modify existing entries, update their mood, change tags, or replace media attachments. The system tracks changes and updates both local and cloud storage accordingly.




Figure 3.6: Edit Entry flow for Writer

v. Search

Figure 3.7 shows the search functionality flow. The writer can search through their entries using fuzzy search algorithms that match both entry content and tags, providing intelligent search results even with partial or approximate queries.




Figure 3.7: Search flow for Writer

vi. Analytics

Figure 3.8 shows the analytics viewing flow. The writer can access AI-generated insights about their journaling patterns, emotional trends, and topic clusters. The system uses cached analytics data when available and generates new analysis when needed.




Figure 3.8: Analytics flow for Writer

vii. Insights

Figure 3.9 shows the AI insights viewing flow for individual entries. The writer can access detailed analysis of specific entries, including contextual relationships, emotional analysis, and personalized recommendations.




Figure 3.9: Insights flow for Writer

viii. Logout

Figure 3.10 shows the logout process for writers. The system securely terminates the user session, clears authentication tokens, and redirects to the login screen while ensuring local data remains protected.




Figure 3.10: Logout flow for Writer

ix. Append Tags

Figure 3.11 shows the tag management flow. Writers can add, modify, or remove tags from their entries to improve organization and searchability. The system provides tag suggestions based on entry content and previous usage patterns.




Figure 3.11: Append Tags flow for Writer

x. Set Mood

Figure 3.12 shows the mood setting functionality. Writers can associate emotional states with their entries, enabling the system to track emotional patterns over time and provide relevant insights.




Figure 3.12: Set Mood flow for Writer

xi. Set Bookmark

Figure 3.13 shows the bookmarking process. Writers can mark important entries for quick access, creating a personalized collection of significant journal entries.




Figure 3.13: Set Bookmark flow for Writer

xii. Attach Media

Figure 3.14 shows the media attachment process. Writers can enhance their entries with images, GIFs, or other media content, with the system handling compression and storage optimization automatically.




Figure 3.14: Attach Media flow for Writer

xiii. Browse Bookmark

Figure 3.15 shows the bookmark browsing functionality. Writers can efficiently navigate through their bookmarked entries, with options for sorting and filtering based on various criteria.




Figure 3.15: Browse Bookmark flow for Writer

xiv. View Entries

Figure 3.16 shows the entry viewing interface. Writers can browse through all their journal entries with various viewing options including list view, timeline view, and calendar integration.




Figure 3.16: View Entries flow for Writer

xv. Browse Calendar

Figure 3.17 shows the calendar browsing functionality. Writers can navigate through their journaling history using an intuitive calendar interface, quickly jumping to entries from specific dates.




Figure 3.17: Browse Calendar flow for Writer

3.4.1.2 Backend Services

This subsection covers the backend functionalities that support the user-facing features, including data management, synchronization, and AI processing capabilities.

i. Store/Retrieve Entries

Figure 3.18 shows the data management process for journal entries. The system handles secure storage and retrieval of entries across local and cloud storage, ensuring data integrity and availability.




Figure 3.18: Store/Retrieve Entries Flow

ii. Manage Offline

Figure 3.19 shows the offline functionality management. The system automatically handles offline mode, local data storage, and synchronization when connectivity is restored, ensuring seamless user experience regardless of network availability.




Figure 3.19: Manage Offline Flow

iii. Sync

Figure 3.20 shows the synchronization process between local and cloud storage. The system automatically detects connectivity changes and synchronizes data when internet access is available, maintaining data consistency across devices.




Figure 3.20: Synchronization Flow

iv. AI Processing

Figure 3.21 shows the background AI processing that occurs automatically after entries are saved. The system performs sentiment analysis, pattern recognition, and insight generation without user intervention to maintain the simplicity of the journaling experience.




Figure 3.21: AI Processing Flow

3.4.2 Use Case

This subsection presents detailed use case analysis for the Collective mobile journaling application. Each use case includes a visual UML diagram and detailed specification table covering the use case ID, name, purpose, role, and various scenarios. The use cases are organized by functionality and provide comprehensive coverage of all system features available to writers.

3.4.2.1 Register

Figure 3.22 shows the register use case diagram. This use case allows new users to create an account using email/password credentials or through OAuth providers like Google and Twitter/X.




Figure 3.22: Use Case Register

Table 3.11: Use Case Register Details

Use Case ID	UC-001
Use Case Name	Register
Purpose	To allow writers to register a new account in the Collective application
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer opens the application for the first time 2. Writer selects registration option 3. Writer enters first name, last name, email, and password 4. System validates the provided information 5. System creates user profile in Firebase 6. Writer is redirected to the main journal screen
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer selects Google OAuth registration 2. System redirects to Google authentication 3. Writer authorizes the application 4. System creates user profile using Google information <p>OR</p> <ol style="list-style-type: none"> 1. Writer selects Twitter/X OAuth registration 2. System redirects to Twitter authentication 3. Writer authorizes the application 4. System creates user profile using Twitter information
Exception Scenario	<ol style="list-style-type: none"> 1. Email already exists in the system - System displays error message 2. Invalid email format - System displays validation error 3. Weak password - System requests stronger password 4. Network connectivity issues - System displays retry option 5. OAuth provider unavailable - System falls back to email registration

3.4.2.2 Login

Figure 3.23 shows the login use case diagram. This use case enables existing users to authenticate and access their journal entries.




Figure 3.23: Use Case Login

Table 3.12: Use Case Login Details

Use Case ID	UC-002
Use Case Name	Login
Purpose	To allow writers to login into their existing account
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer opens the application 2. Writer enters registered email and password 3. System validates credentials against Firebase Authentication 4. System loads user profile and preferences 5. Writer is redirected to the main journal screen with access to their entries
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer selects Google OAuth login 2. System authenticates with Google services 3. System validates existing account 4. Writer gains immediate access to their journal <p>OR</p> <ol style="list-style-type: none"> 1. Writer selects Twitter/X OAuth login 2. System authenticates with Twitter services 3. System validates existing account 4. Writer gains immediate access to their journal
Exception Scenario	<ol style="list-style-type: none"> 1. Incorrect email or password - System displays authentication error 2. Account not found - System suggests registration 3. Account temporarily locked - System displays wait message 4. Network connectivity issues - System enables offline mode 5. OAuth provider authentication fails - System provides alternative login methods

3.4.2.3 Logout

Figure 3.24 shows the logout use case diagram. This use case allows writers to securely terminate their session.




Figure 3.24: Use Case Logout

Table 3.13: Use Case Logout Details

Use Case ID	UC-003
Use Case Name	Logout
Purpose	To allow writers to securely logout from their account
Role	Writers
Base Scenario	1. Writer accesses logout option from the application menu 2. System confirms logout intent 3. System clears authentication tokens and session data 4. System secures local data storage 5. Writer is redirected to the login screen
Alternative Scenario	1. Automatic logout due to session expiry 2. System automatically clears session 3. System displays session timeout message 4. Writer is redirected to login screen
Exception Scenario	1. Network issues during logout - System performs local logout and attempts sync later 2. Unsaved data exists - System prompts to save before logout 3. System error during logout - System forces local session termination

3.4.2.4 Write Entry

Figure 3.25 shows the write entry use case diagram. This core functionality allows writers to create new journal entries.




Figure 3.25: Use Case Write Entry

Table 3.14: Use Case Write Entry Details

Use Case ID	UC-004
Use Case Name	Write Entry
Purpose	To allow writers to create new journal entries with text, mood, and optional media
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer opens the journal input interface 2. Writer composes their thoughts in the text area 3. Writer optionally selects a mood from predefined options 4. Writer optionally adds tags for organization 5. Writer saves the entry using the save action 6. System stores entry locally and syncs to cloud when available
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer attaches an image to the entry 2. System compresses and optimizes the media 3. Writer continues with text composition 4. System saves entry with media attachment <p>OR</p> <ol style="list-style-type: none"> 1. Writer creates entry while offline 2. System saves entry to local database 3. System queues entry for cloud sync when connectivity returns
Exception Scenario	<ol style="list-style-type: none"> 1. Empty entry attempted - System displays validation message 2. Network failure during save - System saves locally and retries sync 3. Storage space insufficient - System alerts user and suggests cleanup 4. Image attachment too large - System compresses or requests smaller file

3.4.2.5 Append Tags

Figure 3.26 shows the append tags use case diagram. This functionality helps organize entries through tagging.




Figure 3.26: Use Case Append Tags

Table 3.15: Use Case Append Tags Details

Use Case ID	UC-005
Use Case Name	Append Tags
Purpose	To allow writers to add organizational tags to their journal entries
Role	Writers
Base Scenario	<ol style="list-style-type: none">1. Writer accesses tag management for an entry2. System displays existing tags and suggestions3. Writer selects from suggested tags or creates custom tags4. Writer applies tags to the entry5. System updates entry metadata and improves future suggestions
Alternative Scenario	<ol style="list-style-type: none">1. AI system analyzes entry content2. System automatically suggests relevant tags3. Writer reviews and accepts/modifies suggestions4. System learns from writer preferences for future entries
Exception Scenario	<ol style="list-style-type: none">1. Duplicate tags attempted - System prevents duplicates2. Tag character limit exceeded - System truncates or requests shorter tag3. Special characters in tags - System sanitizes input4. Maximum tag count reached - System displays limit message

3.4.2.6 Set Mood

Figure 3.27 shows the set mood use case diagram. This feature enables emotional tracking within entries.




Figure 3.27: Use Case Set Mood

Table 3.16: Use Case Set Mood Details

Use Case ID	UC-006
Use Case Name	Set Mood
Purpose	To allow writers to associate emotional states with their journal entries
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer accesses mood selection interface during entry creation 2. System displays predefined mood options (happy, sad, anxious, etc.) 3. Writer selects the mood that best represents their emotional state 4. System associates the mood with the entry for pattern analysis 5. System updates emotional tracking data for analytics
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer chooses not to set a mood (optional feature) 2. System saves entry without mood association 3. Entry remains available for mood addition later OR <ol style="list-style-type: none"> 1. Writer changes mood after initial entry creation 2. System updates mood association 3. System recalculates emotional patterns if needed
Exception Scenario	<ol style="list-style-type: none"> 1. Mood data inconsistency - System uses default neutral mood 2. Multiple mood selections attempted - System uses last selection 3. Invalid mood data - System prompts for re-selection

3.4.2.7 Set Bookmark

Figure 3.28 shows the set bookmark use case diagram. This feature allows writers to mark important entries.




Figure 3.28: Use Case Set Bookmark

Table 3.17: Use Case Set Bookmark Details

Use Case ID	UC-007
Use Case Name	Set Bookmark
Purpose	To allow writers to bookmark important entries for quick access
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer identifies an important entry to bookmark 2. Writer selects the bookmark/favorite option 3. System toggles the bookmark status of the entry 4. System updates the entry metadata 5. Entry becomes accessible through the favorites collection
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer removes bookmark from previously bookmarked entry 2. System toggles bookmark status to off 3. Entry is removed from favorites collection but remains in main timeline
Exception Scenario	<ol style="list-style-type: none"> 1. Bookmark data corruption - System resets bookmark status 2. Sync conflict with bookmark status - System uses most recent version 3. Maximum bookmarks reached - System displays limit notification

3.4.2.8 Attach Media

Figure 3.29 shows the attach media use case diagram. This functionality enhances entries with visual content.




Figure 3.29: Use Case Attach Media

Table 3.18: Use Case Attach Media Details

Use Case ID	UC-008
Use Case Name	Attach Media
Purpose	To allow writers to enhance their entries with images and media content
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer selects media attachment option during entry creation 2. System opens device gallery or camera interface 3. Writer selects or captures an image 4. System compresses and optimizes the media file 5. System associates media with the entry and stores locally 6. System uploads media to cloud storage when connectivity available
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer attaches multiple images to single entry 2. System processes each image individually 3. System creates media gallery for the entry OR <ol style="list-style-type: none"> 1. Writer removes attached media 2. System removes media association and files 3. System updates entry metadata
Exception Scenario	<ol style="list-style-type: none"> 1. Image file too large - System compresses or requests smaller file 2. Unsupported file format - System displays supported format message 3. Storage space insufficient - System alerts and suggests cleanup 4. Upload failure - System retries upload when connectivity restored 5. Corrupted media file - System displays error and removes attachment

3.4.2.9 Submit Entry

Figure 3.30 shows the submit entry use case diagram. This finalizes the entry creation process.




Figure 3.30: Use Case Submit Entry

Table 3.19: Use Case Submit Entry Details

Use Case ID	UC-009
Use Case Name	Submit Entry
Purpose	To allow writers to finalize and save their completed journal entries
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer completes entry composition with text, mood, tags, and media 2. Writer selects save/submit action 3. System validates entry content and metadata 4. System saves entry to local database immediately 5. System updates UI to reflect new entry 6. System queues entry for cloud synchronization
Alternative Scenario	<ol style="list-style-type: none"> 1. Auto-save triggers during entry composition 2. System saves draft entry periodically 3. Writer can continue editing or finalize submission <p>OR</p> <ol style="list-style-type: none"> 1. Writer submits entry while offline 2. System saves locally with sync pending status 3. System syncs when connectivity restored
Exception Scenario	<ol style="list-style-type: none"> 1. Entry validation fails - System highlights issues and prevents submission 2. Local storage full - System displays storage warning 3. Duplicate entry detected - System asks for confirmation 4. System crash during submission - System recovers draft on restart

3.4.2.10 Browse Bookmark

Figure 3.31 shows the browse bookmark use case diagram. This provides access to favorite entries.




Figure 3.31: Use Case Browse Bookmark

Table 3.20: Use Case Browse Bookmark Details

Use Case ID	UC-010
Use Case Name	Browse Bookmark
Purpose	To allow writers to access and browse their bookmarked/favorite entries
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer accesses the favorites/bookmarks section 2. System loads all bookmarked entries 3. System displays entries in chronological or custom order 4. Writer can browse, read, edit, or remove bookmarks 5. Writer can access full entry details and associated media
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer applies date range filter to bookmarks 2. System filters bookmarked entries by specified dates 3. System displays filtered results <p>OR</p> <ol style="list-style-type: none"> 1. Writer searches within bookmarked entries 2. System performs search only within favorite entries 3. System displays matching bookmarked entries
Exception Scenario	<ol style="list-style-type: none"> 1. No bookmarked entries exist - System displays empty state with guidance 2. Bookmark data corrupted - System attempts recovery or resets bookmarks 3. Loading error - System displays retry option 4. Network issues - System shows cached bookmarks with sync status

3.4.2.11 View Entries

Figure 3.32 shows the view entries use case diagram. This provides the main interface for browsing all journal entries.




Figure 3.32: Use Case View Entries

Table 3.21: Use Case View Entries Details

Use Case ID	UC-011
Use Case Name	View Entries
Purpose	To allow writers to browse and view all their journal entries in an organized timeline
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer opens the main journal screen 2. System loads all journal entries from local and cloud storage 3. System groups entries by date for organized display 4. System displays entries in reverse chronological order 5. Writer can scroll through timeline and access individual entries
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer filters entries by date range 2. System displays entries within specified timeframe OR <ol style="list-style-type: none"> 1. Writer sorts entries by different criteria (mood, tags, etc.) 2. System reorganizes display according to selected sorting
Exception Scenario	<ol style="list-style-type: none"> 1. No entries exist - System displays welcome message and entry creation guidance 2. Loading error - System shows cached entries with sync status indicator 3. Large number of entries causes performance issues - System implements pagination 4. Data corruption detected - System attempts recovery and shows error status

3.4.2.12 Search

Figure 3.33 shows the search use case diagram. This enables efficient entry discovery through text matching.




Figure 3.33: Use Case Search

Table 3.22: Use Case Search Details

Use Case ID	UC-012
Use Case Name	Search
Purpose	To allow writers to search through their journal entries using keywords and phrases
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer activates search interface 2. Writer enters search keywords or phrases 3. System performs real-time fuzzy text matching across entry content and tags 4. System displays matching entries with highlighted search terms 5. Writer can access full entries from search results
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer searches by specific tags 2. System filters entries containing specified tags 3. System displays tag-filtered results <p>OR</p> <ol style="list-style-type: none"> 1. Writer uses advanced search with multiple criteria 2. System combines text, tag, mood, and date filters 3. System displays comprehensive filtered results
Exception Scenario	<ol style="list-style-type: none"> 1. No search results found - System displays no results message with search suggestions 2. Search query too short - System requires minimum character count 3. Special characters in search - System sanitizes query and searches 4. Search performance issues - System optimizes query and displays progress indicator

3.4.2.13 Browse Calendar

Figure 3.34 shows the browse calendar use case diagram. This provides date-based navigation through entries.




Figure 3.34: Use Case Browse Calendar

Table 3.23: Use Case Browse Calendar Details

Use Case ID	UC-013
Use Case Name	Browse Calendar
Purpose	To allow writers to navigate their journal entries using a visual calendar interface
Role	Writers
Base Scenario	<ol style="list-style-type: none">1. Writer accesses calendar view from main interface2. System displays calendar with entry indicators on dates with journal entries3. Writer navigates through months and years4. Writer selects specific date with entries5. System navigates to entries for selected date in main timeline
Alternative Scenario	<ol style="list-style-type: none">1. Writer uses calendar to find entries from specific time period2. System highlights date ranges with entry activity3. Writer selects date range for filtered viewing OR <ol style="list-style-type: none">1. Calendar displays mood indicators for each date2. Writer can visualize emotional patterns over time3. Writer selects dates based on mood indicators
Exception Scenario	<ol style="list-style-type: none">1. Calendar fails to load - System displays alternative date navigation2. Date with no entries selected - System offers to create new entry for that date3. Performance issues with large date ranges - System implements lazy loading4. Invalid date selection - System corrects to nearest valid date

3.4.2.14 View Analytics

Figure 3.35 shows the view analytics use case diagram. This provides insights into journaling patterns and trends.




Figure 3.35: Use Case View Analytics

Table 3.24: Use Case View Analytics Details

Use Case ID	UC-014
Use Case Name	View Analytics
Purpose	To allow writers to analyze their journaling patterns, topics, and emotional trends
Role	Writers
Base Scenario	<ol style="list-style-type: none">1. Writer accesses analytics section from main interface2. System analyzes journal entries to identify topic clusters and patterns3. System generates visualizations showing topic distribution and trends4. System displays emotional patterns and mood statistics5. Writer can explore individual topic clusters and associated entries
Alternative Scenario	<ol style="list-style-type: none">1. System uses cached analytics when available2. System displays previously generated insights immediately3. System updates analytics in background when new entries added OR <ol style="list-style-type: none">1. Writer requests analytics refresh2. System regenerates analysis with current data3. System displays updated insights and patterns
Exception Scenario	<ol style="list-style-type: none">1. Insufficient data for analytics - System displays message about minimum entry requirements2. Analytics generation fails - System displays error and retry option3. Complex analytics take too long - System displays progress and allows backgrounding4. Analytics data corrupted - System regenerates from source entries

3.4.2.15 View AI Insights

Figure 3.36 shows the view AI insights use case diagram. This provides detailed AI-powered analysis of individual entries.




Figure 3.36: Use Case View AI Insights

Table 3.25: Use Case View AI Insights Details

Use Case ID	UC-015
Use Case Name	View AI Insights
Purpose	To allow writers to access AI-powered insights and analysis for individual journal entries
Role	Writers
Base Scenario	<ol style="list-style-type: none">1. Writer selects AI insights option for a specific entry2. System analyzes entry content using AI services3. System generates contextual insights about themes, emotions, and relationships4. System provides personalized recommendations based on entry content5. Writer reviews insights and can apply suggestions to future entries
Alternative Scenario	<ol style="list-style-type: none">1. System displays cached insights if previously generated2. System shows processing status for new analysis3. System updates insights when analysis completes OR <ol style="list-style-type: none">1. Writer requests insight regeneration2. System reprocesses entry with updated AI models3. System displays refreshed insights and recommendations
Exception Scenario	<ol style="list-style-type: none">1. AI service unavailable - System displays cached insights or error message2. Entry too short for analysis - System suggests minimum content requirements3. Analysis fails - System provides basic insights and retry option4. Rate limiting from AI service - System queues analysis for later processing

3.4.2.16 Manage Offline

Figure 3.37 shows the manage offline use case diagram. This ensures functionality without internet connectivity.




Figure 3.37: Use Case Manage Offline

Table 3.26: Use Case Manage Offline Details

Use Case ID	UC-016
Use Case Name	Manage Offline
Purpose	To allow writers to use the application fully when internet connectivity is unavailable
Role	Writers
Base Scenario	<ol style="list-style-type: none">1. System detects loss of internet connectivity2. System switches to offline mode seamlessly3. System stores all new entries and changes locally4. System provides full functionality using local database5. System detects connectivity restoration and synchronizes changes
Alternative Scenario	<ol style="list-style-type: none">1. User manually enables offline mode2. System prepares for offline operation3. System caches essential data locally OR <ol style="list-style-type: none">1. Partial connectivity available2. System optimizes for low-bandwidth operation3. System prioritizes essential sync operations
Exception Scenario	<ol style="list-style-type: none">1. Local storage insufficient for offline data - System alerts user and suggests cleanup2. Sync conflicts when connectivity restored - System provides conflict resolution interface3. Local database corruption - System attempts recovery and alerts user4. Extended offline period - System optimizes local storage and manages capacity

3.4.2.17 Generate Analytics

Figure 3.38 shows the generate analytics use case diagram. This backend process creates analytical insights from journal data.




Figure 3.38: Use Case Generate Analytics

Table 3.27: Use Case Generate Analytics Details

Use Case ID	UC-017
Use Case Name	Generate Analytics
Purpose	To process journal entries and generate analytical insights, patterns, and statistics
Role	Backend Services
Base Scenario	<ol style="list-style-type: none"> 1. System receives request for analytics generation 2. System processes all available journal entries 3. System applies AI algorithms to identify topic clusters 4. System calculates statistical patterns and trends 5. System stores generated analytics for user access 6. System caches results for improved performance
Alternative Scenario	<ol style="list-style-type: none"> 1. System performs incremental analytics update 2. System processes only new entries since last analysis 3. System updates existing analytics with new patterns OR <ol style="list-style-type: none"> 1. System runs scheduled background analytics 2. System automatically updates insights for active users 3. System optimizes processing for system resources
Exception Scenario	<ol style="list-style-type: none"> 1. Insufficient data for meaningful analytics - System provides guidance on minimum requirements 2. Processing timeout due to large dataset - System implements chunked processing 3. AI service unavailable - System falls back to basic statistical analysis 4. Memory or processing constraints - System optimizes algorithms and processes in batches

3.4.2.18 Generate Insights

Figure 3.39 shows the generate insights use case diagram. This backend process creates personalized AI insights for individual entries.




Figure 3.39: Use Case Generate Insights

Table 3.28: Use Case Generate Insights Details

Use Case ID	UC-018
Use Case Name	Generate Insights
Purpose	To create personalized AI-powered insights and recommendations for individual journal entries
Role	Backend Services
Base Scenario	<ol style="list-style-type: none">1. System receives request for entry-specific insight generation2. System analyzes entry content using natural language processing3. System performs emotional and contextual analysis4. System generates personalized recommendations and insights5. System stores insights linked to specific entry6. System provides insights to user interface
Alternative Scenario	<ol style="list-style-type: none">1. System uses historical user data to enhance insights2. System considers user's journaling patterns and preferences3. System provides more personalized and relevant recommendations OR <ol style="list-style-type: none">1. System batches multiple entries for efficient processing2. System generates insights for multiple entries simultaneously3. System optimizes AI service usage and costs
Exception Scenario	<ol style="list-style-type: none">1. AI service rate limiting - System queues requests and processes when capacity available2. Entry content insufficient for analysis - System provides general insights and suggestions3. Processing failure - System logs error and provides retry mechanism4. User privacy restrictions - System processes locally or uses anonymized analysis

3.4.3 Product Functions

This section presents a comprehensive overview of the functional requirements for the **Collective** mobile journaling application. Each function is detailed with a unique identifier, feature name, description, and accessible user role. The functions are organized by categories covering authentication, journaling core features, content management, AI-powered features, and system utilities.

Authentication and User Management Functions

Table 3.29: Authentication and User Management Functions

Feature ID	Feature	Description	Accessible Role
F001	Register	<ul style="list-style-type: none"> • To allow new users to create accounts using email and password • To enable registration through Google OAuth integration • To support Twitter/X OAuth authentication • To validate email format and password strength • To create secure user profiles in Firebase Authentication 	Writer
F002	Login	<ul style="list-style-type: none"> • To allow existing users to authenticate with email/password • To enable login through previously linked Google accounts • To support Twitter/X OAuth authentication • To validate credentials against Firebase Authentication • To redirect authenticated users to main journal interface 	Writer
F003	Logout	<ul style="list-style-type: none"> • To allow users to securely end their session • To clear authentication tokens and user data • To return users to the login screen • To ensure data security when switching users 	Writer

Core Journaling Functions

Table 3.30: Core Journaling Functions - Part 1

Feature ID	Feature	Description	Accessible Role
F004	Write Entry	<ul style="list-style-type: none"> • To provide a minimalist, distraction-free writing interface • To enable text composition with automatic word count tracking • To support real-time text editing and formatting • To auto-save content locally during composition • To maintain writing focus without interruption 	Writer
F005	Submit Entry	<ul style="list-style-type: none"> • To allow users to finalize and save completed entries • To validate entry content before submission • To save entries to local database immediately • To queue entries for cloud synchronization • To provide visual feedback on successful save 	Writer

Table 3.31: Core Journaling Functions - Part 2

Feature ID	Feature	Description	Accessible Role
F006	Edit Entry	<ul style="list-style-type: none"> • To allow modification of existing journal entries • To preserve original timestamps while tracking edit history • To support text, mood, and media modifications • To maintain data integrity during updates • To sync changes across local and cloud storage 	Writer
F007	Delete Entry	<ul style="list-style-type: none"> • To enable removal of unwanted journal entries • To provide confirmation dialogs for accidental deletion prevention • To permanently remove entries from local and cloud storage • To update entry counts and statistics accordingly 	Writer

Content Enhancement Functions

Table 3.32: Content Enhancement Functions - Part 1

Feature ID	Feature	Description	Accessible Role
F008	Set Mood	<ul style="list-style-type: none"> • To allow users to associate emotional states with entries • To provide predefined mood options with emoji representations • To enable mood selection during or after entry creation • To track emotional patterns over time for analytics • To support optional mood assignment (not required) 	Writer
F009	Append Tags	<ul style="list-style-type: none"> • To enable manual categorization of journal entries • To support custom tag creation and management • To provide tag suggestions based on entry content • To organize entries by thematic categories • To facilitate efficient search and retrieval 	Writer

Table 3.33: Content Enhancement Functions - Part 2

Feature ID	Feature	Description	Accessible Role
F010	Attach Media	<ul style="list-style-type: none"> • To support image attachment from device gallery • To enable photo capture directly within the app • To compress images automatically for storage efficiency • To provide local and cloud storage for media files • To display media content within entry view 	Writer
F011	Set Bookmark	<ul style="list-style-type: none"> • To allow marking of important or significant entries • To create quick access to meaningful journal content • To provide visual indicators for bookmarked entries • To enable bookmark management and organization 	Writer

Content Management and Retrieval Functions

Table 3.34: Content Management and Retrieval Functions - Part 1

Feature ID	Feature	Description	Accessible Role
F012	View Entries	<ul style="list-style-type: none"> • To display all journal entries in chronological order • To group entries by date for organized browsing • To provide infinite scrolling for large entry collections • To show entry previews with timestamps and metadata • To support entry selection for bulk operations 	Writer
F013	Search Entries	<ul style="list-style-type: none"> • To enable text-based search across all entry content • To support fuzzy search for approximate matches • To search within tags and metadata fields • To provide real-time search results as user types • To highlight search terms in results 	Writer

Table 3.35: Content Management and Retrieval Functions - Part 2

Feature ID	Feature	Description	Accessible Role
F014	Browse Calendar	<ul style="list-style-type: none"> • To display entries organized by calendar dates • To provide visual indicators for days with entries • To enable quick navigation to specific dates • To show entry count per day for productivity tracking • To support date range filtering 	Writer
F015	Browse Bookmarks	<ul style="list-style-type: none"> • To display all bookmarked entries in dedicated view • To provide quick access to important journal content • To maintain bookmark organization and management • To support bookmark removal and modification 	Writer

AI-Powered Analysis Functions

Table 3.36: AI-Powered Analysis Functions

Feature ID	Feature	Description	Accessible Role
F016	Generate Insights	<ul style="list-style-type: none"> • To create personalized AI-powered insights for individual entries • To analyze entry content using natural language processing • To perform emotional and contextual analysis • To generate personalized recommendations and observations • To provide entry-specific insights and patterns 	Backend Services
F017	View AI Insights	<ul style="list-style-type: none"> • To display AI-generated insights for individual entries • To provide detailed analysis of entry content and context • To show emotional patterns and thematic connections • To offer personalized recommendations for reflection • To enable insight sharing and export capabilities 	Writer
F018	Generate Analytics	<ul style="list-style-type: none"> • To process journal entries for analytical insights • To identify topic clusters and thematic patterns • To calculate statistical patterns and trends • To generate emotional tracking and mood analysis • To provide comprehensive journaling behavior analytics 	Backend Services
F019	View Analytics	<ul style="list-style-type: none"> • To display comprehensive analytics dashboard • To show topic clusters and content distribution • To provide emotional trends and mood statistics • To visualize journaling patterns over time 	Writer

Data Management and Synchronization Functions

Table 3.37: Data Management and Synchronization Functions - Part 1

Feature ID	Feature	Description	Accessible Role
F020	Store Entries	<ul style="list-style-type: none">• To securely store journal entries in local database• To maintain data integrity and consistency• To provide immediate storage for offline capability• To encrypt sensitive user data for privacy protection• To manage storage optimization and cleanup	Backend Services
F021	Retrieve Entries	<ul style="list-style-type: none">• To efficiently load journal entries from storage• To support fast retrieval for optimal performance• To handle large datasets with pagination• To maintain data consistency across sessions• To provide fallback mechanisms for data recovery	Backend Services

Table 3.38: Data Management and Synchronization Functions - Part 2

Feature ID	Feature	Description	Accessible Role
F022	Manage Offline	<ul style="list-style-type: none"> • To enable full functionality without internet connectivity • To automatically detect connectivity changes • To store all user actions locally during offline periods • To provide seamless offline-to-online transitions • To maintain data synchronization integrity 	Backend Services
F023	Cloud Synchronization	<ul style="list-style-type: none"> • To synchronize local data with Firebase cloud storage • To handle conflict resolution for simultaneous edits • To provide incremental sync for bandwidth efficiency • To maintain data consistency across multiple devices • To support automatic and manual sync triggers 	Backend Services

User Interface and Experience Functions

Table 3.39: User Interface and Experience Functions

Feature ID	Feature	Description	Accessible Role
F024	Selection Mode	<ul style="list-style-type: none"> • To enable multi-entry selection for bulk operations • To provide visual feedback for selected items • To support batch deletion and bulk actions • To offer selection by date ranges and criteria • To maintain selection state during navigation 	Writer
F025	Theme Management	<ul style="list-style-type: none"> • To provide automatic light/dark theme switching • To respond to system theme preferences • To maintain consistent visual design across themes • To optimize readability in different lighting conditions • To support accessibility requirements 	Writer
F026	Responsive Design	<ul style="list-style-type: none"> • To adapt interface layout to different screen sizes • To maintain usability across various device orientations • To optimize touch targets for mobile interaction • To provide consistent experience across Android and iOS • To support accessibility features and font scaling 	Writer
F027	Progress Feedback	<ul style="list-style-type: none"> • To provide visual indicators for ongoing operations • To show sync status and connectivity information • To display loading states during data processing • To offer completion confirmations for user actions • To indicate system status and error 	Writer

System Utility Functions

Table 3.40: System Utility Functions - Part 1

Feature ID	Feature	Description	Accessible Role
F028	Error Handling	<ul style="list-style-type: none">• To gracefully handle system errors and exceptions• To provide meaningful error messages to users• To implement automatic recovery mechanisms• To log errors for debugging and improvement• To maintain application stability under adverse conditions	Backend Services
F029	Data Validation	<ul style="list-style-type: none">• To validate user input for data integrity• To enforce business rules and constraints• To prevent malformed data from entering the system• To provide immediate feedback on validation errors• To maintain data quality and consistency	Backend Services

Table 3.41: System Utility Functions - Part 2

Feature ID	Feature	Description	Accessible Role
F030	Performance Optimization	<ul style="list-style-type: none"> • To optimize application performance for mobile devices • To implement efficient data loading and caching strategies • To minimize battery and memory usage • To provide smooth animations and transitions • To ensure responsive user interface interactions 	Backend Services
F031	Security Management	<ul style="list-style-type: none"> • To implement secure authentication and authorization • To encrypt sensitive data at rest and in transit • To protect against common security vulnerabilities • To manage user privacy and data protection compliance • To provide secure API communications 	Backend Services

These functions collectively form the comprehensive feature set of the **Collective** mobile journaling application, ensuring a complete and user-friendly journaling experience while maintaining the simplicity and focus that distinguishes the application from traditional digital journaling platforms.

References

- Allahyari, M., Pouriyeh, S., Assefi, M., Safaei, S., Trippe, E. D., Gutierrez, J. B., and Kochut, K. (2017). Text summarization techniques: A brief survey. *International Journal of Advanced Computer Science and Applications*, 8(10):397–405.
- Baikadi, A., Epp, C., and Schunn, C. D. (2016). Exploring the impact of digital journaling tools on reflective writing. *Journal of Educational Technology & Society*, 19(3):129–141.
- Chung, C. K. and Pennebaker, J. W. (2011). Expressive writing: Connections to physical and mental health. *Oxford handbook of health psychology*, pages 417–437.
- Moore, E. and Cain, J. (2015). Note-taking and handouts in the digital age. *American Journal of Pharmaceutical Education*, 79(7):107.
- Mueller, P. A. and Oppenheimer, D. M. (2014). The pen is mightier than the keyboard: Advantages of longhand over laptop note-taking. *Psychological Science*, 25(6):1159–1168.
- Pennebaker, J. W. and Seagal, J. D. (1999). Forming a story: The health benefits of narrative. *Journal of Clinical Psychology*, 55(10):1243–1254.
- Sloan, D. M., Feinstein, B. A., and Gallagher, M. W. (2015). The efficacy of online expressive writing interventions: A meta-analysis. *Computers in Human Behavior*, 52:1–11.

APPENDIX

Appendix A

Gantt Chart

A.1 Construction of Variables

Appendix B

Questionnaire Sample

The Questionnaire for this research.