

COLLECTIVE - A NOTE-TAKING / JOURNALING APPS WITH AI ANALYTICS

WAN AMINNUR RASHEED WAN ZAINOL

Report Submitted to Fulfill the Partial Requirements
For the Bachelor of Information Technology (Hons) in Software Engineering
Universiti Kuala Lumpur

Monday 30th June, 2025

DECLARATION

I declare that this report is my original work, and all references have been cited adequately as required by the University.

Signature:

Name: Wan Aminnur Rasheed Wan Zainol

ID Number: 0142595464

Date: Monday 30th June, 2025

APPROVAL PAGE

We have supervised and examined this report and verified that it meets the program and University's requirements for the Bachelor of Information Technology (Hons) in Software Engineering.

Signature:

Supervisor: Mdm. Suzana Bt. Kasim

Date:

Official Stamp:

Signature :

Accessor: Dr. Mohd Faizuddin Md Noor

Date:

Official Stamp:

COPYRIGHT

Declaration of Copyright and Affirmation of Fair Use of Unpublished Research Work as stated below:

Copyright @ Monday 30th June, 2025 by Wan Aminnur Rasheed Wan Zainol (0142595464). All rights reserved for COLLECTIVE - A NOTE-TAKING / JOURNALING APPS WITH AI ANALYTICS.

No part of this unpublished research may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise, without the prior written permission of the copyright holder except as provided below:

- a. Others may only use any material contained in or derived from this unpublished research in their writing with due acknowledgment.
- b. MIIT UniKL or its library will have the right to make and transmit copies (print or electronic) for institutional purposes.
- c. The MIIT UniKL's library will have the rights to make, store in a retrieval system and supply copies of this unpublished research if requested by other universities and research libraries

ACKNOWLEDGEMENTS

I would like to express my sincere gratitude to my supervisor, Mdm. Suzana Bt. Kasim, for her invaluable guidance, patience, and continuous support throughout this research project. Her expertise and insights have been instrumental in shaping this work.

I am equally grateful to my assessor, Dr. Mohd Faizuddin Md Noor, for his valuable feedback and constructive criticism that helped improve the quality of this thesis.

My appreciation extends to the Malaysian Institute of Information Technology, Universiti Kuala Lumpur, for providing the necessary resources and facilities that made this research possible.

I would also like to thank my family and friends for their unwavering support and encouragement throughout my academic journey. Their understanding and motivation have been a source of strength during challenging times.

Finally, I acknowledge all the participants who volunteered for the usability testing and provided valuable feedback that contributed to the development and improvement of the Collective mobile journaling application.

TABLE OF CONTENTS

Acknowledgements	v
List of Tables	xi
List of Figures	xiv
List of Abbreviations	xvii
Abstract (English)	xviii
Abstrak(Bahasa Malaysia)	xix
1 Introduction	1
1.1 Introduction	1
1.2 Project Background	2
1.3 Problem Statement	3
1.3.1 Limitations of Traditional Paper Journaling	3
1.3.2 Cognitive Overload in Digital Journaling Platforms	3
1.3.3 Lack of Intelligent Organization and Insights	4
1.3.4 Time Constraints and Accessibility Barriers	4
1.4 Objectives	4
1.4.1 Research Objectives	5
1.4.2 Project Objectives	5
1.5 Project Scope	6
1.5.1 Included Features	6
1.5.2 Project Limitations	7
2 Literature Review	9
2.1 Introduction	9
2.2 The Impact of Technology on Journaling: A Transition and Its Implications	9
2.3 Cognitive Considerations in Journaling: Handwritten vs. Digital	10
2.4 Expressive Writing and Its Impact on Physical and Mental Well-Being	11
2.5 Integration of AI in Journaling Platforms	11
2.6 Study of Existing Journaling Systems	12
2.7 Comparison Summary	13

2.8	Findings and Conclusion	14
3	Methodology	16
3.1	Introduction	16
3.2	Rapid Application Development (RAD) Methodology	16
3.3	Requirement planning	17
3.3.1	Software Requirements	17
3.3.2	Hardware Requirements	19
3.3.3	Use Case Diagram	19
3.3.4	Use Case Description	20
3.3.5	Constraints	22
3.3.5.1	Development Constraints	22
3.3.5.2	Technical Constraints	22
3.3.5.3	Privacy and Legal Constraints	22
3.4	User design	23
3.4.1	Process Flow	23
3.4.1.1	Writer	23
3.4.1.2	Backend Services	38
3.4.2	Use Case	42
3.4.2.1	Register	42
3.4.2.2	Login	43
3.4.2.3	Logout	45
3.4.2.4	Write Entry	46
3.4.2.5	Append Tags	47
3.4.2.6	Set Mood	47
3.4.2.7	Set Bookmark	48
3.4.2.8	Attach Media	49
3.4.2.9	Submit Entry	50
3.4.2.10	Browse Bookmark	51
3.4.2.11	View Entries	52
3.4.2.12	Search	53
3.4.2.13	Browse Calendar	55
3.4.2.14	View Analytics	56
3.4.2.15	View AI Insights	57
3.4.2.16	Manage Offline	58
3.4.2.17	Generate Analytics	59
3.4.2.18	Generate Insights	60
3.4.3	Product Functions	61
3.4.3.1	Authentication and User Management Functions	62
3.4.3.2	Core Journaling Functions	62

3.4.3.3	Content Enhancement Functions	63
3.4.3.4	Content Management and Retrieval Functions	63
3.4.3.5	AI-Powered Analysis Functions	64
3.4.3.6	Data Management and Synchronization Functions	64
3.4.3.7	User Interface and System Functions	65
3.5	Construction	66
3.6	Cutover	67
3.6.1	Project Resources	67
3.6.1.1	Resource List	67
3.6.2	Conclusion	68
4	Prototype/ Product Development	69
4.1	Introduction	69
4.2	System Prototype	69
4.3	Development Environment Setup	70
4.4	Database Design	70
4.4.1	Database Architecture Overview	70
4.4.2	Local Database Schema (Sembast)	71
4.4.2.1	Entry Data Structure	71
4.4.3	Cloud Database Schema (Firebase Firestore)	72
4.4.3.1	User Document Schema	73
4.4.4	Data Flow and Synchronization	73
4.4.4.1	Performance Optimization	75
4.4.5	Data Security and Privacy Considerations	75
4.4.5.1	Local Data Protection	75
4.4.5.2	Cloud Data Security	75
4.5	Collective Journaling Application Interface	76
4.5.1	Authentication System	76
4.5.1.1	Login Screen	76
4.5.1.2	Registration Screen	77
4.5.1.3	Google OAuth Integration	77
4.5.1.4	Twitter/X OAuth Integration	78
4.5.2	Main Journal Interface	78
4.5.2.1	Journal Home Screen	78
4.5.2.2	Journal Input Interface	79
4.5.2.2.1	Emoji Selection Interface	80
4.5.2.2.2	Photo Attachment Interface	81
4.5.2.2.3	Camera Integration	81
4.5.2.2.4	GIF Recording Functionality	82
4.5.2.2.5	AI-Powered Tag Suggestions	83

4.5.3	Navigation and Discovery	83
4.5.3.1	Search Functionality	83
4.5.3.2	Calendar Browsing Interface	84
4.5.4	Entry Management	84
4.5.4.1	Entry Insight Screen	84
4.5.4.2	Edit Entry Screen	85
4.5.5	Analytics and Insights	86
4.5.5.1	Analytics Dashboard	86
4.5.5.2	Topic Clustering Visualization	87
4.5.6	Favorites and Collections	88
4.5.6.1	Favorites Screen	88
5	Testing and Result	90
5.1	Introduction	90
5.2	Test Objective	91
5.3	Test Process	91
5.3.1	Risk and Contingencies	92
5.3.2	Test Environment	94
5.4	Testing Plan and Testing Approach	96
5.4.1	Testing Approach	96
5.4.2	Unit Testing	97
5.4.3	Integration Testing	97
5.4.4	System Testing	97
5.4.5	User Acceptance Testing	98
5.4.6	Usability Testing	108
5.4.7	Results and Finding Analysis	108
5.4.8	Key Findings and Analysis	114
6	Conclusions and Suggestions	116
6.1	Introduction	116
6.2	Accomplishment	116
6.2.1	Core Objectives Achievement	116
6.2.2	Technical Accomplishments	117
6.2.3	User Validation Success	118
6.3	Recommendation	118
6.3.1	Performance and Technical Enhancements	118
6.3.2	Feature Expansion Recommendations	119
6.3.3	User Experience Improvements	119
6.4	Conclusion	119
References		121

Appendix A **123**

Appendix B **125**

List of Tables

2.1 Comparative Analysis of Digital Journaling Applications	13
3.1 Visual Studio Code	17
3.2 Flutter	17
3.3 Dart	18
3.4 Google Chrome	18
3.5 Microsoft Word	18
3.6 Microsoft Excel	18
3.7 Draw.io	19
3.8 DeepSeek API	19
3.9 Hardware Requirements	19
3.10 Use Case Description	21
3.11 Use Case Register Details	43
3.12 Use Case Login Details	44
3.13 Use Case Logout Details	45
3.14 Use Case Write Entry Details	46
3.15 Use Case Append Tags Details	47
3.16 Use Case Set Mood Details	48
3.17 Use Case Set Bookmark Details	49
3.18 Use Case Attach Media Details	50
3.19 Use Case Submit Entry Details	51
3.20 Use Case Browse Bookmark Details	52
3.21 Use Case View Entries Details	53
3.22 Use Case Search Details	54
3.23 Use Case Browse Calendar Details	55
3.24 Use Case View Analytics Details	56
3.25 Use Case View AI Insights Details	57
3.26 Use Case Manage Offline Details	58
3.27 Use Case Generate Analytics Details	59
3.28 Use Case Generate Insights Details	60
3.29 Functional Requirements Summary	61
3.30 Authentication Functions	62

3.31 Core Journaling Functions	62
3.32 Content Enhancement Functions - Part 1	63
3.33 Content Enhancement Functions - Part 2	63
3.34 Content Management and Retrieval Functions - Part 1	63
3.35 Content Management and Retrieval Functions - Part 2	63
3.36 AI-Powered Analysis Functions	64
3.37 Data Management and Synchronization Functions - Part 1	64
3.38 Data Management and Synchronization Functions - Part 2	64
3.39 User Interface and Experience Functions	65
3.40 System Utility Functions	66
3.41 Project Resource List	68
 4.1 Local Database Store Structure	71
4.2 Entry Entity Schema	72
4.3 Firestore Collection Structure	72
4.4 User Document Fields	73
 5.1 Risks and Contingencies for Collective Mobile Journaling Application Testing	93
5.2 Hardware Requirements for Collective Mobile App Testing	94
5.3 Software Requirements for Collective Mobile App Testing	95
5.4 Testing Group for Collective Mobile Journaling Application	96
5.5 Test Case Login Authentication	99
5.6 Test Case Registration	100
5.7 Test Case Journal Entry Creation	100
5.8 Test Case Journal Entry Editing	101
5.9 Test Case AI Insights Generation	101
5.10 Test Case Offline Functionality	102
5.11 Test Case Data Synchronization	102
5.12 Test Case Search Functionality	103
5.13 Test Case Bookmark Management	103
5.14 Test Case User Profile Management	104
5.15 Test Case Image Attachment	104
5.16 Test Case Analytics Dashboard	105
5.17 Test Case Social Authentication	105
5.18 Test Case Theme Switching	106
5.19 Test Case Performance Testing	106
5.20 Test Case Security Testing	107
5.21 Test Case Usability Testing	107
5.22 Collective Mobile Journaling Application Usability Questionnaire	108
5.23 Rating Scale for Usability Evaluation	108
5.24 Summary of Usability Testing Results	114

1	Collective Mobile Journaling Application Usability Questionnaire	125
2	Rating Scale for Usability Evaluation Form	126

List of Figures

3.1	Rapid Application Development (RAD) Methodology Phases	16
3.2	Use Case Diagram for Collective Mobile Journaling Application	20
3.3	Registration flow for Writer	23
3.4	Login flow for Writer	24
3.5	Write Entry flow for Writer	25
3.6	Edit Entry flow for Writer	26
3.7	Search flow for Writer	27
3.8	Analytics flow for Writer	28
3.9	Insights flow for Writer	29
3.10	Logout flow for Writer	30
3.11	Append Tags flow for Writer	31
3.12	Set Mood flow for Writer	32
3.13	Set Bookmark flow for Writer	33
3.14	Attach Media flow for Writer	34
3.15	Browse Bookmark flow for Writer	35
3.16	View Entries flow for Writer	36
3.17	Browse Calendar flow for Writer	37
3.18	Store/Retrieve Entries Flow	38
3.19	Manage Offline Flow	39
3.20	Synchronization Flow	40
3.21	AI Processing Flow	41
3.22	Use Case Register	42
3.23	Use Case Login	44
3.24	Use Case Logout	45
3.25	Use Case Write Entry	46
3.26	Use Case Append Tags	47
3.27	Use Case Set Mood	48
3.28	Use Case Set Bookmark	49
3.29	Use Case Attach Media	50
3.30	Use Case Submit Entry	51
3.31	Use Case Browse Bookmark	52

3.32	Use Case View Entries	53
3.33	Use Case Search	54
3.34	Use Case Browse Calendar	55
3.35	Use Case View Analytics	56
3.36	Use Case View AI Insights	57
3.37	Use Case Manage Offline	58
3.38	Use Case Generate Analytics	59
3.39	Use Case Generate Insights	60
4.1	Data Synchronization Flow Process	74
4.2	Login screen interface	76
4.3	Registration screen with user details form	77
4.4	Google and Twitter/X OAuth authentication	78
4.5	Journal home screen showing entry timeline	79
4.6	Basic journal input interface for writing entries	80
4.7	Emoji selection interface for mood indication	80
4.8	Photo attachment interface for adding images	81
4.9	Integrated camera interface for direct photo capture	82
4.10	GIF recording interface for creating animated content	82
4.11	Tag input interface	83
4.12	Search interface for finding journal entries	83
4.13	Calendar browsing interface for date-based navigation	84
4.14	Entry insight screen with AI analysis	85
4.15	Edit entry screen for modifying entries	86
4.16	Analytics dashboard showing journaling patterns	87
4.17	Topic clustering visualization	88
4.18	Favorites screen showing curated entries	89
5.1	Test Process Flow for Collective Mobile Journaling Application	92
5.2	Result of Question 1 - UI Satisfaction	109
5.3	Result of Question 2 - Navigation Ease	109
5.4	Result of Question 3 - Application Performance	110
5.5	Result of Question 4 - AI Insights Satisfaction	110
5.6	Result of Question 5 - Offline and Synchronization	111
5.7	Result of Question 6 - Mood Tracking and Analytics	111
5.8	Result of Question 7 - Goal Achievement Satisfaction	112
5.9	Result of Question 8 - Recommendation Likelihood	112
5.10	Result of Question 9 - Distraction-Free Experience	113
5.11	Result of Question 10 - Overall Experience Rating	113
.1	Collective Mobile Journaling App Development Timeline	123

LIST OF ABBREVIATIONS

AI	Artificial Intelligence	SDK	Software Development Kit
API	Application Programming Interface	UI	User Interface
CRUD	Create, Read, Update, Delete	UniKL	Universiti Kuala Lumpur
Firebase	Google's mobile and web application development platform	UX	User Experience
Flutter	Google's UI toolkit for building cross-platform applications	NLP	Natural Language Processing
JSON	JavaScript Object Notation	IDE	Integrated Development Environment
MIIT	Malaysian Institute of Information Technology	NoSQL	Not Only Structured Query Language
ML	Machine Learning	HTTPS	HyperText Transfer Protocol Secure
RAD	Rapid Application Development		

ABSTRACT

Traditional journaling provides individuals with a personal, distraction-free writing environment but cannot offer modern digital functionalities including searchability, content organization, and automated pattern recognition. In contrast, contemporary digital journaling applications deliver technical benefits yet frequently burden users with complex interface designs and feature overload, resulting in discontinued journaling habits. This research project develops **Collective**, a mobile journaling application designed to reconcile the benefits of traditional and digital journaling approaches.

The main research objective focuses on developing a simplified journaling experience that preserves the essential characteristics of handwritten journaling while incorporating digital functionalities through background processing. The application presents a focused interface design enabling users to concentrate on composing individual entries with streamlined saving mechanisms. Natural language processing algorithms analyze entries automatically to create summaries, detect emotional patterns, and categorize content without requiring manual user input.

The research methodology incorporates user-centered design principles, iterative development approaches, and natural language processing integration for automated content analysis. The system implementation utilizes Flutter framework for multi-platform deployment, Firebase for cloud infrastructure, and DeepSeek API for text processing and pattern identification. The application structure prioritizes performance and offline operation to maintain consistent user accessibility.

Implemented functionalities include automated entry preservation, emotional pattern detection, content classification, search capabilities, and personalized insight generation. Data protection measures involve local processing and encrypted storage combined with optional cloud synchronization features.

Evaluation results show measurable improvements in user participation and journaling consistency relative to conventional digital journaling solutions. Empirical studies reveal a 73% increase in daily journaling activity and 85% user satisfaction scores. The application addresses complexity barriers that commonly lead to discontinued use of digital journaling platforms.

This research contributes to human-computer interaction by examining how automated analysis can improve user experiences without compromising interface simplicity. The study's importance relates to developing sustainable journaling solutions that accommodate users' emotional and organizational requirements while maintaining the personal, concentrated aspects that make traditional journaling effective. Future development directions include additional AI-driven analysis, social features, and mental health tracking integration.

ABSTRAK

Jurnal tradisional menawarkan pengalaman penulisan peribadi yang bebas gangguan tetapi kurang keupayaan digital moden seperti kebolehcarian, organisasi, dan pengecaman corak. Sebaliknya, aplikasi jurnal digital sedia ada menyediakan kelebihan teknikal tetapi sering membebankan pengguna dengan antara muka yang kompleks dan ciri-ciri berlebihan, yang membawa kepada pengabaian amalan jurnal. Projek ini menangani dikotomi asas ini dengan membangunkan **Collective**, sebuah aplikasi jurnal mudah alih yang merapatkan jurang antara kaedah jurnal tradisional dan digital.

Objektif utama projek ini adalah untuk mencipta pengalaman jurnal minimalis yang mengekalkan kesederhanaan penulisan pen-dan-kertas sambil melaksanakan keupayaan digital secara bijak di belakang tabir. Aplikasi ini mempunyai antara muka yang diperkemas di mana pengguna hanya fokus pada menulis satu entri pada satu masa menggunakan gerak isyarat leret-untuk-simpan yang intuitif. Kecerdasan buatan memproses entri secara automatik untuk menghasilkan ringkasan, mengenal pasti corak emosi, dan mengatur kandungan tanpa memerlukan campur tangan pengguna.

Metodologi yang digunakan termasuk prinsip reka bentuk berpusatkan pengguna, amalan pembangunan tangkas, dan integrasi algoritma pemprosesan bahasa semula jadi untuk analisis kandungan. Sistem ini dibina menggunakan rangka kerja Flutter untuk keserasian merentas platform, Firebase untuk perkhidmatan backend, dan model AI tersuai untuk analisis teks dan pengecaman corak.

Ciri-ciri utama yang dilaksanakan termasuk penyimpanan automatik pintar, analisis corak emosi, pengkategorian kandungan automatik, fungsi carian, dan penjanaan wawasan peribadi. Sistem mengekalkan privasi data melalui pemprosesan tempatan dan storan yang disulitkan sambil menyediakan pilihan penyegerakan awan.

Keputusan ujian menunjukkan peningkatan ketara dalam penglibatan pengguna dan konsistensi jurnal berbanding aplikasi jurnal digital tradisional. Kajian pengguna menunjukkan peningkatan 73% dalam kekerapan jurnal harian dan penilaian kepuasan pengguna 85%. Aplikasi ini berjaya menghapuskan halangan kerumitan yang biasanya menyebabkan pengguna meninggalkan platform jurnal digital.

Projek ini menyumbang kepada bidang interaksi manusia-komputer dengan menunjukkan bagaimana kecerdasan buatan dapat meningkatkan pengalaman pengguna tanpa menjelaskan kesederhanaan. Kepentingannya terletak pada mencipta penyelesaian jurnal yang mampan yang menyesuaikan diri dengan keperluan emosi dan organisasi pengguna sambil mengekalkan pengalaman intim dan fokus jurnal tradisional.

Chapter 1

Introduction

1.1 Introduction

Journaling has served as a fundamental practice for personal development, emotional regulation, and cognitive processing across centuries Pennebaker and Seagal (1999). Traditional handwritten journaling offers individuals a personal, focused environment for expressing thoughts and emotions without technological interruptions.

The digital era introduces both opportunities and challenges for journaling practices. While digital platforms provide benefits like searchability, data backup, and organizational tools, these advantages often compromise the simplicity users value. Current applications frequently present complex interfaces and feature saturation, creating cognitive burden and leading to discontinued practices.

Natural language processing technologies present opportunities to address this gap. Contemporary applications can deliver digital benefits while preserving core simplicity by providing automated insights through dedicated interfaces rather than overwhelming the primary writing experience.

Collective demonstrates a modified approach to digital journaling design. Rather than increasing complexity, this project emphasizes preserving traditional simplicity while providing user-led analysis through dedicated screens. The application maintains a focused writing interface with straightforward gestures while offering separate analytics and insight screens where users can initiate automated analysis for emotional pattern recognition, categorization, and summary generation when desired.

This implementation addresses both technical challenges in content organization and psychological

barriers preventing consistent journaling. By separating the writing experience from analytical features, users can concentrate on the reflective and therapeutic aspects during writing while accessing insights through complementary dedicated interfaces.

1.2 Project Background

Journaling has long been recognized as a powerful tool for self-expression, reflection, and personal growth. Traditional pen-and-paper approaches have been linked to improved mental health and cognitive clarity Pennebaker and Seagal (1999). Digital platforms have gained popularity due to their convenience and enhanced functionality, offering features like cloud storage, multimedia integration, and searchability ?.

Despite these advancements, many digital tools fail to address critical user challenges effectively. Users struggle with organizing and retrieving information from extensive entries over time. The lack of intelligent features like automated summarization and pattern recognition can overwhelm users when revisiting reflections or identifying recurring themes.

The emergence of Artificial Intelligence (AI) and Natural Language Processing (NLP) technologies presents promising solutions to these challenges. NLP models can revolutionize digital journaling through automated text summarization, sentiment analysis, and pattern recognition. Text summarization condenses lengthy entries into concise overviews, enabling users to quickly grasp their reflections without rereading entire entries.

Building on these developments, this study introduces **Collective**, a mobile journaling application that integrates automated analysis capabilities. The application operates with a focused interface where users write entries naturally, and can access machine-generated insights through dedicated screens when desired. Unlike complex real-time processing systems, Collective uses simple API calls to generate insights on-demand, maintaining traditional simplicity while providing digital benefits.

Research shows that accessible automated analysis can improve user engagement and self-awareness in digital platforms. In journaling contexts, this supports greater self-reflection by helping users identify patterns in their writing over time. Individuals tracking mental health can invoke these analytical features to detect emotional trends and patterns when they choose to explore their entries further.

The integration of on-demand processing represents an important development in addressing unmet

user needs. By combining traditional journaling benefits with accessible machine learning technologies, Collective simplifies journaling while enriching it with complementary organization and insights.

1.3 Problem Statement

The problem statement outlines the key challenges and limitations faced by users in the context of journaling practices, highlighting areas where existing tools fail to meet user needs effectively. These issues serve as the foundation for this study, guiding the development of **Collective** as a solution that addresses these gaps.

1.3.1 Limitations of Traditional Paper Journaling

Traditional paper journaling, while offering a tactile and personal experience, presents significant limitations. Users face challenges including inability to search past entries, lack of data backup, and vulnerability to loss or damage. The physical nature makes it difficult to organize thoughts or retrieve specific information efficiently, particularly with accumulated entries over time.

Research by Chung and Pennebaker (2011) notes that reflective journaling practitioners often struggle to maintain consistent practice and face challenges in monitoring their reflections Chung and Pennebaker (2011). These limitations discourage consistent practices and reduce the long-term value of journaling for personal insight and growth.

1.3.2 Cognitive Overload in Digital Journaling Platforms

While digital journaling platforms aim to improve the experience, many introduce complexities leading to cognitive overload and user frustration. Features like excessive customization options, complex organizational systems, or unintuitive interfaces detract from writing simplicity, making it harder for users to focus on their reflections.

The proliferation of features often transforms a simple, meditative practice into a technical exercise. Users spend more time managing the application than actually writing, reducing the purpose of digital improvement. Cognitive load theory emphasizes that unnecessary complexity negatively impacts engagement and learning outcomes ?.

1.3.3 Lack of Intelligent Organization and Insights

Current digital journaling platforms typically require manual organization and categorization, placing additional burden on users. The absence of automated features like text summarization, emotional pattern recognition, or thematic categorization means users must invest significant time organizing their thoughts retrospectively.

Research by Baikadi et al. (2016) shows users struggle with organizing and retrieving specific information from extensive entries over time ?. This manual approach often results in inconsistent categorization, missed patterns, and reduced ability to gain meaningful insights from accumulated entries. The lack of automated analysis capabilities represents a missed opportunity to improve journaling's therapeutic and developmental benefits Allahyari et al. (2017).

1.3.4 Time Constraints and Accessibility Barriers

Many potential journal users face time constraints preventing lengthy writing sessions or extensive organization. The pressure to write comprehensively while maintaining organization can create stress and hinder the natural flow of thoughts and emotions that makes journaling beneficial Pennebaker and Seagal (1999).

Additionally, accessibility barriers such as carrying physical journals or remembering to access specific digital platforms create friction reducing journaling consistency. Research indicates that accessibility and ease of use are important factors in maintaining engagement with reflective practices ?.

1.4 Objectives

The objectives of this project are divided into two categories - research objectives and project objectives, each addressing specific aspects of the study and development of the mobile journaling application, **Collective**. These objectives guide the direction and scope of the project, ensuring alignment with its intended purpose and outcomes.

1.4.1 Research Objectives

- a. To investigate the principles of effective journaling practices and analyze how artificial intelligence technologies can enhance the process by providing on-demand processing of entries, generating insights, and identifying emotional and behavioral patterns to provide actionable self-awareness.
- b. To design and develop **Collective**, a mobile application that enables users to create and manage journal entries through a focused interface, integrating AI technologies for user-initiated analysis of content, pattern recognition, and organization when users access dedicated insight screens.
- c. To evaluate **Collective** through comprehensive usability testing and user experience research, collecting quantitative and qualitative feedback to measure user satisfaction, engagement levels, and the effectiveness of on-demand analytical features in enhancing the journaling experience.

1.4.2 Project Objectives

- a. To implement a secure authentication system with user registration and login capabilities to ensure data privacy and enable personalized journaling experiences for individual users.
- b. To create a streamlined mobile journaling platform that allows users to write and save journal entries through an intuitive interface featuring an easily accessible save button and distraction-free writing environment.
- c. To develop automatic content processing capabilities using natural language processing algorithms to analyze journal entries for emotional sentiment, thematic categorization, and pattern identification when invoked by user requests for insights.
- d. To implement automated organization features that categorize and tag journal entries based on content analysis through machine learning topic clustering and emotional pattern recognition accessible via dedicated analytics screens.
- e. To integrate summarization functionality that generates concise overviews of individual entries and periodic summaries of journaling patterns and themes through on-demand API-based processing.
- f. To ensure data synchronization and backup capabilities through cloud integration while maintaining user privacy and data security standards.

- g. To implement offline functionality that allows users to continue journaling without internet connectivity, with automatic synchronization when connection is restored.
- h. To develop personalized insights and analytics features that present users with meaningful patterns, emotional trends, and behavioral observations derived from their journaling history.
- i. To create an export functionality that allows users to access their journal data in various formats for backup or external analysis purposes.
- j. To establish comprehensive error handling and user feedback mechanisms to ensure application stability and facilitate continuous improvement based on user experiences.

1.5 Project Scope

The scope of **Collective** encompasses the development of a comprehensive mobile journaling solution with AI integration. The project boundaries and included features are defined as follows:

1.5.1 Included Features

- a. **User Authentication and Account Management:** Implementation of secure login and registration systems to ensure individual user accounts with personalized data management and privacy protection.
- b. **Focused Journaling Interface:** Development of a clean, distraction-free writing environment that focuses user attention on the journaling process while providing intuitive navigation and entry management.
- c. **Intelligent Content Processing:** Integration of natural language processing capabilities through DeepSeek API to analyze journal entries for emotional content, thematic categorization, and pattern identification when users access dedicated analytics or insight screens.
- d. **On-Demand Organization and Tagging:** Implementation of automated categorization system that organizes entries based on content analysis, mood detection, and thematic similarities when activated through the analytics interface to facilitate easy retrieval and pattern recognition.
- e. **Summarization:** Development of on-demand summary generation for individual entries and periodic overviews that help users quickly review their journaling history and identify significant themes or changes when accessing insight screens.

- f. **Cross-Platform Compatibility:** Creation of a Flutter-based mobile application that functions consistently across iOS and Android platforms, ensuring broad accessibility and user reach.
- g. **Offline Functionality:** Implementation of local data storage and processing capabilities that allow users to continue journaling without internet connectivity, with automatic synchronization when connection is available.
- h. **Data Security and Privacy:** Integration of encryption for data storage and transmission, ensuring user privacy and compliance with data protection standards while providing cloud backup services.
- i. **Search and Retrieval Capabilities:** Development of advanced search functionality that allows users to find specific entries based on content, emotional state, date ranges, or automatically generated categories.
- j. **Insights and Analytics Dashboard:** Creation of personalized analytics that present emotional trends, writing patterns, and behavioral insights derived from AI analysis of journaling history.

1.5.2 Project Limitations

- a. The application is designed specifically for mobile platforms (iOS and Android) and does not include web or desktop versions within the current project scope.
- b. AI processing is limited to text analysis and does not include multimedia content processing such as image recognition or audio transcription.
- c. The application focuses on individual journaling experiences and does not include social features, sharing capabilities, or collaborative journaling functionalities.
- d. Integration with external health or wellness platforms is not included in the current scope, though the architecture allows for future expansion.
- e. Advanced AI features such as predictive text generation or writing assistance are not included, maintaining focus on user-initiated analysis and organization rather than content creation support.
- f. The project scope includes English language processing primarily, with limited support for multilingual content analysis.

This comprehensive scope ensures that **Collective** addresses the core challenges identified in existing

journaling solutions while maintaining a focused development approach that delivers meaningful value to users seeking an improved journaling experience.

Chapter 2

Literature Review

2.1 Introduction

This chapter presents a literature review examining the development and potential impact of **Collective**, a mobile journaling application incorporating AI-powered analysis capabilities. The review examines existing research on traditional and digital journaling practices, the benefits and challenges associated with each approach, and the role of technology, particularly on-demand AI analysis, in transforming how individuals capture, process, and reflect on personal information. This analysis provides a foundation for understanding the current landscape of journaling and personal writing, identifying areas where Collective can address unmet user needs, and informing the design and development of the platform.

2.2 The Impact of Technology on Journaling: A Transition and Its Implications

The development of journaling has experienced a notable shift from traditional handwritten methods to digital tool integration. This transition stems from technological capabilities, offering increased efficiency, improved organization, better accessibility, and multimedia element incorporation. Digital platforms support journaling processes through features like searchability, cloud synchronization, and insight generation. These benefits align with Collective's core objectives, which aim to connect traditional and digital journaling by providing a user-friendly interface that combines handwritten

journaling's intuitive nature with digital capabilities.

However, the transition to digital journaling presents challenges. Potential difficulties include distractions from device multitasking, possible impacts on learning and retention, technology dependency, and privacy concerns. Addressing these concerns is important for ensuring effective and ethical implementation of digital journaling solutions. Research suggests that while digital tools can assist in capturing more extensive entries, they may not necessarily result in improved self-reflection outcomes. This finding emphasizes the importance of promoting active engagement and deep information processing during journaling, rather than depending solely on verbatim transcription. Collective addresses this challenge by incorporating AI-based analysis features that encourage users to engage with their entries more deeply, supporting reflection and critical analysis ?.

2.3 Cognitive Considerations in Journaling: Handwritten vs. Digital

Research on journaling practices has explored the cognitive implications of different methods, particularly comparing the effectiveness of handwritten entries versus digitally typed content. Studies suggest a potential advantage for handwritten notes in promoting conceptual understanding and retention. A notable study by Mueller and Oppenheimer (2014) found that students who took handwritten notes demonstrated better comprehension of conceptual material compared to those who used laptops for note-taking, even though both groups performed similarly on factual recall questions Mueller and Oppenheimer (2014). This finding aligns with the encoding hypothesis, which posits that the act of physically writing aids in deeper cognitive processing and encoding of information.

However, digital journaling also offers benefits, particularly in terms of speed, legibility, and searchability. These practical advantages cannot be overlooked, especially in fast-paced environments. The challenge lies in finding a balance between leveraging the efficiency of digital tools while mitigating potential negative impacts on cognitive processing. Collective aims to strike this balance by offering a platform that supports diverse journaling preferences, allowing users to choose their preferred input method while providing AI-powered features to enhance comprehension and retention regardless of the input method Moore and Cain (2015).

2.4 Expressive Writing and Its Impact on Physical and Mental Well-Being

Beyond the practical aspects of journaling, research has explored the potential therapeutic benefits of expressive writing. Studies provide a comprehensive overview of this field, highlighting the positive effects of writing about emotional experiences on both subjective and objective markers of health and well-being. Numerous studies have demonstrated that individuals who engage in expressive writing exhibit:

- a. **Reduced physician visits:** Writing about emotional upheavals has been associated with a decrease in healthcare utilization, suggesting potential benefits for physical health.
- b. **Improved immune function:** Studies have shown positive effects on immune markers, including T-helper cell growth and antibody responses to vaccinations.
- c. **Enhanced mood and well-being:** Expressive writing can lead to long-term improvements in mood, reduced distress, and increased life satisfaction.
- d. **Improved academic and professional outcomes:** Students who engage in expressive writing have demonstrated improvements in grades, while professionals have shown increased success in job searching.

These findings underscore the potential of expressive writing as a valuable tool for promoting both physical and mental well-being Pennebaker and Seagal (1999). While Collective is not intended as a replacement for professional therapy, it aims to provide a platform that facilitates self-reflection and emotional processing, potentially contributing to the positive outcomes associated with expressive writing.

2.5 Integration of AI in Journaling Platforms

The integration of AI in modern digital tools has transformed journaling practices. Applications utilize AI for summarization, sentiment analysis, and categorization, enabling users to process and organize their entries more effectively. These tools demonstrate the potential of on-demand AI analysis to personalize user experiences, generate actionable insights, and improve productivity. However,

concerns about privacy, algorithmic bias, and technology dependency persist, requiring careful design and implementation.

Collective addresses these concerns by prioritizing user control, transparency, and ethical AI use. Its AI-powered features, including triggered analysis and pattern recognition, are designed to provide meaningful insights without compromising user privacy or autonomy Allahyari et al. (2017). By connecting traditional and digital journaling, Collective offers an approach to meeting diverse user needs.

2.6 Study of Existing Journaling Systems

The study of existing journaling systems reveals a diverse range of platforms, each catering to different user needs, from productivity-focused tools to those emphasizing emotional well-being. Popular platforms such as Evernote, Notion, and Day One have gained traction due to their unique features and functionalities. However, each system has its strengths and limitations, which are important to consider when designing a comprehensive journaling platform like Collective.

Evernote is one of the most widely used note-taking applications, known for its robust organizational features, including tagging, notebooks, and advanced search capabilities. It excels in productivity and is often used for professional and academic purposes. However, Evernote lacks features that support emotional well-being or expressive writing, which limits its utility for users seeking therapeutic benefits.

Notion is a highly customizable platform that combines note-taking, task management, and database functionalities. Its flexibility allows users to create personalized workflows, making it popular among professionals and students. However, Notion's complexity can be overwhelming for users who prefer simplicity, and it does not offer AI-driven features like summarization or sentiment analysis, which could enhance user engagement and reflection.

Day One is a journaling app specifically designed for personal reflection and memory-keeping. It offers features such as photo integration, location tagging, and mood tracking, making it ideal for users interested in expressive writing and emotional processing. However, Day One's focus on personal journaling means it lacks advanced productivity tools, such as task management or AI-powered analysis, which could benefit users looking for a more analytical approach to journaling.

While existing journaling systems excel in specific areas—such as productivity, customization, or emotional well-being—they often fail to integrate these aspects comprehensively. This gap demonstrates the need for a platform like Collective, which aims to combine emotional well-being and analytical AI features into a single, user-friendly mobile solution.

2.7 Comparison Summary

The table below provides a comparative summary of the key features of existing journaling systems, highlighting their strengths and limitations. This comparison underscores the unique value proposition of Collective, which seeks to address the gaps identified in current platforms.

Table 2.1: Comparative Analysis of Digital Journaling Applications

Feature	Evernote	Notion	Day One	Collective
Writing Purpose	Notes	Notes	Journal	Journal
Complexity	Low	High	Low	Low
AI Features	No	Yes	No	Yes
Privacy	Limited (offline paid)	Cloud-based only	Yes (end-to-end encrypted)	Yes (local processing)
Verdict	Easy for notes. Limited features, cloud-reliant.	Flexible, with AI. Steep learning, cloud-only.	Ideal for journaling. Not built for general notes.	AI-enhanced journaling. Privacy-focused, mobile-optimized.

Key Insights from the Comparison

- Evernote excels in note organization but lacks features for emotional well-being or AI-driven insights.
- Notion offers flexibility and some AI features but has a steep learning curve and is cloud-dependent.
- Day One focuses on personal journaling with strong privacy but lacks AI capabilities and general note-taking features.
- Collective aims to bridge these gaps by offering AI-enhanced journaling with strong privacy protection and mobile optimization, specifically designed for personal reflection and emotional well-being.

This comparison highlights the unique positioning of Collective as a specialized journaling platform that addresses the diverse needs of users seeking both emotional well-being and intelligent analysis, while maintaining privacy and simplicity.

2.8 Findings and Conclusion

The literature review and study of existing journaling systems have produced several key findings that inform the design and development of Collective. These findings demonstrate the strengths and limitations of current platforms, as well as the opportunities for innovation in digital journaling.

Key Findings

- a. **Evolution of Journaling Practices:** The transition from traditional handwritten methods to digital journaling has brought significant benefits, such as improved organization, accessibility, and multimedia element integration. However, digital tools also introduce challenges, including potential distractions, reduced cognitive engagement, and privacy concerns. Collective addresses these challenges by combining the intuitive nature of traditional journaling with digital tool efficiency, while incorporating AI-based features to improve user engagement and reflection.
- b. **Cognitive Benefits of Handwritten vs. Digital Entries:** Research indicates that handwritten notes promote deeper cognitive processing and better conceptual understanding compared to typed notes Mueller and Oppenheimer (2014). However, digital journaling offers practical advantages, such as speed, legibility, and searchability. Collective bridges this gap by supporting flexible input methods while leveraging AI to enhance comprehension and retention.
- c. **Therapeutic Benefits of Expressive Writing:** Expressive writing has been shown to have significant positive effects on physical and mental well-being, including reduced stress, improved immune function, and enhanced emotional processing Pennebaker and Seagal (1999). Collective integrates these therapeutic aspects with intelligent analysis, offering a platform that supports both emotional well-being and personal insight.
- d. **Integration of AI in Journaling Platforms:** AI-powered features, such as pattern recognition, sentiment analysis, and on-demand organization, have the potential to transform journaling by providing personalized insights and improving self-awareness Allahyari et al. (2017). However, concerns about privacy and user autonomy remain. Collective prioritizes ethical AI use, ensuring transparency, user control, and data privacy while offering triggered analytical AI features.

e. **Gaps in Existing Journaling Systems:** The study of existing platforms reveals a lack of integration between simplicity, AI capabilities, and privacy protection. Current solutions often focus on one aspect at the expense of others, leaving users to compromise on their needs. Collective addresses this gap by offering a unified mobile platform that combines emotional well-being, AI-based insights, and data privacy protection.

The findings from this literature review demonstrate the need for a journaling platform that balances simplicity, intelligence, and privacy. Collective is designed to address the limitations of existing systems by offering a mobile-first, user-friendly platform that supports emotional well-being through expressive writing while utilizing AI to improve self-reflection and personal growth. By integrating these features with data privacy protection, Collective aims to transform how individuals capture, process, and reflect on their personal experiences.

The next chapter will delve into the methodology employed to develop and evaluate Collective, ensuring that the platform meets the needs of its users and achieves its intended objectives.

Chapter 3

Methodology

3.1 Introduction

In this chapter, the development process for **Collective** mobile journaling application is explained using the Rapid Application Development (RAD) methodology. Each stage of the development is explained in detail, covering the phases of requirements planning, user design, construction and cutover.

3.2 Rapid Application Development (RAD) Methodology




Figure 3.1: Rapid Application Development (RAD) Methodology Phases

Rapid Application Development (RAD) is a software development methodology that emphasizes quick development and iteration of prototypes over rigorous planning and testing. It is particularly useful for projects where requirements are expected to evolve or are not fully understood at the outset. The

RAD methodology consists of four main phases: requirement planning, user design, construction, and cutover. This model was chosen for the development of the **Collective** mobile journaling application due to its flexibility and focus on user feedback, which is crucial for creating a user-friendly and effective application. The details of the project is discussed below:

3.3 Requirement planning

The requirement planning phase is the first step in the RAD methodology, where the project team identifies and defines the requirements of the application. This phase involves gathering information from stakeholders, including potential users, to understand their needs and expectations. The goal is to create a clear and concise set of requirements that will guide the development process.

3.3.1 Software Requirements

The following tables list the software and tools used to develop the **Collective** mobile journaling application:

Table 3.1: Visual Studio Code

Attribute	Details
Name	Visual Studio Code
Mnemonic	VS Code
Specification Number	N/A
Version Number	1.101.1
Source	https://code.visualstudio.com/

Table 3.2: Flutter

Attribute	Details
Name	Flutter
Mnemonic	Flutter SDK
Specification Number	N/A
Version Number	3.10.0
Source	https://flutter.dev/

Table 3.3: Dart

Attribute	Details
Name	Dart
Mnemonic	Dart SDK
Specification Number	N/A
Version Number	3.0.0
Source	https://dart.dev/

Table 3.4: Google Chrome

Attribute	Details
Name	Google Chrome
Mnemonic	Chrome Browser
Specification Number	N/A
Version Number	114.0.5735.199
Source	https://www.google.com/chrome/

Table 3.5: Microsoft Word

Attribute	Details
Name	Microsoft Word
Mnemonic	MS Word
Specification Number	N/A
Version Number	Office 365
Source	https://www.microsoft.com/en-us/microsoft-365/word

Table 3.6: Microsoft Excel

Attribute	Details
Name	Microsoft Excel
Mnemonic	MS Excel
Specification Number	N/A
Version Number	Office 365
Source	https://www.microsoft.com/en-us/microsoft-365/excel

Table 3.7: Draw.io

Attribute	Details
Name	Draw.io
Mnemonic	Diagram Tool
Specification Number	N/A
Version Number	20.8.0
Source	https://app.diagrams.net/

Table 3.8: DeepSeek API

Attribute	Details
Name	DeepSeek API
Mnemonic	DeepSeek
Specification Number	N/A
Version Number	DeepSeek-V3-0324
Source	https://platform.deepseek.com/

3.3.2 Hardware Requirements

The following table lists the hardware requirements necessary for the development and testing of the **Collective** mobile journaling application. Note that the development is currently focused exclusively on the Android platform, as iOS development requires a macOS machine, which is planned for future work:

Table 3.9: Hardware Requirements

Component	Specification
Processor	Intel Core i5 or equivalent
RAM	8 GB or higher
Storage	256 GB SSD or higher
Operating System	Windows 10
Additional Devices	Android smartphone for testing

3.3.3 Use Case Diagram

The use case diagram for the **Collective** mobile journaling application illustrates the interactions between the user (Writer) and the system. It highlights the various functionalities provided by the application and their relationships. The diagram is shown below:




Figure 3.2: Use Case Diagram for Collective Mobile Journaling Application

3.3.4 Use Case Description

The use case description provides detailed information about the functionalities depicted in the use case diagram. Below is a table summarizing the key use cases:

Table 3.10: Use Case Description

Actor	Use Case	Use Case Description
Writer	Register	The writer can register their account by filling in their name, email, and password or use X or Google to register.
	Login	The writer can log in to the application using their registered credentials.
	Logout	The writer can log out of the application when they are done.
	Write Entry	The writer can compose journal entries to record their thoughts and experiences.
	Append Tags	The writer can add tags to their journal entries for better organization.
	Set Mood	The writer can set their mood for each journal entry to reflect their feelings.
	Set Bookmark	The writer can bookmark specific entries for quick access later.
	Attach Media	The writer can attach images or other media to their journal entries.
	Submit Entry	The writer can submit their journal entries to save them in the application.
	Browse Bookmark	The writer can browse through their bookmarked entries.
	View Entries	The writer can view all their saved journal entries.
	Search	The writer can search for specific entries using keywords.
Backend Services	Browse Calendar	The writer can view their journal entries organized by calendar dates.
	View Analytics	The writer can analyze their journal entries to gain insights into their habits and patterns.
	View AI Insights	The writer can access AI-generated insights based on their journal entries.
	View Entries	The system to store and retrieve the writer's journal entries securely.
	Manage Offline	The system to allow the writer to access their entries even when offline.
	Generate Analytics	The system to analyze the writer's journal entries to provide useful statistics.
	Generate Insights	The system to generate insights based on the writer's journal entries to help them understand their patterns.

3.3.5 Constraints

This subsection outlines the genuine constraints that limit the development and operation of the Collective mobile journaling application.

3.3.5.1 Development Constraints

Time Limitation: As a final year project, development must be completed within one academic semester, limiting the scope of features that can be implemented and thoroughly tested.

Single Developer: The project is developed by one person, constraining the complexity of features and the amount of testing that can be performed across different scenarios and edge cases.

Budget Limitation: As a student project with no funding, all third-party services must use free tiers or minimal cost options, limiting AI processing capabilities and cloud storage quotas.

3.3.5.2 Technical Constraints

AI Service Dependencies: The application relies on external AI services (DeepSeek API) which impose rate limits and usage quotas, potentially limiting the frequency and depth of AI-powered insights.

OAuth Provider Limitations: Social authentication features depend on Google and Twitter/X OAuth services, which can change their policies or restrict access, potentially affecting user authentication options.

3.3.5.3 Privacy and Legal Constraints

Data Sensitivity: Journal entries contain highly personal information, requiring strict privacy protection measures and limiting data processing options to maintain user trust and legal compliance.

Content Liability: The private nature of journal entries means the system cannot implement automated content screening, creating potential liability concerns for harmful content.

3.4 User design

The user design phase focuses on how users interact with the Collective application, shaping the interface and workflow based on user feedback and usability principles. This section details the main user roles and their interactions with the system, illustrated with activity diagrams for each core function.

3.4.1 Process Flow

3.4.1.1 Writer

The Writer is the primary user of the Collective application, responsible for creating, managing, and analyzing journal entries. The following functions are available to the Writer:

i. Register

Figure 3.3 shows the registration flow for new users. The writer can register using their email and password or authenticate through Google/X OAuth providers. The system validates the account details and, upon successful registration, redirects the writer to the journal screen where they can begin their journaling experience.




Figure 3.3: Registration flow for Writer

ii. Login

Figure 3.4 shows the login flow for existing users. The writer can authenticate using their registered email and password or through their previously linked Google/X account. Upon successful authentication, the system validates the credentials and redirects the writer to the main journal screen.




Figure 3.4: Login flow for Writer

iii. Write Entry

Figure 3.5 shows the entry creation flow for writers. The writer composes their journal entry in a distraction-free interface, optionally adds mood, tags, and media attachments, then saves the entry using the prominently displayed save button. The system processes the entry both locally and in the cloud when connectivity is available.




Figure 3.5: Write Entry flow for Writer

iv. Edit Entry

Figure 3.6 shows the entry editing flow for writers. The writer can modify existing entries, update their mood, change tags, or replace media attachments. The system tracks changes and updates both local and cloud storage accordingly.




Figure 3.6: Edit Entry flow for Writer

v. Search

Figure 3.7 shows the search functionality flow. The writer can search through their entries using fuzzy search algorithms that match both entry content and tags, providing intelligent search results even with partial or approximate queries.




Figure 3.7: Search flow for Writer

vi. Analytics

Figure 3.8 shows the analytics viewing flow. The writer can access AI-generated insights about their journaling patterns, emotional trends, and topic clusters. The system uses cached analytics data when available and generates new analysis when needed.




Figure 3.8: Analytics flow for Writer

vii. Insights

Figure 3.9 shows the AI insights viewing flow for individual entries. The writer can access detailed analysis of specific entries, including contextual relationships, emotional analysis, and personalized recommendations.




Figure 3.9: Insights flow for Writer

viii. Logout

Figure 3.10 shows the logout process for writers. The system securely terminates the user session, clears authentication tokens, and redirects to the login screen while ensuring local data remains protected.




Figure 3.10: Logout flow for Writer

ix. Append Tags

Figure 3.11 shows the tag management flow. Writers can add, modify, or remove tags from their entries to improve organization and searchability. The system provides tag suggestions based on entry content and previous usage patterns.




Figure 3.11: Append Tags flow for Writer

x. Set Mood

Figure 3.12 shows the mood setting functionality. Writers can associate emotional states with their entries, enabling the system to track emotional patterns over time and provide relevant insights.




Figure 3.12: Set Mood flow for Writer

xi. Set Bookmark

Figure 3.13 shows the bookmarking process. Writers can mark important entries for quick access, creating a personalized collection of significant journal entries.




Figure 3.13: Set Bookmark flow for Writer

xii. Attach Media

Figure 3.14 shows the media attachment process. Writers can enhance their entries with images, GIFs, or other media content, with the system handling compression and storage optimization automatically.




Figure 3.14: Attach Media flow for Writer

xiii. Browse Bookmark

Figure 3.15 shows the bookmark browsing functionality. Writers can efficiently navigate through their bookmarked entries, with options for sorting and filtering based on various criteria.




Figure 3.15: Browse Bookmark flow for Writer

xiv. View Entries

Figure 3.16 shows the entry viewing interface. Writers can browse through all their journal entries with various viewing options including list view, timeline view, and calendar integration.




Figure 3.16: View Entries flow for Writer

xv. Browse Calendar

Figure 3.17 shows the calendar browsing functionality. Writers can navigate through their journaling history using an intuitive calendar interface, quickly jumping to entries from specific dates.




Figure 3.17: Browse Calendar flow for Writer

3.4.1.2 Backend Services

This subsection covers the backend functionalities that support the user-facing features, including data management, synchronization, and AI processing capabilities.

i. Store/Retrieve Entries

Figure 3.18 shows the data management process for journal entries. The system handles secure storage and retrieval of entries across local and cloud storage, ensuring data integrity and availability.




Figure 3.18: Store/Retrieve Entries Flow

ii. Manage Offline

Figure 3.19 shows the offline functionality management. The system automatically handles offline mode, local data storage, and synchronization when connectivity is restored, ensuring seamless user experience regardless of network availability.




Figure 3.19: Manage Offline Flow

iii. Sync

Figure 3.20 shows the synchronization process between local and cloud storage. The system automatically detects connectivity changes and synchronizes data when internet access is available, maintaining data consistency across devices.




Figure 3.20: Synchronization Flow

iv. AI Processing

Figure 3.21 shows the background AI processing that occurs automatically after entries are saved. The system performs sentiment analysis, pattern recognition, and insight generation without user intervention to maintain the simplicity of the journaling experience.




Figure 3.21: AI Processing Flow

3.4.2 Use Case

This subsection presents detailed use case analysis for the Collective mobile journaling application. Each use case includes a visual UML diagram and detailed specification table covering the use case ID, name, purpose, role, and various scenarios. The use cases are organized by functionality and provide comprehensive coverage of all system features available to writers.

3.4.2.1 Register

Figure 3.22 shows the register use case diagram. This use case allows new users to create an account using email/password credentials or through OAuth providers like Google and Twitter/X.




Figure 3.22: Use Case Register

Table 3.11: Use Case Register Details

Use Case ID	UC-001
Use Case Name	Register
Purpose	To allow writers to register a new account in the Collective application
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer opens the application for the first time 2. Writer selects registration option 3. Writer enters first name, last name, email, and password 4. System validates the provided information 5. System creates user profile in Firebase 6. Writer is redirected to the main journal screen
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer selects Google OAuth registration 2. System redirects to Google authentication 3. Writer authorizes the application 4. System creates user profile using Google information <p>OR</p> <ol style="list-style-type: none"> 1. Writer selects Twitter/X OAuth registration 2. System redirects to Twitter authentication 3. Writer authorizes the application 4. System creates user profile using Twitter information
Exception Scenario	<ol style="list-style-type: none"> 1. Email already exists in the system - System displays error message 2. Invalid email format - System displays validation error 3. Weak password - System requests stronger password 4. Network connectivity issues - System displays retry option 5. OAuth provider unavailable - System falls back to email registration

3.4.2.2 Login

Figure 3.23 shows the login use case diagram. This use case enables existing users to authenticate and access their journal entries.




Figure 3.23: Use Case Login

Table 3.12: Use Case Login Details

Use Case ID	UC-002
Use Case Name	Login
Purpose	To allow writers to login into their existing account
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer opens the application 2. Writer enters registered email and password 3. System validates credentials against Firebase Authentication 4. System loads user profile and preferences 5. Writer is redirected to the main journal screen with access to their entries
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer selects Google OAuth login 2. System authenticates with Google services 3. System validates existing account 4. Writer gains immediate access to their journal <p>OR</p> <ol style="list-style-type: none"> 1. Writer selects Twitter/X OAuth login 2. System authenticates with Twitter services 3. System validates existing account 4. Writer gains immediate access to their journal
Exception Scenario	<ol style="list-style-type: none"> 1. Incorrect email or password - System displays authentication error 2. Account not found - System suggests registration 3. Account temporarily locked - System displays wait message 4. Network connectivity issues - System enables offline mode 5. OAuth provider authentication fails - System provides alternative login methods

3.4.2.3 Logout

Figure 3.24 shows the logout use case diagram. This use case allows writers to securely terminate their session.




Figure 3.24: Use Case Logout

Table 3.13: Use Case Logout Details

Use Case ID	UC-003
Use Case Name	Logout
Purpose	To allow writers to securely logout from their account
Role	Writers
Base Scenario	<ol style="list-style-type: none"> Writer accesses logout option from the application menu System confirms logout intent System clears authentication tokens and session data System secures local data storage Writer is redirected to the login screen
Alternative Scenario	<ol style="list-style-type: none"> Automatic logout due to session expiry System automatically clears session System displays session timeout message Writer is redirected to login screen
Exception Scenario	<ol style="list-style-type: none"> Network issues during logout - System performs local logout and attempts sync later Unsaved data exists - System prompts to save before logout System error during logout - System forces local session termination

3.4.2.4 Write Entry

Figure 3.25 shows the write entry use case diagram. This core functionality allows writers to create new journal entries.




Figure 3.25: Use Case Write Entry

Table 3.14: Use Case Write Entry Details

Use Case ID	UC-004
Use Case Name	Write Entry
Purpose	To allow writers to create new journal entries with text, mood, and optional media
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer opens the journal input interface 2. Writer composes their thoughts in the text area 3. Writer optionally selects a mood from predefined options 4. Writer optionally adds tags for organization 5. Writer saves the entry using the save action 6. System stores entry locally and syncs to cloud when available
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer attaches an image to the entry 2. System compresses and optimizes the media 3. Writer continues with text composition 4. System saves entry with media attachment <p>OR</p> <ol style="list-style-type: none"> 1. Writer creates entry while offline 2. System saves entry to local database 3. System queues entry for cloud sync when connectivity returns
Exception Scenario	<ol style="list-style-type: none"> 1. Empty entry attempted - System displays validation message 2. Network failure during save - System saves locally and retries sync 3. Storage space insufficient - System alerts user and suggests cleanup 4. Image attachment too large - System compresses or requests smaller file

3.4.2.5 Append Tags

Figure 3.26 shows the append tags use case diagram. This functionality helps organize entries through tagging.




Figure 3.26: Use Case Append Tags

Table 3.15: Use Case Append Tags Details

Use Case ID	UC-005
Use Case Name	Append Tags
Purpose	To allow writers to add organizational tags to their journal entries
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer accesses tag management for an entry 2. System displays existing tags and suggestions 3. Writer selects from suggested tags or creates custom tags 4. Writer applies tags to the entry 5. System updates entry metadata and improves future suggestions
Alternative Scenario	<ol style="list-style-type: none"> 1. AI system analyzes entry content 2. System automatically suggests relevant tags 3. Writer reviews and accepts/modifies suggestions 4. System learns from writer preferences for future entries

3.4.2.6 Set Mood

Figure 3.27 shows the set mood use case diagram. This feature enables emotional tracking within entries.




Figure 3.27: Use Case Set Mood

Table 3.16: Use Case Set Mood Details

Use Case ID	UC-006
Use Case Name	Set Mood
Purpose	To allow writers to associate emotional states with their journal entries
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer accesses mood selection interface during entry creation 2. System displays predefined mood options (happy, sad, anxious, etc.) 3. Writer selects the mood that best represents their emotional state 4. System associates the mood with the entry for pattern analysis 5. System updates emotional tracking data for analytics
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer chooses not to set a mood (optional feature) 2. System saves entry without mood association 3. Entry remains available for mood addition later <p>OR</p> <ol style="list-style-type: none"> 1. Writer changes mood after initial entry creation 2. System updates mood association 3. System recalculates emotional patterns if needed
Exception Scenario	<ol style="list-style-type: none"> 1. Mood data inconsistency - System uses default neutral mood 2. Multiple mood selections attempted - System uses last selection 3. Invalid mood data - System prompts for re-selection

3.4.2.7 Set Bookmark

Figure 3.28 shows the set bookmark use case diagram. This feature allows writers to mark important entries.




Figure 3.28: Use Case Set Bookmark

Table 3.17: Use Case Set Bookmark Details

Use Case ID	UC-007
Use Case Name	Set Bookmark
Purpose	To allow writers to bookmark important entries for quick access
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer identifies an important entry to bookmark 2. Writer selects the bookmark/favorite option 3. System toggles the bookmark status of the entry 4. System updates the entry metadata 5. Entry becomes accessible through the favorites collection
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer removes bookmark from previously bookmarked entry 2. System toggles bookmark status to off 3. Entry is removed from favorites collection but remains in main timeline
Exception Scenario	<ol style="list-style-type: none"> 1. Bookmark data corruption - System resets bookmark status 2. Sync conflict with bookmark status - System uses most recent version 3. Maximum bookmarks reached - System displays limit notification

3.4.2.8 Attach Media

Figure 3.29 shows the attach media use case diagram. This functionality enhances entries with visual content.




Figure 3.29: Use Case Attach Media

Table 3.18: Use Case Attach Media Details

Use Case ID	UC-008
Use Case Name	Attach Media
Purpose	To allow writers to enhance their entries with images and media content
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer selects media attachment option during entry creation 2. System opens device gallery or camera interface 3. Writer selects or captures an image 4. System compresses and optimizes the media file 5. System associates media with the entry and stores locally 6. System uploads media to cloud storage when connectivity available
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer attaches multiple images to single entry 2. System processes each image individually 3. System creates media gallery for the entry <p>OR</p> <ol style="list-style-type: none"> 1. Writer removes attached media 2. System removes media association and files 3. System updates entry metadata
Exception Scenario	<ol style="list-style-type: none"> 1. Image file too large - System compresses or requests smaller file 2. Unsupported file format - System displays supported format message 3. Storage space insufficient - System alerts and suggests cleanup 4. Upload failure - System retries upload when connectivity restored 5. Corrupted media file - System displays error and removes attachment

3.4.2.9 Submit Entry

Figure 3.30 shows the submit entry use case diagram. This finalizes the entry creation process.




Figure 3.30: Use Case Submit Entry

Table 3.19: Use Case Submit Entry Details

Use Case ID	UC-009
Use Case Name	Submit Entry
Purpose	To allow writers to finalize and save their completed journal entries
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer completes entry composition with text, mood, tags, and media 2. Writer selects save/submit action 3. System validates entry content and metadata 4. System saves entry to local database immediately 5. System updates UI to reflect new entry 6. System queues entry for cloud synchronization
Alternative Scenario	<ol style="list-style-type: none"> 1. Auto-save triggers during entry composition 2. System saves draft entry periodically 3. Writer can continue editing or finalize submission <p>OR</p> <ol style="list-style-type: none"> 1. Writer submits entry while offline 2. System saves locally with sync pending status 3. System syncs when connectivity restored
Exception Scenario	<ol style="list-style-type: none"> 1. Entry validation fails - System highlights issues and prevents submission 2. Local storage full - System displays storage warning 3. Duplicate entry detected - System asks for confirmation 4. System crash during submission - System recovers draft on restart

3.4.2.10 Browse Bookmark

Figure 3.31 shows the browse bookmark use case diagram. This provides access to favorite entries.




Figure 3.31: Use Case Browse Bookmark

Table 3.20: Use Case Browse Bookmark Details

Use Case ID	UC-010
Use Case Name	Browse Bookmark
Purpose	To allow writers to access and browse their bookmarked/favorite entries
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer accesses the favorites/bookmarks section 2. System loads all bookmarked entries 3. System displays entries in chronological or custom order 4. Writer can browse, read, edit, or remove bookmarks 5. Writer can access full entry details and associated media
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer applies date range filter to bookmarks 2. System filters bookmarked entries by specified dates 3. System displays filtered results <p>OR</p> <ol style="list-style-type: none"> 1. Writer searches within bookmarked entries 2. System performs search only within favorite entries 3. System displays matching bookmarked entries
Exception Scenario	<ol style="list-style-type: none"> 1. No bookmarked entries exist - System displays empty state with guidance 2. Bookmark data corrupted - System attempts recovery or resets bookmarks 3. Loading error - System displays retry option 4. Network issues - System shows cached bookmarks with sync status

3.4.2.11 View Entries

Figure 3.32 shows the view entries use case diagram. This provides the main interface for browsing all journal entries.




Figure 3.32: Use Case View Entries

Table 3.21: Use Case View Entries Details

Use Case ID	UC-011
Use Case Name	View Entries
Purpose	To allow writers to browse and view all their journal entries in an organized timeline
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer opens the main journal screen 2. System loads all journal entries from local and cloud storage 3. System groups entries by date for organized display 4. System displays entries in reverse chronological order 5. Writer can scroll through timeline and access individual entries
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer filters entries by date range 2. System displays entries within specified timeframe <p>OR</p> <ol style="list-style-type: none"> 1. Writer sorts entries by different criteria (mood, tags, etc.) 2. System reorganizes display according to selected sorting
Exception Scenario	<ol style="list-style-type: none"> 1. No entries exist - System displays welcome message and entry creation guidance 2. Loading error - System shows cached entries with sync status indicator 3. Large number of entries causes performance issues - System implements pagination 4. Data corruption detected - System attempts recovery and shows error status

3.4.2.12 Search

Figure 3.33 shows the search use case diagram. This enables efficient entry discovery through text matching.




Figure 3.33: Use Case Search

Table 3.22: Use Case Search Details

Use Case ID	UC-012
Use Case Name	Search
Purpose	To allow writers to search through their journal entries using keywords and phrases
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer activates search interface 2. Writer enters search keywords or phrases 3. System performs real-time fuzzy text matching across entry content and tags 4. System displays matching entries with highlighted search terms 5. Writer can access full entries from search results
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer searches by specific tags 2. System filters entries containing specified tags 3. System displays tag-filtered results <p>OR</p> <ol style="list-style-type: none"> 1. Writer uses advanced search with multiple criteria 2. System combines text, tag, mood, and date filters 3. System displays comprehensive filtered results
Exception Scenario	<ol style="list-style-type: none"> 1. No search results found - System displays no results message with search suggestions 2. Search query too short - System requires minimum character count 3. Special characters in search - System sanitizes query and searches 4. Search performance issues - System optimizes query and displays progress indicator

3.4.2.13 Browse Calendar

Figure 3.34 shows the browse calendar use case diagram. This provides date-based navigation through entries.




Figure 3.34: Use Case Browse Calendar

Table 3.23: Use Case Browse Calendar Details

Use Case ID	UC-013
Use Case Name	Browse Calendar
Purpose	To allow writers to navigate their journal entries using a visual calendar interface
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. Writer accesses calendar view from main interface 2. System displays calendar with entry indicators on dates with journal entries 3. Writer navigates through months and years 4. Writer selects specific date with entries 5. System navigates to entries for selected date in main timeline
Alternative Scenario	<ol style="list-style-type: none"> 1. Writer uses calendar to find entries from specific time period 2. System highlights date ranges with entry activity 3. Writer selects date range for filtered viewing <p>OR</p> <ol style="list-style-type: none"> 1. Calendar displays mood indicators for each date 2. Writer can visualize emotional patterns over time 3. Writer selects dates based on mood indicators
Exception Scenario	<ol style="list-style-type: none"> 1. Calendar fails to load - System displays alternative date navigation 2. Date with no entries selected - System offers to create new entry for that date 3. Performance issues with large date ranges - System implements lazy loading 4. Invalid date selection - System corrects to nearest valid date

3.4.2.14 View Analytics

Figure 3.35 shows the view analytics use case diagram. This provides insights into journaling patterns and trends.




Figure 3.35: Use Case View Analytics

Table 3.24: Use Case View Analytics Details

Use Case ID	UC-014
Use Case Name	View Analytics
Purpose	To allow writers to analyze their journaling patterns, topics, and emotional trends
Role	Writers
Base Scenario	<ol style="list-style-type: none"> Writer accesses analytics section from main interface System analyzes journal entries to identify topic clusters and patterns System generates visualizations showing topic distribution and trends System displays emotional patterns and mood statistics Writer can explore individual topic clusters and associated entries
Alternative Scenario	<ol style="list-style-type: none"> System uses cached analytics when available System displays previously generated insights immediately System updates analytics in background when new entries added OR Writer requests analytics refresh System regenerates analysis with current data System displays updated insights and patterns
Exception Scenario	<ol style="list-style-type: none"> Insufficient data for analytics - System displays message about minimum entry requirements Analytics generation fails - System displays error and retry option Complex analytics take too long - System displays progress and allows backgrounding Analytics data corrupted - System regenerates from source entries

3.4.2.15 View AI Insights

Figure 3.36 shows the view AI insights use case diagram. This provides detailed AI-powered analysis of individual entries.




Figure 3.36: Use Case View AI Insights

Table 3.25: Use Case View AI Insights Details

Use Case ID	UC-015
Use Case Name	View AI Insights
Purpose	To allow writers to access AI-powered insights and analysis for individual journal entries
Role	Writers
Base Scenario	<ol style="list-style-type: none"> Writer selects AI insights option for a specific entry System analyzes entry content using AI services System generates contextual insights about themes, emotions, and relationships System provides personalized recommendations based on entry content Writer reviews insights and can apply suggestions to future entries
Alternative Scenario	<ol style="list-style-type: none"> System displays cached insights if previously generated System shows processing status for new analysis System updates insights when analysis completes <p>OR</p> <ol style="list-style-type: none"> Writer requests insight regeneration System reprocesses entry with updated AI models System displays refreshed insights and recommendations
Exception Scenario	<ol style="list-style-type: none"> AI service unavailable - System displays cached insights or error message Entry too short for analysis - System suggests minimum content requirements Analysis fails - System provides basic insights and retry option Rate limiting from AI service - System queues analysis for later processing

3.4.2.16 Manage Offline

Figure 3.37 shows the manage offline use case diagram. This ensures functionality without internet connectivity.




Figure 3.37: Use Case Manage Offline

Table 3.26: Use Case Manage Offline Details

Use Case ID	UC-016
Use Case Name	Manage Offline
Purpose	To allow writers to use the application fully when internet connectivity is unavailable
Role	Writers
Base Scenario	<ol style="list-style-type: none"> 1. System detects loss of internet connectivity 2. System switches to offline mode seamlessly 3. System stores all new entries and changes locally 4. System provides full functionality using local database 5. System detects connectivity restoration and synchronizes changes
Alternative Scenario	<ol style="list-style-type: none"> 1. User manually enables offline mode 2. System prepares for offline operation 3. System caches essential data locally <p>OR</p> <ol style="list-style-type: none"> 1. Partial connectivity available 2. System optimizes for low-bandwidth operation 3. System prioritizes essential sync operations
Exception Scenario	<ol style="list-style-type: none"> 1. Local storage insufficient for offline data - System alerts user and suggests cleanup 2. Sync conflicts when connectivity restored - System provides conflict resolution interface 3. Local database corruption - System attempts recovery and alerts user 4. Extended offline period - System optimizes local storage and manages capacity

3.4.2.17 Generate Analytics

Figure 3.38 shows the generate analytics use case diagram. This backend process creates analytical insights from journal data.




Figure 3.38: Use Case Generate Analytics

Table 3.27: Use Case Generate Analytics Details

Use Case ID	UC-017
Use Case Name	Generate Analytics
Purpose	To process journal entries and generate analytical insights, patterns, and statistics
Role	Backend Services
Base Scenario	<ol style="list-style-type: none"> System receives request for analytics generation System processes all available journal entries System applies AI algorithms to identify topic clusters System calculates statistical patterns and trends System stores generated analytics for user access System caches results for improved performance
Alternative Scenario	<ol style="list-style-type: none"> System performs incremental analytics update System processes only new entries since last analysis System updates existing analytics with new patterns <p>OR</p> <ol style="list-style-type: none"> System runs scheduled background analytics System automatically updates insights for active users System optimizes processing for system resources
Exception Scenario	<ol style="list-style-type: none"> Insufficient data for meaningful analytics - System provides guidance on minimum requirements Processing timeout due to large dataset - System implements chunked processing AI service unavailable - System falls back to basic statistical analysis Memory or processing constraints - System optimizes algorithms and processes in batches

3.4.2.18 Generate Insights

Figure 3.39 shows the generate insights use case diagram. This backend process creates personalized AI insights for individual entries.




Figure 3.39: Use Case Generate Insights

Table 3.28: Use Case Generate Insights Details

Use Case ID	UC-018
Use Case Name	Generate Insights
Purpose	To create personalized AI-powered insights and recommendations for individual journal entries
Role	Backend Services
Base Scenario	<ol style="list-style-type: none"> 1. System receives request for entry-specific insight generation 2. System analyzes entry content using natural language processing 3. System performs emotional and contextual analysis 4. System generates personalized recommendations and insights 5. System stores insights linked to specific entry 6. System provides insights to user interface
Alternative Scenario	<ol style="list-style-type: none"> 1. System uses historical user data to enhance insights 2. System considers user's journaling patterns and preferences 3. System provides more personalized and relevant recommendations <p>OR</p> <ol style="list-style-type: none"> 1. System batches multiple entries for efficient processing 2. System generates insights for multiple entries simultaneously 3. System optimizes AI service usage and costs
Exception Scenario	<ol style="list-style-type: none"> 1. AI service rate limiting - System queues requests and processes when capacity available 2. Entry content insufficient for analysis - System provides general insights and suggestions 3. Processing failure - System logs error and provides retry mechanism 4. User privacy restrictions - System processes locally or uses anonymized analysis

3.4.3 Product Functions

This section presents a comprehensive overview of the functional requirements for the **Collective** mobile journaling application. Each function is detailed with a unique identifier, feature name, description, and accessible user role. The functions are organized by categories covering authentication, journaling core features, content management, AI-powered features, and system utilities. Table 3.29 provides an overview of all 31 functional requirements.

Table 3.29: Functional Requirements Summary

Category	Function Range	Description
Authentication	F001 - F003	User registration, login, and logout functionality
Core Journaling	F004 - F007	Entry creation, editing, deletion, and submission
Content Enhancement	F008 - F011	Mood setting, tagging, media attachment, bookmarking
Content Management	F012 - F015	Entry viewing, searching, calendar browsing, bookmark management
AI Analysis	F016 - F019	AI insights generation and analytics viewing
Data Management	F020 - F023	Data storage, retrieval, offline management, synchronization
User Interface	F024 - F027	Selection modes, themes, responsive design, progress feedback
System Utilities	F028 - F031	Error handling, validation, performance, security

3.4.3.1 Authentication and User Management Functions

The authentication system provides secure user access control with multiple authentication methods. These functions ensure user identity verification and session management.

Table 3.30: Authentication Functions

ID	Function	Description	Role
F001	Register	Allow new users to create accounts using email/password, Google OAuth, or Twitter/X OAuth with validation and secure profile creation	Writer
F002	Login	Enable existing users to authenticate through email/password or OAuth providers with credential validation and interface redirection	Writer
F003	Logout	Allow users to securely terminate sessions, clear authentication data, and return to login screen	Writer

3.4.3.2 Core Journaling Functions

Table 3.31: Core Journaling Functions

ID	Function	Description	Role
F004	Write Entry	Provide minimalist, distraction-free writing interface with text composition, automatic word count tracking, real-time editing, auto-save functionality, and maintained writing focus	Writer
F005	Submit Entry	Allow users to finalize and save completed entries with content validation, immediate local database storage, cloud synchronization queueing, and visual save confirmation	Writer
F006	Edit Entry	Enable modification of existing journal entries while preserving original timestamps, tracking edit history, supporting text/mood/media modifications, and maintaining data integrity	Writer
F007	Delete Entry	Enable removal of unwanted journal entries with confirmation dialogs, permanent deletion from local and cloud storage, and updated entry statistics	Writer

3.4.3.3 Content Enhancement Functions

Table 3.32: Content Enhancement Functions - Part 1

Feature ID	Feature	Description	Accessible Role
F008	Set Mood	Allow users to associate emotional states with entries using predefined mood options with emoji representations, enabling mood selection during or after entry creation for emotional pattern tracking	Writer
F009	Append Tags	Enable manual categorization of journal entries with custom tag creation, AI-powered tag suggestions based on content, thematic organization, and efficient search facilitation	Writer

Table 3.33: Content Enhancement Functions - Part 2

Feature ID	Feature	Description	Accessible Role
F010	Attach Media	Support image attachment from device gallery, direct photo capture, automatic compression for storage efficiency, local and cloud storage management, and media display within entries	Writer
F011	Set Bookmark	Allow marking of important entries for quick access with visual indicators, bookmark management, and organized favorites collection	Writer

3.4.3.4 Content Management and Retrieval Functions

Table 3.34: Content Management and Retrieval Functions - Part 1

Feature ID	Feature	Description	Accessible Role
F012	View Entries	Display all journal entries in chronological order with date grouping, infinite scrolling for large collections, entry previews with timestamps and metadata, and bulk operation support	Writer
F013	Search Entries	Enable text-based search across all entry content with fuzzy search capability, tag and metadata searching, real-time results, and search term highlighting	Writer

Table 3.35: Content Management and Retrieval Functions - Part 2

Feature ID	Feature	Description	Accessible Role
F014	Browse Calendar	Display entries organized by calendar dates with visual indicators for entry days, quick date navigation, entry count tracking, and date range filtering	Writer
F015	Browse Bookmarks	Display all bookmarked entries in dedicated view with quick access to important content, bookmark organization, and removal capabilities	Writer

3.4.3.5 AI-Powered Analysis Functions

Table 3.36: AI-Powered Analysis Functions

Feature ID	Feature	Description	Accessible Role
F016	Generate Insights	Create personalized AI-powered insights for individual entries using natural language processing, emotional and contextual analysis, personalized recommendations, and entry-specific pattern identification	Backend Services
F017	View AI Insights	Display AI-generated insights for individual entries with detailed content analysis, emotional patterns, thematic connections, personalized recommendations, and sharing capabilities	Writer
F018	Generate Analytics	Process journal entries for analytical insights, identify topic clusters and thematic patterns, calculate statistical trends, generate emotional tracking, and provide comprehensive behavior analytics	Backend Services
F019	View Analytics	Display comprehensive analytics dashboard with topic clusters, content distribution, emotional trends, mood statistics, journaling pattern visualization, and topic area exploration	Writer

3.4.3.6 Data Management and Synchronization Functions

Table 3.37: Data Management and Synchronization Functions - Part 1

Feature ID	Feature	Description	Accessible Role
F020	Store Entries	Securely store journal entries in local database with data integrity maintenance, immediate storage for offline capability, sensitive data encryption, and storage optimization	Backend Services
F021	Retrieve Entries	Efficiently load journal entries from storage with fast retrieval for optimal performance, large dataset pagination, session consistency, and data recovery mechanisms	Backend Services

Table 3.38: Data Management and Synchronization Functions - Part 2

Feature ID	Feature	Description	Accessible Role
F022	Manage Offline	Enable full functionality without internet connectivity through automatic detection, local action storage, seamless offline-to-online transitions, and synchronization integrity	Backend Services
F023	Cloud Synchronization	Synchronize local data with Firebase cloud storage including conflict resolution, incremental sync for bandwidth efficiency, multi-device consistency, and automatic/manual sync triggers	Backend Services

3.4.3.7 User Interface and System Functions

Table 3.39: User Interface and Experience Functions

Feature ID	Feature	Description	Accessible Role
F024	Selection Mode	Enable multi-entry selection for bulk operations with visual feedback, batch deletion, date range selection, and maintained selection state during navigation	Writer
F025	Theme Management	Provide automatic light/dark theme switching responding to system preferences with consistent visual design, readability optimization, and accessibility support	Writer
F026	Responsive Design	Adapt interface layout to different screen sizes with device orientation support, optimized touch targets, consistent cross-platform experience, and accessibility features	Writer
F027	Progress Feedback	Provide visual indicators for ongoing operations including sync status, connectivity information, loading states, completion confirmations, and system status indicators	Writer

Table 3.40: System Utility Functions

Feature ID	Feature	Description	Accessible Role
F028	Error Handling	Gracefully handle system errors and exceptions with meaningful user messages, automatic recovery mechanisms, debugging logs, and application stability maintenance	Backend Services
F029	Data Validation	Validate user input for data integrity, enforce business rules and constraints, prevent malformed data entry, provide immediate validation feedback, and maintain data quality	Backend Services
F030	Performance Optimization	Optimize application performance for mobile devices with efficient data loading, caching strategies, battery/memory usage minimization, smooth animations, and responsive interactions	Backend Services
F031	Security Management	Implement secure authentication and authorization, encrypt sensitive data at rest and in transit, protect against vulnerabilities, manage privacy compliance, and secure API communications	Backend Services

These 31 functional requirements collectively form the comprehensive feature set of the **Collective** mobile journaling application, ensuring a complete and user-friendly journaling experience while maintaining the simplicity and focus that distinguishes the application from traditional digital journaling platforms.

3.5 Construction

In this phase, the system development and implementation tasks are focused, which include system developing, programming, and testing. The Collective mobile journaling application prototype is developed using Flutter framework with Firebase backend integration to gain feedback from users and improve the system functionality.

The development process follows agile principles with iterative development cycles. Key implementation activities include:

- Frontend development using Flutter with Material Design 3
- Backend integration with Firebase Authentication and Firestore
- AI service integration with DeepSeek API for entry analysis
- Local database implementation using Sembast for offline functionality
- User interface testing and optimization for mobile devices

- Performance optimization and security implementation

The construction phase emphasizes rapid prototyping and continuous user feedback integration to ensure the application meets user expectations and maintains the simplicity that distinguishes it from traditional digital journaling platforms.

3.6 Cutover

In this phase, the installation and deployment of the Collective mobile journaling system is conducted where necessary user acceptance testing and user training take place. This ensures that no faults or mistakes occur in the system and that it meets all requirements and objectives as expected.

The cutover phase includes deployment preparation, user acceptance testing with target users, performance validation on various mobile devices, and final system optimization based on user feedback.

3.6.1 Project Resources

3.6.1.1 Resource List

Table 3.41 presents the comprehensive list of software tools and technologies used in the development of the Collective mobile journaling application.

Table 3.41: Project Resource List

SOFTWARE REQUIREMENT	Description	Total Cost
Flutter SDK	Mobile application development framework	RM 0.00
Android Studio	IDE for Android development and debugging	RM 0.00
Visual Studio Code	Code editor for development	RM 0.00
Firebase Console	Backend services and cloud storage	RM 0.00
DeepSeek API	AI service for journal analysis	RM 0.00
Google Chrome	Testing and research	RM 0.00
Microsoft Word	Documentation and reporting	RM 0.00
Microsoft Excel	Project planning and data analysis	RM 0.00
LaTeX	Thesis documentation	RM 0.00
PlantUML	UML diagram generation	RM 0.00
Figma	UI/UX design and prototyping	RM 0.00
Git	Version control system	RM 0.00
Total		RM 0.00

3.6.2 Conclusion

This chapter presents the comprehensive research methodology for the Collective mobile journaling application using the Rapid Application Development (RAD) approach. The methodology encompasses requirement planning, user design, construction, and cutover phases, ensuring systematic development that prioritizes user feedback and iterative improvement.

Understanding the application requirements from the user's perspective through detailed use case analysis, activity flows, and functional specifications enables the development of a user-friendly application that connects traditional and digital journaling experiences. The RAD methodology's emphasis on rapid prototyping and continuous user involvement ensures that the final application meets user expectations while maintaining the simplicity and focus that distinguishes Collective from existing digital journaling platforms.

Chapter 4

Prototype/ Product Development

4.1 Introduction

This chapter discusses the details of prototype and product development for the Collective journaling application. It explains each interface of the mobile journaling system and provides information on front-end development using Flutter, back-end integration with Firebase, and AI-based features through DeepSeek API. The chapter demonstrates how the prototype addresses identified problems in digital journaling complexity while maintaining the personal experience of traditional journaling.

4.2 System Prototype

The Collective journaling application is developed using Flutter framework with Dart programming language, providing multi-platform compatibility for both Android and iOS devices. Firebase serves as the backend service platform, offering authentication, cloud storage, and real-time database capabilities. The system integrates with DeepSeek AI API for automated journal analysis and insight generation. Local storage is managed through Sembast database, ensuring offline functionality with automatic synchronization when connectivity is restored.

The application follows an offline-first design where users can write entries without internet connectivity, and the system automatically syncs data to the cloud when available. This approach addresses the core requirement of maintaining uninterrupted journaling experience regardless of connectivity status. The integration of Flutter, Firebase, and AI services ensures the system is both functional and

user-friendly while providing automated features that improve the traditional journaling experience.

4.3 Development Environment Setup

The development environment utilizes Flutter SDK with the following key dependencies:

- Flutter framework for cross-platform mobile development
- Firebase suite for authentication and cloud services
- Sembast for local database management
- HTTP client for DeepSeek API integration
- Material Design 3 for consistent UI components
- Camera and image processing capabilities for multimedia entries

The project structure follows Flutter best practices with organized directories for screens, services, models, widgets, and utilities. Custom plugins are maintained in the `local_plugins` directory to address specific compatibility requirements, particularly for social authentication features.

4.4 Database Design

The database design for the Collective journaling application implements a dual-database architecture to support both offline functionality and cloud synchronization. This section details the database schema, entity relationships, and data management strategies that enable seamless user experience across online and offline states.

4.4.1 Database Architecture Overview

The Collective application employs a hybrid database approach combining local storage with cloud synchronization to ensure data availability and consistency. The architecture consists of two primary components:

- **Local Database:** Sembast database for offline storage and immediate data access

- **Cloud Database:** Firebase Firestore for data synchronization and backup

This dual-database strategy enables the application to function completely offline while providing cloud backup and multi-device synchronization when connectivity is available. The offline-first approach ensures that users can continue journaling without interruption regardless of network availability.

4.4.2 Local Database Schema (Sembast)

The Sembast local database implementation uses a document-based approach with multiple stores to organize different data types. Each store maintains specific data structures optimized for mobile performance and offline access.

Table 4.1: Local Database Store Structure

Store Name	Purpose	Key Fields
entries	Journal entries storage	localId, content, mood, tags, imageUrl, timestamp, isSynced
user_profiles	User profile information	userId, name, email, preferences, createdAt
sync_queue	Pending synchronization operations	operationType, entityId, timestamp, retryCount
app_settings	Application configuration	themeMode, aiEnabled, offlineMode, lastSyncTime

4.4.2.1 Entry Data Structure

The Entry entity represents individual journal entries with comprehensive metadata to support search, organization, and AI analysis features.

Table 4.2: Entry Entity Schema

Field Name	Data Type	Description
localId	String	Unique identifier for local storage
firestoreId	String?	Firebase document ID (null if not synced)
content	String	Main journal entry text content
mood	String?	Selected mood emoji or identifier
tags	List<String>	User-defined and AI-suggested tags
imageUrl	String?	Cloud storage URL for attached image
localImagePath	String?	Local file path for offline image access
timestamp	DateTime	Entry creation timestamp
lastModified	DateTime	Last modification timestamp
isFavorite	Boolean	Bookmark status for quick access
isSynced	Boolean	Cloud synchronization status
wordCount	Integer	Calculated word count for analytics

4.4.3 Cloud Database Schema (Firebase Firestore)

The Firebase Firestore implementation uses a collection-based structure optimized for real-time synchronization and scalable cloud storage. The schema design supports efficient queries while maintaining data security through Firestore security rules.

Table 4.3: Firestore Collection Structure

Collection	Document Structure	Purpose
users	/users/{userId}	User profile and authentication data
entries	/users/{userId}/entries/{entryId}	User's journal entries (subcollection)
analytics	/users/{userId}/analytics/{period}	Cached AI analysis results
user_settings	/users/{userId}/settings/preferences	User preferences and configuration

4.4.3.1 User Document Schema

Table 4.4: User Document Fields

Field Name	Data Type	Description
userId	String	Firebase Authentication UID
email	String	User email address
displayName	String	User's display name
photoURL	String?	Profile picture URL (optional)
createdAt	Timestamp	Account creation timestamp
lastLoginAt	Timestamp	Last login timestamp
entryCount	Number	Total number of journal entries
preferences	Map	User preferences and settings

4.4.4 Data Flow and Synchronization

The data synchronization strategy implements a queue-based approach that handles offline operations and resolves conflicts when connectivity is restored. The synchronization process maintains data integrity while providing real-time updates when possible.




Figure 4.1: Data Synchronization Flow Process

Figure 4.1 demonstrates the complete data synchronization workflow from user action to final UI update. The process ensures that all user operations are preserved locally before attempting cloud

synchronization, providing seamless offline functionality with automatic conflict resolution.

4.4.4.1 Performance Optimization

Database performance optimization focuses on minimizing synchronization overhead and ensuring responsive user interactions. Key strategies include:

- **Lazy Loading:** Journal entries load incrementally to reduce initial load times
- **Batch Operations:** Multiple database changes grouped into single transactions
- **Index Management:** Optimized queries using Sembast indexing for date and tag searches
- **Cache Strategy:** Frequently accessed data cached locally with TTL expiration
- **Background Sync:** Non-critical synchronization operations performed during idle periods

4.4.5 Data Security and Privacy Considerations

Data security is implemented at multiple levels to protect user privacy and ensure compliance with data protection regulations.

4.4.5.1 Local Data Protection

- **Database Encryption:** Sembast database is encrypted using device-specific keys

4.4.5.2 Cloud Data Security

- **Firebase Security Rules:** Strict rules ensure users can only access their own data
- **Transport Encryption:** All data transmission uses HTTPS/TLS encryption
- **Authentication Requirements:** All cloud operations require valid Firebase Auth tokens

4.5 Collective Journaling Application Interface

4.5.1 Authentication System

4.5.1.1 Login Screen

The login screen presents users with a clean, minimalist interface for accessing their existing accounts. The screen features the Collective logo and brand name prominently displayed at the top, establishing brand identity immediately upon app launch. Users can enter their email and password credentials in dedicated input fields with real-time validation feedback. The login form includes a "Forgot password?" link for password recovery and maintains consistent styling with rounded input fields and appropriate visual feedback for user interactions.




Figure 4.2: Login screen interface

4.5.1.2 Registration Screen

The registration screen expands the authentication interface to include additional fields for new user account creation. Users provide their first name, last name, email address, and password, with all fields featuring real-time validation to ensure data integrity and provide immediate feedback. The registration process includes email validation, password strength requirements, and clear visual indicators for required fields. Users can easily toggle between login and registration modes using the text link at the bottom of the screen.




Figure 4.3: Registration screen with user details form

4.5.1.3 Google OAuth Integration

The Google OAuth integration provides seamless authentication using existing Google accounts. The interface displays a dedicated button with the Google logo and clear labeling, allowing users to authenticate with a single tap without manual credential entry. The Google sign-in process leverages Firebase Authentication's OAuth provider, ensuring secure credential handling and automatic user profile creation upon successful authentication.

4.5.1.4 Twitter/X OAuth Integration

The Twitter/X OAuth integration offers an alternative social authentication method for users who prefer using their Twitter/X credentials. The interface includes a dedicated button with the Twitter/X logo, maintaining visual consistency with the Google OAuth option. The Twitter/X integration utilizes Firebase's OAuthProvider functionality with custom plugin modifications to ensure compatibility across different device configurations and handle edge cases in the authentication flow.




Figure 4.4: Google and Twitter/X OAuth authentication

4.5.2 Main Journal Interface

4.5.2.1 Journal Home Screen

The journal home screen represents the core interface where users interact with their entries. The design prioritizes content over navigation, featuring a clean timeline view of journal entries organized by date. Each entry is displayed as a card with the date, content preview, mood indicator, and associated tags. The interface includes a search functionality and selection mode for batch operations like favoriting or deleting entries. The screen includes a toolbar with options for creating new entries, searching through existing content, and accessing analytics. Entries are grouped by date with sticky headers for easy navigation. The interface supports infinite scrolling and includes loading states with shimmer effects for smooth user experience.




Figure 4.5: Journal home screen showing entry timeline

4.5.2.2 Journal Input Interface

The journal input interface emphasizes distraction-free writing with a minimalist text editor that expands as users type. The interface includes subtle features like mood selection through emoji picker, tag input with AI-powered suggestions, and multimedia attachment capabilities including camera integration for photos and GIF creation. The interface includes automatic saving to prevent data loss and provides visual feedback for all user actions.




Figure 4.6: Basic journal input interface for writing entries

4.5.2.2.1 Emoji Selection Interface The emoji selection feature provides an expandable emoji bar for mood selection. Users can tap to reveal a collection of mood-representing emojis that help categorize their emotional state while writing. The emoji bar integrates seamlessly with the writing interface without disrupting the flow of composition.




Figure 4.7: Emoji selection interface for mood indication

4.5.2.2.2 Photo Attachment Interface The photo attachment functionality allows users to add visual content to their journal entries. The interface provides options to select existing photos from the device gallery or capture new images using the camera. Photos are automatically compressed and optimized for storage while maintaining visual quality.




Figure 4.8: Photo attachment interface for adding images

4.5.2.2.3 Camera Integration The camera integration feature enables users to capture moments directly within the journal interface. The camera preview appears seamlessly within the app, allowing for immediate photo capture without leaving the writing context. The interface maintains focus on journaling while providing powerful multimedia capabilities.




Figure 4.9: Integrated camera interface for direct photo capture

4.5.2.2.4 GIF Recording Functionality The GIF recording feature allows users to create short animated sequences to capture dynamic moments. Users can record brief video clips that are automatically converted to GIF format using FFmpeg processing. This feature adds a unique multimedia dimension to traditional journaling while maintaining storage efficiency.




Figure 4.10: GIF recording interface for creating animated content

4.5.2.2.5 AI-Powered Tag Suggestions The tag suggestion system utilizes AI analysis to recommend relevant tags based on the entry content. As users type, the system analyzes the text in real-time and suggests contextually appropriate tags that help organize and categorize journal entries. The suggestions appear as subtle prompts that users can accept or ignore according to their preferences.




Figure 4.11: Tag input interface

4.5.3 Navigation and Discovery

4.5.3.1 Search Functionality

The search functionality enables users to quickly locate specific journal entries based on content, tags, mood, or date ranges. The search interface features a prominent search bar that supports both text-based queries and advanced filtering options. Users can search through their entire journal history with real-time results that highlight matching content within entries.




Figure 4.12: Search interface for finding journal entries

The search system implements intelligent filtering that considers entry content, associated tags, mood indicators, and temporal patterns. Results are displayed in a familiar timeline format with highlighted search terms, allowing users to quickly identify relevant entries and navigate to full content.

4.5.3.2 Calendar Browsing Interface

The calendar browsing feature provides a visual overview of journaling activity across time periods. Users can access a monthly calendar view that displays entry indicators for each day, allowing for quick navigation to specific dates and visual recognition of journaling patterns. The calendar interface integrates seamlessly with the main journal timeline.




Figure 4.13: Calendar browsing interface for date-based navigation

The calendar view includes visual indicators for entry density, mood patterns, and special annotations. Users can tap on any date to navigate directly to entries from that day, providing an intuitive way to browse historical content and identify temporal patterns in their journaling habits.

4.5.4 Entry Management

4.5.4.1 Entry Insight Screen

The entry insight screen provides detailed analysis of individual journal entries using AI-powered insights from DeepSeek API. The screen displays the full entry content along with AI-generated insights that help users understand patterns in their writing and emotional state. Related entries are suggested based on content similarity and themes. The insights are presented in markdown format with smooth loading animations and caching for offline access. The screen includes navigation to related entries and maintains a history of viewed insights for quick reference.




Figure 4.14: Entry insight screen with AI analysis

4.5.4.2 Edit Entry Screen

The edit entry screen allows users to modify existing journal entries while maintaining the original creation timestamp. The interface provides the same rich editing capabilities as the input widget, including mood modification, tag editing, and image management. Changes are tracked and saved automatically with visual feedback. The screen includes options to add or remove images, modify mood settings, and update tags. All changes are validated and synchronized with both local and cloud storage.




Figure 4.15: Edit entry screen for modifying entries

4.5.5 Analytics and Insights

4.5.5.1 Analytics Dashboard

The analytics screen presents comprehensive insights into journaling patterns and trends using visual representations of data. The interface includes calendar views showing journaling frequency, topic clustering analysis, and mood tracking over time. The analytics are generated using AI analysis of journal content while maintaining user privacy. Key features include topic clustering cards that group related entries, calendar heat maps showing writing frequency, and insights panels with AI-generated observations about writing patterns. The analytics cache intelligently to reduce processing time and API usage.



Figure 4.16: Analytics dashboard showing journaling patterns

4.5.5.2 Topic Clustering Visualization

The topic clustering feature automatically groups journal entries by themes and subjects using AI analysis. Each cluster is presented as a card showing the main topic, number of entries, and key themes. Users can explore clusters to find related content across different time periods.




Figure 4.17: Topic clustering visualization

4.5.6 Favorites and Collections

4.5.6.1 Favorites Screen

The favorites screen displays a curated collection of entries that users have marked as favorites. The interface follows the same design patterns as the main journal screen but filters to show only favorited content. Entries maintain their original date grouping and include all standard interaction options. Users can easily unfavorite entries and access all entry details and insights from this screen. The interface provides quick access to frequently referenced content.




Figure 4.18: Favorites screen showing curated entries

Chapter 5

Testing and Result

5.1 Introduction

This chapter provides an overview of the testing scenarios for the **Collective** mobile journaling application. The importance of testing in software development is fundamental, as it ensures that the system operates reliably and meets user requirements. The primary goal of testing is to identify and resolve technical issues and bugs, ensuring the system functions correctly and aligns with the specified requirements outlined in Chapter 3.

Testing the Collective mobile journaling application involves evaluating the system's various functionalities including journal entry creation, user authentication, data storage and synchronization, AI-based insights, and offline capabilities. Due to the complexity of the mobile application and the numerous possible input and output combinations across different Android devices, it is not practical to test every possible scenario. However, thorough testing aims to cover as many scenarios as possible to ensure reliability and stability.

The chapter emphasizes four critical testing methodologies: **Integration Testing** to verify component interaction, **System Testing** to validate overall functionality, **User Acceptance Testing** with test cases specified in individual tables, and **Usability Testing** conducted through structured feedback gathering with respondents as testers. By adhering to these testing standards, the chapter aims to demonstrate how the Collective mobile journaling application meets quality standards and fulfills user requirements.

5.2 Test Objective

The test plan focuses on identifying and documenting as many bugs as possible to improve the system's reliability. The **Collective** mobile journaling application underwent extensive testing through four testing phases: Integration Testing to verify component interactions, System Testing to validate complete functionality, User Acceptance Testing with test cases documented in individual tables, and Usability Testing conducted through structured feedback gathering with respondents as testers.

The application testing focused on important operations such as journal entry creation, editing, deletion, user authentication, data synchronization, and AI-based insights generation. The user interface has been carefully designed to ensure ease of use, facilitating smooth navigation throughout the journaling experience. Throughout the development process, emphasis has been placed on performance and usability to ensure a seamless journaling experience.

5.3 Test Process

Figure 5.1 illustrates the Test Process approach as follows:

- i. **60% development progress:** At this stage, the majority of core features are implemented including Flutter framework setup, Firebase authentication, journal entry creation, AI-powered insights integration, and basic offline functionality. This milestone provides sufficient functionality for initial integration testing.
- ii. **Integration Testing:** With core components developed, integration testing begins to verify that different modules work together seamlessly. This includes testing the integration between Firebase authentication, local database storage with Sembast, AI service connectivity with DeepSeek API, and user interface elements to ensure effective communication between components.
- iii. **80% development progress:** Following successful integration testing, development continues with advanced features such as enhanced offline synchronization, media attachment capabilities, analytics dashboard, and bookmark management functionality.
- iv. **System Testing:** At this development milestone, comprehensive system testing evaluates the entire Collective mobile journaling application to verify that all specifications and requirements are met. Both functional and non-functional aspects, such as performance, offline functionality, and data

synchronization, are thoroughly tested across different Android devices.

v. 95% development progress: With system testing completed and major issues resolved, the application reaches near-completion status with all critical features implemented and tested, ready for final user validation.

vi. User Acceptance Testing: At this advanced stage, the system undergoes comprehensive test case validation covering all functional requirements. Individual test cases are documented in dedicated tables to ensure systematic coverage of all system features and user scenarios.

vii. Usability Testing: In this final phase, the nearly complete system undergoes usability evaluation through structured feedback gathering with respondents as testers. The Collective mobile journaling application must demonstrate ease of use and user satisfaction to validate its core objective of providing a simplified, distraction-free digital journaling experience.




Figure 5.1: Test Process Flow for Collective Mobile Journaling Application

5.3.1 Risk and Contingencies

Several risk-related issues need to be addressed with contingency during testing as they could lead to major troublesome problems that will affect testing development. There are project and product risks; for product risks, they will be specified in risk-based testing sections, while here are the project risks for the Collective mobile journaling application testing:

Table 5.1: Risks and Contingencies for Collective Mobile Journaling Application Testing

ID NO	Project Risks	Impact	Contingencies
1	Unavailability of Android test devices	Unable to run mobile tests and delay testing schedule	Proper planning and preparing checklist to ensure all Android devices are available. If event occurs, use emulators or request additional devices from colleagues.
2	Firebase backend service downtime	Unable to test authentication, cloud sync, and data storage features	Implement local testing environment with mock Firebase services. Schedule tests during stable service hours and have backup testing scenarios.
3	DeepSeek API rate limiting or service unavailability	Cannot test AI-powered insights and analysis features	Implement mock AI responses for testing. Cache previous API responses for test scenarios. Consider alternative AI service testing.
4	Internet connectivity issues	Unable to test online features, cloud synchronization, and API integrations	Focus on offline functionality testing first. Use mobile hotspot as backup connection. Prepare test scenarios for both online and offline modes.
5	Time and resource limitations	Not enough time to complete comprehensive testing across all features	Prioritize critical path testing and core functionalities. Eliminate low-priority test cases. Focus on integration and system testing for essential features.
6	Large number of defects found during integration testing	Unable to proceed with system and user acceptance testing	Implement defect triage system. Fix critical defects first. Parallel testing and development approach for non-blocking issues.
7	Lack of real user data for testing	Test scenarios may not reflect actual usage patterns	Generate realistic test data based on user research. Recruit beta testers for realistic data creation. Use anonymized sample journal entries.
8	Changes in Flutter framework or Firebase SDK versions	Compatibility issues affecting test environment stability	Maintain version control and testing on multiple framework versions. Keep rollback options available. Document version-specific test procedures.
9	Insufficient knowledge of mobile testing tools and methodologies	Delayed testing process and potential test inaccuracy	Consult with mobile development experts and supervisor. Conduct training on Flutter testing frameworks. Research mobile testing best practices.
10	User recruitment challenges for usability testing	Limited or biased feedback for user acceptance and usability evaluation	Expand recruitment channels including social media and university networks. Offer incentives for participation. Use remote testing tools if needed.

5.3.2 Test Environment

This section of the chapter provides an overview of the necessary resources that are essential for creating the test environment and conducting the testing process for the Collective mobile journaling application. These resources encompass hardware components, software applications, and any other specific requirements that are necessary for mobile application testing purposes.

Table 5.2: Hardware Requirements for Collective Mobile App Testing

Hardware Requirements	Specifications
Operating System	Windows 10/11 or macOS (for development environment)
Installed Memory (RAM)	16.00 GB or above (recommended for Flutter development and Android emulation)
CPU	Intel Core i7 or AMD Ryzen 7 or above
Processor Speed	2.40 GHz or above
Storage	256 GB SSD or above (for fast compilation and emulator performance)
Android Test Devices	Multiple Android devices with API levels 21-34 (Android 5.0 to Android 14)
Network Connection	Stable internet connection for Firebase testing and DeepSeek API integration

Table 5.3: Software Requirements for Collective Mobile App Testing

NO	SOFTWARE	DESCRIPTION
1	Flutter SDK	Flutter is Google's UI toolkit for building natively compiled applications for mobile from a single codebase. Essential for developing and testing the Collective mobile journaling application with Dart programming language.
2	Android Studio	Android Studio is the official integrated development environment (IDE) for Android development. Provides Android emulators, debugging tools, and device testing capabilities essential for mobile application testing.
3	Visual Studio Code	Visual Studio Code is a lightweight code editor with excellent Flutter and Dart extensions. Used for code development, debugging, and integration with Firebase services for the Collective application.
4	Firebase Console	Firebase Console is a web-based platform for managing Firebase services including Authentication, Firestore database, and Storage. Essential for testing cloud-based features and monitoring application performance.
5	Git and GitHub	Version control system for tracking code changes and collaborative development. Essential for maintaining test code versions and coordinating testing across different development stages.
6	Postman	API testing tool used for testing DeepSeek API integration, Firebase REST APIs, and other web service endpoints used by the Collective mobile application.
7	Firebase CLI	Command-line interface for Firebase services, enabling local testing, deployment, and management of Firebase functions and hosting for testing purposes.
8	Chrome DevTools	Web debugging tools for testing web views and debugging network requests within the mobile application, particularly useful for API testing and performance monitoring.
9	Figma	Cloud-based design tool for accessing and validating UI/UX design specifications during testing. Ensures the implemented application matches the intended design requirements.
10	Microsoft Office	Productivity suite for creating test documentation, test case reports, user acceptance testing forms, and usability testing questionnaires for the Collective mobile application.

Table 5.4: Testing Group for Collective Mobile Journaling Application

Test Sequence	Tester
Registration	WAN AMINNUR RASHEED
Login Authentication	WAN AMINNUR RASHEED
Journal Entry Creation	WAN AMINNUR RASHEED
Journal Entry Editing	WAN AMINNUR RASHEED
Journal Entry Deletion	WAN AMINNUR RASHEED
AI Insights Generation	WAN AMINNUR RASHEED
Image Attachment	WAN AMINNUR RASHEED
Bookmark Management	WAN AMINNUR RASHEED
Offline Functionality	WAN AMINNUR RASHEED
Data Synchronization	WAN AMINNUR RASHEED
Search Functionality	WAN AMINNUR RASHEED
Analytics Dashboard	WAN AMINNUR RASHEED
User Profile Management	WAN AMINNUR RASHEED
Social Authentication (Google)	WAN AMINNUR RASHEED
Social Authentication (Twitter/X)	WAN AMINNUR RASHEED
Theme Switching	WAN AMINNUR RASHEED
Performance Testing	WAN AMINNUR RASHEED
Security Testing	WAN AMINNUR RASHEED
Usability Testing	WAN AMINNUR RASHEED
Integration Testing	WAN AMINNUR RASHEED

5.4 Testing Plan and Testing Approach

In software development, testing is crucial to ensure the system meets client requirements and functions correctly. This section outlines the tests conducted for the Collective mobile journaling application, including unit testing, integration testing, system testing, and user acceptance testing.

5.4.1 Testing Approach

In this testing planning, there are two types of test approaches that are used:

- i. **Preventive Approach:** A quick design check approach test was employed to swiftly review the design. At the outset of development, user requirements were gathered, identified, and scrutinized to eliminate any ambiguities in the system requirements. This approach ensures that potential issues are identified and resolved during the design phase before implementation begins.

ii. **Reactive Approach:** After programming, a concept test is conducted to assess the system's functionality. This test involves executing the code to ensure that the Collective mobile journaling application functions correctly across different Android devices and usage scenarios.

5.4.2 Unit Testing

Unit testing for the Collective mobile journaling application will be split into two phases. The first phase will encompass the initial 60% of module development, addressing core features such as user authentication, journal entry creation, local database storage, and basic AI integration. The second phase will cover the remaining 40% of module development, encompassing advanced features including offline synchronization, analytics dashboard, bookmark management, and enhanced AI insights functionality.

5.4.3 Integration Testing

Integration testing assesses the integration of modules with one another within the Collective mobile journaling application. This involves checking modules such as Firebase authentication for integration with local Sembast database storage, ensuring they successfully link with cloud services and AI APIs without errors. The testing reviews all components to ensure seamless integration between the Flutter frontend, Firebase backend services, DeepSeek AI API, and local storage systems. Key integration points include user authentication flow, data synchronization between local and cloud storage, AI service connectivity, and image attachment processing.

5.4.4 System Testing

System testing aims to uncover defects that are only evident when testing the entire integrated Collective mobile journaling application or a significant portion of it. While it typically addresses performance, security, and validation concerns, this project primarily focuses on functional validation, efficiency, and load testing across different Android devices. The testing will ensure each component behaves as intended, including verifying that user interface elements respond correctly to touch interactions, data entry functions work seamlessly, and AI-powered insights generate accurately. Additionally, it will assess the interaction between the mobile interface and both local and cloud databases, ensuring data

processing yields the expected outcomes, synchronization works correctly, and retrieved information is accurate across online and offline scenarios.

5.4.5 User Acceptance Testing

User acceptance testing for the Collective mobile journaling application involves comprehensive validation with target users to ensure the application meets their journaling needs and expectations. The primary objective is to verify that the application successfully provides a simplified, distraction-free digital journaling experience that bridges traditional and digital journaling approaches. The testing focuses on real-world usage scenarios, enabling users to verify that the application meets their requirements for daily journaling, AI-powered insights, and seamless user experience.

Test cases are developed from user acceptance criteria and business use cases to thoroughly evaluate and validate the application before final acceptance and deployment. They focus on real-life scenarios such as daily journal entry creation, mood tracking, image attachment, AI insights generation, and offline usage patterns. The application has been designed to meet typical journaling requirements with potential for further enhancements based on user feedback. The details of the test cases are shown in tables 5.5 through 5.21.

Table 5.5: Test Case Login Authentication

Test Type	Black box Testing – Functional Testing
Test Case ID	TC01
Test Case Name	Login Authentication
Test Case Details	To test the Login module to verify user authentication functionality for the Collective mobile journaling application. Users login to gain access to journaling features and personal data. It will authenticate users and redirect to the main journal interface.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	Email/password login, Google authentication, Twitter/X authentication
Specifications	
Input Step(s)	Expected Output
Users fill the login details (email, password) or select social login	<ol style="list-style-type: none"> 1. Display login form with email/password fields and social login options. 2. Display error notification if credentials are invalid. 3. If credentials are valid, authenticate user and redirect to main journal interface. 4. For social login, redirect to respective OAuth provider and return with authentication.
Procedural Steps	
<ol style="list-style-type: none"> 1. Navigate to login screen. 2. Users select authentication method (email/password, Google, or Twitter/X). 3. Users fill up the login form or complete social authentication. 4. Users tap the login button or confirm social login. 5. If invalid credentials, display error and return to step 2. 6. User successfully logs into the Collective application and accesses journal interface. 	

Table 5.6: Test Case Registration

Test Type	Black box Testing – Functional Testing
Test Case ID	TC02
Test Case Name	User Registration
Test Case Details	To test the registration module for new users to create accounts in the Collective mobile journaling application. Users provide necessary information to create their journaling account.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	Email registration, password validation, account creation, Firebase user creation
Specifications	
Input Step(s)	Expected Output
Users fill registration form (email, password, confirm password)	<ol style="list-style-type: none"> 1. Display registration form with required fields. 2. Validate email format and password strength. 3. Display error if passwords don't match or email exists. 4. Create user account and redirect to journal interface.
Procedural Steps	
<ol style="list-style-type: none"> 1. Navigate to registration screen. 2. Users fill in email and password fields. 3. Users confirm password in confirmation field. 4. Users tap register button. 5. If validation fails, display error and return to step 2. 6. User account successfully created and user is logged in. 	

Table 5.7: Test Case Journal Entry Creation

Test Type	Black box Testing – Functional Testing
Test Case ID	TC03
Test Case Name	Journal Entry Creation
Test Case Details	To test the core functionality of creating new journal entries with text content, mood selection, and optional image attachments.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	Text input, mood selection, image attachment, save functionality, local storage
Specifications	
Input Step(s)	Expected Output
Users write journal text, select mood, optionally attach image	<ol style="list-style-type: none"> 1. Display clean writing interface. 2. Accept text input and mood selection. 3. Allow image attachment from gallery or camera. 4. Save entry to local database and sync to cloud.
Procedural Steps	
<ol style="list-style-type: none"> 1. Navigate to new entry screen. 2. Users type journal content in text field. 3. Users select mood from available options. 4. Users optionally attach image via camera or gallery. 5. Users tap save button. 6. Entry is saved locally and queued for cloud sync. 	

Table 5.8: Test Case Journal Entry Editing

Test Type	Black box Testing – Functional Testing
Test Case ID	TC04
Test Case Name	Journal Entry Editing
Test Case Details	To test the ability to edit existing journal entries, modify content, mood, and manage image attachments.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	Edit text content, mood modification, image replacement, update functionality
Specifications	
Input Step(s)	Expected Output
Users modify existing entry content, mood, or images	<ol style="list-style-type: none"> 1. Load existing entry data into edit form. 2. Allow modification of text, mood, and images. 3. Preserve original data if user cancels. 4. Update entry in local and cloud storage.
Procedural Steps	
<ol style="list-style-type: none"> 1. Select existing journal entry from list. 2. Tap edit button to enter edit mode. 3. Modify text content, mood, or images as needed. 4. Tap save to confirm changes or cancel to discard. 5. Updated entry is saved and synchronized. 	

Table 5.9: Test Case AI Insights Generation

Test Type	Black box Testing – Functional Testing
Test Case ID	TC05
Test Case Name	AI Insights Generation
Test Case Details	To test the AI-powered analysis functionality that generates insights, patterns, and suggestions based on journal entries using DeepSeek API.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	DeepSeek API integration, insight generation, pattern analysis, recommendation display
Specifications	
Input Step(s)	Expected Output
Users request AI insights for journal entries	<ol style="list-style-type: none"> 1. Analyze journal content using DeepSeek API. 2. Generate meaningful insights and patterns. 3. Display insights in user-friendly format. 4. Handle API failures gracefully with fallback messages.
Procedural Steps	
<ol style="list-style-type: none"> 1. Navigate to insights or analytics section. 2. Select entries or time period for analysis. 3. Tap generate insights button. 4. System processes entries through AI service. 5. Display generated insights, patterns, and recommendations. 	

Table 5.10: Test Case Offline Functionality

Test Type	Black box Testing – Functional Testing
Test Case ID	TC06
Test Case Name	Offline Functionality
Test Case Details	To test the application's ability to function without internet connectivity, including creating, editing, and viewing journal entries offline.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	Offline data storage, local database operations, sync queue management, connectivity detection
Specifications	
Input Step(s)	Expected Output
Users perform journaling activities without internet connection	<ol style="list-style-type: none"> 1. Detect offline status and display indicator. 2. Allow full functionality using local database. 3. Queue changes for synchronization when online. 4. Maintain data integrity across offline/online transitions.
Procedural Steps	
<ol style="list-style-type: none"> 1. Disable internet connectivity on device. 2. Open Collective application. 3. Create, edit, and view journal entries. 4. Verify all functions work with local data. 5. Re-enable connectivity and verify sync operation. 	

Table 5.11: Test Case Data Synchronization

Test Type	Black box Testing – Functional Testing
Test Case ID	TC07
Test Case Name	Data Synchronization
Test Case Details	To test the synchronization of journal entries between local storage and Firebase cloud storage, ensuring data consistency across devices.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	Firebase Firestore sync, conflict resolution, bidirectional sync, data integrity
Specifications	
Input Step(s)	Expected Output
Users create/modify entries offline and come back online	<ol style="list-style-type: none"> 1. Detect connectivity restoration. 2. Upload local changes to Firebase. 3. Download remote changes to local storage. 4. Resolve conflicts appropriately and maintain data integrity.
Procedural Steps	
<ol style="list-style-type: none"> 1. Create entries while offline. 2. Restore internet connectivity. 3. Observe automatic synchronization process. 4. Verify entries appear in Firebase console. 5. Test conflict resolution with simultaneous changes. 	

Table 5.12: Test Case Search Functionality

Test Type	Black box Testing – Functional Testing
Test Case ID	TC08
Test Case Name	Search Functionality
Test Case Details	To test the search and filtering capabilities for finding specific journal entries based on content, date, mood, or tags.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	Text search, date filtering, mood filtering, tag search, search performance
Specifications	
Input Step(s)	Expected Output
Users enter search terms or apply filters to find entries	<ol style="list-style-type: none"> Display search interface with filter options. Process search queries efficiently. Return relevant results ranked by relevance. Handle empty results gracefully.
Procedural Steps	
<ol style="list-style-type: none"> Navigate to search interface. Enter search terms or select filters (date, mood, tags). Tap search button or apply filters. Review search results. Tap on result to open specific entry. 	

Table 5.13: Test Case Bookmark Management

Test Type	Black box Testing – Functional Testing
Test Case ID	TC09
Test Case Name	Bookmark Management
Test Case Details	To test the ability to bookmark important journal entries for quick access and manage favorite entries collection.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	Add/remove bookmarks, bookmark persistence, favorites view, bookmark synchronization
Specifications	
Input Step(s)	Expected Output
Users bookmark and manage favorite journal entries	<ol style="list-style-type: none"> Allow bookmarking of entries with visual indicator. Provide dedicated favorites/bookmarks view. Persist bookmark status across sessions. Synchronize bookmarks across devices.
Procedural Steps	
<ol style="list-style-type: none"> View journal entry and tap bookmark icon. Verify bookmark indicator changes state. Navigate to bookmarks/favorites section. Verify bookmarked entry appears in list. Test removing bookmark and verify removal. 	

Table 5.14: Test Case User Profile Management

Test Type	Black box Testing – Functional Testing
Test Case ID	TC10
Test Case Name	User Profile Management
Test Case Details	To test user profile creation, updates, and management including preferences, settings, and account information.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	Profile creation, information updates, preferences settings, account management
Specifications	
Input Step(s)	Expected Output
Users access and modify profile information and settings	<ol style="list-style-type: none"> 1. Display current profile information. 2. Allow editing of modifiable fields. 3. Validate input data and save changes. 4. Update profile across all app sections.
Procedural Steps	
<ol style="list-style-type: none"> 1. Navigate to profile/settings screen. 2. View current profile information. 3. Modify user preferences and settings. 4. Save changes and verify updates. 5. Test settings persistence across app sessions. 	

Table 5.15: Test Case Image Attachment

Test Type	Black box Testing – Functional Testing
Test Case ID	TC11
Test Case Name	Image Attachment
Test Case Details	To test the functionality of attaching, viewing, and managing images within journal entries from camera or gallery sources.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	Camera capture, gallery selection, image compression, storage management, image display
Specifications	
Input Step(s)	Expected Output
Users attach images from camera or gallery to journal entries	<ol style="list-style-type: none"> 1. Provide options for camera capture or gallery selection. 2. Compress images appropriately for storage efficiency. 3. Display attached images within journal entries. 4. Store images locally and sync to Firebase Storage.
Procedural Steps	
<ol style="list-style-type: none"> 1. Create new journal entry or edit existing entry. 2. Tap image attachment button. 3. Select camera or gallery option. 4. Capture photo or select from gallery. 5. Confirm image attachment and save entry. 6. Verify image appears in journal entry and syncs to cloud. 	

Table 5.16: Test Case Analytics Dashboard

Test Type	Black box Testing – Functional Testing
Test Case ID	TC12
Test Case Name	Analytics Dashboard
Test Case Details	To test the analytics and insights dashboard that displays journaling patterns, mood trends, and writing statistics over time.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	Mood analytics, writing frequency charts, pattern visualization, statistical calculations
Specifications	
Input Step(s)	Expected Output
Users view analytics dashboard to understand their journaling patterns	<ol style="list-style-type: none"> 1. Display comprehensive analytics interface. 2. Show mood trends over selected time periods. 3. Present writing frequency and word count statistics. 4. Generate visual charts and insights.
Procedural Steps	
<ol style="list-style-type: none"> 1. Navigate to analytics or insights section. 2. Select time period for analysis (week, month, year). 3. View mood trend charts and patterns. 4. Review writing frequency and statistics. 5. Interact with charts for detailed information. 	

Table 5.17: Test Case Social Authentication

Test Type	Black box Testing – Functional Testing
Test Case ID	TC13
Test Case Name	Social Authentication
Test Case Details	To test Google and Twitter/X OAuth authentication integration for seamless user login and account creation.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	Google Sign-In, Twitter/X OAuth, account linking, profile data retrieval
Specifications	
Input Step(s)	Expected Output
Users authenticate using Google or Twitter/X accounts	<ol style="list-style-type: none"> 1. Display social login options on authentication screen. 2. Redirect to respective OAuth provider. 3. Handle authentication callback and token exchange. 4. Create or link user account and redirect to app.
Procedural Steps	
<ol style="list-style-type: none"> 1. Navigate to login screen. 2. Select Google or Twitter/X authentication option. 3. Complete OAuth flow with chosen provider. 4. Authorize app permissions. 5. Return to app with authenticated session. 6. Verify profile data and app access. 	

Table 5.18: Test Case Theme Switching

Test Type	Black box Testing – Functional Testing
Test Case ID	TC14
Test Case Name	Theme Switching
Test Case Details	To test the light/dark theme switching functionality and system theme detection for optimal user experience.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	Light theme, dark theme, system theme detection, theme persistence
Specifications	
Input Step(s)	Expected Output
Users switch between light, dark, and system themes	<ol style="list-style-type: none"> Provide theme selection options in settings. Apply chosen theme across all app screens. Detect and follow system theme changes. Persist theme choice across app sessions.
Procedural Steps	
<ol style="list-style-type: none"> Navigate to app settings or theme preferences. Select theme option (light, dark, or system). Verify theme applies immediately across app. Test system theme detection by changing device theme. Restart app and verify theme persistence. 	

Table 5.19: Test Case Performance Testing

Test Type	Black box Testing – Performance Testing
Test Case ID	TC15
Test Case Name	Performance Testing
Test Case Details	To test the application's performance under various load conditions including large datasets, memory usage, and response times.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	App startup time, data loading performance, memory usage, battery consumption, response times
Specifications	
Input Step(s)	Expected Output
Test app performance with varying data loads and usage patterns	<ol style="list-style-type: none"> Measure app startup and screen transition times. Monitor memory usage during intensive operations. Test performance with large journal datasets. Evaluate battery consumption during extended use.
Procedural Steps	
<ol style="list-style-type: none"> Create large dataset of journal entries (1000+ entries). Measure app startup time and memory footprint. Test scrolling performance through large lists. Monitor CPU and battery usage during AI processing. Verify smooth animations and transitions. 	

Table 5.20: Test Case Security Testing

Test Type	Black box Testing – Security Testing
Test Case ID	TC16
Test Case Name	Security Testing
Test Case Details	To test the security measures including data encryption, authentication security, and protection of sensitive user information.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	Data encryption, secure authentication, API security, local data protection
Specifications	
Input Step(s)	Expected Output
Verify security measures protect user data and prevent unauthorized access	<ol style="list-style-type: none"> 1. Ensure journal data is encrypted in local storage. 2. Verify secure transmission to Firebase. 3. Test authentication token security. 4. Validate API key protection and rate limiting.
Procedural Steps	
<ol style="list-style-type: none"> 1. Inspect local database encryption. 2. Monitor network traffic for secure HTTPS connections. 3. Test session timeout and re-authentication. 4. Verify Firebase security rules prevent unauthorized access. 5. Test API key security and rate limiting mechanisms. 	

Table 5.21: Test Case Usability Testing

Test Type	Black box Testing – Usability Testing
Test Case ID	TC17
Test Case Name	Usability Testing
Test Case Details	To evaluate the user experience, interface design, and ease of use through structured user testing sessions and feedback collection.
Tested By	WAN AMINNUR RASHEED
Item(s) that will be tested	User interface design, navigation flow, accessibility, user satisfaction, task completion rates
Specifications	
Input Step(s)	Expected Output
Users complete typical journaling tasks while providing feedback	<ol style="list-style-type: none"> 1. Achieve high task completion rates (>85%). 2. Gather positive user satisfaction ratings. 3. Identify and address usability issues. 4. Validate intuitive interface design and navigation.
Procedural Steps	
<ol style="list-style-type: none"> 1. Recruit target users for testing sessions. 2. Provide users with common journaling tasks. 3. Observe user interactions and note difficulties. 4. Collect feedback through surveys and interviews. 5. Analyze results and implement improvements. 6. Conduct follow-up testing to validate changes. 	

5.4.6 Usability Testing

The primary goal of conducting a usability test is to assess the Collective mobile journaling application's ability to fulfill its intended purpose effectively. A questionnaire was used to gather feedback from respondents regarding the usability of the mobile application. Respondents were asked to evaluate the system based on their user experience, focusing on ease of use and digital journaling effectiveness. The target users for the questionnaire were UniKL students acting as beta testers. Prior to testing the system, participants were briefed on the application flow and provided with the APK file. They were informed that the testing aimed to assess system usability for mobile journaling, and they would receive the questionnaire afterward. Below is the questionnaire used for evaluation.

Table 5.22: Collective Mobile Journaling Application Usability Questionnaire

No	Question
1	How satisfied are you with the visual appearance and user interface of the Collective mobile journaling application?
2	How easy is it to navigate and use the Collective mobile journaling application?
3	How quickly does the application load and respond to your interactions?
4	How satisfied are you with the AI-powered insights and analysis features?
5	How satisfied are you with the offline functionality and data synchronization?
6	How useful do you find the mood tracking and analytics features?
7	How satisfied are you with achieving your journaling goals using the application?
8	How likely are you to recommend this application to a friend or colleague?
9	How would you rate the application's effectiveness in providing a distraction-free journaling experience?
10	How would you rate your overall experience with the Collective mobile journaling application?

Table 5.23: Rating Scale for Usability Evaluation

Rating	Description
1	Strongly Disagree
2	Disagree
3	Neutral
4	Agree
5	Strongly Agree

5.4.7 Results and Finding Analysis

The results of the questionnaire were analyzed to identify user expectations and satisfaction with the Collective mobile journaling application. Each question's data were examined, and the analysis results

were visualized using charts to simplify the description of the data analysis for each question. A total of 10 respondents participated in the usability testing evaluation.

i. Chart 1: How satisfied are you with the visual appearance and user interface of the Collective mobile journaling application?




Figure 5.2: Result of Question 1 - UI Satisfaction

Figure 5.2 indicates the outcome of Question 1 which is to identify how satisfied users are with the visual appearance and user interface of the Collective mobile journaling application. Based on 10 respondents, 5 respondents (50.0%) strongly agreed that the application provides satisfactory visual appearance and user interface, 5 respondents (50.0%) agreed. This demonstrates strong user satisfaction with the application's Material Design 3 implementation and clean, minimalist interface with 100

ii. Chart 2: How easy is it to navigate and use the Collective mobile journaling application?




Figure 5.3: Result of Question 2 - Navigation Ease

Figure 5.3 indicates the outcome of Question 2 which is to identify how easy it is for users to navigate and use the Collective mobile journaling application. Based on 10 respondents, 4 respondents

(40.0%) strongly agreed that the application is easy to navigate, 5 respondents (50.0%) agreed, while 1 respondent (10.0%) provided a neutral rating. This validates the application's intuitive design and user-friendly interface that supports distraction-free journaling.

iii. Chart 3: How quickly does the application load and respond to your interactions?




Figure 5.4: Result of Question 3 - Application Performance

Figure 5.4 indicates the outcome of Question 3 which evaluates application loading speed and responsiveness. Based on 10 respondents, 4 respondents (40.0%) strongly agreed that the application loads quickly and responds well, 5 respondents (50.0%) agreed, while 1 respondent (10.0%) provided a neutral rating. This demonstrates good performance optimization with 90

iv. Chart 4: How satisfied are you with the AI-powered insights and analysis features?




Figure 5.5: Result of Question 4 - AI Insights Satisfaction

Figure 5.5 indicates the outcome of Question 4 which assesses user satisfaction with AI-powered insights and analysis features. Based on 10 respondents, 5 respondents (50.0%) strongly agreed that the AI insights are satisfactory, 4 respondents (40.0%) agreed, while 1 respondent (10.0%) remained neutral. This shows generally positive reception of the DeepSeek API integration with 90

v. Chart 5: How satisfied are you with the offline functionality and data synchronization?




Figure 5.6: Result of Question 5 - Offline and Synchronization

Figure 5.6 indicates the outcome of Question 5 which evaluates user satisfaction with offline functionality and data synchronization capabilities. Based on 10 respondents, 3 respondents (30.0%) strongly agreed that the offline features and sync work effectively, 5 respondents (50.0%) agreed, 1 respondent (10.0%) remained neutral, while 1 respondent (10.0%) disagreed. This demonstrates good satisfaction with the offline-first architecture, though the mixed ratings suggest some users experienced synchronization challenges that need addressing.

vi. Chart 6: How useful do you find the mood tracking and analytics features?




Figure 5.7: Result of Question 6 - Mood Tracking and Analytics

Figure 5.7 indicates the outcome of Question 6 which assesses user perception of the mood tracking and analytics features usefulness. Based on 10 respondents, 6 respondents (60.0%) strongly agreed that the mood tracking features are useful, 3 respondents (30.0%) agreed, while 1 respondent (10.0%) provided a neutral rating. This shows strong positive reception of the analytics dashboard with 90

vii. Chart 7: How satisfied are you with achieving your journaling goals using the application?




Figure 5.8: Result of Question 7 - Goal Achievement Satisfaction

Figure 5.8 indicates the outcome of Question 7 which evaluates user satisfaction with achieving their journaling goals through the application. Based on 10 respondents, 5 respondents (50.0%) strongly agreed that the application helps them achieve their journaling goals, 4 respondents (40.0%) agreed, while 1 respondent (10.0%) provided a neutral rating. This demonstrates the application's effectiveness in supporting users' personal development and reflection objectives with 90

viii. Chart 8: How likely are you to recommend this application to a friend or colleague?




Figure 5.9: Result of Question 8 - Recommendation Likelihood

Figure 5.9 indicates the outcome of Question 8 which measures user willingness to recommend the Collective mobile journaling application to others. Based on 9 valid responses (1 respondent did not answer), 3 respondents (33.3%) strongly agreed they would recommend the application, 5 respondents (55.6%) agreed, while 1 respondent (11.1%) provided a neutral rating. This solid recommendation rate of 88.9

ix. Chart 9: How would you rate the application's effectiveness in providing a distraction-free journaling experience?




Figure 5.10: Result of Question 9 - Distraction-Free Experience

Figure 5.10 indicates the outcome of Question 9 which evaluates the application's core objective of providing a distraction-free journaling experience. Based on 10 respondents, 4 respondents (40.0%) strongly agreed that the application provides effective distraction-free journaling, 5 respondents (50.0%) agreed, while 1 respondent (10.0%) remained neutral. This validates the primary design goal of creating a focused, minimalist journaling environment with 90

x. Chart 10: How would you rate your overall experience with the Collective mobile journaling application?




Figure 5.11: Result of Question 10 - Overall Experience Rating

Figure 5.11 indicates the outcome of Question 10 which measures the overall user experience with the Collective mobile journaling application. Based on 10 respondents, 5 respondents (50.0%) strongly agreed they had an excellent overall experience, 5 respondents (50.0%) agreed. This comprehensive positive feedback with 100

Table 5.24: Summary of Usability Testing Results

Q#	Question Topic	Strongly Agree (5)	Agree (4)	Neutral (3)	Average Rating
1	Visual Appearance & UI	50.0%	50.0%	0.0%	4.50
2	Navigation Ease	40.0%	50.0%	10.0%	4.30
3	Performance & Speed	40.0%	50.0%	10.0%	4.30
4	AI Insights Satisfaction	50.0%	40.0%	10.0%	4.40
5	Offline & Synchronization	30.0%	50.0%	10.0%	4.10
6	Mood Tracking & Analytics	60.0%	30.0%	10.0%	4.50
7	Goal Achievement	50.0%	40.0%	10.0%	4.40
8	Recommendation Likelihood	33.3%	55.6%	11.1%	4.22
9	Distraction-Free Experience	40.0%	50.0%	10.0%	4.30
10	Overall Experience	50.0%	50.0%	0.0%	4.50
Overall Average		45.0%	46.6%	8.1%	4.35

5.4.8 Key Findings and Analysis

Based on the comprehensive usability testing evaluation with 10 UniKL student respondents, the following key findings were identified:

- 1. Excellent User Interface Satisfaction:** The application achieved 100% positive feedback (strongly agree + agree) for visual appearance and user interface design, with an average rating of 4.50/5.0. This validates the effectiveness of Material Design 3 implementation and minimalist design approach.
- 2. Strong Navigation and Usability:** Navigation ease received 90% positive feedback with an average rating of 4.30/5.0, demonstrating that the application provides intuitive, user-friendly journaling experience with room for minor improvements.
- 3. Good Performance Optimization:** Application performance and responsiveness achieved 90% positive feedback with a 4.30/5.0 average rating, indicating satisfactory performance with opportunities for speed improvements.
- 4. Successful AI Integration:** AI-powered insights and analysis features received 90% positive feedback with a 4.40/5.0 average rating, demonstrating effective DeepSeek API integration with strong user reception.
- 5. Solid Offline Architecture:** Offline functionality and data synchronization achieved 80% positive feedback with a 4.10/5.0 average rating, validating the offline-first design approach while highlighting

areas for synchronization improvements.

6. Highly Valued Analytics Features: Mood tracking and analytics features received 90% positive feedback with a 4.50/5.0 average rating, indicating successful implementation of emotional pattern recognition and personal insights.

7. Strong Recommendation Rate: 88.9% of respondents would recommend the application to others, with an average rating of 4.22/5.0, indicating good user satisfaction and confidence in the application's value proposition.

8. Achievement of Core Objective: The application's primary goal of providing distraction-free journaling experience achieved 90% positive feedback with a 4.30/5.0 average rating, successfully validating the core design philosophy.

9. Excellent Overall User Experience: Overall experience rating achieved 100% positive feedback with a 4.50/5.0 average rating, demonstrating comprehensive user satisfaction across application features.

10. Constructive Feedback Areas: The presence of neutral responses and one disagree rating in offline functionality suggests specific areas for improvement in synchronization reliability and performance optimization.

The overall average rating of 4.35/5.0 across all evaluation criteria demonstrates that the Collective mobile journaling application successfully meets its design objectives of providing an effective, user-friendly, and feature-rich digital journaling solution. With 91.6

Chapter 6

Conclusions and Suggestions

6.1 Introduction

This chapter describes the development process of the Collective mobile journaling application, discussing key project components and lessons learned. The information serves as a reference for future mobile application development projects and includes suggestions for future improvements.

The Collective application represents a comprehensive solution connecting traditional and digital journaling approaches, incorporating Flutter framework, Firebase cloud services, and on-demand analytical insights through DeepSeek API integration. This chapter consolidates project achievements, evaluates outcomes against initial objectives, and provides recommendations for continued development.

6.2 Accomplishment

The Collective mobile journaling application project has successfully achieved its main goals and reached final development stage. The development team conducted extensive research, user studies, iterative design processes, and comprehensive testing to ensure project success.

6.2.1 Core Objectives Achievement

The system has met all fundamental objectives and implemented all specified features as outlined in Chapter 3. The application addresses key problems in traditional digital journaling applications,

including complexity barriers, poor offline functionality, and lack of meaningful insights generation.

Primary Achievements:

- i. Simplified User Experience:** Achieved 100% positive feedback for interface design and 90% for navigation ease in usability testing. The minimalist design successfully eliminates complexity barriers causing abandonment in traditional journaling applications.
- ii. Offline-First Design:** Implemented comprehensive offline functionality using Sembast local database with automatic Firebase synchronization, maintaining 80% user satisfaction for offline capabilities.
- iii. On-Demand Analytical Integration:** Integrated DeepSeek API for contextual analysis and pattern recognition when activated by users through dedicated screens, achieving 90% positive user feedback for insights functionality.
- iv. Multi-Platform Compatibility:** Developed using Flutter framework ensuring consistent performance across Android devices and API levels (21-34).
- v. Comprehensive Feature Set:** Implemented all planned features including entry creation/editing, mood tracking, image attachments, search functionality, analytics dashboard, and social authentication.

6.2.2 Technical Accomplishments

The project provided valuable experience in complex mobile application development, with the team gaining expertise in modern software engineering practices, cross-platform development, cloud integration, and API service implementation.

Technical Milestones:

- i. Architecture Design:** Implemented scalable, maintainable architecture following Flutter best practices with proper separation of concerns between UI components, business logic services, and data management layers.
- ii. Database Management:** Designed dual database strategy with local Sembast storage for offline capabilities and Firebase Firestore for cloud synchronization, ensuring data consistency.
- iii. API Integration:** Integrated multiple external services including Firebase Authentication,

Firebase Storage, DeepSeek API, and social OAuth providers with proper error handling and fallback mechanisms.

iv. Performance Optimization: Achieved satisfactory performance metrics with 90% positive user feedback for application speed and responsiveness.

6.2.3 User Validation Success

Comprehensive usability testing with UniKL student respondents validated the application's effectiveness in meeting design objectives. With an overall average rating of 4.35/5.0 and 91.6% positive feedback across all evaluation criteria, the application demonstrates achievement of user requirements and expectations.

The testing results particularly validate the core design philosophy of providing a distraction-free journaling experience, achieving 90% positive feedback for this primary objective.

6.3 Recommendation

Although the Collective application has achieved its goals, areas for improvement were identified through user feedback and development experience. To enhance effectiveness and competitiveness, focus should be placed on the following aspects:

6.3.1 Performance and Technical Enhancements

i. Performance Optimization: Implement additional caching strategies, optimize database queries, and improve image loading performance. Consider progressive loading for large journal collections and optimize analytical processing response times.

ii. Improved Offline Synchronization: Address synchronization challenges by implementing more reliable conflict resolution mechanisms and better connectivity detection.

iii. Enhanced Analytical Capabilities: Expand analysis features to include sophisticated pattern recognition, mood trend predictions, and personalized writing prompts.

6.3.2 Feature Expansion Recommendations

- i. **Multi-Platform Support:** Extend the application to iOS platform and implement web application support for desktop users.
- ii. **Collaborative Features:** Introduce optional sharing capabilities while maintaining privacy controls and user consent mechanisms.
- iii. **Enhanced Analytics:** Implement comprehensive analytics including writing pattern analysis, goal tracking, and personalized recommendations.

6.3.3 User Experience Improvements

- i. **Accessibility Enhancements:** Implement voice-to-text input, screen reader compatibility, and adjustable font sizes.
- ii. **Customization Options:** Provide custom themes, personalized layouts, and flexible export formats.
- iii. **Security Enhancements:** Implement end-to-end encryption and biometric authentication options.

6.4 Conclusion

The Collective mobile journaling application project has achieved its purpose by completing a comprehensive digital journaling solution within the allotted timeframe. The main objectives of connecting traditional and digital journaling approaches while providing a simplified, distraction-free user experience were fulfilled.

The project demonstrated the effectiveness of combining modern mobile development technologies with thoughtful user experience design. Flutter proved excellent for multi-platform development, Firebase provided reliable cloud infrastructure, and DeepSeek API integration added meaningful on-demand insights without compromising the core journaling experience. The offline-first design ensures users can maintain journaling habits regardless of connectivity.

Despite facing technical challenges including API integration complexities and offline synchronization implementation, the project offered valuable lessons and professional growth opportunities. The devel-

opment experience provided expertise in mobile application development, cloud service integration, and comprehensive software testing methodologies.

Comprehensive usability testing validated the application's success with 91.6% positive feedback and an overall average rating of 4.35/5.0. The application successfully achieved its core objective of providing a distraction-free journaling experience, receiving 90% positive feedback for this primary goal.

The project contributes valuable insights to digital journaling applications, demonstrating that sophisticated mobile applications can maintain the personal qualities of traditional journaling while utilizing modern technologies for improved functionality. The research revealed important considerations for mobile application design, particularly the balance between feature richness and simplicity in personal productivity applications.

The Collective application serves as a foundation for future development in the digital journaling space and demonstrates the potential for enhanced personal productivity tools that respect user privacy while providing meaningful insights. The completion of this project represents both a functional mobile application and a comprehensive research exercise that advances understanding of user needs in digital journaling and effective mobile application architecture design.

References

- Allahyari, M., Pouriyeh, S., Assefi, M., Safaei, S., Trippe, E. D., Gutierrez, J. B., and Kochut, K. (2017). Text summarization techniques: A brief survey. *International Journal of Advanced Computer Science and Applications*, 8(10):397–405.
- Chung, C. K. and Pennebaker, J. W. (2011). Expressive writing: Connections to physical and mental health. *Oxford handbook of health psychology*, pages 417–437.
- Moore, E. and Cain, J. (2015). Note-taking and handouts in the digital age. *American Journal of Pharmaceutical Education*, 79(7):107.
- Mueller, P. A. and Oppenheimer, D. M. (2014). The pen is mightier than the keyboard: Advantages of longhand over laptop note-taking. *Psychological Science*, 25(6):1159–1168.
- Pennebaker, J. W. and Seagal, J. D. (1999). Forming a story: The health benefits of narrative. *Journal of Clinical Psychology*, 55(10):1243–1254.

APPENDIX

Appendix A

Gantt Chart

A.1 Project Development Timeline

The development of the Collective Mobile Journaling Application followed a structured timeline spanning approximately 14 weeks, from early March 2025 to mid-June 2025. The project timeline reflects realistic development patterns with periods of intensive work followed by consolidation phases.




Figure .1: Collective Mobile Journaling App Development Timeline

The Gantt chart illustrates the overlapping nature of software development phases, showing how research activities began before the official Week 1 start date and continued throughout the project. The timeline demonstrates realistic development patterns including:

- **Extended Research Phase:** Literature review and requirements analysis extended beyond initial estimates to ensure comprehensive understanding
- **Iterative Design Process:** UI/UX design overlapped with development phases, reflecting agile methodology principles
- **Parallel Development:** Core features and AI integration developed concurrently to optimize timeline
- **Continuous Documentation:** Technical documentation and thesis writing maintained throughout the project lifecycle
- **Comprehensive Testing:** Multiple testing phases ensuring quality deliverables

The critical path activities (marked in red) include documentation tasks that span the entire project duration, emphasizing the importance of continuous documentation in academic projects.

Appendix B

Questionnaire Sample

This appendix contains the questionnaire used for usability evaluation of the Collective Mobile Journaling Application. The questionnaire was designed to assess user satisfaction, system usability, and overall user experience.

B.1 Collective Mobile Journaling Application Usability Questionnaire

Table 1: Collective Mobile Journaling Application Usability Questionnaire

No	Question
1	How satisfied are you with the visual appearance and user interface of the Collective app?
2	How easy is it to navigate through the journaling features and menus?
3	How quickly does the app load and respond to your actions?
4	How satisfied are you with the security and privacy measures of your journal entries?
5	How satisfied are you with the AI-powered insights and analysis features?
6	How effectively does the app help you maintain a consistent journaling habit?
7	How satisfied are you with the offline functionality and data synchronization?
8	How intuitive is the process of creating and editing journal entries?
9	How useful do you find the mood tracking and emotional analysis features?
10	How satisfied are you with the overall organization and searchability of your entries?
11	How likely are you to recommend this journaling app to a friend or colleague?
12	How would you rate your overall experience with the Collective Mobile Journaling Application?

B.2 Rating Scale for Usability Evaluation

Table 2: Rating Scale for Usability Evaluation Form

Rating	Scale	Description
1	Strongly Disagree	Completely unsatisfied or strongly negative experience
2	Disagree	Mostly unsatisfied or negative experience
3	Neutral	Neither satisfied nor unsatisfied; average experience
4	Agree	Mostly satisfied or positive experience
5	Strongly Agree	Completely satisfied or strongly positive experience

Instructions for Participants:

- Please use the mobile application for at least one week before completing this questionnaire
- Rate each question using the 5-point Likert scale provided above
- Consider your overall experience including daily usage, feature accessibility, and satisfaction
- Provide honest feedback to help improve the application's usability and user experience