HurricaneReliefFacade

- users: UserList
- currentUser: User
- requests: ReliefRequestList
- instance: HurricaneReliefFacade {static}

- HurricaneReliefFacade()
+ getInstance(): HurricaneReliefFacade {static}
+ login(String email, String password): boolean
+ logout(): void
+ getCurrentUser(): User
+ signUp(String type, String firstName, String lastName, int age, String phoneNumber, String email, String password, Languages language, String currentLocation): boolean
+ submitRequest(String location, String aidType, String specialRequests, UrgencyLevel urgencyLevel, int numberOfPeople, boolean medicalNeeded, String petName, String petType): ReliefRequest
+ getAllRequests(): ArrayList<ReliefRequest>
+ getShelterList(): ShelterList
+ completeRequest(ReliefRequest request): boolean

ShelterList

- instance: ShelterList{static}
- shelters: ArrayList<Shelter>

- ShelterList()
+ getInstance(): ShelterList {static}
+ getShelters(): ArrayList<Shelter>
+ addShelter(shelter: Shelter): void
+ removeShelter(shelterId: UUID): boolean
+ getShelterById(shelterId: UUID): Shelter
+ getAvailableShelters(): ArrayList<Shelter>
+getPetFriendlyShelter(): ArrayList<Shelter>

Shelter

- name: String
-location: String
- ShelterId: UUID
- capacity: int
- occupancy: int
- status: String
- petFriendly: boolean
- hasMedicalStaff: boolean
- occupants: ArrayList<String>
- pets: ArrayLIst<String>

+ Shelter(location: String, shelterId: UUID, capacity: int, occupancy: int, status: String, petFriendly: boolean)
+ Shelter(name: String, location: String, shelterId: UUID, capacity: int, occupancy: int, status: String, petFriendly: boolean, hasMedicalStaff: boolean)
+ Shelter(name: String, location: String, shelterId: UUID, capacity: int, occupancy: int, status: String, petFriendly: boolean, hasMedicalStaff: boolean, occupants: ArrayList<String>, pets: ArrayList<String>)
+ Shelter(location: String, capacity: int, occupancy: int, status: String, petFriendly: boolean)
+ shelterStatus(): String
+ getShelterId(): UUID
+ getCapacity(): int
+ getOccupancy(): int
+ isPetFriendly(): boolean
+ getName(): String + getLocation(): String
+ hasMedicalStaff(): boolean
+setHasMedicalStaff(hasMedicalStaff: boolean): void
+ getAvailableSpaces(): int
+ getOccupants(): List<String>
+ getPets(): List<String>
+ checkIn(familyMembers: List<String>, petName: String, petType: String): boolean
+ toString(): String

Resources

+ foodSupplies: ArrayList<String>
+ waterSupplies: int
+ medicineSupplies: ArrayList<String>
+ otherSupplies: ArrayList<String>

+ resources()
+ getFoodSupplies(): ArrayList<String>
+ getWaterSupplies(): int
+ updateSupplies(): boolean
+ resourcesAlert(): String

User

- firstName: String
- lastName: String
- age: int
- id: UUID
- password: String
- language: Languages
- currentLocation: String
-admin: boolean
-phoneNumber: String
-email: String

+User(String firstName, String lastName, int age, String phoneNumber, String email, String password, Languages language, String currentLocation)
+User(UUID id, String firstName, String lastName, int age, String phoneNumber, String email, String password, Languages language, String currentLocation, boolean admin)
+ authenticate(String password): boolean
+ createAccount(): void
+ login(String password): boolean
+ selectLanguage(Language language): void
+ setAccessibility(): void
+ resetPassword(String newPassword): void
+ logout(): void
+ deleteAccount(): void
+ verifyPhone(): boolean
+ isAdmin(): boolean
+ getEmail() : String
+ getPhoneNumber(): String
+ getEmail(): String
+ setFirstName(String firstName): void
+ setLastName(String lastName): void
+ setAge(int age): void
+ setPassword(String password): void
+ setLanguage(Languages language): void
+ setCurrentLocation(String currentLocation): void
+ setAdmin(boolean admin): void
+ setPhoneNumber(String phoneNumber: void
+ setEmail(String email): void

<<enumeration>> Languages

ENGLISH
SPANISH
FRENCH

UserList

- userList: UserList {static}
- users: ArrayList<User>

-UserList()
+getInstance(): UserList {static}
+getUsers(): ArrayList<User>
+addUser(User user): void
+addUser(String type, String firstName, String lastName, int age, String phoneNumber, String email, String password, Languages language, String currentLocation) : boolean
+ removeUser(UUID userId): boolean
+ getUserById(UUID userId): User
+ getUserByEmail(String email): User
+ getUser(String firstName, String password): User
+ getVolunteers(): ArrayList<Volunteer>
+ getVictims(): ArrayList<Victim>
+saveUsers(): void

DataLoader

+loadUsers() : ArrayList<User>
+getShelters(): ArrayList<Shelter>
+getRequests(): ArrayList<ReliefRequest>
- loadSkills(JSONArray skillsJSON): ArrayList<Skill>
- loadStringList(JSONArray values): ArrayList<String>

DataWriter

+saveUsers(ArrayList<User> users) : boolean
+saveShelters(ArrayList<Shelter> shelters): boolean
+saveRequests(ArrayList<ReliefRequest> requests): boolean
- writeFile(String fileName, JSONArray array): boolean

ShelterManager <extends user)

+ ShelterManager(String firstName, String lastName, int age, String phoneNumber, String email, String password, Languages language, String currentLocation)
+ ShelterManager(UUID id, String firstName, String lastName, int age, String phoneNumber, String email, String password, Languages language, String currentLocation, boolean admin)

Hurricane

- name: String
- category: int
- windSpeed: double
- affectedZipCodes: ArrayList<String>
- location: String
- affectedAreas: ArrayList<String>
- condition: String
- terrain: String

+Hurricane(String name, int category, double windSpeed, ArrayList<String> affectedZipCodes, String location, ArrayList<String> affectedAreas, String condition, String terrain)
+ getUpdates(): String
+ trackPath(): void
+ getCategory(): int
+ updateWindSpeed(double newSpeed): void
+ getAffectedAreas(): ArrayList<String>
+ getCurrentLocation(): String
+ findAffectedAreas(): void
+ getName(): String
+ getWindSpeed(): double
+ getAffectedZipCodes(): ArrayList<String>
+ getLocation(): String
+ getCondition(): String
+ getTerrain(): String
+ setName(String name): void
+ setCategory(int category): void
+ setWindSpeed(double windSpeed): void
+setAffectedZipCodes(ArrayList<String> affectedZipCodes): void
+ setLocation(String location): void
+ setAffectedAreas(ArrayList<String> affectedAreas): void
+ setCondition(String condition): void
+setTerrain(String terrain): void

Gps

- location: *String*
- shelterAddress: ArrayList<String>
- affectedAreas: ArrayList<String>
- satelliteCon: boolean
- disabilityCheck: boolean
- GEOCODE_URL: String = "https://api.heigit.org/pelias/v1/search" {static}
- ROUTE_URL: String = "https://api.heigit.org/openrouteservice/v2/directions/drivingcar" {static}
- KEY_FILE: String = "gpp/ors_key.txt {static}

+ disableRoute(): void
- readKey(): String {static}
- httpget(String url): String {static}
+ geocode(String address): double[] {static}
- getRoute(String fromAddress, String toAddress): JSONObject {static}
+ getDrivingDistance(String fromAddress, String toAddress): double {static}
+ getDirections(String fromAddress, String toAddress): ArrayList<String> {static}

Victim (extends user)

-guest: ArrayList<String>
-member: ArrayList<String>
-pet: Pet
-safe: boolean

+Victim(String firstName, String lastName, int age, String phoneNumber, String email, String password, Languages language, String currentLocation)
+Victim(UUID id, String firstName, String lastName, int age, String phoneNumber, String email, String password, Languages language, String currentLocation, boolean admin, ArrayList<String> guest, ArrayList<String> member, Pet pet, boolean safe)
+createReliefRequest(String victimName, String location, String, aidType, String urgencyLevel,)
+editRequest(ReliefRequest r)
+deleteRequest(ReliefRequest r)
+viewRequestStatus(ReliefRequestr)
+requestVolunteer()
+viewRequestHistory()
+rateExperience()
+markSafe()
+isSafe(): boolean
+getGuest(): ArrayList<String>
+getMember(): ArrayList<String>
+getPet(): Pet
+setPet(Pet pet): void

Volunteer

- backgroundCheck: boolean
- assignedSkills: ArrayList<Skill>
- certifications: ArrayList<String>
- available: boolean
- vehicle: String

+ Volunteer(String firstName, String lastName, int age, String phoneNumber, String email, String password, Languages language, String currentLocation)
+ Volunteer(UUID id, String firstName, String lastName, int age, String phoneNumber, String email, String password, Languages language, String currentLocation, boolean admin, boolean backgroundCheck, ArrayList<Skill> assignedSkills, ArrayList<String> certifications, boolean available)
+ getVictimStatus(Victim v): String
+ markUnavailable(): void
+ markAvailable(): void
+ getBackgroundCheck(): boolean
+ getAssignedSkills(): ArrayList<Skill>
+ addSkill(Skill skill): void
+ getVehicle(): String
+ setVehicle(String vehicle): void

--idk if this code is being used under here---
+viewMap()
+ claimRequest(ReliefRequest r)
+viewEtaToRequest(ReliefRequest r)
+ updateInventory(String item, int quantity)
+completeRequest()

<<enumeration>> Skill

VET
FIRST_AID
EVACUATION
TRANSPORTATION

ReliefRequestList

- request: ArrayList<ReliefRequest>
- instance: ReliefRequestList {static}

- ReliefRequestList()
+ getInstance(): ReliefRequestList {static}
+ getRequests(): ArrayList<ReliefRequest>
+ addRequest(ReliefRequest request): void
+ removeRequest(UUID requestId): boolean
+ getRequestById(UUID requestId): ReliefRequest
+ getRequestsByUrgency(UrgencyLevel urgencyLevel): ArrayList<ReliefRequest>
+ getPendingRequests(): ArrayList<ReliefRequest>

ReliefRequest

- requestId: UUID
- user: User
- victimName: String
- location: String
- aidType: String
- specialRequests: String
- urgencyLevel: UrgencyLevel
- status: String
- petNeeds: boolean
- numberOfPeople: int
- medicalNeeded: boolean
- petName: String
- petType: String
- volunteerId: UUID
- shelterID: UUID
- emsCalled: boolean

+ReliefRequest(User user, String victimName, String location, String aidType, String specialRequests, UrgencyLevel urgencyLevel, int numberOfPeople, boolean medicalNeeded, String petName, String petType)
+ ReliefRequest(String requestId, String victimName, String location, String aidType, String specialRequests, String urgencyLevel, String status, boolean petNeeds)
+ ReliefRequest(UUID requestId, User user, String victimName, String location, String aidType, String specialRequests, UrgencyLevel urgencyLevel, int numberOfPeople, boolean medicalNeeded, String petName, String petType, String status, UUID volunteerId)
+ updateStatus(UrgencyLevel level, String status): void
+ callEMS(): void
+ viewETA(): String
+ assignVolunteer(UUID volunteerId): void
+ assignShelter(UUID shelterId): void
+ getRequestId(): UUID + getUser(): User
+ getVictimName(): String + getLocation(): String
+ getAidType(): String
+ getSpecialRequests(): String
+ getUrgencyLevel(): UrgencyLevel
+ getStatus(): String
+ isPetNeeds(): boolean
+ getVolunteerId(): UUID
+ getShelterId(): UUID
+ isEmsCalled(): boolean
+ getNumberOfPeople(): int
+ isMedicalNeeded(): boolean
+ getPetName(): String
+ getPetType(): String

UrgencyLevel <<enumeration>>

LOW
MEDIUM
HIGH
CRITICAL