

MALOLO HOSPITAL

P.O.Box 81 TABORA

Patient Name: Ludao W Godson
Patient ID: 104210

Authorization Number: 411024905080
Visit No: 29312 Card No: 105801218587

Patient Case Notes

gaseous abdomen relieved by passing stool or defaceting she also reports of rt flank pain sharp non migratory no changes

Clinical Radiology Summary

Finding Date	Diagnosis	Findings	Doctor
02/11/2020		Liver: Normal in size with homogeneous parenchymal echogenicity. No focal nodule or diffuse lesion seen. No intrahepatic or extrahepatic biliary dilatation. Portal and hepatic veins appear normal in caliber and flow. Gall bladder: Physiologically distended. No abnormal intraluminal echoes. Wall thickness is normal. No evidence of sludge, stones or polyps. No pericholecystic collection seen. Pancreas: Normal in size with homogeneous parenchymal echogenicity. No focal mass or diffuse lesion seen. No evidence of ductal dilatation or calcification seen. Spleen: Normal in size with homogeneous parenchymal echogenicity. No focal nodule or diffuse lesion seen. Splenic vein is normal. Kidneys: Both are normal in size, outline and echogenicity. Corticomedullary	Regina Namumba

MALOLO HOSPITAL

P.O.Box 81 TABORA

Patient Name: Ludao W Godson

Authorization Number: 411024905080

Patient ID: 104210

Visit No: 29312

Card No: 105801218587

		differentiation is	
		maintained. No evidence of mass lesion or calculus seen. No evidence of pelvicalyectasis seen. Retroperitoneum: Abdominal aorta is of normal caliber. No evidence of para-aortic lymphadenopathy seen. Peritoneum: No evidence of ascites seen. Bowels: No evidence of bowel dilation seen. Peristalsis appears normal. Bladder: Adequately distended. Wall thickness is normal. No evidence of mass or calculi seen. No intraluminal echoes seen. Bilateral ureterovesical junctions are patent. Uterus: Cervix appears normal. Ovaries and adnexae: No ovarian or adnexal mass lesion. No free fluid in the Pouch of Douglas. Impression: Status hysterectomy.	

Clinical Laboratory Result

Parameter	Normal Range	Msr Unit	Results
H-PYLORI STOOL			POSITIVE