

Connecting AmberWear to Supabase + Google Sign-In

Your site already has Supabase-aware code built in (products, cart, checkout, admin panel, and login all check for a `supabaseClient`). Two files are attached alongside this guide:

- **AmberWear.html** — your site, updated with a "Continue with Google" button and the wiring needed to use it.
- **schema.sql** — the database tables + security rules your site expects.

Follow the steps in order.

1. Create the database tables

1. Open your project at <https://supabase.com/dashboard/project/mlyafqvjxvhdxtiquakg>.
2. In the left sidebar, go to **SQL Editor** → **New query**.
3. Paste in the contents of `schema.sql` and click **Run**.

This creates `profiles`, `products`, `orders`, `order_items`, and `contact_messages`, turns on Row Level Security (so people can only see/edit what they should), seeds four starter products, and adds a trigger that automatically creates a `profiles` row for every new user — whether they sign up by email or Google.

2. Grab your API keys

1. In the dashboard, go to **Settings** → **API**.

2. Copy the **Project URL** (already `https://mlyafqvjxvhdxiguakg.supabase.co`) and the **anon public** key.
3. Open `AmberWear.html` and find this block near the bottom:

```
const supabaseUrl = "https://mlyafqvjxvhdxiguakg.supabase.co"
const supabaseKey = "YOUR_ANON_KEY"; // paste your Supabase key
```

4. Replace `"YOUR_ANON_KEY"` with the key you copied. Save the file.

The `anon` key is safe to expose in front-end code — it's designed for that, and Row Level Security (set up in step 1) controls what it can actually do.

3. Host the site somewhere with a real URL

Google's login flow needs to redirect back to an actual `https://` address — it won't work by double-clicking the HTML file on your computer (a `file://` address). Pick any static host, for example:

- **Netlify** (drag-and-drop the HTML file at `app.netlify.com/drop` — fastest)
- **Vercel**
- **GitHub Pages**

Note the URL it gives you, e.g. `https://amberwear.netlify.app` — you'll need it in the next two steps.

4. Create Google OAuth credentials

1. Go to the [Google Cloud Console](#) and create a project (or pick an existing one).
2. Go to **APIs & Services** → **OAuth consent screen** and set it up (External user type is fine for a public store) — app name, support

email, done.

3. Go to **APIs & Services** → **Credentials** → **Create Credentials** → **OAuth client ID**.
4. Application type: **Web application**.
5. Under **Authorized redirect URIs**, add exactly:

```
https://mlyafqvjxvhdxiguakg.supabase.co/auth/v1/callback
```

(This is Supabase's callback, not your site — Supabase handles the handoff back to your site itself.)

6. Save, then copy the **Client ID** and **Client secret** it gives you.

5. Turn on Google as a sign-in provider in Supabase

1. In the Supabase dashboard, go to **Authentication** → **Providers**.
2. Find **Google** in the list and toggle it on.
3. Paste in the **Client ID** and **Client secret** from step 4. Save.
4. Go to **Authentication** → **URL Configuration**:
 - Set **Site URL** to your hosted site's URL (from step 3).
 - Add that same URL under **Redirect URLs**.

6. Upload the updated site and test

1. Upload the edited `AmberWear.html` to your host (replacing the old file).
 2. Visit the live URL, click **Sign In** → **Continue with Google**, and complete the Google prompt. You should land back on the site signed in.
 3. Check **Authentication** → **Users** in Supabase — your Google account should appear, and the **Table Editor** → **profiles** table should have a matching row.
-

7. Make yourself an admin (optional)

The admin panel checks `profiles.role = 'admin'`. After signing in once, run this in the SQL Editor (swap in your email):

```
update public.profiles set role = 'admin'
where id = (select id from auth.users where email = 'you@')
```

Sign out and back in — the "Manage Inventory" option will now be available, and email/password sign-in with the **Admin** toggle will work for that account.

Notes

- Email/password sign-in still works exactly as before — Google is an additional option, not a replacement.
- If you ever change hosts or add a custom domain, revisit step 5's Site URL/Redirect URLs and step 4's authorized redirect URI (only the latter needs updating if the domain itself changes — the Supabase callback URL stays the same).
- If `Continue with Google` shows a toast saying to connect Supabase first, double check the `supabaseKey` was actually saved in step 2.