

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\django_system\__init__.py
import pymysql
pymysql.install_as_MySQLdb()
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\django_system\asgi.py
"""
ASGI config for django_system project.
```

It exposes the ASGI callable as a module-level variable named ``application``.

For more information on this file, see
<https://docs.djangoproject.com/en/5.1/howto/deployment/asgi/>
"""

```
import os
```

```
from django.core.asgi import get_asgi_application
```

```
os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'django_system.settings')
```

```
application = get_asgi_application()
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\django_system\settings.py
"""
```

Django settings for django_system project.

Generated by 'django-admin startproject' using Django 5.1.4.

For more information on this file, see
<https://docs.djangoproject.com/en/5.1/topics/settings/>

For the full list of settings and their values, see
<https://docs.djangoproject.com/en/5.1/ref/settings/>
"""

```
# import pymysql
```

```
# pymysql.install_as_MySQLdb()

import os
from pathlib import Path
from dotenv import load_dotenv

# Build paths inside the project like this: BASE_DIR / 'subdir'.
BASE_DIR = Path(__file__).resolve().parent.parent

# Quick-start development settings - unsuitable for production
# See https://docs.djangoproject.com/en/5.1/howto/deployment/checklist/

# SECURITY WARNING: keep the secret key used in production secret!
SECRET_KEY = 'django-insecure-
$fdia7icb&ji2k_6aof1b)s#ozo^kvo9%9@#o@23z+x(ki+r)j'

# SECURITY WARNING: don't run with debug turned on in production!
DEBUG = True

ALLOWED_HOSTS = []

# Application definition

INSTALLED_APPS = [
    'django.contrib.admin',
    'django.contrib.auth',
    'django.contrib.contenttypes',
    'django.contrib.sessions',
    'django.contrib.messages',
    'django.contrib.staticfiles',
    'web_app',
    'social_django',
]

MIDDLEWARE = [
```

```

'django.middleware.security.SecurityMiddleware',
'django.contrib.sessions.middleware.SessionMiddleware',
'django.middleware.common.CommonMiddleware',
'django.middleware.csrf.CsrfViewMiddleware',
'django.contrib.auth.middleware.AuthenticationMiddleware',
'django.contrib.messages.middleware.MessageMiddleware',
'django.middleware.clickjacking.XFrameOptionsMiddleware',
]

ROOT_URLCONF = 'django_system.urls'

SOCIAL_AUTH_GOOGLE_OAUTH2_AUTH_EXTRA_ARGUMENTS = {
    'prompt': 'select_account',
}

TEMPLATES = [
    {
        'BACKEND': 'django.template.backends.django.DjangoTemplates',
        'DIRS': [],
        'APP_DIRS': True,
        'OPTIONS': {
            'context_processors': [
                'django.template.context_processors.debug',
                'django.template.context_processors.request',
                'django.contrib.auth.context_processors.auth',
                'django.contrib.messages.context_processors.messages',
                'social_django.context_processors.backends',
                'social_django.context_processors.login_redirect',
            ],
        },
    ],
]

WSGI_APPLICATION = 'django_system.wsgi.application'

# Database
# https://docs.djangoproject.com/en/5.1/ref/settings/#databases

```

```
DATABASES = {
    'default': {
        'ENGINE': 'django.db.backends.mysql',
        'NAME': '114-510', # 這裡填入你的資料庫名稱
        'USER': '114510', # 這裡填入你的 MySQL 帳號
        'PASSWORD': '@!LL51o@', # 這裡填入你的 MySQL 密碼
        'HOST': '140.131.114.242', # 這裡填入 MySQL 伺服器的 IP 地址
        'PORT': '3306', # 這裡使用 MySQL 預設端口 3306
    }
}
```

Password validation

<https://docs.djangoproject.com/en/5.1/ref/settings/#auth-password-validators>

```
AUTH_PASSWORD_VALIDATORS = [
    {
        'NAME':
        'django.contrib.auth.password_validation.UserAttributeSimilarityValidator',
    },
    {
        'NAME':
        'django.contrib.auth.password_validation.MinimumLengthValidator',
    },
    {
        'NAME':
        'django.contrib.auth.password_validation.CommonPasswordValidator',
    },
    {
        'NAME':
        'django.contrib.auth.password_validation.NumericPasswordValidator',
    },
]
```

Social Auth

```
AUTHENTICATION_BACKENDS = (
    'social_core.backends.google.GoogleOAuth2',
    'django.contrib.auth.backends.ModelBackend',
)

LOGIN_URL = '/auth/login/google-oauth2/'
LOGIN_REDIRECT_URL = '/index' # 登入成功導向
LOGOUT_REDIRECT_URL = '/welcome' # 登出成功導向
LOGGING = {
    'version': 1,
    'disable_existing_loggers': False,
    'handlers': {
        'console': {
            'class': 'logging.StreamHandler',
        },
    },
    'loggers': {
        'your_app_name': {
            'handlers': ['console'],
            'level': 'INFO',
            'propagate': True,
        },
    },
}
```

```
SOCIAL_AUTH_GOOGLE_OAUTH2_KEY = '37270199093-
k1doq535f74tl3423amrrqv9dincdeb4.apps.googleusercontent.com'
```

```
SOCIAL_AUTH_GOOGLE_OAUTH2_SECRET = 'GOCSPX-
5zqffzGY_0OFx0SaS5D2IZRwxf2G'
```

```
SOCIAL_AUTH_GOOGLE_OAUTH2_WHITELISTED_DOMAINS = ['ntub.edu.tw']
```

```
# Social Auth Pipeline
```

```
SOCIAL_AUTH_PIPELINE = (
    'social_core.pipeline.social_auth.social_details',
```

```

'social_core.pipeline.social_auth.social_uid',
'social_core.pipeline.social_auth.auth_allowed',
'social_core.pipeline.social_auth.social_user',
'social_core.pipeline.user.get_username',
'web_app.auth_views.create_user',
'social_core.pipeline.user.create_user',
'social_core.pipeline.social_auth.associate_user',
'social_core.pipeline.social_auth.load_extra_data',
'social_core.pipeline.user.user_details',
)

SOCIAL_AUTH_GOOGLE_OAUTH2_WHITELISTED_DOMAINS = ['ntub.edu.tw']

CSRF_TRUSTED_ORIGINS = [
    'http://127.0.0.1:8000',
    'http://localhost:8000',
]

# Internationalization
# https://docs.djangoproject.com/en/5.1/topics/i18n/

LANGUAGE_CODE = 'zh-hant'

TIME_ZONE = 'Asia/Taipei'

USE_I18N = True

USE_TZ = True

# Static files (CSS, JavaScript, Images)
# https://docs.djangoproject.com/en/5.1/howto/static-files/

STATIC_URL = 'static/'

STATICFILES_DIRS = [
    BASE_DIR / "static",

```

]

Default primary key field type

<https://docs.djangoproject.com/en/5.1/ref/settings/#default-auto-field>

DEFAULT_AUTO_FIELD = 'django.db.models.BigAutoField'

load_dotenv()

MONGO_URI = os.getenv("MONGO_URI")

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\django_system\urls.py

"""

URL configuration for django_system project.

The `urlpatterns` list routes URLs to views. For more information please see:

<https://docs.djangoproject.com/en/5.1/topics/http/urls/>

Examples:

Function views

1. Add an import: `from my_app import views`

2. Add a URL to `urlpatterns`: `path("", views.home, name='home')`

Class-based views

1. Add an import: `from other_app.views import Home`

2. Add a URL to `urlpatterns`: `path("", Home.as_view(), name='home')`

Including another URLconf

1. Import the `include()` function: `from django.urls import include, path`

2. Add a URL to `urlpatterns`: `path('blog/', include('blog.urls'))`

"""

from django.contrib import admin

from django.urls import path

from web_app import views

from django.urls import include, path

from django.contrib.auth import views as auth_views

urlpatterns = [

path('admin/', admin.site.urls),

path('base/', views.base),

```

path('login/' , views.login),
path('welcome/' , views.welcome),
path('welcome_mo/' , views.welcome_mo, name='wel_mo'),
path('' , views.welcome),
path('index/' , views.index),
# path('mobile/' , views.mobile, name='mobile'),
path('personal/' , views.personal),
path('chat/' , views.chat),
path('join/' , views.join),
path('join_create/' , views.join_create),
path('join_detail/' , views.join_detail),
path('book/' , views.book, name='book'),
path('book_detail/' , views.book_detail, name='book_detail'),
path('upload_book/' , views.upload_book, name='upload_book'),
path('test/' , views.ask_page, name="ask_page"),
path('navbar2/' , views.navbar2),
# 新增：統一檔案上傳路由 (支援 PDF 和 ZIP)
path("upload_files/" , views.upload_files, name="upload_files"),
# 保留：向後相容的 ZIP 上傳路由
path("upload_zip/" , views.upload_zip, name="upload_zip"),
path("comment/" , views.comment, name="comment"),
path("comment_detail/" , views.comment_detail, name="comment_detail"),
path("add_comment/" , views.add_comment, name="add_comment"),
path("personal/" , views.personal, name="personal"),
path('api/conversations/' , views.api_conversations),
path('api/messages/str:convo\_id/' , views.api_messages),
path('api/ask/' , views.api_ask),
path('api/conversations/str:convo\_id/' , views.api_conversation_detail),
path('api/export/str:convo\_id/' , views.api_export_conversation),
path('auth/' , include('social_django.urls', namespace='social')),
path('logout/' , auth_views.LoginView.as_view(), name='logout'),
path('api/pdf/str:filename/' , views.view_pdf, name='view_pdf'),
]

```

```

#C:\Users\gaoux\OneDrive\桌面\11056030_SSAE\django_system\wsgi.py

```

```

"""

```

```

WSGI config for django_system project.

```


It exposes the WSGI callable as a module-level variable named ``application``.

For more information on this file, see

<https://docs.djangoproject.com/en/5.1/howto/deployment/wsgi/>

"""

```
import os
```

```
from django.core.wsgi import get_wsgi_application
```

```
os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'django_system.settings')
```

```
application = get_wsgi_application()
```

```
#C:\Users\gaoxu\OneDrive\桌面
```

```
\11056030_SSAE\web_app\static\css\pop_window\comment_pop.css
```

```
/* comment_pop.css - 評論彈跳視窗樣式 */
```

```
.modal {
```

```
    display: none;
```

```
    position: fixed;
```

```
    z-index: 9999; /* 設定高於導航欄和頁腳的 z-index */
```

```
    left: 0;
```

```
    top: 0;
```

```
    width: 100%;
```

```
    height: 100%;
```

```
    background-color: rgba(0, 0, 0, 0.5);
```

```
    overflow: hidden; /* 防止滾動 */
```

```
    justify-content: center;
```

```
    align-items: center;
```

```
}
```

```
.modal.active {
```

```
    display: flex;
```

```
}
```

```
.modal.show {  
    display: flex; /* 使用 flex 來居中顯示 */  
}
```

```
.modal-content {  
    background-color: white;  
    padding: 30px;  
    border-radius: 15px;  
    width: 80%;  
    max-width: 500px;  
    max-height: 80vh; /* 限制最大高度 */  
    position: relative;  
    box-shadow: 0 10px 30px rgba(0, 0, 0, 0.2);  
    animation: modalSlideIn 0.3s ease;  
    overflow-y: auto; /* 如果內容太長允許內部滾動 */  
    margin: auto; /* 確保居中 */  
}
```

```
@keyframes modalSlideIn {  
    from {  
        transform: scale(0.8);  
        opacity: 0;  
    }  
    to {  
        transform: scale(1);  
        opacity: 1;  
    }  
}
```

```
.modal-close {  
    position: absolute;  
    top: 15px;  
    right: 20px;  
    color: #aaa;  
    font-size: 28px;  
    font-weight: bold;  
    cursor: pointer;  
    transition: all 0.2s;
```

```
}
```

```
.modal-close:hover {  
  color: #333;  
}
```

```
.modal h2 {  
  font-size: 24px;  
  margin-top: 0;  
  margin-bottom: 20px;  
  color: #635c63;  
  text-align: center;  
}
```

```
.modal-course-info {  
  background-color: #f1f1f1;  
  padding: 15px;  
  border-radius: 10px;  
  margin-bottom: 20px;  
  text-align: center;  
}
```

```
.modal-course-name {  
  font-size: 20px;  
  margin: 0 0 5px 0;  
}
```

```
.modal-course-teacher {  
  font-size: 16px;  
  color: var(--dark-gray);  
  margin: 0;  
}
```

```
.modal-options {  
  display: flex;  
  gap: 20px;  
}
```

```
.modal-rating-option,  
.modal-full-option {  
    flex: 1;  
    padding: 20px;  
    background-color: #f1f1f1;  
    border-radius: 10px;  
    text-align: center;  
}
```

```
.modal-divider {  
    width: 1px;  
    background-color: #ddd;  
}
```

```
.modal h4 {  
    font-size: 18px;  
    margin-top: 0;  
    margin-bottom: 10px;  
}
```

```
.modal-rating {  
    margin: 15px 0;  
}
```

```
.modal-stars {  
    display: flex;  
    justify-content: center;  
    gap: 5px;  
    margin-bottom: 10px;  
}
```

```
.modal-stars i {  
    font-size: 24px;  
    color: #c0c0c0;  
    cursor: pointer;  
    transition: all 0.2s;  
}
```

```
.modal-stars i.fas {  
    color: #ffc107;  
}
```

```
.modal-stars i:hover {  
    transform: scale(1.2);  
}
```

```
.rating-display {  
    font-size: 24px;  
    font-weight: bold;  
    color: #635c63;  
}
```

```
.submit-rating-btn,  
.full-comment-btn {  
    display: inline-block;  
    padding: 10px 20px;  
    background-color: #9e8c9d;  
    color: white;  
    border: none;  
    border-radius: 50px;  
    font-size: 16px;  
    font-weight: 500;  
    cursor: pointer;  
    transition: all 0.3s;  
    margin-top: 10px;  
    text-decoration: none;  
}
```

```
.submit-rating-btn:hover,  
.full-comment-btn:hover {  
    background-color: #635c63;  
    transform: translateY(-3px);  
    box-shadow: 0 6px 15px rgba(0, 0, 0, 0.1);  
}
```

```
.modal-full-option p {
```

```
        color: var(--dark-gray);
        margin-bottom: 40px;
    }

/* 成功消息樣式 */
.success-message {
    text-align: center;
    padding: 20px;
}

.success-message i {
    font-size: 60px;
    color: #635c63;
    margin-bottom: 20px;
}

.success-message h2 {
    color: #635c63;
}

.close-modal-btn {
    display: inline-block;
    padding: 10px 20px;
    background-color: #9e8c9d;
    color: white;
    border: none;
    border-radius: 50px;
    font-size: 16px;
    font-weight: 500;
    cursor: pointer;
    transition: all 0.3s;
    margin-top: 20px;
}

.close-modal-btn:hover {
    background-color: #635c63;
    transform: translateY(-3px);
    box-shadow: 0 6px 15px rgba(0, 0, 0, 0.1);
}
```

```
}

/* 響應式設計 */
@media (max-width: 768px) {
    .modal-content {
        width: 90%;
        max-width: 400px;
        padding: 20px;
        max-height: 85vh; /* 在小螢幕上調整最大高度 */
    }

    .modal-options {
        flex-direction: column;
    }

    .modal-divider {
        width: 100%;
        height: 1px;
        margin: 10px 0;
    }
}

/* 防止背景滾動 */
body.modal-open {
    overflow: hidden;
}

#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\static\css\pop_window\join_pop.css
/* join_pop.css - 發起揪團彈跳視窗樣式 */

/* 上傳按鈕 */
.upload-btn {
    position: fixed;
    bottom: 30px;
    right: 40px;
    width: 60px;
```

```
height: 60px;
background-color: #443730;
color: white;
border-radius: 50%;
display: flex;
justify-content: center;
align-items: center;
font-size: 24px;
cursor: pointer;
box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);
transition: all 0.3s ease;
z-index: 999999;
border: none;
}

.upload-btn:hover {
    transform: scale(1.05);
    box-shadow: 0 6px 15px rgba(0, 0, 0, 0.25);
}

/* 彈跳視窗 */
.upload-form {
    display: none;
    position: fixed;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    background-color: rgba(0, 0, 0, 0.7);
    z-index: 9999;
    justify-content: center;
    align-items: center;
    overflow-y: auto;
}

.upload-form.active {
    display: flex;
}
```



```
.upload-container {  
    background-color: white;  
    border-radius: 15px;  
    padding: 30px;  
    width: 90%;  
    max-width: 800px;  
    max-height: 80vh;  
    overflow-y: auto;  
    box-shadow: 0 10px 30px rgba(0, 0, 0, 0.3);  
}
```

```
.upload-header {  
    display: flex;  
    justify-content: space-between;  
    align-items: center;  
    margin-bottom: 30px;  
    padding-bottom: 15px;  
    border-bottom: 2px solid #f0f0f0;  
}
```

```
.upload-title {  
    font-size: 28px;  
    font-weight: 700;  
    color: #333;  
}
```

```
.close-btn {  
    font-size: 28px;  
    cursor: pointer;  
    background: none;  
    border: none;  
    color: #999;  
    transition: color 0.3s ease;  
    padding: 5px;  
    border-radius: 50%;  
    width: 40px;
```

```
    height: 40px;
    display: flex;
    align-items: center;
    justify-content: center;
}

.close-btn:hover {
    color: #333;
    background-color: #f0f0f0;
}

/* 表單樣式 */
.form-group {
    margin-bottom: 25px;
}

.form-label {
    display: block;
    margin-bottom: 8px;
    font-weight: 600;
    color: #333;
    font-size: 16px;
}

.form-input,
.form-select,
.form-textarea {
    width: 100%;
    padding: 12px 15px;
    border: 2px solid #e0e0e0;
    border-radius: 8px;
    font-size: 15px;
    font-family: inherit;
    transition: all 0.3s ease;
    background-color: #fafafa;
}

.form-input:focus,
```

```
.form-select:focus,  
.form-textarea:focus {  
    outline: none;  
    border-color: #3d7e88;  
    background-color: white;  
    box-shadow: 0 0 0 3px rgba(61, 126, 136, 0.1);  
}
```

```
.form-textarea {  
    resize: vertical;  
    min-height: 120px;  
    line-height: 1.5;  
}
```

```
.form-row {  
    display: flex;  
    gap: 20px;  
}
```

```
.form-col {  
    flex: 1;  
}
```

```
.help-text {  
    font-size: 13px;  
    color: #666;  
    margin-top: 5px;  
}
```

```
/* 圖片上傳區域 */
```

```
.image-upload-container {  
    border: 2px dashed #ddd;  
    border-radius: 8px;  
    padding: 40px 20px;  
    text-align: center;  
    cursor: pointer;  
    transition: all 0.3s ease;  
    background-color: #fafafa;
```

```
}
```

```
.image-upload-container:hover {  
  border-color: #3d7e88;  
  background-color: #f0f8fa;  
}
```

```
.image-upload-icon {  
  font-size: 48px;  
  margin-bottom: 15px;  
}
```

```
.image-upload-text {  
  font-size: 16px;  
  color: #666;  
}
```

```
/* 預覽區域 */
```

```
.preview-section {  
  margin-top: 30px;  
  padding: 20px;  
  background-color: #f8f9fa;  
  border-radius: 10px;  
  border: 1px solid #e9ecef;  
}
```

```
.preview-title {  
  display: flex;  
  align-items: center;  
  gap: 10px;  
  font-size: 18px;  
  font-weight: 600;  
  margin-bottom: 15px;  
  color: #333;  
}
```

```
.preview-icon {  
  font-size: 20px;
```

```
}
```

```
.preview-card {  
    background-color: white;  
    border-radius: 10px;  
    overflow: hidden;  
    box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);  
}
```

```
.preview-image {  
    height: 150px;  
    background-color: #eee;  
    display: flex;  
    align-items: center;  
    justify-content: center;  
    color: #999;  
    font-size: 14px;  
    position: relative;  
}
```

```
.preview-tag {  
    position: absolute;  
    top: 10px;  
    right: 10px;  
    background-color: #3d7e88;  
    color: white;  
    padding: 5px 12px;  
    border-radius: 15px;  
    font-size: 12px;  
    font-weight: 500;  
}
```

```
.preview-content {  
    padding: 20px;  
}
```

```
.preview-activity-title {  
    font-size: 18px;
```

```
    font-weight: 600;
    margin-bottom: 15px;
    color: #333;
}

.preview-info {
    display: flex;
    flex-direction: column;
    gap: 8px;
    margin-bottom: 15px;
}

.preview-location,
.preview-time {
    display: flex;
    align-items: center;
    gap: 8px;
    font-size: 14px;
    color: #666;
}

.location-icon,
.time-icon {
    font-size: 16px;
}

.preview-description {
    font-size: 14px;
    line-height: 1.5;
    color: #555;
    max-height: 60px;
    overflow: hidden;
}

/* 按鈕容器 */
.buttons-container {
    display: flex;
    justify-content: flex-end;
```

```
    gap: 15px;
    margin-top: 30px;
    padding-top: 20px;
    border-top: 1px solid #e9ecef;
}
```

```
.cancel-btn,
.submit-btn {
    padding: 12px 30px;
    border: none;
    border-radius: 25px;
    font-size: 16px;
    font-weight: 600;
    cursor: pointer;
    transition: all 0.3s ease;
    min-width: 100px;
}
```

```
.cancel-btn {
    background-color: #f8f9fa;
    color: #666;
    border: 2px solid #e9ecef;
}
```

```
.cancel-btn:hover {
    background-color: #e9ecef;
    color: #333;
}
```

```
.submit-btn {
    background-color: #3d7e88;
    color: white;
    box-shadow: 0 4px 12px rgba(61, 126, 136, 0.3);
}
```

```
.submit-btn:hover {
    background-color: #346b74;
    transform: translateY(-2px);
}
```

```
        box-shadow: 0 6px 16px rgba(61, 126, 136, 0.4);
    }
```

```
/* 響應式設計 */
```

```
@media (max-width: 768px) {
    .upload-container {
        width: 95%;
        padding: 20px;
        margin: 10px;
    }

    .upload-title {
        font-size: 24px;
    }

    .form-row {
        flex-direction: column;
        gap: 0;
    }

    .buttons-container {
        flex-direction: column;
    }

    .cancel-btn,
    .submit-btn {
        width: 100%;
    }

    .upload-btn {
        bottom: 20px;
        right: 20px;
        width: 50px;
        height: 50px;
        font-size: 20px;
    }
}
```



```
#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\static\css\pop_window\login_pop.css
/* login_pop.css - 登入彈跳視窗樣式 */
```

```
/* 登入模態視窗樣式 */
```

```
.login-modal {
    display: none;
    position: fixed;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    background-color: rgba(0, 0, 0, 0.5);
    z-index: 9999;
    justify-content: center;
    align-items: center;
}
```

```
.login-modal.show {
    display: flex;
    animation: modalFadeIn 0.4s ease;
}
```

```
@keyframes modalFadeIn {
    from {
        opacity: 0;
    }
    to {
        opacity: 1;
    }
}
```

```
/* 關閉模態視窗按鈕 */
```

```
.close-modal {
    position: absolute;
    top: 15px;
    right: 20px;
```

```
    font-size: 28px;
    color: #333;
    cursor: pointer;
    z-index: 1003;
    transition: color 0.3s ease;
}

.close-modal:hover {
    color: #666;
}

/* 登入容器 */
.login-container {
    display: flex;
    width: 800px;
    height: 400px;
    background-color: #fff;
    border-radius: 10px;
    box-shadow: 0 4px 15px rgba(0, 0, 0, 0.1);
    position: relative;
    animation: modalContentShow 0.4s ease;
}

@keyframes modalContentShow {
    from {
        transform: scale(0.8);
        opacity: 0;
    }
    to {
        transform: scale(1);
        opacity: 1;
    }
}

.frame {
    width: 800px;
    height: 400px;
    background-color: transparent;
```

```
border-radius: 10px;
position: absolute;
border: 1px solid rgb(71, 71, 71);
top: 7%;
left: 3%;
z-index: -1;
}
```

```
/* Sidebar */
```

```
.login-sidebar {
  width: 150px;
  display: flex;
  flex-direction: column;
  justify-content: flex-start;
  align-items: center;
  padding: 20px 20px 20px 40px;
  position: relative;
}
```

```
.sidebar-text {
  writing-mode: vertical-rl;
  text-orientation: upright;
  font-size: 16px;
  color: #333;
  letter-spacing: 5px;
  position: absolute;
  left: 50px;
  top: 60%;
  transform: translateY(-50%);
  white-space: nowrap;
}
```

```
/* Login form */
```

```
.login-form {
  padding: 20px 40px 40px;
  flex-grow: 1;
  position: relative;
}
```

```
.login-sidebar h2 {  
    font-size: 24px;  
    margin-bottom: 30px;  
    color: #333;  
    writing-mode: vertical-rl;  
    text-align: center;  
    position: relative;  
    padding-top: 60px;  
    margin-top: 20px;  
    align-self: flex-start;  
    margin-left: 50px;  
    font-weight: bold;  
}
```

```
.login-sidebar h2::before {  
    content: "";  
    position: absolute;  
    top: 0;  
    left: 50%;  
    transform: translateX(-50%);  
    width: 3px;  
    height: 50px;  
    background-color: #333;  
    font-weight: bold;  
}
```

```
/* Login buttons */  
.login-buttons {  
    display: flex;  
    align-items: center;  
    justify-content: center;  
    /* margin-top: 20px; */  
    gap: 20px;  
}
```

```
.login-img {  
    width: 65%;
```

```
    position: relative;
    transition: transform 0.3s ease;
}
```

```
.login-img:hover {
    transform: scale(1.05);
}
```

```
.other-login-btn {
    text-align: center;
    display: inline-block;
    text-decoration: none;
}
```

```
/* Form actions */
.form-actions {
    position: absolute;
    bottom: 40px;
    right: 40px;
}
```

```
.btn-cancel {
    padding: 10px 20px;
    border: none;
    border-radius: 4px;
    font-size: 16px;
    cursor: pointer;
    transition: background-color 0.3s;
    background-color: #f0f0f0;
    color: #333;
}
```

```
.btn-cancel:hover {
    background-color: #e0e0e0;
}
```

```
/* Logout button */
.logout-form {
```

```
        display: inline-block;
    }

    .btn-logout {
        padding: 10px 20px;
        border: none;
        border-radius: 4px;
        font-size: 16px;
        cursor: pointer;
        transition: background-color 0.3s;
        background-color: #f0f0f0;
        color: #333;
    }

    .btn-logout:hover {
        background-color: #e0e0e0;
    }

    /* 響應式設計 */
    @media (max-width: 768px) {
        .login-container {
            width: 90%;
            max-width: 600px;
            height: auto;
            min-height: 350px;
            flex-direction: column;
        }

        .login-sidebar {
            width: 100%;
            height: 80px;
            flex-direction: row;
            justify-content: center;
            padding: 15px;
        }

        .login-sidebar h2 {
            writing-mode: horizontal-tb;
        }
    }
}
```

```
        margin: 0;
        padding: 0;
        margin-left: 0;
        font-size: 20px;
    }

    .login-sidebar h2::before {
        display: none;
    }

    .sidebar-text {
        writing-mode: horizontal-tb;
        text-orientation: mixed;
        position: relative;
        left: auto;
        top: auto;
        transform: none;
        margin-left: 20px;
        font-size: 14px;
        letter-spacing: 1px;
    }

    .login-form {
        padding: 20px;
    }

    .login-buttons {
        flex-direction: column;
        gap: 15px;
    }

    .frame {
        width: 90%;
        height: 90%;
        top: 5%;
        left: 5%;
    }
}
```

```
#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\static\css\add_comment.css
/* add_comment.css */
```

```
:root {
  /* Index page colors */
  --cr-main-1: #f3d4d4;
  --cr-main-2: #abbef9;
  --cr-1: color-mix(in srgb, var(--cr-main-1), var(--cr-main-2) 20%);
  --cr-2: color-mix(in srgb, var(--cr-main-1), var(--cr-main-2) 35%);
  --cr-3: color-mix(in srgb, var(--cr-main-1), var(--cr-main-2) 50%);
  --cr-4: color-mix(in srgb, var(--cr-main-1), var(--cr-main-2) 65%);
  --cr-5: color-mix(in srgb, var(--cr-main-1), var(--cr-main-2) 80%);

  /* Main colors */
  --primary-color: var(--cr-main-2);
  --primary-light: var(--cr-5);
  --primary-dark: #8a9bd0;
  --success-color: #8a9bd0;
  --success-dark: #7a89b8;
  --text-color: #333;
  --bg-color: #F8F6F4;
  --light-gray: #f8f6f4;
  --medium-gray: #e5e2df;
  --dark-gray: #888;

  /* Shadows and borders */
  --shadow-sm: 0 2px 5px rgba(0, 0, 0, 0.05);
  --shadow-md: 0 4px 8px rgba(0, 0, 0, 0.07);
  --shadow-lg: 0 8px 16px rgba(0, 0, 0, 0.07);
  --radius-sm: 5px;
  --radius-md: 8px;
  --radius-lg: 12px;
  --radius-round: 50px;
  --transition: all 0.3s ease;
```



```
    /* Accent color */
    --accent-color: rgb(170, 157, 169);
}

/* Container styles */
.comment-container {
    max-width: 1400px;
    margin: 20px auto;
    padding: 30px;
    font-family: 'Microsoft JhengHei', 'Segoe UI', Arial, sans-serif;
    transition: var(--transition);
    background-color: var(--bg-color);
    border-radius: var(--radius-lg);
    box-shadow: var(--shadow-md);
    margin-bottom: 100px; /* 增加底部邊距，避免送出按鈕被擋住 */
}

/* Back button styles */
.back-button {
    margin-bottom: 25px;
}

.back-button a {
    text-decoration: none;
    color: var(--text-color);
    font-weight: bold;
    padding: 8px 12px;
    transition: var(--transition);
    display: inline-flex;
    align-items: center;
    position: relative;
    border-radius: 100px;
}

.back-button a:hover {
    color: #222;
}
```

```
.back-button a::after {
  content: "";
  position: absolute;
  bottom: 0;
  left: 50%;
  width: 0;
  height: 2px;
  background-color: #555;
  transition: all 0.3s ease;
  transform: translateX(-50%);
}
```

```
.back-button a:hover::after {
  width: 80%;
}
```

```
.back-button a:before {
  content: '←';
  margin-right: 5px;
  font-weight: bold;
}
```

/* Form styles */

```
.comment-form {
  background-color: white;
  border-radius: var(--radius-lg);
  padding: 30px;
  box-shadow: var(--shadow-md);
  border: 1px solid rgba(0, 0, 0, 0.05);
  position: relative;
  z-index: 1;
  min-height: auto; /* 移除固定高度 */
}
```

/* Form row layout */

```
.form-row {
  display: flex;
  justify-content: space-between;
```

```
    margin-bottom: 25px;
    gap: 20px;
    position: relative;
    z-index: 1;
    margin-top: 30px;
}
```

```
.form-col {
    width: 42%;
    min-width: 300px;
}
```

```
/* Form group styles */
.form-group {
    margin-bottom: 20px;
    margin-right: 10%;
    /* transition: var(--transition); */
    position: relative;
}
```

```
.form-col-left {
    display: grid;
    grid-template-columns: 50% 50% 50%;
}
```

```
/* Form controls */
label {
    display: block;
    margin-bottom: 8px;
    font-weight: 600;
    color: var(--text-color);
    font-size: 14px;
    letter-spacing: 0.5px;
}
```

```
.form-control {
    width: 100%;
    padding: 12px;
```

```

border: none;
border-bottom: 2px solid var(--medium-gray);
background-color: var(--light-gray);
font-size: 14px;
outline: none;
transition: var(--transition);
border-radius: var(--radius-sm);
}

/* Custom dropdown styling */
select.form-control,
input[list].form-control {
  appearance: none;
  -webkit-appearance: none;
  -moz-appearance: none;
  background-image: url("data:image/svg+xml;utf8,<svg
xmlns='http://www.w3.org/2000/svg' width='12' height='12' fill='%233333'
viewBox='0 0 16 16'><path d='M7.247 11.14 2.451 5.658C1.885 5.013 2.345 4 3.204
4h9.592a1 1 0 0 1 .753 1.659l-4.796 5.48a1 1 0 0 1 -1.506 0z' /></svg>");
  background-repeat: no-repeat;
  background-position: calc(100% - 12px) center;
  padding-right: 30px; /* Space for the arrow */
}

.form-control:focus {
  border-bottom: 2px solid #9e8c9d;
  transform: translateY(-2px);
  box-shadow: 0 4px 6px rgba(108, 99, 255, 0.1);
  background-color: white;
}

.form-control:hover {
  border-bottom: 2px solid #9e8c9d;
  background-color: #f5f5f5;
}

/* Display mode container */
.display-mode-container {

```

```

        margin-bottom: 20px;
    }

    .form-col {
        display: flex;
        justify-content: space-between;
    }

    /* Rating container */
    .rating-container {
        border-radius: var(--radius-md);
    }

    .stars {
        display: flex;
        gap: 2px;
        align-items: center;
        position: relative;
        margin-top: 15px;
        padding: 5px 0;
    }

    .stars i {
        font-size: 1.3rem;
        color: #e0e0e0; /* Default empty star color */
        cursor: pointer;
        transition: transform 0.15s ease, color 0.15s ease;
        position: relative;
        width: 28px;
        text-align: center;
    }

    .stars i.fa-star,
    .stars i.fa-star-half-stroke {
        color: #ffc107; /* Filled and half-filled star color */
    }

    .stars i:hover {

```

```
    transform: scale(1.2);  
}
```

```
.rating-text {  
    margin-left: 12px;  
    font-size: 1.1rem;  
    color: var(--text-color);  
    font-weight: 600;  
    min-width: 60px;  
    display: inline-block;  
}
```

```
/* Manual rating input */
```

```
.manual-rating {  
    display: flex;  
    align-items: center;  
    gap: 8px;  
    margin-top: 5px;  
    padding-top: 12px;  
}
```

```
.manual-rating input[type="number"] {  
    width: 70px !important;  
    padding: 8px 10px !important;  
    border: 1px solid var(--medium-gray) !important;  
    border-radius: var(--radius-sm) !important;  
    font-size: 0.95rem !important;  
    text-align: center;  
    transition: var(--transition) !important;  
}
```

```
.manual-rating input[type="number"]:focus {  
    border-color: var(--primary-color) !important;  
    box-shadow: 0 0 2px rgba(171, 190, 249, 0.3) !important;  
    outline: none !important;  
}
```

```
.manual-rating span {
```

```
    font-size: 0.9rem;
    color: var(--dark-gray);
}

/* Top row container */
.top-row-container {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 25px;
    background-color: var(--light-gray);
    padding: 15px;
    border-radius: var(--radius-md);
    border-left: 4px solid var(--accent-color);
    text-align: center;
}

.comment-header {
    margin: 0;
    width: 100%;
}

.course-info-container {
    flex: 1;
}

.user-info {
    display: flex;
    align-items: center;
    gap: 10px;
    margin: 15px 0;
}

.avatar {
    width: 30px;
    height: 30px;
    border-radius: 50%;
    transition: var(--transition); /* 添加圖片切換動畫 */
}
```

```
}
```

```
.username {  
    font-weight: bold;  
    transition: var(--transition); /* 添加文字切换动画 */  
}
```

```
.anonymous-options {  
    display: flex;  
    align-items: center;  
    gap: 15px;  
    margin-top: 10px;  
}
```

```
/* Textarea styles */  
textarea {  
    width: 100%;  
    padding: 18px;  
    border: 1px solid var(--medium-gray);  
    border-radius: var(--radius-md);  
    resize: none;  
    font-size: 15px;  
    line-height: 1.6;  
    height: 250px;  
    transition: var(--transition);  
    background-color: var(--light-gray);  
}
```

```
textarea:focus {  
    border-color: var(--primary-color);  
    outline: none;  
    box-shadow: 0 0 12px rgba(108, 99, 255, 0.15);  
    transform: translateY(-3px);  
    background-color: white;  
}
```

```
/* Comment content area */  
.comment-content {
```



```
display: flex;
gap: 20px;
margin-bottom: 30px;
justify-content: space-between;
position: relative;
z-index: 1;
}
```

```
.comment-text-area,
.comment-preview {
  flex: 1;
  min-width: 200px;
}
```

```
/* Arrows and convert button */
.arrows-container {
  display: flex;
  flex-direction: column;
  justify-content: center;
  align-items: center;
  gap: 20px;
  padding: 0 20px;
  min-width: 100px;
}
```

```
.arrow {
  font-size: 24px;
  color: #635c63;
  transition: var(--transition);
  height: 40px;
  width: 40px;
  display: flex;
  align-items: center;
  justify-content: center;
  background-color: #f5f5f5;
  border-radius: 50%;
}
```

```
.arrow i {  
    transition: transform 0.3s ease;  
}
```

```
.arrows-container:hover .arrow i {  
    transform: translateX(5px);  
}
```

```
.btn-convert {  
    padding: 15px 0;  
    background-color: #9e8c9d;  
    color: white;  
    border: none;  
    border-radius: var(--radius-round);  
    cursor: pointer;  
    font-size: 16px;  
    font-weight: bold;  
    transition: var(--transition);  
    box-shadow: 0 6px 12px rgba(171, 190, 249, 0.3);  
    width: 90px;  
    text-align: center;  
    position: relative;  
    overflow: hidden;  
}
```

```
.btn-convert:before {  
    content: " ";  
    position: absolute;  
    top: 0;  
    left: -100%;  
    width: 100%;  
    height: 100%;  
    background: linear-gradient(90deg, transparent, rgba(255, 255, 255, 0.2),  
transparent);  
    transition: 0.5s;  
}
```

```
.btn-convert:hover:before {
```

```
    left: 100%;
}

.btn-convert:hover {
    background-color: #635c63;
    transform: translateY(-3px);
    box-shadow: 0 8px 15px rgba(138, 155, 208, 0.4);
}

/* Submit button */
.add-comment-form-actions {
    text-align: right;
    margin-top: 30px;
    padding-top: 20px;
    border-top: 1px solid var(--medium-gray);
    position: relative;
    z-index: 10; /* 確保送出按鈕在最上層 */
    background-color: white; /* 添加背景色避免被遮擋 */
    margin-bottom: 30px; /* 增加底部間距 */
}

.btn-submit {
    padding: 12px 25px;
    background-color: #9e8c9d;
    color: white;
    border: none;
    border-radius: var(--radius-md);
    cursor: pointer;
    font-size: 16px;
    font-weight: 600;
    transition: var(--transition);
    box-shadow: var(--shadow-md);
    position: relative;
    overflow: hidden;
    z-index: 11; /* 確保按鈕本身在最上層 */
}

.btn-submit:disabled {
```

```

        opacity: 0.7;
        cursor: not-allowed;
        transform: none !important;
    }

    .btn-submit:before {
        content: "";
        position: absolute;
        top: 0;
        left: -100%;
        width: 100%;
        height: 100%;
        background: linear-gradient(90deg, transparent, rgba(255, 255, 255, 0.2),
transparent);
        transition: 0.5s;
    }

    .btn-submit:hover:before {
        left: 100%;
    }

    .btn-submit:hover:not(:disabled) {
        background-color: #635c63;
        transform: translateY(-3px);
        box-shadow: 0 8px 16px rgba(170, 157, 169, 0.4);
    }

    /* 確保表單底部有足夠空間 */
    body {
        padding-bottom: 50px;
    }

    /* Responsive adjustments */
    @media (max-width: 1290px) {
        .form-col-left {
            grid-template-columns: 60% 60%;
        }
    }
}

```

```
@media (max-width: 768px) {  
  .form-row {  
    flex-direction: column;  
  }  
  
  .form-col {  
    display: block;  
    width: 100%;  
  }  
  
  .comment-content {  
    flex-direction: column;  
  }  
  
  .form-col-left {  
    grid-template-columns: 50% 50%;  
  }  
  
  .comment-container {  
    margin-bottom: 150px; /* 在手機版增加更多底部間距 */  
  }  
}
```

```
#C:\Users\gaoxu\OneDrive\桌面  
\11056030_SSAE\web_app\static\css\book_detail.css
```

```
* {  
  margin: 0;  
  padding: 0;  
  box-sizing: border-box;  
}
```

```
body {  
  font-family: 'Noto Sans TC', sans-serif;  
  background-color: #f8f9fa;  
  color: #333;  
  line-height: 1.6;
```

```
    margin-top: 15vh;
}
```

```
.container {
    max-width: 1000px;
    margin: 0 auto;
    padding: 0 20px;
}
```

```
/* Back button styles */
.back-button {
    margin-bottom: 25px;
}
```

```
.back-button a {
    text-decoration: none;
    color: #555;
    font-weight: bold;
    padding: 8px 12px;
    transition: all 0.3s ease;
    display: inline-flex;
    align-items: center;
    position: relative;
    border-radius: 100px;
}
```

```
.back-button a:hover {
    color: #222;
}
```

```
/* Book main section */
.book-main-section {
    display: flex;
    background-color: white;
    border-radius: 12px;
    box-shadow: 0 5px 20px rgba(0, 0, 0, 0.08);
    margin-bottom: 30px;
    overflow: hidden;
```

```
    position: relative;
}
```

```
/* Book content layout */
.book-content-layout {
    display: flex;
    gap: 30px;
}
```

```
/* Book image container */
.book-image-container {
    flex: 0 0 auto;
    position: relative;
    padding: 20px;
    height: 350px;
    display: flex;
    align-items: center;
    justify-content: center;
}
```

```
.book-image {
    width: 220px;
    height: auto;
    border-radius: 5px;
    box-shadow: 0 15px 30px rgba(0, 0, 0, 0.1);
    transition: transform 0.3s ease;
}
```

```
.book-image:hover {
    transform: translateY(-5px);
}
```

```
/* Book details container */
.book-details-container {
    flex: 1;
    display: flex;
    flex-direction: column;
    padding: 20px 0;
```

```
}
```

```
/* Book title container */
```

```
.book-title-container {  
    margin-bottom: 25px;  
    padding-left: 15px;  
    position: relative;  
    border-left: 4px solid #6F557D;  
}
```

```
/* Book info section */
```

```
.book-info {  
    flex: 1;  
    padding: 40px;  
    position: relative;  
    z-index: 1;  
    display: flex;  
    flex-direction: column;  
}
```

```
.book-title {  
    font-size: 28px;  
    font-weight: 700;  
    color: #333;  
    margin-bottom: 10px;  
    line-height: 1.3;  
}
```

```
.book-subtitle {  
    font-size: 16px;  
    color: #666;  
    margin-bottom: 15px;  
}
```

```
.book-author {  
    font-size: 15px;  
    color: #555;  
    margin-bottom: 8px;
```



```
}
```

```
.book-price {  
    font-size: 16px;  
    color: #333;  
    font-weight: 500;  
}
```

```
.price-value {  
    color: #6F557D;  
    font-weight: 700;  
    font-size: 18px;  
}
```

```
.book-title::after {  
    content: "";  
    position: absolute;  
    bottom: 0;  
    left: 0;  
    width: 60px;  
    height: 3px;  
    border-radius: 3px;  
}
```

```
/* Info cards */
```

```
.info-cards {  
    display: grid;  
    grid-template-columns: repeat(2, 1fr);  
    gap: 15px;  
    margin-top: 5px;  
}
```

```
.info-card {  
    background-color: #f8f9fa;  
    border-radius: 8px;  
    padding: 12px 15px;  
    box-shadow: 0 2px 5px rgba(0, 0, 0, 0.05);  
    transition: all 0.3s ease;
```

```
    position: relative;
    overflow: hidden;
    height: 100%;
    display: flex;
    flex-direction: column;
    justify-content: center;
}
```

```
.info-card::before {
    content: "";
    position: absolute;
    left: 0;
    top: 0;
    height: 100%;
    width: 3px;
    background-color: #6F557D;
    opacity: 0.7;
}
```

```
.info-card:hover {
    box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
    transform: translateY(-2px);
}
```

```
.info-label {
    font-size: 13px;
    color: #666;
    margin-bottom: 4px;
}
```

```
.info-value {
    font-size: 15px;
    font-weight: 500;
    color: #333;
}
```

```
/* Condition select */
.condition-select {
```

```
width: 100%;
padding: 8px 12px;
border: 1px solid #ddd;
border-radius: 8px;
background-color: white;
font-size: 16px;
appearance: none;
background-image: url("data:image/svg+xml;charset=UTF-8,%3csvg
xmlns='http://www.w3.org/2000/svg' viewBox='0 0 24 24' fill='none'
stroke='%236F557D' stroke-width='2' stroke-linecap='round' stroke-
linejoin='round'%3e%3cpolyline points='6 9 12 15 18
9'%3e%3c/polyline%3e%3c/svg%3e");
background-repeat: no-repeat;
background-position: right 10px center;
background-size: 15px;
transition: all 0.3s ease;
}
```

```
.condition-select:focus {
  outline: none;
  border-color: #6F557D;
  box-shadow: 0 0 0 3px rgba(111, 85, 125, 0.1);
}
```

```
/* Section styles */
.section {
  background-color: white;
  border-radius: 12px;
  box-shadow: 0 2px 10px rgba(0, 0, 0, 0.05);
  margin-bottom: 30px;
  padding: 25px;
}
```

```
.section-title {
  font-size: 20px;
  margin-bottom: 20px;
  color: #333;
  position: relative;
```

```
padding-bottom: 10px;
}
```

```
.section-title::after {
  content: "";
  position: absolute;
  bottom: 0;
  left: 0;
  width: 50px;
  height: 3px;
  background-color: #6F557D;
  border-radius: 3px;
}
```

```
/* Transaction options */
.transaction-options {
  display: grid;
  grid-template-columns: repeat(auto-fit, minmax(200px, 1fr));
  gap: 20px;
}
```

```
.transaction-option {
  display: flex;
  align-items: flex-start;
  background-color: #f8f9fa;
  border-radius: 8px;
  padding: 15px;
  box-shadow: 0 1px 3px rgba(0, 0, 0, 0.05);
}
```

```
.option-icon {
  width: 40px;
  height: 40px;
  background-color: #6F557D;
  color: white;
  border-radius: 50%;
  display: flex;
  align-items: center;
```

```
    justify-content: center;
    margin-right: 15px;
    font-size: 18px;
}
```

```
.option-details h3 {
    font-size: 16px;
    margin-bottom: 5px;
    color: #333;
}
```

```
.option-details p {
    font-size: 14px;
    color: #666;
    margin: 0;
}
```

```
/* Seller profile */
```

```
.seller-profile {
    display: flex;
    align-items: center;
    background-color: #f8f9fa;
    border-radius: 8px;
    padding: 20px;
}
```

```
.seller-avatar {
    width: 80px;
    height: 80px;
    border-radius: 50%;
    overflow: hidden;
    margin-right: 20px;
    background-color: #ddd;
}
```

```
.seller-avatar img {
    width: 100%;
    height: 100%;
}
```

```
        object-fit: cover;
    }

    .seller-info {
        flex: 1;
    }

    .seller-name {
        font-size: 18px;
        margin-bottom: 5px;
        color: #333;
    }

    .seller-department {
        font-size: 14px;
        color: #666;
        margin-bottom: 10px;
    }

    .seller-rating {
        display: flex;
        align-items: center;
        margin-bottom: 15px;
    }

    .rating-stars {
        color: #FFD700;
        margin-right: 10px;
    }

    .rating-value {
        font-weight: 500;
        color: #333;
    }

    .contact-seller-btn {
        background-color: #6F557D;
        color: white;
```

```
border: none;
border-radius: 4px;
padding: 8px 15px;
font-size: 14px;
cursor: pointer;
transition: all 0.3s ease;
}
```

```
.contact-seller-btn:hover {
  background-color: #593C68;
}
```

```
/* Related books */
```

```
.related-grid {
  display: grid;
  grid-template-columns: repeat(auto-fill, minmax(180px, 1fr));
  gap: 20px;
}
```

```
.related-book-card {
  background-color: #f8f9fa;
  border-radius: 8px;
  overflow: hidden;
  box-shadow: 0 1px 3px rgba(0, 0, 0, 0.05);
  transition: transform 0.3s ease;
}
```

```
.related-book-card:hover {
  transform: translateY(-5px);
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);
}
```

```
.related-book-image {
  height: 150px;
  overflow: hidden;
}
```

```
.related-book-image img {
```

```
    width: 100%;
    height: 100%;
    object-fit: cover;
}

.related-book-info {
    padding: 15px;
}

.related-book-info h3 {
    font-size: 14px;
    margin-bottom: 5px;
    color: #333;
    display: -webkit-box;
    -webkit-line-clamp: 2;
    line-clamp: 2;
    -webkit-box-orient: vertical;
    overflow: hidden;
}

.related-book-price {
    font-size: 14px;
    font-weight: 500;
    color: #6F557D;
    margin: 0;
}

/* Fixed CTA button */
.fixed-cta {
    position: fixed;
    bottom: 20px;
    right: 20px;
    background-color: #6F557D;
    color: white;
    border: none;
    border-radius: 50px;
    padding: 8px 18px;
    font-size: 14px;
```



```
    font-weight: 500;
    box-shadow: 0 4px 12px rgba(0, 0, 0, 0.15);
    cursor: pointer;
    transition: all 0.3s ease;
    z-index: 100;
}
```

```
.fixed-cta:hover {
    background-color: #593C68;
    transform: translateY(-3px);
    box-shadow: 0 6px 15px rgba(0, 0, 0, 0.2);
}
```

```
/* Contact Seller Modal */
```

```
.modal {
    display: none;
    position: fixed;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    background-color: rgba(0, 0, 0, 0.5);
    z-index: 1000;
    overflow-y: auto;
    padding: 20px;
    box-sizing: border-box;
}
```

```
.modal-content {
    background-color: white;
    border-radius: 16px;
    max-width: 500px;
    margin: 50px auto;
    box-shadow: 0 10px 40px rgba(0, 0, 0, 0.2);
    overflow: hidden;
    animation: modalFadeIn 0.3s ease;
    border: 1px solid rgba(111, 85, 125, 0.1);
}
```

```
@keyframes modalFadeIn {
  from {
    opacity: 0;
    transform: translateY(-20px);
  }
  to {
    opacity: 1;
    transform: translateY(0);
  }
}
```

```
.modal-header {
  display: flex;
  justify-content: space-between;
  align-items: center;
  padding: 25px 30px;
  border-bottom: 1px solid rgba(111, 85, 125, 0.1);
  background: linear-gradient(135deg, #f8f9fa 0%, #f0f2f5 100%);
}
```

```
.modal-header h3 {
  margin: 0;
  color: #333;
  font-size: 22px;
  font-weight: 600;
  position: relative;
  padding-left: 15px;
}
```

```
.modal-header h3::before {
  content: "";
  position: absolute;
  left: 0;
  top: 50%;
  transform: translateY(-50%);
  width: 5px;
  height: 22px;
```

```
    background: linear-gradient(to bottom, #6F557D, #9B7AA8);
    border-radius: 3px;
}
```

```
.close-modal {
    font-size: 24px;
    color: #666;
    cursor: pointer;
    transition: all 0.2s ease;
}
```

```
.close-modal:hover {
    color: #333;
}
```

```
.modal-body {
    padding: 25px;
}
```

```
.seller-brief {
    display: flex;
    align-items: center;
    margin-bottom: 20px;
    padding-bottom: 20px;
    border-bottom: 1px solid #eee;
}
```

```
.seller-avatar-small {
    width: 50px;
    height: 50px;
    border-radius: 50%;
    overflow: hidden;
    margin-right: 15px;
}
```

```
.seller-avatar-small img {
    width: 100%;
    height: 100%;
}
```

```
        object-fit: cover;
    }

.seller-brief-info h4 {
    margin: 0 0 5px 0;
    font-size: 16px;
    color: #333;
}

.seller-brief-info p {
    margin: 0;
    font-size: 14px;
    color: #666;
}

.message-form .form-group {
    margin-bottom: 20px;
}

.message-form label {
    display: block;
    margin-bottom: 8px;
    font-size: 14px;
    font-weight: 500;
    color: #555;
}

.message-form input,
.message-form textarea {
    width: 100%;
    padding: 12px 15px;
    border: 1px solid #ddd;
    border-radius: 8px;
    font-size: 15px;
    transition: all 0.3s ease;
}

.message-form input:focus,
```

```
.message-form textarea:focus {  
    outline: none;  
    border-color: #6F557D;  
    box-shadow: 0 0 0 3px rgba(111, 85, 125, 0.1);  
}
```

```
.contact-method-title {  
    font-size: 18px;  
    font-weight: 600;  
    color: #333;  
    margin: 25px 0 20px;  
    padding-bottom: 10px;  
    border-bottom: 1px solid rgba(111, 85, 125, 0.1);  
    position: relative;  
    display: flex;  
    align-items: center;  
}
```

```
.contact-method-title::before {  
    content: '\f4ad'; /* Font Awesome message icon */  
    font-family: 'Font Awesome 5 Free';  
    font-weight: 900;  
    margin-right: 10px;  
    color: #6F557D;  
    font-size: 20px;  
}
```

```
.contact-methods {  
    display: flex;  
    flex-direction: column;  
    gap: 15px;  
}
```

```
.contact-method {  
    border: 1px solid rgba(0, 0, 0, 0.05);  
    border-radius: 12px;  
    overflow: hidden;  
    transition: all 0.3s ease;
```

```
    box-shadow: 0 2px 8px rgba(0, 0, 0, 0.03);
    background: linear-gradient(to right, rgba(255, 255, 255, 0.9), rgba(255, 255, 255, 1));
}
```

```
.contact-method:hover {
    box-shadow: 0 5px 15px rgba(0, 0, 0, 0.08);
    transform: translateY(-2px);
}
```

```
.method-header {
    display: flex;
    align-items: center;
    padding: 15px 20px;
    background: linear-gradient(135deg, #f8f9fa 0%, #f0f2f5 100%);
    cursor: pointer;
    border-bottom: 1px solid rgba(0, 0, 0, 0.03);
    transition: all 0.3s ease;
}
```

```
.method-header:hover {
    background: linear-gradient(135deg, #f0f2f5 0%, #e8eae8 100%);
}
```

```
.method-header input[type="radio"] {
    margin-right: 12px;
    cursor: pointer;
    width: 18px;
    height: 18px;
    accent-color: #6F557D;
}
```

```
.method-header label {
    display: flex;
    align-items: center;
    font-weight: 600;
    cursor: pointer;
    margin: 0;
}
```

```
width: 100%;  
color: #444;  
font-size: 16px;  
letter-spacing: 0.3px;  
}
```

```
.method-header i {  
  margin-right: 10px;  
  font-size: 18px;  
  width: 24px;  
  height: 24px;  
  display: flex;  
  align-items: center;  
  justify-content: center;  
  border-radius: 50%;  
  color: white;  
}
```

```
.method-header i.fa-line {  
  background-color: #06C755;  
}
```

```
.method-header i.fa-envelope {  
  background-color: #4285F4;  
}
```

```
.method-header i.fa-phone-alt {  
  background-color: #34A853;  
}
```

```
.method-details {  
  padding: 20px;  
  background-color: white;  
  border-top: 1px solid rgba(0, 0, 0, 0.03);  
  position: relative;  
  overflow: hidden;  
}
```

```
.method-details::before {
  content: "";
  position: absolute;
  top: 0;
  right: 0;
  width: 150px;
  height: 150px;
  background: radial-gradient(circle, rgba(111, 85, 125, 0.03) 0%, rgba(255, 255, 255, 0) 70%);
  border-radius: 50%;
  z-index: 0;
}
```

```
.method-details p {
  margin: 0 0 10px;
  font-size: 15px;
  color: #555;
  position: relative;
  z-index: 1;
  display: flex;
  align-items: center;
}
```

```
.method-details p::before {
  content: '•';
  margin-right: 8px;
  color: #6F557D;
  font-size: 18px;
}
```

```
.method-details strong {
  color: #333;
  font-weight: 600;
  background-color: rgba(111, 85, 125, 0.08);
  padding: 2px 6px;
  border-radius: 4px;
  margin-left: 4px;
}
```



```
.add-line-btn, .send-email-btn, .call-btn {
    display: inline-flex;
    align-items: center;
    justify-content: center;
    padding: 10px 18px;
    margin-top: 15px;
    border-radius: 50px;
    font-size: 15px;
    font-weight: 600;
    cursor: pointer;
    transition: all 0.3s ease;
    text-decoration: none;
    box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);
    width: 100%;
    max-width: 200px;
    position: relative;
    overflow: hidden;
    z-index: 1;
}
```

```
.add-line-btn::before, .send-email-btn::before, .call-btn::before {
    content: "";
    position: absolute;
    top: 0;
    left: -100%;
    width: 100%;
    height: 100%;
    background: rgba(255, 255, 255, 0.2);
    transition: all 0.4s ease;
    z-index: -1;
}
```

```
.add-line-btn:hover::before, .send-email-btn:hover::before, .call-btn:hover::before {
    left: 0;
}
```

```
.add-line-btn {
```

```
    background-color: #06C755;
    color: white;
    border: none;
}

.send-email-btn {
    background-color: #4285F4;
    color: white;
}

.call-btn {
    background-color: #34A853;
    color: white;
}

.add-line-btn:hover, .send-email-btn:hover, .call-btn:hover {
    transform: translateY(-3px);
    box-shadow: 0 6px 15px rgba(0, 0, 0, 0.15);
}

.add-line-btn i, .send-email-btn i, .call-btn i {
    margin-right: 8px;
    font-size: 16px;
}

.modal-footer {
    display: flex;
    justify-content: flex-end;
    gap: 15px;
    padding: 25px 30px;
    border-top: 1px solid rgba(111, 85, 125, 0.1);
    background: linear-gradient(135deg, #f8f9fa 0%, #f0f2f5 100%);
}

.cancel-btn,
.send-btn {
    padding: 12px 25px;
    border-radius: 50px;
```

```
font-size: 16px;
font-weight: 600;
cursor: pointer;
transition: all 0.3s ease;
box-shadow: 0 4px 10px rgba(0, 0, 0, 0.05);
position: relative;
overflow: hidden;
z-index: 1;
}
```

```
.cancel-btn::before,
.send-btn::before {
  content: "";
  position: absolute;
  top: 0;
  left: -100%;
  width: 100%;
  height: 100%;
  transition: all 0.4s ease;
  z-index: -1;
}
```

```
.cancel-btn {
  background-color: #f5f5f5;
  color: #555;
  border: 1px solid #e0e0e0;
}
```

```
.send-btn {
  background: linear-gradient(135deg, #6F557D 0%, #7F6590 100%);
  color: white;
  border: none;
}
```

```
.cancel-btn:hover {
  background-color: #e8e8e8;
  transform: translateY(-2px);
  box-shadow: 0 6px 15px rgba(0, 0, 0, 0.08);
}
```

```
}
```

```
.cancel-btn:hover::before {  
    left: 0;  
    background: rgba(0, 0, 0, 0.05);  
}
```

```
.send-btn:hover {  
    transform: translateY(-2px);  
    box-shadow: 0 6px 15px rgba(111, 85, 125, 0.2);  
}
```

```
.send-btn:hover::before {  
    left: 0;  
    background: rgba(255, 255, 255, 0.1);  
}
```

```
/* Show modal when button is clicked - will be handled with JavaScript */  
.modal.show {  
    display: block;  
}
```

```
/* Success Message Notification */  
.success-message {  
    position: fixed;  
    bottom: 30px;  
    left: 50%;  
    transform: translateX(-50%) translateY(100px);  
    background-color: #34A853;  
    color: white;  
    padding: 15px 25px;  
    border-radius: 50px;  
    box-shadow: 0 5px 20px rgba(0, 0, 0, 0.2);  
    display: flex;  
    align-items: center;  
    z-index: 2000;  
    opacity: 0;  
    transition: all 0.3s ease;
```

```
    max-width: 90%;
    width: auto;
}

.success-message.show {
    transform: translateX(-50%) translateY(0);
    opacity: 1;
}

.success-icon {
    margin-right: 12px;
    font-size: 22px;
    color: white;
}

.success-text {
    font-size: 16px;
    font-weight: 500;
}

/* Responsive design */
@media (max-width: 768px) {
    .book-main-section {
        flex-direction: column;
    }

    .book-image-container {
        flex: none;
        padding-bottom: 0;
    }

    .info-cards {
        grid-template-columns: 1fr;
    }

    .transaction-options {
        grid-template-columns: 1fr;
    }
}
```

```
.related-grid {
    grid-template-columns: repeat(auto-fill, minmax(140px, 1fr));
}

.modal-content {
    margin: 20px auto;
    width: 95%;
}

.back-button a:before {
    content: '←';
    margin-right: 5px;
    font-weight: bold;
}

/* Hero section */
.hero {
    display: flex;
    flex-direction: column;
    margin-bottom: 0;
    padding: 40px;
    background-color: white;
}

.book-details {
    display: flex;
    flex-direction: column;
    justify-content: center;
}

.book-info-cards {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
    gap: 20px;
    margin-bottom: 30px;
    position: relative;
```

```
}
```

```
.info-card {  
    display: flex;  
    align-items: center;  
    background-color: white;  
    border-radius: 16px;  
    padding: 20px;  
    box-shadow: 0 10px 30px rgba(0, 0, 0, 0.05);  
    transition: transform 0.3s, box-shadow 0.3s;  
    position: relative;  
}
```

```
.info-card:not(:last-child)::after {  
    content: " ";  
    position: absolute;  
    right: -10px;  
    top: 50%;  
    transform: translateY(-50%);  
    width: 20px;  
    height: 80%;  
    background-image: linear-gradient(45deg, rgba(200, 215, 225, 0.5) 25%,  
transparent 25%, transparent 50%, rgba(200, 215, 225, 0.5) 50%, rgba(200, 215, 225,  
0.5) 75%, transparent 75%, transparent);  
    background-size: 10px 10px;  
    z-index: 1;  
}
```

```
.info-card:hover {  
    transform: translateY(-5px);  
    box-shadow: 0 15px 35px rgba(0, 0, 0, 0.1);  
}
```

```
.info-icon-circle {  
    width: 60px;  
    height: 60px;  
    border-radius: 50%;  
    background: linear-gradient(135deg, #4E7D96 0%, #2C5D73 100%);
```

```
        display: flex;
        justify-content: center;
        align-items: center;
        margin-right: 20px;
        flex-shrink: 0;
    }

    .info-icon {
        font-size: 24px;
        color: white;
    }

    .info-content {
        flex: 1;
    }

    .info-title {
        font-size: 14px;
        font-weight: 500;
        color: #888;
        margin-bottom: 5px;
    }

    .info-value {
        font-size: 18px;
        font-weight: 600;
        color: #333;
    }

    /* 固定在底部的按钮 */
    .fixed-cta {
        position: fixed;
        bottom: 20px;
        left: 50%;
        transform: translateX(-50%);
        background-color: #2C5D73;
        color: white;
        border: none;
```



```
padding: 15px 35px;
border-radius: 50px;
font-size: 18px;
font-weight: 700;
cursor: pointer;
transition: background-color 0.3s, transform 0.3s;
box-shadow: 0 5px 15px rgba(0, 0, 0, 0.2);
z-index: 1000;
}
```

```
.fixed-cta:hover {
  background-color: #4E7D96;
  transform: translateX(-50%) translateY(-3px);
  box-shadow: 0 8px 20px rgba(0, 0, 0, 0.3);
}
```

```
.section {
  padding: 40px;
  width: 100%;
  clear: both;
  overflow: hidden;
}
```

```
.section:nth-child(odd) {
  background-color: #f4f4f4;
}
```

```
.section:nth-child(even) {
  background-color: white;
}
```

```
.section-title {
  font-size: 24px;
  font-weight: 700;
  margin-bottom: 30px;
  color: #222;
  position: relative;
  padding-left: 15px;
```

```
        clear: both;
    }

.section-title::before {
    content: "";
    position: absolute;
    left: 0;
    top: 8px;
    width: 5px;
    height: 20px;
    background-color: #2C5D73;
    border-radius: 10px;
}

.section-content {
    color: #666;
    font-size: 16px;
    line-height: 1.8;
    clear: both;
}

.section-content p {
    margin-bottom: 20px;
}

/* Book image and details */
.book-image-container {
    float: left;
    margin-right: 5%;
    margin-bottom: 20px;
}

.book-image {
    width: 100%;
    border-radius: 8px;
    box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
}
```

```
.book-details-text {  
    float: left;  
    width: 65%;  
}
```

```
.book-title {  
    font-size: 24px;  
    font-weight: 700;  
    margin-bottom: 10px;  
    color: #222;  
}
```

```
.book-author {  
    font-size: 16px;  
    color: #666;  
    margin-bottom: 20px;  
    font-style: italic;  
}
```

```
/* Book condition */  
.condition-rating {  
    display: flex;  
    align-items: center;  
    margin-bottom: 20px;  
}
```

```
.condition-label {  
    font-weight: 600;  
    margin-right: 15px;  
}
```

```
.stars {  
    color: #FFD700;  
}
```

```
.condition-details {  
    list-style-type: disc;  
    padding-left: 20px;
```

```
}
```

```
.condition-details li {  
    margin-bottom: 10px;  
}
```

```
/* Transaction options */  
.transaction-options {  
    display: grid;  
    grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));  
    gap: 20px;  
}
```

```
.transaction-option {  
    display: flex;  
    align-items: flex-start;  
    padding: 20px;  
    background-color: white;  
    border-radius: 12px;  
    box-shadow: 0 5px 15px rgba(0, 0, 0, 0.05);  
}
```

```
.option-icon {  
    font-size: 24px;  
    margin-right: 15px;  
}
```

```
.option-details h4 {  
    font-size: 18px;  
    font-weight: 600;  
    margin-bottom: 5px;  
}
```

```
.option-details p {  
    font-size: 14px;  
    color: #666;  
}
```

```
/* Seller profile */
.seller-profile {
    display: flex;
    margin-bottom: 30px;
}

.seller-avatar {
    width: 80px;
    height: 80px;
    border-radius: 50%;
    background-color: #eee;
    margin-right: 20px;
}

.seller-info {
    flex: 1;
}

.seller-name {
    font-size: 20px;
    font-weight: 600;
    margin-bottom: 5px;
}

.seller-department {
    font-size: 14px;
    color: #666;
    margin-bottom: 10px;
}

.seller-rating {
    display: flex;
    align-items: center;
    margin-bottom: 10px;
}

.rating-label {
    margin-right: 10px;
}
```

```
}
```

```
.rating-count {  
    margin-left: 5px;  
    color: #666;  
}
```

```
.seller-description {  
    font-size: 14px;  
    color: #666;  
}
```

```
.contact-seller {  
    text-align: center;  
}
```

```
.contact-btn {  
    background-color: #2C5D73;  
    color: white;  
    border: none;  
    padding: 12px 25px;  
    border-radius: 50px;  
    font-size: 16px;  
    font-weight: 600;  
    cursor: pointer;  
    transition: background-color 0.3s, transform 0.3s;  
}
```

```
.contact-btn:hover {  
    background-color: #4E7D96;  
    transform: translateY(-3px);  
}
```

```
/* Comments section */  
.comments-section {  
    background: white;  
    border-radius: 10px;  
    padding: 2rem;
```

```
    box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);
    clear: both;
    margin-top: 30px;
    overflow: hidden;
}
```

```
.comment-count {
    font-size: 16px;
    font-weight: normal;
    color: #666;
}
```

```
.comment-card {
    background: #fff;
    border-radius: 8px;
    padding: 1.5rem;
    margin-bottom: 1.5rem;
    box-shadow: 0 2px 5px rgba(0, 0, 0, 0.05);
}
```

```
.comment-header {
    display: flex;
    align-items: center;
    margin-bottom: 1rem;
}
```

```
.user-avatar {
    width: 50px;
    height: 50px;
    border-radius: 50%;
    overflow: hidden;
    margin-right: 1rem;
    background-color: #f0f0f0;
}
```

```
.user-avatar img {
    width: 100%;
    height: 100%;
}
```

```
    object-fit: cover;
}
```

```
.user-avatar.small {
    width: 35px;
    height: 35px;
}
```

```
.user-info {
    flex: 1;
}
```

```
.user-name {
    font-weight: 600;
    margin-bottom: 0.25rem;
    display: block;
}
```

```
.comment-meta {
    display: flex;
    align-items: center;
    font-size: 0.85rem;
    color: #777;
}
```

```
.comment-date {
    margin-left: 1rem;
}
```

```
.like-btn {
    background: none;
    border: none;
    display: flex;
    align-items: center;
    color: #777;
    cursor: pointer;
    transition: all 0.2s;
    padding: 0.5rem;
```



```
}
```

```
.like-btn:hover {  
    color: #4e73df;  
}
```

```
.like-btn.liked {  
    color: #4e73df;  
}
```

```
.like-icon {  
    margin-right: 0.5rem;  
}
```

```
.like-btn.small {  
    font-size: 0.85rem;  
}
```

```
.comment-content {  
    margin-bottom: 1rem;  
    line-height: 1.6;  
}
```

```
.comment-actions {  
    display: flex;  
    justify-content: flex-end;  
}
```

```
.reply-btn {  
    background: none;  
    border: none;  
    color: #4e73df;  
    cursor: pointer;  
    font-size: 0.9rem;  
}
```

```
.reply-form {  
    margin-top: 1rem;
```

```
padding: 1rem;
background: #f9f9f9;
border-radius: 8px;
}
```

```
.form-group {
  margin-bottom: 1rem;
}
```

```
.form-control {
  width: 100%;
  padding: 0.75rem;
  border: 1px solid #ddd;
  border-radius: 4px;
  resize: vertical;
}
```

```
.form-actions {
  display: flex;
  justify-content: flex-end;
}
```

```
.cancel-reply-btn {
  background: none;
  border: none;
  color: #777;
  margin-right: 1rem;
  cursor: pointer;
}
```

```
.submit-reply-btn {
  background: #4e73df;
  color: white;
  border: none;
  padding: 0.5rem 1rem;
  border-radius: 4px;
  cursor: pointer;
}
```

```
.replies-container {  
    margin-top: 1rem;  
    padding-left: 2rem;  
    border-left: 2px solid #f0f0f0;  
}
```

```
.reply {  
    display: flex;  
    margin-bottom: 1rem;  
}
```

```
.reply-content {  
    flex: 1;  
    background: #f9f9f9;  
    padding: 1rem;  
    border-radius: 8px;  
    margin-left: 0.5rem;  
}
```

```
.reply-header {  
    display: flex;  
    justify-content: space-between;  
    margin-bottom: 0.5rem;  
    font-size: 0.85rem;  
}
```

```
.reply-date {  
    color: #777;  
}
```

```
.reply-to-reply {  
    background: none;  
    border: none;  
    color: #4e73df;  
    font-size: 0.8rem;  
    padding: 0;  
    margin-top: 0.5rem;
```

```
        cursor: pointer;
    }

    /* Related books */
    .related-grid {
        display: grid;
        grid-template-columns: repeat(3, 1fr);
        gap: 30px;
        clear: both;
    }

    .related-card {
        background-color: white;
        border-radius: 12px;
        overflow: hidden;
        transition: transform 0.3s;
        text-decoration: none;
        box-shadow: 0 5px 15px rgba(0, 0, 0, 0.05);
        display: flex;
        flex-direction: column;
    }

    .related-card:hover {
        transform: translateY(-5px);
        box-shadow: 0 10px 25px rgba(0, 0, 0, 0.1);
    }

    .related-image {
        height: 180px;
        background-color: #f4f4f4;
        position: relative;
        overflow: hidden;
    }

    .book-cover {
        width: 100%;
        height: 100%;
        background-color: #2C5D73;
```

```
        opacity: 0.8;
    }

.related-content {
    padding: 20px;
}

.related-card-title {
    font-size: 18px;
    font-weight: 600;
    margin-bottom: 10px;
    color: #222;
}

.related-info {
    display: flex;
    justify-content: space-between;
    color: #666;
    font-size: 14px;
}

/* Responsive styles */
@media (max-width: 768px) {
    .book-image-container,
    .book-details-text {
        float: none;
        width: 100%;
        margin-right: 0;
    }

    .book-image-container {
        margin-bottom: 30px;
        text-align: center;
    }

    .book-image {
        max-width: 250px;
    }
}
```

```

.related-grid {
    grid-template-columns: 1fr;
}

.info-card:not(:last-child)::after {
    display: none;
}

.transaction-options {
    grid-template-columns: 1fr;
}
}

```

```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\css\book.css
@import
url('https://fonts.googleapis.com/css2?family=Noto+Sans+TC:wght@100;300;400;500;700;900&display=swap');

```

```

:root {
    /* Main colors */
    --primary-color: #9e8c9d;
    --primary-light: #bfaebe;
    --primary-dark: #7d6c7c;
    --accent-color: #aa9da9;
    --success-color: #7d6c7c;
    --text-color: #333;
    --bg-color: #F8F6F4;
    --light-gray: #f8f6f4;
    --medium-gray: #e5e2df;
    --dark-gray: #888;

    /* Shadows and borders */
    --shadow-sm: 0 2px 5px rgba(0, 0, 0, 0.05);
    --shadow-md: 0 4px 8px rgba(0, 0, 0, 0.07);
    --shadow-lg: 0 8px 16px rgba(0, 0, 0, 0.07);
}

```

```
--radius-sm: 5px;  
--radius-md: 8px;  
}
```

```
* {  
  margin: 0;  
  padding: 0;  
  box-sizing: border-box;  
  font-family: 'Noto Sans TC', sans-serif;  
}
```

```
body {  
  font-family: 'Microsoft JhengHei', 'Segoe UI', Arial, sans-serif;  
  background-color: #f8f6f4;  
  color: var(--text-color);  
  margin: 0;  
  padding: 0;  
  line-height: 1.6;  
  margin-top: 80px;  
  position: relative;  
}
```

```
.page-container {  
  max-width: 1200px;  
  margin: 0 auto;  
  padding: 30px 20px;  
  position: relative;  
  z-index: 1;  
}
```

```
/* Background elements */
```

```
.bg-text {  
  position: fixed;  
  top: 0;  
  left: 0;  
  width: 100%;  
  height: 100vh;  
  font-size: 18vw;
```

```
font-weight: 900;
line-height: 0.8;
color: #f0f0f0;
white-space: nowrap;
letter-spacing: -0.05em;
user-select: none;
z-index: -1;
transition: transform 0.1s ease-out;
}
```

```
/* Header and Title Section */
```

```
.page-header {
  text-align: center;
  position: relative;
  margin-top: 20px;
}
```

```
.page-title {
  font-size: 50px;
  font-weight: 700;
  color: #635c63;
  text-align: center;
  margin-bottom: 10px;
  letter-spacing: 0.05em;
}
```

```
.page-subtitle {
  font-size: 18px;
  font-weight: 300;
  text-align: center;
  margin-bottom: 0;
}
```

```
/* Filter Section */
```

```
.filter-section {
  display: flex;
  flex-wrap: wrap;
  justify-content: center;
```



```
    gap: 15px;
    margin: 20px 0px 40px 0px;
}
```

```
.search-container {
    display: flex;
    position: relative;
}
```

```
.search-input {
    padding: 12px 25px;
    border-radius: 50px;
    background-color: white;
    border: 1px solid #e0e0e0;
    width: 250px;
    font-size: 15px;
    outline: none;
    transition: all 0.3s;
}
```

```
.search-input:focus {
    border-color: #e0d3e0;
    transform: translateY(-2px);
    box-shadow: 0 4px 10px rgba(0, 0, 0, 0.05);
}
```

```
.search-btn {
    position: absolute;
    right: 15px;
    top: 50%;
    transform: translateY(-50%);
    background: none;
    border: none;
    color: #666;
    cursor: pointer;
    font-size: 1rem;
    transition: color 0.2s ease;
}
```

```
.search-btn:hover {  
  color: var(--primary-color);  
}
```

```
.filter-item {  
  padding: 12px 25px;  
  border-radius: 50px;  
  background-color: white;  
  border: 1px solid #e0e0e0;  
  font-size: 15px;  
  cursor: pointer;  
  transition: all 0.3s;  
  -webkit-appearance: none;  
  -moz-appearance: none;  
  appearance: none;  
  background-image: url("data:image/svg+xml;charset=UTF-8,%3csvg  
xmlns='http://www.w3.org/2000/svg' viewBox='0 0 24 24' fill='none'  
stroke='currentColor' stroke-width='2' stroke-linecap='round' stroke-  
linejoin='round'%3e%3cpolyline points='6 9 12 15 18  
9'%3e%3c/polyline%3e%3c/svg%3e");  
  background-repeat: no-repeat;  
  background-position: right 15px center;  
  background-size: 1em;  
  padding-right: 35px;  
}
```

```
.filter-item:hover {  
  border-color: #e0d3e0;  
  transform: translateY(-2px);  
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.05);  
}
```

```
.search-box {  
  padding: 12px 25px;  
  border-radius: 50px;  
  background-color: white;  
  border: 1px solid #e0e0e0;
```

```
width: 250px;
font-size: 15px;
outline: none;
transition: all 0.3s;
}
```

```
.search-box:focus {
  border-color: #e0d3e0;
  transform: translateY(-2px);
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.05);
}
```

```
/* 頁首設計 */
```

```
/* header styling removed to prevent conflicts */
```

```
/* .header-container styling removed to prevent conflicts */
```

```
/* Upload button styles removed */
```

```
.upload-book-btn {
  background-color: var(--primary-color);
  color: white;
  padding: 12px 20px;
  border-radius: 50px;
  border: none;
  font-weight: 600;
  font-size: 15px;
  transition: all 0.3s ease;
  display: inline-flex;
  align-items: center;
  gap: 8px;
  cursor: pointer;
  box-shadow: 0 4px 12px rgba(68, 55, 48, 0.2);
  justify-content: center;
}
```

```
.upload-book-btn:hover {
  background-color: #554539;
```

```
transform: translateY(-2px);
box-shadow: 0 6px 15px rgba(68, 55, 48, 0.3);
}
```

```
.logo-section {
  display: flex;
  align-items: center;
  position: absolute;
  left: 20px;
  top: 20px;
}
```

```
.back-btn {
  display: flex;
  align-items: center;
  gap: 8px;
  color: var(--primary-color);
  text-decoration: none;
  font-weight: 500;
  transition: all 0.3s ease;
}
```

```
.back-btn:hover {
  transform: translateX(-3px);
  opacity: 0.8;
}
```

```
.circular-logo {
  width: 100px;
  height: 100px;
  position: relative;
  display: flex;
  justify-content: center;
  align-items: center;
}
```

```
.circular-text {
  position: absolute;
```

```
width: 100%;  
height: 100%;  
animation: rotate 20s linear infinite;  
transform-origin: center center;  
display: flex;  
justify-content: center;  
align-items: center;  
}
```

```
.circular-text svg text {  
  fill: #6F557D;  
  font-size: 8px;  
  font-weight: 600;  
  letter-spacing: 0.5px;  
}
```

/* 右下角浮動按鈕樣式 */

```
.floating-action-button {  
  position: fixed;  
  bottom: 30px;  
  right: 30px;  
  z-index: 100;  
}
```

/* 上傳按鈕 */

```
.upload-btn {  
  position: fixed;  
  bottom: 30px;  
  right: 30px;  
  width: 60px;  
  height: 60px;  
  background-color: var(--primary-color);  
  color: white;  
  border: none;  
  border-radius: 50%;  
  font-size: 30px;  
  display: flex;  
  align-items: center;
```

```
justify-content: center;
cursor: pointer;
box-shadow: 0 4px 10px rgba(0, 0, 0, 0.2);
transition: all 0.3s ease;
z-index: 100;
}
```

```
.upload-btn:hover {
  transform: translateY(-5px);
  box-shadow: 0 6px 15px rgba(0, 0, 0, 0.3);
  background-color: #2a5c64;
}
```

/* 中心上傳按鈕樣式 */

```
.upload-btn-center {
  position: absolute;
  width: 60px;
  height: 60px;
  background-color: #6F557D;
  color: white;
  border-radius: 50%;
  display: flex;
  justify-content: center;
  align-items: center;
  font-size: 30px;
  font-weight: 600;
  cursor: pointer;
  box-shadow: 0 4px 10px rgba(111, 85, 125, 0.25);
  transition: all 0.3s ease;
  z-index: 100;
  top: 50%;
  left: 50%;
  transform: translate(-50%, -50%);
}
```

```
.upload-btn-center:hover {
  background-color: #9e8c9d;
  transform: translate(-50%, -50%) scale(1.1);
}
```

```
    box-shadow: 0 6px 15px rgba(111, 85, 125, 0.35);  
}
```

```
/* 裝飾線 */
```

```
.deco-line {  
    width: 100%;  
    height: 3px;  
    background-color: #9e8c9d;  
    margin: 40px 0;  
    opacity: 0.2;  
}
```

```
@keyframes rotate {  
    0% {  
        transform: rotate(0deg);  
    }  
    100% {  
        transform: rotate(360deg);  
    }  
}
```

```
.logo-icon {  
    position: absolute;  
    top: 50%;  
    left: 50%;  
    transform: translate(-50%, -50%);  
    font-size: 20px;  
}
```

```
.title-container {  
    display: flex;  
    justify-content: center;  
    width: 100%;  
    margin: 0 auto;  
}
```

```
.site-title {  
    font-family: Arial, Helvetica, sans-serif;
```

```
    font-size: 50px;
    font-weight: 700;
    text-align: center;
    margin: 0 auto;
    color: var(--text-color);
    letter-spacing: 2px;
}
```

```
/* 篩選區域 */
```

```
.filter-card {
    margin: 30px 0;
    border-radius: 15px;
    padding: 25px;
}
```

```
.filter-options {
    display: flex;
    flex-wrap: wrap;
    justify-content: center;
    gap: 20px;
}
```

```
.filter-group {
    display: flex;
    flex-direction: column;
    align-items: flex-start;
}
```

```
.filter-label {
    font-size: 14px;
    font-weight: 500;
    margin-bottom: 8px;
    color: #666;
}
```

```
.filter-select, .filter-input {
    padding: 12px 25px;
    border-radius: 50px;
```



```
background-color: white;
border: 1px solid #e0e0e0;
font-size: 15px;
cursor: pointer;
transition: all 0.3s;
min-width: 150px;
outline: none;
}

.filter-select:hover, .filter-input:hover {
border-color: var(--primary-color);
transform: translateY(-2px);
box-shadow: 0 4px 10px rgba(0, 0, 0, 0.05);
}

.filter-input {
width: 250px;
}

/* 書籍容器 */
.books-container {
margin-top: 30px;
position: relative;
z-index: 2;
}

.books-grid {
display: grid;
grid-template-columns: repeat(auto-fill, minmax(300px, 1fr));
gap: 25px;
margin-bottom: 50px;
}

/* 書籍卡片樣式 */
.book-card {
background-color: white;
border-radius: 15px;
overflow: hidden;
```

```
    box-shadow: 0 5px 20px rgba(0, 0, 0, 0.05);
    transition: all 0.3s ease;
    text-decoration: none;
    color: var(--text-color);
    display: block;
    position: relative;
    width: 360px;
}
```

```
.book-card:hover {
    transform: translateY(-5px);
    box-shadow: 0 15px 30px rgba(0, 0, 0, 0.1);
}
```

```
.book-header {
    background-color: #6F557D;
    color: white;
    padding: 15px;
    font-size: 1.1rem;
    height: 60px;
    display: flex;
    align-items: center;
    overflow: hidden;
    font-weight: 500;
    line-height: 1.3;
    text-overflow: ellipsis;
    white-space: nowrap;
}
```

```
.book-image {
    position: relative;
    height: 400px;
    overflow: hidden;
}
```

```
.book-cover {
    width: 100%;
    height: 100%;
}
```

```
    object-fit: cover;
    transition: transform 0.5s ease;
}
```

```
.book-card:hover .book-cover {
    transform: scale(1.05);
}
```

```
.book-tag {
    position: absolute;
    top: 15px;
    right: 15px;
    padding: 5px 12px;
    border-radius: 50px;
    font-size: 0.8rem;
    font-weight: 500;
    color: white;
    z-index: 2;
}
```

```
.book-tag.textbook {
    background-color: #2f0855;
    font-size: 16px;
    padding: 6px 12px;
}
```

```
.book-tag.reference, .book-tag.literature {
    background-color: #2f0855;
    font-size: 16px;
    padding: 6px 12px;
}
```

```
.book-info {
    padding: 15px;
}
```

```
.book-meta {
    display: flex;
```

```
margin-bottom: 10px;
font-size: 0.9rem;
color: #666;
}
```

```
.book-department, .book-grade, .book-condition {
  display: inline-block;
  background-color: #f5f5f5;
  padding: 3px 10px;
  border-radius: 50px;
  font-size: 0.8rem;
  margin-right: 5px;
}
```

```
.book-price {
  font-size: 1.2rem;
  font-weight: 700;
  color: var(--primary-dark);
  margin-bottom: 5px;
}
```

```
/* book-condition styling combined with book-department and book-grade above */
```

```
.book-description {
  font-size: 0.9rem;
  color: #666;
  line-height: 1.5;
  margin: 0 20px 20px;
  color: #555;
  height: 80px;
  overflow: hidden;
  display: -webkit-box;
  -webkit-line-clamp: 3;
  line-clamp: 3;
  -webkit-box-orient: vertical;
}
```

```
.tag-container {
```

```
display: flex;
flex-wrap: wrap;
gap: 8px;
margin: 0 20px 20px;
}
```

```
.tag {
  display: inline-block;
  padding: 6px 12px;
  background-color: var(--accent-color);
  border-radius: 50px;
  font-size: 12px;
  color: #666;
  transition: all 0.3s ease;
}
```

```
/* 上傳按鈕和功能 */
```

```
.upload-form.show-popup {
  display: flex;
}
```

```
#imageUpload {
  display: none;
}
```

```
.upload-form {
  display: none;
  position: fixed;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  background-color: rgba(0, 0, 0, 0.7);
  z-index: 2000;
  justify-content: center;
  align-items: center;
```

```
    overflow: hidden;
}
```

```
.upload-container {
    background-color: white;
    border-radius: 15px;
    width: 90%;
    max-width: 800px;
    max-height: 90vh;
    z-index: 9999;
    position: relative;
    box-shadow: 0 4px 20px rgba(0, 0, 0, 0.2);
    display: flex;
    flex-direction: column;
    overflow: hidden;
}
```

```
.upload-header, .form-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    padding: 20px 30px;
    border-bottom: 1px solid #eee;
    background-color: white;
    position: sticky;
    top: 0;
    z-index: 10;
}
```

```
.upload-title {
    font-size: 24px;
    font-weight: 600;
}
```

```
.close-btn {
    background: none;
    border: none;
    font-size: 24px;
```

```
    cursor: pointer;
    color: #999;
    transition: color 0.3s;
}
```

```
.close-btn:hover {
    color: var(--primary-color);
}
```

```
/* Image upload styles */
.image-upload-section {
    margin-top: 25px;
    margin-bottom: 25px;
}
```

```
.image-upload-area {
    position: relative;
    width: 100%;
    max-width: 300px;
    margin: 0 auto 20px;
}
```

```
.image-upload-area input[type="file"] {
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    opacity: 0;
    cursor: pointer;
    z-index: 10;
}
```

```
.preview-container {
    width: 100%;
    height: 200px;
    border: 2px dashed var(--primary-color);
    border-radius: 10px;
```

```
overflow: hidden;
display: flex;
justify-content: center;
align-items: center;
background-color: #f9f7f5;
transition: all 0.3s ease;
}

.preview-container:hover {
  border-color: #554539;
  background-color: #f5f2f0;
}

.preview-container.highlight {
  border-color: var(--primary-color);
  background-color: #f0ebe8;
  border-style: solid;
  box-shadow: 0 0 10px rgba(68, 55, 48, 0.2);
}

.preview-placeholder {
  display: flex;
  flex-direction: column;
  align-items: center;
  color: #999;
  padding: 20px;
  text-align: center;
}

.preview-placeholder i {
  font-size: 40px;
  margin-bottom: 10px;
  color: var(--primary-color);
}

.preview-image {
  width: 100%;
  height: 100%;
```



```
    object-fit: contain;
}
```

```
.scrollable-content {
    overflow-y: auto;
    max-height: calc(90vh - 70px);
    padding: 0 30px 30px;
}
```

```
.upload-form-fields {
    display: flex;
    flex-direction: column;
    gap: 20px;
    padding-top: 20px;
}
```

```
.form-row {
    display: flex;
    gap: 15px;
    width: 100%;
}
```

```
.form-group-half {
    flex: 1;
    min-width: 0; /* Prevents flex items from overflowing */
}
```

```
.form-group {
    display: flex;
    flex-direction: column;
}
```

```
.form-group label {
    margin-bottom: 10px;
    font-weight: 500;
    font-size: 15px;
}
```

```
.form-group input,  
.form-group textarea,  
.form-group select {  
  padding: 12px 15px;  
  border: 1px solid #ddd;  
  border-radius: 10px;  
  font-size: 15px;  
  transition: all 0.3s;  
}
```

```
.form-group input:focus,  
.form-group textarea:focus,  
.form-group select:focus {  
  outline: none;  
  border-color: var(--primary-color);  
  box-shadow: 0 0 0 2px rgba(68, 55, 48, 0.1);  
}
```

```
.form-group textarea {  
  resize: vertical;  
  min-height: 100px;  
}
```

```
/* Checkbox styles */  
.checkbox-group {  
  display: flex;  
  gap: 20px;  
  margin-top: 5px;  
}
```

```
.checkbox-item {  
  display: flex;  
  align-items: center;  
  gap: 8px;  
}
```

```
.checkbox-item input[type="checkbox"] {  
  width: 18px;
```

```
height: 18px;  
accent-color: var(--primary-color);  
}
```

```
.checkbox-item label {  
  font-weight: 500;  
  cursor: pointer;  
  margin-bottom: 0;  
}
```

```
/* Button Group */  
.button-group {  
  display: flex;  
  justify-content: flex-end;  
  margin-top: 20px;  
  padding: 0 10px;  
  width: 100%;  
  gap: 10px;  
}
```

```
/* Submit Button */  
.submit-btn {  
  padding: 12px 30px;  
  background-color: var(--primary-color);  
  color: white;  
  border: none;  
  border-radius: 10px;  
  font-size: 16px;  
  font-weight: 500;  
  cursor: pointer;  
  transition: all 0.3s ease;  
  box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);  
  width: 120px;  
}
```

```
.submit-btn:hover {  
  background-color: var(--primary-dark);  
  transform: translateY(-3px);  
}
```

```
    box-shadow: 0 6px 15px rgba(0, 0, 0, 0.15);  
}
```

```
/* Cancel Button */  
.cancel-btn {  
    padding: 12px 30px;  
    background-color: #f5f5f5;  
    color: #666;  
    border: 1px solid #e0e0e0;  
    border-radius: 10px;  
    font-size: 16px;  
    font-weight: 500;  
    cursor: pointer;  
    transition: all 0.3s ease;  
    width: 120px;  
}
```

```
.cancel-btn:hover {  
    background-color: #e0e0e0;  
    transform: translateY(-3px);  
    box-shadow: 0 4px 10px rgba(0, 0, 0, 0.1);  
}
```

```
/* 裝飾元素 */  
.deco-line {  
    width: 100%;  
    height: 3px;  
    background-color: #9e8c9d;  
    margin: 40px 0;  
    opacity: 0.2;  
}
```

```
/* 浮動動畫 */  
@keyframes float {  
    0% {  
        transform: translateY(0);
```

```
}
50% {
    transform: translateY(-15px);
}
100% {
    transform: translateY(0);
}
}
```

```
/* 響應式設計 */
```

```
@media (max-width: 900px) {
    .books-grid {
        grid-template-columns: repeat(2, 1fr);
    }
}
```

```
.site-title {
    font-size: 42px;
}
```

```
.filter-options {
    flex-direction: column;
    align-items: center;
}
```

```
.filter-group {
    width: 100%;
    max-width: 300px;
}
```

```
.filter-select, .filter-input {
    width: 100%;
}
}
```

```
@media (max-width: 600px) {
    .books-grid {
        grid-template-columns: 1fr;
    }
}
```

```
.circular-logo {  
  width: 80px;  
  height: 80px;  
}  
  
.site-title {  
  font-size: 32px;  
}  
  
.header-container {  
  flex-direction: column;  
  gap: 20px;  
}  
  
.upload-btn {  
  width: 50px;  
  height: 50px;  
  font-size: 20px;  
  bottom: 20px;  
  right: 20px;  
}  
}
```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\css\chat.css

```
* {  
  margin: 0;  
  padding: 0;  
  box-sizing: border-box;  
  font-family: 'Microsoft JhengHei', Arial, sans-serif;  
}
```

```
body {  
  display: flex;  
  height: 100vh;  
  background-color: #f5f5f5;  
  position: relative;
```

```
        margin-top: 80px;
        transition: padding-left 0.3s ease;
        overflow: hidden;
    }

    .bg-png {
        position: fixed;
        top: 0;
        left: 0;
        right: 0;
        bottom: 0;
        width: 100%;
        height: 100%;
        object-fit: cover;
        z-index: -2; /* 放在最底層 */
    }

    .bg-overlay {
        position: fixed;
        top: 0;
        left: 0;
        width: 100vw;
        height: 100vh;
        background-color: #f8f6f4f0; /* 半透明的背景色 */
        z-index: -1; /* 蓋住影片但在內容下方 */
    }

    /* 為 chat-container 添加背景設置 */
    .chat-container {
        position: relative;
        overflow: hidden; /* 確保動畫元素不會超出容器 */
    }

    .blobs {
        position: fixed;
        top: 50%;
        left: 48%;
        width: 100vw;
```

```

    height: 100vh;
    z-index: -1;
    pointer-events: none;
    filter: blur(150px);
}

.blob {
    width: max(280px, 28vw);
    aspect-ratio: 1;
    border-radius: 50%;
    position: absolute;
    opacity: 0.7;
}

:root {
    --cr-main-1: #f3d4d4;
    --cr-main-2: #abbef9;
}

.blob:nth-child(1) { background: var(--cr-main-1); }
.blob:nth-child(2) { background: var(--cr-main-2); }
.blob:nth-child(3) { background: #d4c7e8; } /* 手動混合的顏色 */
.blob:nth-child(4) { background: #d4f3e8; }
.blob:nth-child(5) { background: #ffd4e8; }
.blob:nth-child(6) { background: #e8d4ff; }
.blob:nth-child(7) { background: #fff4d4; }

/* 包裝所有內容的容器 */
.chat-wrapper {
    width: 100%;
    height: 100%;
    padding: 0 80px;
    position: relative;
    display: flex;
    overflow: hidden;
}

```



```
/* 側邊欄 */
```

```
.sidebar {  
    width: 0;  
    background-color: #6F557D;  
    color: white;  
    display: flex;  
    flex-direction: column;  
    height: calc(100vh - 146px);  
    z-index: 100;  
    position: fixed;  
    left: 80px;  
    top: 146px;  
    transition: width 0.4s cubic-bezier(0.25, 1, 0.5, 1), box-shadow 0.4s ease;  
    overflow: hidden;  
    box-shadow: none;  
}
```

```
body:not(.sidebar-collapsed) .sidebar {  
    width: 280px;  
    box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);  
    overflow-y: auto;  
}
```

```
body.sidebar-collapsed .sidebar .chat-history,  
body.sidebar-collapsed .sidebar .sidebar-record,  
body.sidebar-collapsed .sidebar .new-chat-btn {  
    opacity: 0;  
    transition: opacity 0.5s;  
    visibility: hidden;  
    width: 0;  
    overflow: hidden;  
}
```

```
body:not(.sidebar-collapsed) .sidebar .chat-history,  
body:not(.sidebar-collapsed) .sidebar .sidebar-record,  
body:not(.sidebar-collapsed) .sidebar .new-chat-btn {  
    opacity: 1;  
    transition: opacity 0.5s 0.2s;
```

```
width: auto;
visibility: visible;
}
```

```
/* 統一標題列 */
```

```
.unified-header {
  height: 66px;
  display: flex;
  background-color: white;
  border-bottom: 1px solid #ddd;
  position: fixed;
  top: 80px;
  left: 80px;
  right: 80px;
  width: calc(100% - 160px);
  z-index: 101;
  border-radius: 10px 10px 0 0;
  overflow: hidden;
}
```

```
.sidebar-record {
  padding-top: 20px;
  display: flex;
  justify-content: center;
  align-items: center;
}
```

```
.new-chat-btn {
  background-color: #FFFFFF;
  color: #6F557D;
  border: none;
  border-radius: 5px;
  padding: 10px 15px;
  margin: 15px 20px;
  cursor: pointer;
  display: flex;
  align-items: center;
  justify-content: center;
```

```
    gap: 8px;
    font-weight: bold;
    transition: all 0.3s ease;
    z-index: 102;
    position: relative;
    overflow: hidden;
}
```

```
.new-chat-btn:hover {
    background-color: #f5e39e;
    color: #352c3a;
    transform: translateY(-2px);
    box-shadow: 0 4px 8px rgba(0,0,0,0.2);
}
```

```
.new-chat-btn:before {
    content: "";
    position: absolute;
    top: 0;
    left: -100%;
    width: 100%;
    height: 100%;
    background: linear-gradient(90deg, transparent, rgba(255,255,255,0.2),
transparent);
    transition: all 0.5s ease;
}
```

```
.new-chat-btn:hover:before {
    left: 100%;
}
```

```
.chat-history {
    flex: 1;
    overflow-y: auto;
    padding: 10px;
}
```

```
/* 聊天項目與操作按鈕 */
```

```
.chat-item {
    padding: 12px 15px;
    margin-bottom: 10px;
    border-radius: 10px;
    cursor: pointer;
    display: flex;
    justify-content: space-between;
    align-items: center;
    background-color: #8A7695;
    transition: all 0.3s ease;
    border: none;
    box-shadow: 0 2px 5px rgba(0, 0, 0, 0.2);
    position: relative;
}
```

```
.chat-item:hover {
    background-color: #3a536b;
    transform: translateY(-2px);
    box-shadow: 0 5px 15px rgba(0, 0, 0, 0.3);
}
```

```
.chat-item.active {
    background-color: #422552;
    border-left: 4px solid #f8de77;
}
```

```
.chat-title {
    white-space: nowrap;
    overflow: hidden;
    text-overflow: ellipsis;
    flex: 1;
    margin-right: 10px;
}
```

/* 聊天操作按钮 */

```
.chat-actions {
    display: flex;
    gap: 8px;
```

```
    opacity: 0;
    transition: opacity 0.3s ease;
}
```

```
.chat-item:hover .chat-actions {
    opacity: 1;
}
```

```
.action-btn {
    width: 32px;
    height: 32px;
    border: none;
    border-radius: 8px;
    cursor: pointer;
    display: flex;
    align-items: center;
    justify-content: center;
    transition: all 0.2s ease;
    background-color: rgba(255, 255, 255, 0.1);
    color: white;
    box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);
    position: relative;
    overflow: hidden;
}
```

```
.action-btn:before {
    content: "";
    position: absolute;
    top: 0;
    left: -100%;
    width: 100%;
    height: 100%;
    background: linear-gradient(90deg, transparent, rgba(255, 255, 255, 0.2),
transparent);
    transition: all 0.3s ease;
}
```

```
.action-btn:hover:before {
```

```
        left: 100%;
    }

.download-btn {
    background-color: #27ae60;
}

.delete-btn {
    background-color: #e74c3c;
}

.action-btn:hover {
    transform: translateY(-3px);
    box-shadow: 0 4px 8px rgba(0, 0, 0, 0.2);
}

.download-btn:hover {
    background-color: #2ecc71;
}

.delete-btn:hover {
    background-color: #ff6b6b;
}

.action-btn .tooltip {
    position: absolute;
    bottom: -30px;
    left: 50%;
    transform: translateX(-50%);
    background-color: #2c3e50;
    color: white;
    padding: 4px 8px;
    border-radius: 4px;
    font-size: 12px;
    opacity: 0;
    visibility: hidden;
    transition: all 0.3s ease;
    white-space: nowrap;
}
```

```
    box-shadow: 0 2px 5px rgba(0, 0, 0, 0.2);
    pointer-events: none;
    z-index: 100;
}
```

```
.action-btn:hover .tooltip {
    opacity: 1;
    visibility: visible;
    bottom: -35px;
}
```

```
/* 漢堡菜單按鈕 */
```

```
.menu-btn-container {
    background-color: #2c3e50;
    width: 36px;
    height: 36px;
    border-radius: 5px;
    display: flex;
    align-items: center;
    justify-content: center;
    position: relative;
    margin-left: 20px;
    margin-right: 20px;
    z-index: 102;
    cursor: pointer;
    align-self: center;
}
```

```
.hamburger {
    width: 24px;
    height: 24px;
    position: relative;
    transform: rotate(0deg);
    transition: .5s ease-in-out;
    cursor: pointer;
    margin: 0;
    padding: 0;
    background: none;
```

```
border: none;
}

.hamburger span {
  display: block;
  position: absolute;
  height: 3px;
  width: 100%;
  background: white;
  border-radius: 3px;
  opacity: 1;
  left: 0;
  transform: rotate(0deg);
  transition: .25s ease-in-out;
}

.hamburger span:nth-child(1) {
  top: 4px;
}
.hamburger span:nth-child(2) {
  top: 12px;
}
.hamburger span:nth-child(3) {
  top: 20px;
}

.hamburger span:nth-child(4) {
  top: 20px;
}

.hamburger.open span:nth-child(1) {
  top: 12px;
  transform: rotate(45deg);
}
.hamburger.open span:nth-child(2) {
  opacity: 0;
}
.hamburger.open span:nth-child(3) {
```



```
    top: 12px;
    transform: rotate(-45deg);
}
```

```
.hamburger.open span:nth-child(2) {
    transform: rotate(45deg);
}
```

```
.hamburger.open span:nth-child(3) {
    transform: rotate(-45deg);
}
```

```
.hamburger.open span:nth-child(4) {
    top: 12px;
    width: 0%;
    left: 50%;
}
```

```
/* 主內容區域 */
```

```
.main-content {
    flex: 1;
    width: 100%;
    display: flex;
    flex-direction: column;
    overflow: hidden;
    transition: all 0.3s ease;
    position: relative;
}
```

```
/* 包裝 unified-header, sidebar 和 chat-container 的容器 */
```

```
.content-wrapper {
    position: relative;
    display: flex;
    flex-direction: column;
    flex: 1;
}
```

```
body:not(.sidebar-collapsed) .main-content {  
    position: relative;  
}
```

```
.chat-container {  
    position: fixed;  
    top: 146px;  
    bottom: 80px;  
    right: 80px;  
    overflow-y: auto;  
    background-color: white;  
    padding: 20px;  
    display: flex;  
    flex-direction: column;  
    gap: 20px;  
}
```

```
.input-container {  
    position: fixed;  
    bottom: 0;  
    right: 80px;  
    left: 80px;  
    background-color: #f5f5f5;  
    z-index: 101;  
    padding: 20px;  
    display: flex;  
    align-items: center;  
    gap: 10px;  
    height: 80px;  
    box-sizing: border-box;  
    border-top: 1px solid #ddd;  
}
```

```
body:not(.sidebar-collapsed) .chat-container {  
    left: 360px;  
}
```

```
body.sidebar-collapsed .chat-container {
```

```
        left: 80px;
    }

    body:not(.sidebar-collapsed) .input-container {
        left: 360px;
    }

    body.sidebar-collapsed .input-container {
        left: 80px;
    }

    body:not(.sidebar-collapsed) .sidebar {
        visibility: visible;
        transform: translateX(0);
    }

    /* 側邊欄收起時隱藏 */
    body.sidebar-collapsed .sidebar {
        visibility: hidden;
        transform: translateX(-280px);
    }

    /* 移除側邊欄收起時對 chat-header-part 的影響 */
    body.sidebar-collapsed .input-container {
        left: 80px;
    }

    /* 主內容標題部分 */
    #menuBtnContainer {
        margin-top: 15px;
    }

    /* 響應式字體縮放 */
    @media (max-width: 1023px) {
        body,
        .chat-wrapper,
        .main-content,
        .content-wrapper,
```

```

.chat-container,
.chat-main-card {
    font-size: 0.97rem;
}
.chat-main-card h1,
.chat-main-card h2,
.chat-main-card h3,
#currentChatTitle,
.chat-header-part h2 {
    font-size: 1.07rem;
}
.upload-btn, .send-btn, .new-chat-btn, .action-btn, .message-input {
    font-size: 0.97rem;
}
}
@media (max-width: 720px) {
    .chat-wrapper {
        padding: 0 !important;
        width: 100vw !important;
        min-width: 0;
        box-sizing: border-box;
    }
    .sidebar {
        left: 0 !important;
        top: 148px !important;
        width: 100vw !important;
        max-width: 100vw !important;
        min-width: 0;
        height: calc(100vh - 116px) !important;
        border-radius: 0 !important;
        box-shadow: none !important;
        position: fixed !important;
        z-index: 120;
        overflow: auto;
        transition: transform 0.4s cubic-bezier(0.25, 1, 0.5, 1), box-shadow 0.4s ease;
    }
    .chat-header-part {
        left: 0 !important;

```

```
    right: 0 !important;
    border-top-left-radius: 0.9em;
    border-top-right-radius: 0.9em;
    padding-left: 16px;
    padding-right: 16px;
  }
  .chat-container {
    left: 0 !important;
    right: 0 !important;
    padding-left: 8px;
    padding-right: 8px;
    width: 100vw !important;
    box-sizing: border-box;
  }
  .input-container {
    left: 0 !important;
    right: 0 !important;
    padding-left: 8px;
    padding-right: 8px;
    width: 100vw !important;
    box-sizing: border-box;
  }
}
@media (max-width: 720px) {
  body,
  .chat-wrapper,
  .main-content,
  .content-wrapper,
  .chat-container,
  .chat-main-card {
    font-size: 0.92rem;
  }
  .chat-main-card h1,
  .chat-main-card h2,
  .chat-main-card h3,
  #currentChatTitle,
  .chat-header-part h2 {
    font-size: 0.99rem;
  }
}
```

```

    }
    .upload-btn, .send-btn, .new-chat-btn, .action-btn, .message-input {
        font-size: 0.90rem;
    }
}
@media (max-width: 340px) {
    body,
    .chat-wrapper,
    .main-content,
    .content-wrapper,
    .chat-container,
    .chat-main-card {
        font-size: 0.86rem;
    }
    .chat-main-card h1,
    .chat-main-card h2,
    .chat-main-card h3,
    #currentChatTitle,
    .chat-header-part h2 {
        font-size: 0.92rem;
    }
    .upload-btn, .send-btn, .new-chat-btn, .action-btn, .message-input {
        font-size: 0.85rem;
    }
}

```

```

.chat-header-part {
    position: fixed;
    height: 66px;
    display: flex;
    align-items: center;
    justify-content: flex-start;
    padding: 0 20px 0 80px;
    background-color: #fff;
    z-index: 101;
    border-bottom: 1px solid #ddd;
    top: 80px;
    right: 80px;
}

```

```
    left: 80px;
    width: auto;
    border-top-left-radius: 18px;
    border-top-right-radius: 18px;
}
```

```
.chat-header h2 {
    font-size: 18px;
    color: #2c3e50;
}
```

```
.upload-zip-container .upload-btn,
.upload-btn {
    cursor: pointer;
    display: flex;
    align-items: center;
    gap: 8px;
    color: #6F557D;
    padding: 8px 12px;
    border-radius: 6px;
    font-size: 16px;
    transition: all 0.3s ease;
}
```

```
.upload-zip-container .upload-btn:hover,
.upload-btn:hover {
    color: #e7c21b;
    transform: translateY(-2px);
    box-shadow: 0 2px 5px rgba(0,0,0,0.05);
}
```

```
/* 消息樣式 - 修正文字超出問題 */
.message-container {
    display: flex;
    margin-bottom: 10px;
    width: 100%;
    /* 確保容器不會超出父容器 */
}
```

```
        max-width: 100%;
    }

    .user-container {
        justify-content: flex-end;
    }

    .bot-container {
        justify-content: flex-start;
    }

    .avatar {
        width: 36px;
        height: 36px;
        border-radius: 50%;
        margin: 0 10px;
        display: flex;
        align-items: center;
        justify-content: center;
        font-weight: bold;
        color: white;
        flex-shrink: 0; /* 防止頭像被壓縮 */
    }

    .user-avatar {
        background-color: #a0abbf;
    }

    .bot-avatar {
        background-color: #95a5a6;
    }

    .message-content {
        padding: 12px 16px;
        border-radius: 18px;
        max-width: calc(100% - 66px); /* 預留頭像和間距的空間 */
        min-width: 0; /* 允許內容縮小 */
        /* 關鍵：處理文字換行和溢出 */
    }
```



```
word-wrap: break-word;
word-break: break-word; /* 強制長單詞換行 */
white-space: pre-wrap;
overflow-wrap: break-word;
hyphens: auto; /* 自動斷字 */
line-height: 1.5;
/* 確保內容不會水平溢出 */
overflow: hidden;
margin-bottom: 0; /* 加上這行，確保沒有下邊距 */
}
```

```
/* 針對用戶和機器人消息的特別設定 */
```

```
.user-container .message-content {
    background-color: #593C68;
    color: white;
    border-radius: 18px 4px 18px 18px;
    max-width: 70%;
}
```

```
.bot-container .message-content {
    background-color: #f0f0f0;
    color: #333;
    border-radius: 4px 18px 18px 18px;
    max-width: 70%;
    margin-bottom: 0; /* 確保沒有額外的下邊距 */
}
```

```
/* 確保編號列表和內容正確顯示 */
```

```
.message-content ol {
    margin: 10px 0;
    padding-left: 20px;
}
```

```
.message-content ol li {
    margin-bottom: 8px;
    line-height: 1.6;
}
```

```
.message-content p {  
    margin-bottom: 10px;  
}
```

```
.message-content p:last-child {  
    margin-bottom: 0;  
}
```

```
.no-messages {  
    text-align: center;  
    color: #95a5a6;  
    margin-top: 20px;  
}
```

/* 載入中的點點動畫 */

```
.loading-dots {  
    display: flex;  
    align-items: center;  
    justify-content: center;  
    height: 40px;  
    min-width: 60px;  
}
```

```
.dot {  
    display: inline-block;  
    width: 8px;  
    height: 8px;  
    border-radius: 50%;  
    background-color: #666;  
    margin: 0 4px;  
    animation: dot-pulse 1.5s infinite ease-in-out;  
}
```

```
.dot:nth-child(1) {  
    animation-delay: 0s;  
}
```

```
.dot:nth-child(2) {
```

```
    animation-delay: 0.3s;
}
```

```
.dot:nth-child(3) {
    animation-delay: 0.6s;
}
```

```
@keyframes dot-pulse {
    0%, 80%, 100% {
        transform: scale(0.8);
        opacity: 0.5;
    }
    40% {
        transform: scale(1.2);
        opacity: 1;
    }
}
```

```
.message-input {
    flex: 1;
    padding: 12px 20px;
    border: none;
    border-radius: 25px;
    outline: none;
    resize: none;
    font-size: 14px;
    min-height: 44px;
    max-height: 120px;
    background-color: #e0e0e0;
    box-shadow: 0 1px 3px rgba(0,0,0,0.1);
}
```

```
.send-btn {
    width: 40px;
    height: 40px;
    background-color: #8A7695;
    color: white;
    border: none;
```

```
border-radius: 50%;
cursor: pointer;
font-size: 18px;
display: flex;
align-items: center;
justify-content: center;
transition: background-color 0.3s;
flex-shrink: 0;
}

.send-btn:hover {
    background-color: #422552;
}

/* 響應式設計 */
@media (max-width: 768px) {
    .sidebar {
        position: absolute;
        z-index: 10;
        height: 100%;
    }

    body:not(.sidebar-collapsed) .main-content {
        padding-left: 0;
    }

    .chat-header {
        padding-left: 56px;
    }

    /* 手機版訊息容器調整 */
    .user-container .message-content,
    .bot-container .message-content {
        max-width: 85%; /* 手機版給更多空間 */
    }

    .message-content {
        font-size: 14px;
    }
}
```

```
        padding: 10px 14px;
    }
}
```

```
.source-indicator {
    position: relative;
    margin: 0;
    padding: 0;
    overflow: visible;
    height: 0;          /* 加上這行，不占垂直空間 */
    line-height: 0;     /* 加上這行，消除行高 */
    overflow: visible;  /* 確保按鈕可見 */
}
```

```
.source-btn {
    position: absolute;
    right: -3px;
    top: -10px;
    width: 20px;
    height: 20px;
    background: linear-gradient(45deg, #b37392 0%, #e3a5d0 50%, #fecfef 100%);
    border: none;
    border-radius: 50%;
    cursor: pointer;
    font-size: 12px;
    color: white;
    display: flex;
    align-items: center;
    justify-content: center;
    box-shadow: 0 4px 12px rgba(0,0,0,0.15);
    transition: all 0.3s cubic-bezier(0.4, 0, 0.2, 1);
    z-index: 5;
}
```

```
.source-btn:hover {
    transform: scale(1.2);
    box-shadow: 0 6px 15px rgba(255, 154, 158, 0.4);
}
```

```
.source-btn::before {
  content: "";
  position: absolute;
  width: 100%;
  height: 100%;
  border-radius: 50%;
  background: inherit;
  animation: ripple 2s infinite;
  z-index: -1;
}
```

```
@keyframes ripple {
  0% {
    transform: scale(1);
    opacity: 1;
  }
  100% {
    transform: scale(1.5);
    opacity: 0;
  }
}
```

```
#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\static\css\comment_detail.css
/* Base Styles */
body {
  padding-bottom: 80px; /* Add padding to prevent content from being hidden
behind fixed button */
  font-family: 'Microsoft JhengHei', '微軟正黑體', Arial, sans-serif;
  background-color: #f8f9fa;
  color: #333;
  line-height: 1.6;
  margin-top: 15vh;
}
```

```
.main-container {
```

```
    max-width: 1200px;
    margin: 0 auto;
    padding: 2rem;
    position: relative;
    z-index: 1;
}

/* Back button styles */
.back-button {
    margin-bottom: 25px;
}

.back-button a {
    text-decoration: none;
    color: var(--text-color);
    font-weight: bold;
    padding: 8px 12px;
    transition: var(--transition);
    display: inline-flex;
    align-items: center;
    position: relative;
    border-radius: 100px;
}

.back-button a:hover {
    color: #222;
}

.back-button a::after {
    content: "";
    position: absolute;
    bottom: 0;
    left: 50%;
    width: 0;
    height: 2px;
    background-color: #555;
    transition: all 0.3s ease;
    transform: translateX(-50%);
```

```
}
```

```
.back-button a:hover::after {  
    width: 80%;  
}
```

```
.back-button a:before {  
    content: '←';  
    margin-right: 5px;  
    font-weight: bold;  
}
```

```
/* Star Rating Styles */
```

```
.stars {  
    display: inline-flex;  
    align-items: center;  
    gap: 2px;  
}
```

```
.stars i {  
    font-size: 1.2rem;  
    color: #e0e0e0; /* Default empty star color */  
    position: relative;  
    display: inline-block;  
    width: 1em;  
    height: 1em;  
    line-height: 1;  
}
```

```
.stars .fa-star {  
    color: #ffc107; /* Full star color */  
}
```

```
.stars .fa-star-half-stroke {  
    color: #ffc107; /* Half star color */  
}
```

```
/* For editable ratings */
```



```
.stars.editable i {  
    cursor: pointer;  
    transition: transform 0.2s ease;  
}
```

```
.stars.editable i:hover {  
    transform: scale(1.2);  
}
```

```
.rating-text {  
    font-size: 0.9rem;  
    color: #666;  
    margin-left: 8px;  
    vertical-align: middle;  
}
```

```
/* Course Info Section */  
.course-info {  
    background: white;  
    border-radius: 10px;  
    padding: 2rem;  
    margin-bottom: 2rem;  
    box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);  
}
```

```
.course-header {  
    display: flex;  
    justify-content: space-between;  
    align-items: center;  
    margin-bottom: 1rem;  
    flex-wrap: wrap;  
    gap: 1rem;  
}
```

```
.course-title {  
    font-size: 2.2rem;  
    color: #635c63;  
    margin: 0;
```

```
    font-weight: 700;
}

.course-rating {
    display: flex;
    align-items: center;
}

.course-rating .stars {
    font-size: 1.5rem;
}

.course-rating .rating-text {
    font-size: 1.1rem;
    color: #2c3e50;
    font-weight: 500;
}

.course-meta {
    display: flex;
    flex-wrap: wrap;
    gap: 1.5rem;
    margin-bottom: 1.5rem;
    color: #6c757d;
    font-size: 0.95rem;
}

.like-btn {
    display: flex;
    align-items: center;
    gap: 0.5rem;
    background: #f8f9fa;
    border: 1px solid #dee2e6;
    border-radius: 20px;
    padding: 0.5rem 1rem;
    cursor: pointer;
    transition: all 0.3s ease;
}
```

```
.like-btn:hover {  
    background: #e9ecef;  
}
```

```
.like-btn.small {  
    padding: 0.25rem 0.75rem;  
    font-size: 0.85rem;  
    margin-left: auto;  
}
```

```
/* Comments Section */  
.comments-section {  
    background: white;  
    border-radius: 10px;  
    padding: 2rem;  
    box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);  
}
```

```
.section-title {  
    font-size: 1.5rem;  
    color: #635c63;  
    margin-bottom: 1.5rem;  
    padding-bottom: 1rem;  
    border-bottom: 1px solid #eee;  
}
```

```
.comment-count {  
    font-size: 1rem;  
    color: #6c757d;  
    font-weight: normal;  
}
```

```
/* Comment Meta */  
.comment-meta {  
    display: flex;  
    align-items: center;  
    gap: 10px;
```

```
        margin-top: 4px;
    }

    .comment-meta .stars {
        font-size: 1rem;
    }

    .comment-date {
        font-size: 0.8rem;
        color: #6c757d;
    }

    /* Comment Card */
    .comment-card {
        padding: 1.5rem 0;
        border-bottom: 1px solid #eee;
    }

    .comment-card:last-child {
        border-bottom: none;
    }

    .comment-header {
        display: flex;
        align-items: center;
        margin-bottom: 1rem;
    }

    .user-avatar {
        width: 50px;
        height: 50px;
        border-radius: 50%;
        overflow: hidden;
        margin-right: 1rem;
        background: #f1f3f9;
        display: flex;
        align-items: center;
        justify-content: center;
```

```
}
```

```
.user-avatar.small {  
  width: 35px;  
  height: 35px;  
  min-width: 35px;  
}
```

```
.user-avatar img {  
  width: 100%;  
  height: 100%;  
  object-fit: cover;  
}
```

```
.user-info {  
  flex: 1;  
}
```

```
.user-name {  
  display: block;  
  font-weight: 600;  
  color: #635c63;  
  margin-bottom: 0.25rem;  
}
```

```
.reply-date {  
  font-size: 0.8rem;  
  color: #6c757d;  
}
```

```
.comment-content {  
  margin-left: 66px; /* avatar width + margin */  
  margin-bottom: 1rem;  
}
```

```
.comment-content p {  
  margin: 0;  
  line-height: 1.6;
```

```
}
```

```
.comment-actions {  
    margin-left: 66px;  
    margin-top: 1rem;  
}
```

```
.reply-btn {  
    background: none;  
    border: none;  
    color: #4e73df;  
    cursor: pointer;  
    font-size: 0.9rem;  
    padding: 0.25rem 0.5rem;  
    border-radius: 4px;  
    transition: background 0.2s;  
}
```

```
.reply-btn:hover {  
    background: #f1f3f9;  
}
```

```
/* Reply Form */
```

```
.reply-form {  
    margin: 15px 0 20px 66px;  
    background: #f8f9fa;  
    border-radius: 8px;  
    padding: 15px;  
    box-shadow: 0 1px 3px rgba(0,0,0,0.1);  
}
```

```
.form-group {  
    margin-bottom: 10px;  
}
```

```
.form-control {  
    width: 100%;  
    padding: 10px;
```

```
border: 1px solid #ddd;
border-radius: 4px;
font-family: inherit;
resize: vertical;
min-height: 80px;
}
```

```
.form-actions {
  display: flex;
  justify-content: flex-end;
  gap: 10px;
}
```

```
.cancel-reply-btn,
.submit-reply-btn {
  padding: 6px 16px;
  border-radius: 4px;
  font-weight: 500;
  cursor: pointer;
  transition: all 0.2s;
}
```

```
.cancel-reply-btn {
  background: #f1f1f1;
  border: 1px solid #ddd;
  color: #555;
}
```

```
.cancel-reply-btn:hover {
  background: #e6e6e6;
}
```

```
.submit-reply-btn {
  background: #4e73df;
  color: white;
  border: none;
}
```

```
.submit-reply-btn:hover {  
    background: #3a5bd9;  
}  
  
/* Reply Section */  
.replies-container {  
    margin-left: 66px;  
    margin-top: 15px;  
    border-left: 2px solid #eee;  
    padding-left: 15px;  
}  
  
.reply {  
    display: flex;  
    gap: 1rem;  
    padding: 0.5rem 0;  
    border-bottom: 1px solid #f0f0f0;  
}  
  
.reply:last-child {  
    border-bottom: none;  
}  
  
.reply-content {  
    flex: 1;  
}  
  
.reply-header {  
    margin-bottom: 0.5rem;  
}  
  
.reply-actions {  
    margin-top: 8px;  
}  
  
.reply-to-reply {  
    background: none;  
    border: none;
```



```
    color: #4e73df;
    cursor: pointer;
    font-size: 0.85rem;
    padding: 0;
}

.reply-to-reply:hover {
    text-decoration: underline;
}

/* Fixed Add Comment Button */
.fixed-add-comment-btn {
    position: fixed;
    bottom: 20px;
    left: 50%;
    transform: translateX(-50%);
    background-color: #9e8c9d;
    color: white;
    border: none;
    padding: 15px 35px;
    border-radius: 50px;
    font-size: 18px;
    font-weight: 700;
    cursor: pointer;
    transition: all 0.3s ease;
    box-shadow: 0 5px 15px rgba(0, 0, 0, 0.2);
    z-index: 1000;
    text-decoration: none;
    white-space: nowrap;
}

.fixed-add-comment-btn:hover {
    background-color: #635c63;
    transform: translateX(-50%) translateY(-3px);
    box-shadow: 0 8px 20px rgba(0, 0, 0, 0.3);
    color: white;
}
```

```
/* Background Text */
```

```
.bg-text {  
    position: fixed;  
    top: 50%;  
    left: 50%;  
    transform: translate(-50%, -50%) rotate(-5deg);  
    font-size: 15vw;  
    font-weight: 900;  
    color: rgba(0, 0, 0, 0.03);  
    white-space: nowrap;  
    z-index: 0;  
    pointer-events: none;  
    user-select: none;  
    width: 100%;  
    text-align: center;  
    line-height: 1;  
}
```

```
/* Cloud Shapes */
```

```
.cloud-shape {  
    position: fixed;  
    background: radial-gradient(circle, rgba(0,0,0,0.1) 0%, transparent 70%);  
    border-radius: 50%;  
    z-index: 0;  
    pointer-events: none;  
}
```

```
/* Decorative Line */
```

```
.deco-line {  
    height: 2px;  
    background: linear-gradient(90deg, transparent, rgba(0,0,0,0.1), transparent);  
    margin: 4rem 0;  
}
```

```
/* Responsive Design */
```

```
@media (max-width: 768px) {  
    .main-container {  
        padding: 1rem;  
    }  
}
```

```

    }

    .course-title {
        font-size: 1.8rem;
    }

    .course-meta {
        flex-direction: column;
        gap: 0.5rem;
    }

    .comment-content,
    .comment-actions,
    .replies-container {
        margin-left: 0;
    }

    .comment-header {
        flex-wrap: wrap;
    }

    .like-btn.small {
        margin-left: 0;
        margin-top: 0.5rem;
    }
}

```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\css\comment.css

```

:root {
    /* Main colors */
    --primary-color: #abbef9;
    --primary-light: #d4e0ff;
    --primary-dark: #8a9bd0;
    --accent-color: #aa9da9;

```

```

--success-color: #8a9bd0;
--text-color: #333;
--bg-color: #F8F6F4;
--light-gray: #f8f6f4;
--medium-gray: #e5e2df;
--dark-gray: #888;

/* Shadows and borders */
--shadow-sm: 0 2px 5px rgba(0, 0, 0, 0.05);
--shadow-md: 0 4px 8px rgba(0, 0, 0, 0.07);
--shadow-lg: 0 8px 16px rgba(0, 0, 0, 0.07);
--radius-sm: 5px;
--radius-md: 8px;
--radius-lg: 12px;
--radius-round: 50px;
--transition: all 0.3s ease;
}

body {
  font-family: 'Microsoft JhengHei', 'Segoe UI', Arial, sans-serif;
  background-color: #f8f6f4;
  color: var(--text-color);
  margin: 0;
  padding: 0;
  line-height: 1.6;
  margin-top: 80px;
  position: relative;
}

.page-container {
  max-width: 1200px;
  margin: 0 auto;
  padding: 60px 20px;
  position: relative;
  z-index: 1;
}

/* Background elements */

```

```
.bg-text {  
    position: fixed;  
    top: 0;  
    left: 0;  
    width: 100%;  
    height: 100vh;  
    font-size: 18vw;  
    font-weight: 900;  
    line-height: 0.8;  
    color: #f0f0f0;  
    white-space: nowrap;  
    letter-spacing: -0.05em;  
    user-select: none;  
    z-index: -1;  
}
```

```
.cloud-shape {  
    position: absolute;  
    background: #fff;  
    border-radius: 50%;  
    z-index: -1;  
    animation: float 8s ease-in-out infinite;  
}
```

```
.main-container {  
    max-width: 1200px;  
    margin: 0 auto;  
    padding: 60px 20px;  
    position: relative;  
}
```

```
/* Filter Section */
```

```
.filter-section {  
    display: flex;  
    flex-wrap: wrap;  
    justify-content: center;  
    gap: 15px;  
    margin: 20px 0px 40px 0px;
```

```
}
```

```
.filter-item {
```

```
    padding: 12px 25px;
```

```
    border-radius: 50px;
```

```
    background-color: white;
```

```
    border: 1px solid #e0e0e0;
```

```
    font-size: 15px;
```

```
    cursor: pointer;
```

```
    transition: all 0.3s;
```

```
    -webkit-appearance: none;
```

```
    -moz-appearance: none;
```

```
    appearance: none;
```

```
    background-image: url("data:image/svg+xml;charset=UTF-8,%3csvg  
xmlns='http://www.w3.org/2000/svg' viewBox='0 0 24 24' fill='none'  
stroke='currentColor' stroke-width='2' stroke-linecap='round' stroke-  
linejoin='round'%3e%3cpolyline points='6 9 12 15 18  
9'%3e%3c/polyline%3e%3c/svg%3e");
```

```
    background-repeat: no-repeat;
```

```
    background-position: right 15px center;
```

```
    background-size: 1em;
```

```
    padding-right: 35px;
```

```
}
```

```
.filter-item:hover {
```

```
    border-color: #e0d3e0;
```

```
    transform: translateY(-2px);
```

```
    box-shadow: 0 4px 10px rgba(0, 0, 0, 0.05);
```

```
}
```

```
.search-box {
```

```
    padding: 12px 25px;
```

```
    border-radius: 50px;
```

```
    background-color: white;
```

```
    border: 1px solid #e0e0e0;
```

```
    width: 250px;
```

```
    font-size: 15px;
```

```
    outline: none;
```

```
    transition: all 0.3s;
}
```

```
.search-box:focus {
    border-color: #e0d3e0;
    transform: translateY(-2px);
    box-shadow: 0 4px 10px rgba(0, 0, 0, 0.05);
}
```

```
/* Activity Card Grid */
```

```
.activities-container {
    margin-bottom: 100px;
}
```

```
.activity-grid {
    display: grid;
    grid-template-columns: repeat(auto-fill, minmax(350px, 1fr));
    gap: 40px;
    margin-bottom: 80px;
}
```

```
.stats-container {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(220px, 1fr));
    gap: 20px;
    margin-bottom: 25px;
}
```

```
.stat-item {
    background-color: white;
    border-radius: var(--radius-lg);
    padding: 20px;
    box-shadow: var(--shadow-md);
    display: flex;
    align-items: center;
    gap: 15px;
    transition: var(--transition);
}
```

```
}
```

```
.stat-item:hover {  
    transform: translateY(-5px);  
    box-shadow: var(--shadow-lg);  
}
```

```
.stat-icon {  
    width: 50px;  
    height: 50px;  
    background-color: var(--primary-light);  
    border-radius: 50%;  
    display: flex;  
    align-items: center;  
    justify-content: center;  
    color: var(--primary-dark);  
    font-size: 24px;  
}
```

```
.stat-content {  
    flex: 1;  
}
```

```
.stat-value {  
    font-size: 24px;  
    font-weight: 700;  
    color: var(--text-color);  
    line-height: 1.2;  
}
```

```
.stat-label {  
    font-size: 14px;  
    color: var(--dark-gray);  
}
```

```
/* Header and Title Section */
```

```
.page-header {  
    text-align: center;
```



```
    position: relative;
}
```

```
.page-title {
    font-size: 50px;
    font-weight: 700;
    color: #635c63;
    text-align: center;
    margin-bottom: 10px;
    letter-spacing: 0.05em;
}
```

```
.page-subtitle {
    font-size: 18px;
    font-weight: 300;
    text-align: center;
    margin-bottom: 0;
}
```

```
.course-item {
    background-color: white;
    border-radius: 15px;
    overflow: hidden;
    box-shadow: 0 10px 30px rgba(0, 0, 0, 0.05);
    transition: all 0.4s ease;
    height: 100%;
    display: flex;
    padding: 15px;
    flex-direction: column;
}
```

```
.course-item:hover {
    transform: translateY(-15px);
    box-shadow: 0 15px 40px rgba(0, 0, 0, 0.1);
}
```

```
.course-link {
    text-decoration: none;
```

```
    color: inherit;
    display: flex;
    flex-direction: column;
    height: 100%;
    padding: 30px;
}

.course-top {
    display: flex;
    justify-content: space-between;
    align-items: flex-start;
    flex-wrap: wrap;
    gap: 15px;
    margin-bottom: 10px;
    padding-bottom: 25px;
    border-bottom: 1px solid var(--medium-gray);
}

.course-name {
    font-size: 24px;
    margin: 0;
    color: #635c63;
    font-weight: 700;
    line-height: 1.3;
}

.course-meta {
    display: flex;
    flex-wrap: wrap;
    gap: 15px;
    color: var(--dark-gray);
    font-size: 15px;
    margin-top: 5px;
}

.course-teacher, .course-department {
    display: flex;
    align-items: center;
```

```
    gap: 8px;
}
```

```
.course-bottom {
    margin-bottom: 15px;
}
```

```
.course-rating {
    display: flex;
    flex-direction: column;
    gap: 5px;
}
```

```
.stars {
    display: flex;
    align-items: center;
    justify-content: space-between;
    gap: 2px;
}
```

```
.stars i {
    color: #ffc107;
    font-size: 18px;
}
```

```
.stars .fa-star-half-alt {
    color: #ffc107;
}
```

```
.stars .far.fa-star {
    color: #e0e0e0;
}
```

```
.rating-text {
    font-weight: 700;
    margin-left: 8px;
    font-size: 18px;
}
```

```
.rating-count {  
    font-size: 14px;  
    color: var(--dark-gray);  
}
```

```
.last-date {  
    text-align: end;  
    font-size: 14px;  
    color: var(--dark-gray);  
    margin-bottom: 20px;  
}
```

```
.user-info {  
    display: flex;  
    align-items: center;  
    gap: 10px;  
    margin: 15px 0;  
}
```

```
.avatar {  
    width: 30px;  
    height: 30px;  
    border-radius: 50%;  
    border: 1px solid #e0d3e0;  
}
```

```
.username {  
    font-weight: bold;  
}
```

```
.course-summary {  
    grid-column: 1 / -1;  
    font-size: 16px;  
    color: var(--text-color);  
    line-height: 1.6;  
    margin-top: 20px;  
    padding: 5px 10px 10px;
```

```
border-radius: 5px;
background-color: #f1f1f1;
margin-bottom: 30px;
}

.course-summary p {
margin-bottom: 30px;
overflow: hidden;
display: -webkit-box;
-webkit-line-clamp: 3;
-webkit-box-orient: vertical;
min-height: 76px;
}

/* Decorative elements */
.deco-line {
width: 100%;
height: 3px;
background-color: #9e8c9d;
margin: 40px 0;
opacity: 0.2;
}

/* Pagination */
.pagination {
display: flex;
justify-content: center;
align-items: center;
gap: 8px;
margin-top: 40px;
}

.page-btn {
width: 40px;
height: 40px;
border-radius: 50%;
border: 1px solid var(--medium-gray);
background-color: white;
```

```
    color: var(--text-color);
    font-size: 16px;
    display: flex;
    align-items: center;
    justify-content: center;
    cursor: pointer;
    transition: var(--transition);
}

.page-btn:hover, .page-next:hover {
    background-color: var(--primary-light);
    border-color: var(--primary-color);
    color: var(--primary-dark);
}

.page-btn.active {
    background-color: var(--primary-color);
    color: white;
    border-color: var(--primary-color);
}

.page-dots {
    color: var(--dark-gray);
    margin: 0 5px;
}

.page-next {
    width: 40px;
    height: 40px;
    border-radius: 50%;
    border: 1px solid var(--medium-gray);
    background-color: white;
    color: var(--text-color);
    font-size: 16px;
    display: flex;
    align-items: center;
    justify-content: center;
    cursor: pointer;
```

```
        transition: var(--transition);
    }

/* buttons */
.buttons-container {
    display: flex;
    justify-content: end;
    margin-top: 20px;
}

.create-btn {
    margin-right: 10px;
}

.create-btn,
.join-btn {
    margin-top: 30px;
    display: inline-block;
    padding: 10px 20px;
    background-color: #9e8c9d;
    color: white;
    border-radius: 50px;
    text-decoration: none;
    font-weight: 500;
    font-size: 16px;
    transition: all 0.3s;
    box-shadow: 0 4px 12px rgba(0, 0, 0, 0.1);
}

.create-btn:hover,
.join-btn:hover {
    background-color: #635c63;
    transform: translateY(-3px);
    box-shadow: 0 6px 15px rgba(0, 0, 0, 0.15);
}
```

```
/* 右下角浮動按鈕樣式 */
```

```
.floating-action-button {  
    position: fixed;  
    bottom: 30px;  
    right: 30px;  
    z-index: 100;  
}
```

```
/* 圓形旋轉文字樣式 */
```

```
.circular-logo {  
    width: 100px;  
    height: 100px;  
    position: relative;  
    display: flex;  
    justify-content: center;  
    align-items: center;  
}
```

```
.circular-text {  
    position: absolute;  
    width: 100%;  
    height: 100%;  
    animation: rotate 20s linear infinite;  
    transform-origin: center center;  
    display: flex;  
    justify-content: center;  
    align-items: center;  
}
```

```
@keyframes rotate {  
    0% {  
        transform: rotate(0deg);  
    }  
    100% {  
        transform: rotate(360deg);  
    }  
}
```



```
.circular-text svg {
  width: 100%;
  height: 100%;
}

.circular-text text {
  font-size: 8px;
  fill: var(--primary-color);
  letter-spacing: 1px;
  font-weight: 500;
  text-transform: uppercase;
}

/* 中心上傳按鈕樣式 */
.upload-btn-center {
  position: absolute;
  width: 60px;
  height: 60px;
  background-color: #9e8c9d;
  color: white;
  border-radius: 50%;
  display: flex;
  justify-content: center;
  align-items: center;
  font-size: 30px;
  font-weight: 600;
  cursor: pointer;
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.25);
  transition: all 0.3s ease;
  z-index: 100;
  top: 50%;
  left: 50%;
  transform: translate(-50%, -50%);
}

.upload-btn-center:hover {
  background-color: #8a7889;
  transform: translate(-50%, -50%) scale(1.1);
}
```

```

        box-shadow: 0 6px 15px rgba(0, 0, 0, 0.35);
    }

    /* Fixed Add Comment Button (Legacy) */
    .fixed-add-comment-container {
        position: fixed;
        bottom: 30px;
        left: 0;
        right: 0;
        display: flex;
        justify-content: center;
        z-index: 1000;
        pointer-events: none;
    }

    .fixed-add-comment-btn {
        background-color: var(--accent-color);
        color: white;
        border: none;
        padding: 15px 40px;
        border-radius: 50px;
        font-size: 18px;
        font-weight: 700;
        cursor: pointer;
        transition: all 0.3s;
        box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);
        text-decoration: none;
        pointer-events: auto;
    }

    .fixed-add-comment-btn:hover {
        background-color: rgba(150, 137, 149, 1);
        transform: translateY(-3px);
        box-shadow: 0 10px 25px rgba(170, 157, 169, 0.5);
    }

    /* Responsive adjustments */
    @media (max-width: 992px) {

```

```
.course-bottom {
    grid-template-columns: 1fr;
}

.course-date {
    text-align: left;
}

.courses-container {
    grid-template-columns: repeat(2, 1fr);
}

.page-title {
    font-size: 42px;
    text-align: center;
}

.page-subtitle {
    font-size: 18px;
}
}

@media (max-width: 768px) {
    .search-filter-container {
        flex-direction: column;
        align-items: stretch;
    }

    .filters {
        flex-direction: column;
    }

    .stat-item {
        min-height: 100px;
    }

    .courses-container {
        grid-template-columns: 1fr;
    }
}
```

```
        gap: 30px;
    }

    .page-title {
        font-size: 42px;
    }

    .page-subtitle {
        font-size: 16px;
    }

    .fixed-add-comment-btn {
        padding: 12px 30px;
        font-size: 16px;
        white-space: nowrap;
    }
}

/* Hover animations */
.course-item .course-link {
    position: relative;
    overflow: hidden;
}

.course-item .course-link::after {
    content: "";
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 5px;
    background: linear-gradient(90deg, var(--primary-color), var(--accent-color));
    transform: translateY(-100%);
    transition: transform 0.3s ease;
}

.course-item:hover .course-link::after {
    transform: translateY(0);
}
```

```
}
```

```
/* Animation for stats counter */
```

```
@keyframes countUp {  
  from {  
    opacity: 0;  
    transform: translateY(20px);  
  }  
  to {  
    opacity: 1;  
    transform: translateY(0);  
  }  
}
```

```
.stat-item.animated {  
  animation: countUp 0.8s ease forwards;  
}
```

```
/* Empty state styling */
```

```
.empty-state {  
  text-align: center;  
  padding: 60px 20px;  
  background-color: white;  
  border-radius: var(--radius-lg);  
  box-shadow: var(--shadow-md);  
  margin-bottom: 40px;  
}
```

```
.empty-state-icon {  
  font-size: 60px;  
  color: var(--medium-gray);  
  margin-bottom: 20px;  
}
```

```
.empty-state-title {  
  font-size: 24px;  
  font-weight: 700;  
  color: var(--text-color);  
}
```

```

        margin-bottom: 10px;
    }

.empty-state-description {
    font-size: 16px;
    color: var(--dark-gray);
    margin-bottom: 30px;
    max-width: 500px;
    margin-left: auto;
    margin-right: auto;
}

.empty-state-btn {
    display: inline-block;
    padding: 12px 25px;
    background-color: var(--primary-color);
    color: white;
    border-radius: var(--radius-md);
    text-decoration: none;
    font-weight: 600;
    transition: var(--transition);
}

.empty-state-btn:hover {
    background-color: var(--primary-dark);
    transform: translateY(-3px);
    box-shadow: var(--shadow-md);
}

```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\css\footer.css

/* Footer */

```

footer {
    position: relative;
    width: 100%;
    display: flex;
    background: #9E8C9D;
    min-height: 200px;
}

```

```
display: flex;
margin: 10px 0 0;
flex-wrap: wrap;
color: #fff;
display: flex;
justify-content: space-between;
z-index: 999;
}
```

```
.fowl {
width: 150px;
height: 150px;
background-image: url('../image/lay.png');
background-size: contain;
background-repeat: no-repeat;
position: absolute;
left: 80px;
top: -130px;
transform: translateX(-50%);
animation: float 3s ease-in-out infinite;
z-index: 1200; /* 確保在 wave 上層 */
}
```

```
@keyframes float {
0% { transform: translateX(-50%) translateY(0); }
50% { transform: translateX(-50%) translateY(-10px); }
100% { transform: translateX(-50%) translateY(0); }
}
```

```
footer .wave {
position: absolute;
top: -70px;
left: 0;
width: 100%;
height: 105px;
background: url(..image/footerwave.png);
background-size: 1000px 100px;
```

```
}
```

```
footer .wave#wave1{  
  z-index: 1000;  
  opacity: 1;  
  bottom: 0;  
  animation: animateWave 8s linear infinite;  
}
```

```
footer .wave#wave2{  
  z-index: 999;  
  opacity: 0.5;  
  bottom: 10px;  
  animation: animateWave_02 8s linear infinite;  
}
```

```
footer .wave#wave3{  
  z-index: 1000;  
  opacity: 0.2;  
  bottom: 15px;  
  animation: animateWave 6s linear infinite;  
}
```

```
footer .wave#wave4{  
  z-index: 1000;  
  opacity: 0.7;  
  bottom: 20px;  
  animation: animateWave_02 6s linear infinite;  
}
```

```
@keyframes animateWave {  
  0% {  
    background-position-x: 1000px;  
  }  
  100% {  
    background-position-x: 0px;  
  }  
}
```



```
@keyframes animateWave_02 {  
  0% {  
    background-position-x: 0px;  
  }  
  100% {  
    background-position-x: 1000px;  
  }  
}
```

```
.footer-info {  
  width: 100%;  
  display: flex;  
  justify-content: space-between;  
  padding: 80px 30px;  
}  
.footer-info div {  
  flex: 1;  
  padding: 0 20px;  
  align-content: center;  
}
```

```
.footer-logo {  
  font-size: 24px;  
  font-weight: bold;  
}
```

```
.footer-links {  
  border-left: 5px solid #877a87;  
  border-right: 3px solid #877a87;  
  display: flex;  
  width: 50%; /* 控制這一系列的總寬度 */  
}
```

```
.footer-links .name {  
  flex: 1; /* 讓 name 占用較小的空間 */  
  font-weight: bold;
```

```
}
```

```
.footer-links .aaa {  
  flex: 3; /* 讓 aaa 占用更多空間 */  
}
```

```
.footer-contact {  
  display: flex;  
  width: 25%; /* 控制 footer-contact 寬度 */  
}
```

```
.footer-contact .name {  
  flex: 1;  
  white-space: nowrap; /* 確保「聯絡資訊」不會換行 */  
  font-weight: bold;  
}
```

```
.footer-contact .details {  
  flex: 3; /* 讓 details 區域占更多空間 */  
}
```

```
.footer-info p {  
  margin-bottom: 6px;  
}
```

```
.social-icons {  
  display: flex;  
  gap: 10px;  
  margin-top: 10px;  
}
```

```
.social-icon {  
  background-color: #ccc;  
  padding: 5px 10px;  
  border-radius: 5px;  
}
```

```
.footer-backup {
```

```
position: absolute;
right: 20px;
bottom: 60px;
}
```

```
.backupowl {
width: 150px;
height: 150px;
cursor: pointer;
transition: transform 0.3s ease;
}
```

```
.backupowl:hover {
transform: scale(1.1);
}
```

```
.phone-footer-copyright {
display: none;
}
```

```
@media (max-width: 1280px) {
.footer-info {
display: grid;
grid-template-columns: 1fr 1fr;
grid-template-rows: auto auto;
gap: 20px;
padding: 60px 20px;
align-items: flex-start;
}
```

```
.footer-title {
grid-column: 1 / 2;
grid-row: 1 / 2;
}
```

```
.footer-links {
grid-column: 1 / 2;
grid-row: 2 / 3;
```

```
width: 100%;
border-left: none;
border-right: 3px solid #877a87;
flex-direction: column;
/* border-bottom: 2px solid #877a87; */
padding-bottom: 15px;
padding-right: 15px;
}

.footer-links .name {
  margin-bottom: 8px;
}

.footer-contact {
  grid-column: 2 / 3;
  grid-row: 2 / 3;
  width: 100%;
  flex-direction: column;
  padding-left: 15px;
}

.footer-contact .name {
  margin-bottom: 8px;
}

.footer-contact .details {
  margin-top: 5px;
}

.footer-backup {
  display: none;
}

.social-icons {
  justify-content: flex-start;
}
}
```

```
@media (max-width: 768px) {  
  footer{  
    min-height: 150px;  
  }  
}
```

```
.footer-info {  
  display: none;  
}
```

```
.footer-backup {  
  display: none;  
}
```

```
.phone-footer-copyright {  
  display: block;  
  height: 50px;  
  padding: 20px 0;  
  text-align: center;  
  width: 100%;  
}
```

```
.phone-footer-copyright p {  
  font-size: 16px;  
  font-weight: bold;  
  color: #fff;  
  text-decoration: none;  
  padding: 40px 0 0;  
}
```

```
.fowl {  
  width: 120px;  
  height: 120px;  
}  
}
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\css\index.css  
@charset "UTF-8";
```

```
/*
[...document.querySelectorAll('*')].forEach(el => {
  if (el.scrollWidth > document.documentElement.clientWidth) {
    el.style.outline = '2px solid red';
  }
});
```

```
[...document.querySelectorAll('*')].forEach(el => {
  if (el.scrollWidth > document.documentElement.clientWidth) {
    console.log(' ⚠ Too wide:', el, el.scrollWidth);
  }
});
*/
```

```
* {
  margin: 0;
  padding: 0;
  box-sizing: border-box;
}
/* General styles */
body {
  font-family: 'Microsoft JhengHei', Arial, sans-serif;
  margin: 0;
  padding: 0;
  background-color: #F8F6F4;
  color: #000;
  position: relative;
  overflow-x: hidden;
}
```

```
html,
body {
  font-family: 'Poppins', sans-serif;
```

```
    height: 100%;  
}
```

```
#bg-video {  
    position: fixed;  
    top: 0;  
    left: 0;  
    width: 100vw;  
    height: 100vh;  
    object-fit: cover;  
    z-index: -2; /* 放在最底層 */  
}
```

```
.bg-overlay {  
    position: fixed;  
    top: 0;  
    left: 0;  
    width: 100vw;  
    height: 100vh;  
    background-color: #f8f6f4f0; /* 半透明的背景色 */  
    z-index: -1; /* 蓋住影片但在內容下方 */  
}
```

```
/* .blobs {  
    position: fixed;  
    z-index: -1;  
    top: 0;  
    left: 0;  
    width: 100%;  
    height: 100%;  
    pointer-events: none;  
    filter: blur(120px);  
}
```

```
.blob {  
    width: max(240px, 28vw);
```

```
    aspect-ratio: 1;
    border-radius: 50%;
    position: absolute;
    top: 0;
    left: 0;
}
```

```
:root {
  --cr-main-1: #f3d4d4;
  --cr-main-2: #abbef9;
  --cr-1: color-mix(in srgb, var(--cr-main-1), var(--cr-main-2) 20%);
  --cr-2: color-mix(in srgb, var(--cr-main-1), var(--cr-main-2) 35%);
  --cr-3: color-mix(in srgb, var(--cr-main-1), var(--cr-main-2) 50%);
  --cr-4: color-mix(in srgb, var(--cr-main-1), var(--cr-main-2) 65%);
  --cr-5: color-mix(in srgb, var(--cr-main-1), var(--cr-main-2) 80%);
}
```

```
.blob:nth-of-type(1) {
  background: var(--cr-main-1);
}
```

```
.blob:nth-of-type(2) {
  background: var(--cr-main-2);
}
```

```
.blob:nth-of-type(3) {
  background: var(--cr-1);
}
```

```
.blob:nth-of-type(4) {
  background: #F8F6F4;
}
```

```
.blob:nth-of-type(5) {
  background: var(--cr-3);
}
```

```
.blob:nth-of-type(6) {
```



```
background: var(--cr-4);
}
```

```
.blob:nth-of-type(7) {
background: var(--cr-2);
} /*
```

```
.marquee-container {
  position: absolute;
  top: 48%;
  left: 5px;
  width: 100%;
  max-width: 400px; /* 限制最大寬度，防止超出 */
  height: 32px;
  overflow: hidden; /* ☒ 關鍵：限制視口 */
  z-index: 100;
  pointer-events: none;
}
```

```
.marquee-track {
  display: inline-block;
  white-space: nowrap;
  animation: scrollMarquee 10s linear infinite;
  will-change: transform;
}
```

```
.floating-marquee {
  display: inline-block;
  font-size: clamp(16px, 6vw, 24px); /* 修正語法錯誤：小的是 fallback */
  font-weight: bold;
  text-transform: uppercase;
  opacity: 0.7;
  mix-blend-mode: overlay;
  white-space: nowrap;
  color: black;
  padding-left: 100%; /* 讓它從右側開始進場 */
}
```

```
}
```

```
/* 動畫使用 translateX 滑動 */
```

```
@keyframes scrollMarquee {
```

```
0% {
```

```
    transform: translateX(100%);
```

```
}
```

```
100% {
```

```
    transform: translateX(-100%);
```

```
}
```

```
}
```

```
#lpurple {
```

```
    position: absolute; /* 固定位置 */
```

```
    top: 0; /* 頂部對齊 */
```

```
    left: 0; /* 左側對齊 */
```

```
    z-index: -1; /* 確保它在其他元素之下 */
```

```
    width: 120px; /* 固定寬度，不隨視窗縮放 */
```

```
    height: auto;
```

```
    transform: scale(0.7);
```

```
    transform-origin: left top;
```

```
}
```

```
#rpurple {
```

```
    position: absolute; /* 固定位置 */
```

```
    top: 550px; /* 頂部對齊 */
```

```
    right: 0; /* 靠右邊界 */
```

```
    z-index: -1; /* 確保它在其他元素之下 */
```

```
    width: 18%;
```

```
    height: auto;
```

```
    max-height: 40vw;
```

```
    transform: scale(0.7);
```

```
    transform-origin: right top;
```

```
}
```

```
@media (max-width: 768px) {  
  #rpurple {  
    top: 800px;  
  }  
}
```

```
#dpurple {  
  position: absolute; /* 固定位置 */  
  top: 1100px; /* 頂部對齊 */  
  left: -19px; /* 左側對齊 */  
  z-index: -1; /* 確保它在其他元素之下 */  
  width: 18%;  
  height: auto;  
  max-height: 40vw;  
}
```

```
/*-----*/  
/*-----*/  
/*-----*/
```

```
.chatbox {  
  position: absolute;  
  top: 92%;  
  left: 50%;  
  width: 380px;  
  background: rgba(255, 255, 255, 0.7);  
  backdrop-filter: blur(10px);  
  border: 1px solid rgba(255, 255, 255, 0.3);  
  border-radius: 16px;  
  box-shadow: 0 8px 32px rgba(0, 0, 0, 0.1);  
  padding: 18px;  
  z-index: 1000;  
  transition: all 0.3s ease;  
  transform: translateX(-50%); /* 水平中心點對齊 */  
}
```

```
.chatbox:hover {  
    background: rgba(255, 255, 255, 0.6);  
    box-shadow: 0 12px 48px rgba(0, 0, 0, 0.15);  
}
```

```
.chatbox-header {  
    display: flex;  
    align-items: center;  
    gap: 8px;  
    margin-bottom: 12px;  
    font-size: 0.9rem;  
    color: #666;  
}
```

```
@keyframes pulse {  
    0% { opacity: 1; }  
    50% { opacity: 0.5; }  
    100% { opacity: 1; }  
}
```

```
.input-container {  
    position: relative;  
    display: flex;  
    align-items: center;  
    gap: 8px;  
}
```

```
#userInput {  
    flex: 1;  
    padding: 12px 16px;  
    border: 2px solid rgba(230, 226, 240, 0.8);  
    border-radius: 20px;  
    font-size: 0.95rem;  
    background: rgba(255, 255, 255, 0.8);  
    transition: all 0.3s ease;  
    outline: none;  
    color: #333;
```

```
}
```

```
#userInput:focus {  
    border-color: #a798af;  
    background: rgba(255, 255, 255, 0.95);  
    box-shadow: 0 0 0 3px rgba(59, 130, 246, 0.1);  
}
```

```
#userInput::placeholder {  
    color: #a39caf;  
}
```

```
.send-button {  
    background-color: #8A7695;  
    color: white;  
    border: none;  
    border-radius: 50%;  
    width: 36px;  
    height: 36px;  
    display: flex;  
    align-items: center;  
    justify-content: center;  
    cursor: pointer;  
    transition: all 0.2s ease;  
    font-size: 1rem;  
    opacity: 0.8;  
}
```

```
.send-icon {  
    display: inline-block;  
    transform: rotate(-30deg);  
}
```

```
.send-button:hover {  
    background: #8A7695;  
    opacity: 1;  
    transform: scale(1.05);  
}
```

```
.send-button:active {  
    transform: scale(0.95);  
}
```

```
.message {  
    position: fixed;  
    top: 55%;  
    left: 50%;  
    background: #e5383b;  
    color: white;  
    padding: 12px 16px;  
    border-radius: 8px;  
    backdrop-filter: blur(10px);  
    box-shadow: 0 4px 20px rgba(239, 68, 68, 0.3);  
    z-index: 1001;  
    opacity: 0;  
    transform: translate(100%, -50%);  
    transition: all 0.3s ease;  
    font-size: 0.9rem;  
}
```

```
.message.show {  
    opacity: 1;  
    transform: translate(-50%, -50%);  
}
```

```
/* .message.success {  
    background: rgba(16, 185, 129, 0.95);  
    box-shadow: 0 4px 20px rgba(16, 185, 129, 0.3);  
} */
```

```
/* 彈跳視窗樣式 */
```

```
.modal-overlay {  
    position: absolute;  
    top: 10%;  
    left: 55%;  
    background: (0, 0, 0, 0.5);
```

```
border-radius: 12px;
width: 300px;
z-index: 3000;
opacity: 0;
visibility: hidden;
transition: all 0.3s ease;
font-family: "Segoe UI", sans-serif;
}

/* 加漫畫對話框的「小三角形」在左下角 */
.modal-overlay::after {
  content: "";
  position: absolute;
  bottom: -10px;
  left: 30px;
  width: 0;
  height: 0;
  border-style: solid;
  border-width: 10px 10px 0 10px;
  border-color: #fff transparent transparent transparent;
  filter: drop-shadow(0 -1px 2px rgba(0,0,0,0.1));
}

.modal-overlay.show {
  opacity: 1;
  visibility: visible;
}

.modal {
  background: rgba(255, 255, 255, 0.5);
  border-radius: 12px;
  padding: 24px;
  max-width: 400px;
  width: 90%;
  box-shadow: 0 20px 60px rgba(0, 0, 0, 0.3);
  transform: scale(0.8);
  transition: transform 0.3s ease;
}
```

```
.modal-overlay.show .modal {  
    transform: scale(1);  
}
```

```
.modal-header {  
    margin-bottom: 16px;  
}
```

```
.modal-title {  
    font-size: 1.25rem;  
    font-weight: 600;  
    color: #333;  
    margin-bottom: 8px;  
}
```

```
/* .modal-content {  
    color: #666;  
    font-size: 0.95rem;  
    line-height: 1.5;  
    margin-bottom: 24px;  
} */
```

```
.modal-buttons {  
    display: flex;  
    gap: 12px;  
    justify-content: flex-end;  
}
```

```
.modal-button {  
    padding: 8px 16px;  
    border: none;  
    border-radius: 6px;  
    font-size: 0.9rem;  
    cursor: pointer;  
    transition: all 0.2s ease;  
    font-weight: 500;  
}
```



```

.modal-button.cancel {
    background: #dcdddde;
    color: #756b80;
}

.modal-button.cancel:hover {
    background: #e9e5eb;
}

.modal-button.confirm {
    background: rgba(164, 153, 171, 0.761);
    color: white;
}

.modal-button.confirm:hover {
    background: #9682a1;
}
/*-----*/
/*-----*/
/*-----*/

/* Header */
/* header {
    background-color: #fff;
    padding: 15px 20px;
    display: flex;
    justify-content: space-between;
    align-items: center;
    box-shadow: 0 2px 5px rgba(0,0,0,0.1);
    position: relative;
    z-index: 10;
} */

/* Main content */

```

```
.main-container {  
    position: relative;  
    padding: 0;  
    min-height: calc(100vh - 150px);  
    padding-bottom: 120px;  
}
```

```
.stroke-group {  
    transform: translate(-6%, 6%); /* 起始位置，與 fill 重疊，使用百分比以隨視窗縮放 */  
    opacity: 0;  
    animation: strokeMove 1s ease-out forwards;  
    animation-delay: 0.5s;  
}
```

```
@keyframes strokeMove {  
    to {  
        transform: translate(0, 0);  
        opacity: 1;  
    }  
}
```

```
.stroke-group-r {  
    transform: translate(25%, -12%); /* 起始位置：從右上，使用百分比以隨視窗縮放 */  
    opacity: 0;  
    animation: strokeMoveLeftUp 1s ease-out forwards;  
    animation-delay: 0.5s;  
    /* 確保跟著父容器 #rpurple 一起縮放 */  
    transform-origin: center center;  
}
```

```
.stroke-group-r path {
```

```
stroke-width: 1.5; /* 設定適當的 stroke 粗細，跟著 SVG 容器縮放 */  
}
```

```
@keyframes strokeMoveLeftUp {  
  to {  
    transform: translate(0, 0);  
    opacity: 1;  
  }  
}
```

```
#triangle-1{  
  width: 10%;  
  height: 10%;  
}
```

```
#triangle-2 {  
  width: 10%;  
  height: 10%;  
  position: absolute;  
  bottom: 0;  
  right: 6vw;  
}
```

```
#animated-line {  
  width: 100%;  
  height: 100%;  
}
```

```
#animated-line path {  
  stroke-dasharray: 7549.05908203125; /* 控制總長度，這個值要大於 path 總  
長度 */  
  stroke-dashoffset: 7549.05908203125;  
  animation: drawLine 4s ease-in-out forwards; /* 3 秒畫完，可以調整時間 */  
  transition: stroke-dashoffset 0.1s linear;
```

```
}
```

```
/* 外層：保留你原本設定的角度與位置 */
```

```
.floating-slogan {  
    position: absolute;  
    z-index: 5;  
    pointer-events: none;  
    transform-style: preserve-3d;  
}
```

```
/* 內層：便籤紙樣式與動畫 */
```

```
.slogan-inner {  
    font-weight: 500;  
    color: #2c3e50;  
    background: white;  
    border-radius: 2px;  
    white-space: nowrap;  
    display: inline-block;  
    position: relative;  
    font-family: 'Microsoft JhengHei', sans-serif;  
    line-height: 1.4;  
    min-width: 15vw;  
    border-left: 1vw solid #8F7ABC;  
    transform-style: preserve-3d;  
    font-size: clamp(6px, 1.5vw, 20px);  
    padding: clamp(3px, 1vw, 20px) clamp(3px, 2vw, 30px);
```

```
/* 初始狀態 */
```

```
transform:  
    perspective(1000px)  
    translateZ(300px)  
    translateY(-50px)  
    rotateX(0deg)      /* 移除上下傾斜 */  
    rotateY(35deg)     /* 左低右高的效果 */  
    rotateZ(15deg)  
    scale(0.8);        /* 固定大小 */
```

```
opacity: 0;

box-shadow:
    0 20px 40px rgba(0, 0, 0, 0.3),
    0 10px 20px rgba(0, 0, 0, 0.2);

transition:
    transform 1.5s cubic-bezier(0.25, 0.46, 0.45, 0.94),
    opacity 1.2s ease-out,
    box-shadow 1.5s cubic-bezier(0.25, 0.46, 0.45, 0.94);
}
```

```
/* 便條紙「貼上」動畫 */
.slogan-inner.animate-in {
    transform:
        perspective(1000px)
        translateZ(0px)
        translateY(0px)
        rotateX(0deg)
        rotateY(0deg)
        rotateZ(0deg)
        scale(0.8); /* 維持原本大小 */
    opacity: 1;

    box-shadow:
        0 8px 16px rgba(0, 0, 0, 0.15),
        0 4px 8px rgba(0, 0, 0, 0.1),
        inset 0 1px 2px rgba(148, 121, 193, 0.1);
}
```

```
/* 懸浮效果：微微浮起 */
.floating-slogan:hover .slogan-inner.animate-in {
    transform:
        perspective(1000px)
        translateZ(8px)
        rotateX(-3deg)
        scale(0.82); /* 微微浮起，保持尺寸一致性 */
    box-shadow:
```

```
    0 15px 30px rgba(0, 0, 0, 0.2),
    0 8px 16px rgba(0, 0, 0, 0.15),
    inset 0 1px 2px rgba(148, 121, 193, 0.1);
transition:
    transform 0.3s ease-out,
    box-shadow 0.3s ease-out;
}
```

```
/* 縮排樣式 */
```

```
.indent {
    display: block;
    margin-left: 40px;
    margin-top: 5px;
}
```

```
/* 錯開動畫時間 */
```

```
.slogan-1 .slogan-inner { transition-delay: 0.2s; }
.slogan-2 .slogan-inner { transition-delay: 0.5s; }
.slogan-3 .slogan-inner { transition-delay: 0.8s; }
.slogan-4 .slogan-inner { transition-delay: 1.1s; }
```

```
/* 紙張質感紋理 */
```

```
.slogan-inner::before {
    content: "";
    position: absolute;
    top: 0;
    left: 0;
    right: 0;
    bottom: 0;
    background:
        radial-gradient(circle at 20% 20%, rgba(255,255,255,0.8) 1px, transparent
1px),
        radial-gradient(circle at 80% 80%, rgba(0,0,0,0.05) 1px, transparent 1px);
    background-size: 20px 20px, 15px 15px;
    pointer-events: none;
    border-radius: 2px;
}
```

```
/* 個別位置與旋轉設定 */
```

```
.floating-slogan {  
    position: absolute;  
    z-index: 10;  
    pointer-events: none;  
}
```

```
/* 桌機版（預設）：全域定位，維持原本的畫面位置與旋轉 */
```

```
.slogan-1 {  
    top: 9%;  
    left: 3%;  
    right: auto;  
    transform: rotate(-15deg);  
}
```

```
.slogan-2 {  
    top: 62%;  
    right: 7%;  
    left: auto;  
    transform: rotate(5deg);  
}
```

```
.slogan-3 {  
    top: 40%;  
    left: 8%;  
    right: auto;  
    transform: rotate(-12deg);  
}
```

```
.slogan-4 {  
    top: 60%;  
    left: 18%;  
    right: auto;  
    transform: rotate(-8deg);  
}
```

```
/* 手機版：以 feature-item 為父元素定位（覆蓋桌機設定） */
```

```
@media (max-width: 768px) {  
    .slogan-3 {  
        top: 35%;  
        left: 3%;  
    }  
}
```

```
        right: auto;
        transform: rotate(-12deg);
    }
    .slogan-4 {
        top: 95%;
        left: 18%;
        right: auto;
        transform: rotate(-8deg);
    }
}
```

```
/* Decorative shapes */
```

```
.shape {
    position: relative;
    height: 450px; /* 增加高度確保有足夠空間 */
    z-index: 1;
    top: 50px;
}
```

```
.circle-background{
    background-color: rgb(209, 197, 209, 0.4);
}
```

```
.owl-canvas{
    position: relative;
    z-index: 100;
    left: 0;
    top: 0;
    background-color: rgb(209, 197, 209, 0.4);
}
```

```
/* 保持 owl canvas 固定比例與大小，不因 RWD 縮放 */
```



```
#owl-container canvas {  
  width: 400px ;  
  height: 400px ;  
  display: block;  
  position: relative;  
  top: 0;  
  left: 0;  
  z-index: 0;  
  background: transparent;  
  pointer-events: auto;  
}
```

```
.circle-container {  
  position: absolute;  
  top: 65%;  
  left: 50%;  
  transform: translate(-50%, -50%);  
  width: 400px;  
  height: 400px;  
  pointer-events: auto;  
}
```

```
@media (max-width: 768px) {  
  .circle-container {  
    width: 350px;  
    height: 350px;  
  }  
  .marquee-container{  
    width: 340px;  
  }  
  .circle-particles {  
    width: 350px !important;  
    height: 350px !important;  
  }  
  .circle-background {  
    min-width: 350px !important;  
    min-height: 350px !important;  
  }  
}
```

```
}

.chatbox{
  width: 320px;
}
.modal-overlay{
  width: 45vw;
}
.message{
  top: 45%;
  left: 45%;
}
}
```

```
.circle-particles {
  width: 400px;
  height: 400px;
  border-radius: 50%;
  position: absolute;
  top: 50%;
  left: 50%;
  transform: translate(-50%, -50%);
  z-index: 1;
  overflow: hidden;
  position: relative; /* 確保內部絕對定位生效 */
}
```

```
.circle-background {
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  border-radius: 50%;
  background-color: rgba(158, 140, 157, 0.1); /* 你想要的圓形背景顏色 */
  z-index: 0;
  display: flex;
```

```
align-items: center;
justify-content: center;
min-width: 400px;
min-height: 400px;
}
```

```
.owl-canvas {
  display: flex;
  align-items: center;
  justify-content: center;
  /* 不限制寬高，交由內容決定 */
}
```

```
#owl-container {
  position: relative;
  background-color: white;
  overflow: visible;
  z-index: 0;
  /* 不強制寬高，讓原本的 canvas 大小決定 */
}
```

```
#owl-container canvas {
  display: block;
  position: relative;
  top: 0;
  left: 0;
  z-index: 0;
  background: transparent;
  pointer-events: auto;
  /* 不限制寬高，交由 JS/HTML 決定 */
}
```

```
/* 若需置中可保留 flex，勿動 canvas 大小 */
```

```
/*
.center-logo{
  position: relative;
```

```
    opacity: 0.7;
    top: 80px;
    left: 100px;
} */
```

```
/* #tsparticles {
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    z-index: 1;
} */
```

```
#tsparticles {
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    z-index: 100;
    pointer-events: none; /* 讓它不阻擋滑鼠事件 */
}
```

```
#circle-stroke {
    position: absolute;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    z-index: 3;
}
```

```
#circle-stroke path {
    stroke: #AA9DA9;
```

```
stroke-width: 3;
stroke-linecap: round;
fill: none;
stroke-dasharray: 0; /* 由 JS 設置 */
stroke-dashoffset: 0; /* 由 JS 設置 */
animation: drawCircle 3s ease-in-out forwards; /* 3 秒畫完，可以調整時間 */
}
```

```
@keyframes drawCircle {
  from {
    stroke-dashoffset: var(--circle-length, 3038);
  }
  to {
    stroke-dashoffset: 0;
  }
}
```

```
/*
.circle-particles {
  width: 320px;
  height: 320px;
  border-radius: 50%;
  position: absolute;
  top: 50%;
  left: 50%;
  transform: translate(-50%, -50%);
  z-index: 1;
  overflow: hidden;
  box-shadow: 0 12px 25px rgba(0, 0, 0, 0.2);
  background-color: rgba(209, 197, 209, 0.2);
} */
```

```
/* section */
/* Left section */
.lsection {
  position: absolute;
```

```
    left: 15vw;
    top: 20%;
    width: 20vw;
    height: 400px;
    z-index: 2;
    animation: float-left 8s ease-in-out infinite;
}

.sectionl{
    position: absolute;
    /* transform: translateY(5vh); */
    right: 0;
    top: -12vw;
}
```

```
/* Right section */
.rsection {
    position: absolute;
    right: 15vw;
    top: 20%;
    width: 20vw;
    height: 400px;
    z-index: 2;
    animation: float-right 8s ease-in-out infinite;
}
```

```
.sectionr{
    position: relative;
    /* transform: translateY(5vh); */
    top: -12vw;
}
```

```
@media (max-width: 950px) {
    .sectionr{
        position: relative;
        /* transform: translateY(5vh); */
        top: -60px;
    }
}
```

```

    }
    .sectionI{
        position: absolute;
        /* transform: translateY(5vh); */
        right: 0;
        top: -60px;
    }
}

/* Floating animations */
@keyframes float-left {
    0% {
        transform: translateY(0px);
    }
    50% {
        transform: translateY(-15px);
    }
    100% {
        transform: translateY(0px);
    }
}

@keyframes float-right {
    0% {
        transform: translateY(-10px);
    }
    50% {
        transform: translateY(5px);
    }
    100% {
        transform: translateY(-10px);
    }
}

/* 从圆心向外飞出的动画 */
@keyframes fly-out-left {
    0% {
        /* dialog-group-I 从画面中央（圆心）开始，向左飞出 */

```

```

    /* 圆心相对于左侧对话框来说是在右边，所以起始位置要向右偏移更多 */
    transform: scale(2.8) translateX(calc(4% + 400px)) translateY(calc(-35% + 200px));
    opacity: 0;
}
20% {
    opacity: 1;
}
100% {
    /* 最终位置 - 左侧 */
    transform: scale(2.8) translateX(2%) translateY(-35%);
    opacity: 1;
}
}

```

```

@keyframes fly-out-right {
    0% {
        /* dialog-group-r 从画面中央（圆心）开始，向右飞出 */
        /* 圆心相对于右侧对话框来说是在左边，所以起始位置要向左偏移更多 */
        transform: scale(2.8) translateX(calc(50px - 400px)) translateY(calc(-35% +
200px));
        opacity: 0;
    }
    20% {
        opacity: 1;
    }
    100% {
        /* 最终位置 - 右侧 */
        transform: scale(2.8) translateX(50px) translateY(-35%);
        opacity: 1;
    }
}

```

```

.dialog-group-l {
    pointer-events: auto;
    cursor: pointer;
    position: relative;
    z-index: 3;
    opacity: 0;
}

```



```
    animation: fly-out-left 1.2s cubic-bezier(0.25, 0.46, 0.45, 0.94) forwards;
    /* 最终状态 */
    transform: scale(2.8) translateX(4%) translateY(-35%);
}
```

```
.dialog-group-r {
    pointer-events: auto;
    cursor: pointer;
    position: relative;
    z-index: 3;
    opacity: 0;
    animation: fly-out-right 1.2s cubic-bezier(0.25, 0.46, 0.45, 0.94) forwards;
    /* 最终状态 */
    transform: scale(2.8) translateX(50px) translateY(-35%);
}
```

```
/* 错开动画时间，从圆心依次向外飞出 */
.dialog-group-l:nth-of-type(1) { animation-delay: 2s; }
.dialog-group-l:nth-of-type(2) { animation-delay: 2.2s; }
.dialog-group-l:nth-of-type(3) { animation-delay: 2.4s; }
.dialog-group-r:nth-of-type(1) { animation-delay: 2.6s; }
.dialog-group-r:nth-of-type(2) { animation-delay: 2.8s; }
.dialog-group-r:nth-of-type(3) { animation-delay: 3s; }
```

```
/* Left dialog group hover effects */
```

```
.dialog-group-l:hover .path-outline {
    transform: translate(6px, -10px);
}
```

```
.dialog-group-l:hover .path-fill {
    fill: #FCD46F; /* 换你想要的顏色 */
}
```

```
.dialog-group-l:hover .dialog-text{
```

```

    fill: #5A355A;
}

/* Right dialog group hover effects */

.dialog-group-r:hover .path-outline {
    transform: translate(-6px, -10px);
}

.dialog-group-r:hover .path-fill {
    fill: #FCD46F; /* 換你想要的顏色 */
}

.dialog-group-r:hover .dialog-text{
    fill: #9479C1;
}

/* Path styles */
.dialog-group-l, .dialog-group-r {
    transition: transform 0.3s ease-in-out;
    filter: drop-shadow(0 15px 20px rgba(0, 0, 0, 0.15));
    box-shadow: 0 10px 30px rgba(0, 0, 0, 0.08);
}

.dialog-text {
    font-family: Arial, Helvetica, sans-serif;
    font-size: 24px;
    font-weight: 350;
    text-overflow: ellipsis;
    overflow: hidden;
    white-space: nowrap;
    max-width: 320px; /* Reduced to ensure text stays within the bubble */
    transition: all 0.3s ease;
}

.dialog-group-l:hover .dialog-text {
    animation: text-scroll 20s linear infinite;

```

```
}
```

```
@keyframes text-scroll {  
  0% {  
    transform: translateX(0);  
  }  
  40% {  
    transform: translateX(calc(-100% + 320px));  
  }  
  60% {  
    transform: translateX(calc(-100% + 320px));  
  }  
  100% {  
    transform: translateX(0);  
  }  
}
```

```
.path-outline {  
  transition: transform 0.3s ease;  
  pointer-events: auto;  
}
```

```
.path-fill {  
  transition: fill 0.3s ease;  
  pointer-events: auto;  
}
```

```
/* Make SVG elements properly accessible for hover */  
svg.section {  
  overflow: visible;  
  pointer-events: auto;  
}
```

```
/* Ensure dialog groups are clickable */  
.dialog-group-l, .dialog-group-r {  
  cursor: pointer;  
}
```

```
/* Feature sections */
.feature-container {
    position: relative;
    top: 100px;
    z-index: 3;
    margin-bottom: 100px;
}
```

```
/*
.feature-title::before {
    content: "";
    display: inline-block;
    width: 30px;
    height: 30px;
    margin-right: 10px;
    background-color: #e0d3e0;
    border-radius: 50%;
} */
```

```
/* 内容 */
```

```
/* Feature box container */
```

```
.feature-box {
    position: absolute;
    top: 80px;
    left: 0;
    width: 100%;
    height: 100%;
    pointer-events: none; /* Allow clicks to pass through to elements below */
    z-index: 4; /* Make sure it's above the animated line */
}
```

```
/* Common styles for feature items */
```

```
.feature-item {
```

```
position: absolute;
width: 100%;
height: 25%;
opacity: 0;
transform: translateY(50px);
transition: opacity 0.8s ease-out, transform 0.8s ease-out;
}
```

```
.feature-item:nth-child(1) {
  top: 0;
}
```

```
.feature-item:nth-child(2) {
  top: 25%;
}
```

```
.feature-item:nth-child(3) {
  top: 50%;
}
```

```
.feature-item:nth-child(4) {
  top: 75%;
}
```

```
/* 限制 feature-item 內 svg 最大寬高為 300px，並置中顯示 */
.feature-item img {
  width: 15vw;
  height: 15vw;
  display: block;
  position: relative;
  z-index: 1;
}
```

```
/* 淡入效果 */
.feature-item {
  opacity: 0;
  transform: translateY(50px);
```

```
    transition: opacity 1s ease, transform 1s ease;
}
```

```
.feature-item.fade-in {
  opacity: 1;
  transform: translateY(0);
}
```

```
.feature-item:nth-child(1) img{
  position: absolute;
  top: 20%;
  left: 20%;
  z-index: -1;
}
```

```
.feature-item:nth-child(2) img{
  position: absolute;
  top: 18%;
  left: 73%;
  z-index: -1;
  width: 13vw;
  height: 13vw;
}
```

```
.feature-item:nth-child(3) img{
  position: absolute;
  top: 28%;
  left: 60%;
  z-index: -1;
  width: 12vw;
  height: 12vw;
}
```

```
.feature-item:nth-child(4) img{
  position: absolute;
  top: 10%;
  left: 10%;
  z-index: -1;
}
```

```
/* 保證 feature-title 與 feature-desc 不被 svg 遮蓋 */  
.feature-title, .feature-desc {  
    position: absolute;  
    z-index: 2;  
    background: transparent;  
}
```

```
/* 出現後的狀態 */  
.feature-item.visible {  
    opacity: 1;  
    transform: translateY(0);  
}
```

```
.feature-title {  
    position: absolute;  
    top: 0;  
    left: 0;  
    width: 100%;  
}
```

```
.feature-desc {  
    position: absolute;  
    bottom: 0;  
    right: 0;  
    width: 100%;  
}
```

```
.feature-title h3 {  
    /* font-size: clamp(6px, 4vw, 65px); */  
    font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman', serif;  
    color: #635C63;  
    font-weight: 600;  
    font-size: 5vw;  
}
```

```
.feature-desc p {
```

```
font-size: 2vw;  
color: #635C63;  
}
```

```
.feature-item:nth-child(1) .feature-title {  
  top: 25%;  
  left: 35%;  
}
```

```
.feature-item:nth-child(1) .feature-desc {  
  bottom: 25%;  
  left: 36%;  
}
```

```
.feature-item:nth-child(2) .feature-title {  
  top: 40%;  
  left: 17%;  
}
```

```
.feature-item:nth-child(2) .feature-desc {  
  bottom: 5%;  
  left: 18%;  
}
```

```
.feature-item:nth-child(3) .feature-title {  
  top: 30%;  
  left: 40%;  
}
```

```
.feature-item:nth-child(3) .feature-desc {  
  bottom: 16%;  
  left: 8%;  
}
```

```
.feature-item:nth-child(4) .feature-title {  
  top: 10%;  
  left: 28%;  
}
```



```
.feature-item:nth-child(4) .feature-desc {  
    bottom: 45%;  
    left: 29%;  
}
```

```
/* 80x80 容器，獨立於 feature-item */  
/* icon-container 樣式：以 Y 軸旋轉 360 度 */  
/* .icon-container {  
    position: absolute;  
    width: auto;  
    height: auto;  
    min-width: 100px;  
    min-height: 100px;  
    font-family: 'La Belle Aurore', cursive;  
    color: #a37ea3c9;  
    text-align: center;  
    line-height: 80px;  
    text-shadow:  
        4px 4px 6px #a37ea3,  
        -1px -1px 0 rgba(255, 255, 255, 0.4);  
    transition: transform 1s;  
    will-change: transform;  
    transform-origin: center center;  
    z-index: 99;  
  
} */
```

```
/* 旋轉動畫定義 */  
/* @keyframes rotateOnce {  
    from {  
        transform: rotateY(0deg);  
    }  
    to {
```

```
        transform: rotateY(360deg);
    }
}

.icon-container.animate {
    animation: rotateOnce 1s ease-out;
} */
```

```
/* icon-container 位置 */
/* .icon-container:nth-child(5) {
    top: 300px;
    left: 200px;
    font-size: 220px;
}
}
```

```
.icon-container:nth-child(7) {
    top: 680px;
    right: 200px;
    font-size: 300px;
}
}
```

```
.icon-container:nth-child(6) {
    top: 950px;
    left: 100px;
    font-size: 260px;
}
}
```

```
.icon-container:nth-child(8) {
    top: 1350px;
    left: 190px;
    font-size: 230px;
} */
```

```
/* 響應式調整 */
/* @media (max-width: 768px) {
```

```
.feature-box {
  position: relative;
  display: flex;
  flex-direction: column;
  gap: 20px;
  margin-top: 400px;
  padding: 20px;
}

.feature-item {
  position: relative;
  width: 100%;
  top: auto;
  left: auto;
  right: auto;
  margin: 10px 0;
}

.feature-item::after {
  display: none;
}

.icon-container {
  position: relative;
  margin: 0 auto 15px auto;
}
} */
```

```
.svg-mobile {
  display: none;
}
```

```
.sectionI {
  display: block;
}
```

```
@media screen and (max-width: 768px) {  
  .sectionl {  
    display: none;  
  }  
  
  .svg-mobile {  
    width: 100vw;  
    max-width: 100vw; /* 不允許超出父容器 */  
    height: auto;  
    display: block; /* 清除多餘空隙 */  
  }  
  
  .lsection{  
    width: 100vw;  
    max-width: 100vw; /* 不允許超出父容器 */  
    height: auto;  
    display: block; /* 清除多餘空隙 */  
  }  
}
```

```
/* Mobile specific overrides for index page */
```

```
@media (max-width: 768px) {  
  .main-container{  
    padding-bottom: 400px;  
  }  
}
```

```
/* General scale down */  
body {  
  width: 100%;  
  font-size: 8px;  
}
```

```
/* Decorative purple shapes responsive size  
#lpurple,  
#rpurple,  
#dpurple {
```

```
    width: clamp(120px, 25vw, 180px);
    height: auto;
} */
```

```
#lpurple{
    top: -12px;
}
```

```
/* Hide right chat section */
.rsection {
    display: none;
}
```

```
/* Re-position left chat section under the circle */
.lsection {
    position: relative;
    width: 480px;
    height: 200px;
    top: 550px;
    left: 50%;
    transform: translateX(-50%);
    overflow: visible; /* prevent clipping */
    animation: none; /* stop floating */
    box-sizing: border-box;
}
```

```
/* Make embedded SVG scale with container */
.lsection svg {
    top: 0;
    width: 480px; /* shrink overall dialog size */
    height: 200px;
}
```

```
/* Remove shadow & scale down dialog on mobile */
.lsection .dialog-group-l {
    top: 0;
    transform: scale(2.2);
    filter: none;
```

```

    box-shadow: none;
    transform-origin: top left;
    animation: none; /* 移除桌面版 fly-out 動畫 */
    opacity: 1; /* 確保可見 */
}

/* Fine-tune hover offset for scaled dialogs */
.lsection .dialog-group-l:hover .path-outline {
    transform: translate(3.2px, -3px); /* 比桌面版小，避免位移過大 */
}

.lsection .dialog-group-l:hover .path-outline .stroke-group {
    transform: translate(-6%, 6%); /* 起始位置，與 fill 重疊，使用百分比以隨視窗縮放 */
}

.feature-container{
    top: 400px;
}

/* .feature-container #triangle-1,
.feature-container #triangle-2 {
    width: clamp(80px, 10vw, 100px); 在 160~260px 範圍內隨螢幕寬度變化
    height: auto;
    transform: none; 以寬度控制大小，不額外縮放
} */

/* .feature-container #animated-line {
    width: clamp(240px, 70vw, 520px);
    height: auto;
    transform: none;
} */

/* Scale down feature section */
.feature-box {

```

```
    transform: scale(0.8);
    transform-origin: top center;
}

.feature-item {
    transform: scale(0.8);
}

.feature-item .feature-title h3 {
    font-size: 5vw;
}

.feature-desc{
    width: 40%;
}

.feature-desc p {
    font-size: 2vw;
}

.feature-title{
    width: 300px;
}

.slogan-4{
    top: 88%;
    left: 12%;
}

.feature-item:nth-child(4) .feature-desc {
    bottom: 40%;
    left: 29%;
}
}
```

#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\static\css\join_create.css

/* 表單樣式 */

```
.form-container {  
    background-color: white;  
    border-radius: 10px;  
    padding: 30px;  
    box-shadow: 0 3px 10px rgba(0,0,0,0.1);  
}
```

```
.form-group {  
    margin-bottom: 25px;  
}
```

```
.form-label {  
    display: block;  
    margin-bottom: 8px;  
    font-weight: bold;  
    color: #34495e;  
}
```

```
.form-input {  
    width: 100%;  
    padding: 12px;  
    border: 1px solid #ddd;  
    border-radius: 5px;  
    font-size: 1rem;  
}
```

```
.form-textarea {  
    width: 100%;  
    padding: 12px;  
    border: 1px solid #ddd;  
    border-radius: 5px;  
    font-size: 1rem;  
    min-height: 120px;
```



```
        resize: vertical;
    }

    .form-select {
        width: 100%;
        padding: 12px;
        border: 1px solid #ddd;
        border-radius: 5px;
        font-size: 1rem;
        background-color: white;
    }
```

```
.form-row {
    display: flex;
    gap: 20px;
}
```

```
.form-col {
    flex: 1;
}
```

```
.image-upload-container {
    border: 2px dashed #ddd;
    border-radius: 5px;
    padding: 30px;
    text-align: center;
    cursor: pointer;
    margin-bottom: 10px;
}
```

```
.image-upload-icon {
    font-size: 3rem;
    color: #bbb;
    margin-bottom: 10px;
}
```

```
.image-upload-text {
    color: #777;
```

```
}
```

```
.help-text {  
    font-size: 0.85rem;  
    color: #777;  
    margin-top: 5px;  
}
```

```
/* 按鈕樣式 */
```

```
.buttons-container {  
    display: flex;  
    justify-content: space-between;  
    margin-top: 30px;  
}
```

```
.cancel-btn {  
    padding: 12px 25px;  
    background-color: transparent;  
    color: #555;  
    border: 1px solid #ddd;  
    border-radius: 5px;  
    cursor: pointer;  
    text-decoration: none;  
    display: inline-block;  
    text-align: center;  
}
```

```
.submit-btn {  
    padding: 12px 25px;  
    background-color: #34495e;  
    color: white;  
    border: none;  
    border-radius: 5px;  
    cursor: pointer;  
    font-size: 1rem;  
    font-weight: bold;  
}
```

```
.submit-btn:hover {  
    background-color: #2c3e50;  
}
```

```
/* 檢視表預覽 */
```

```
.preview-section {  
    margin-top: 30px;  
    background-color: #f0f7ff;  
    border-radius: 10px;  
    padding: 20px;  
    border: 1px solid #d0e3ff;  
}
```

```
.preview-title {  
    font-size: 1.2rem;  
    color: #34495e;  
    margin-bottom: 15px;  
    display: flex;  
    align-items: center;  
}
```

```
.preview-icon {  
    margin-right: 10px;  
}
```

```
.preview-card {  
    background-color: white;  
    border-radius: 10px;  
    overflow: hidden;  
    box-shadow: 0 3px 10px rgba(0,0,0,0.1);  
}
```

```
.preview-image {  
    height: 180px;  
    background-color: #e0e0e0;  
    position: relative;  
    display: flex;  
    align-items: center;
```

```
    justify-content: center;
    color: #999;
}
```

```
.preview-tag {
    position: absolute;
    top: 15px;
    right: 15px;
    background-color: #34495e;
    color: white;
    padding: 5px 10px;
    border-radius: 20px;
    font-size: 0.8rem;
}
```

```
.preview-content {
    padding: 20px;
}
```

```
.preview-activity-title {
    font-size: 1.3rem;
    margin-bottom: 10px;
    color: #34495e;
}
```

```
.preview-info {
    display: flex;
    align-items: center;
    margin-bottom: 10px;
    color: #666;
    font-size: 0.9rem;
}
```

```
.preview-location, .preview-time {
    margin-right: 15px;
    display: flex;
    align-items: center;
}
```

```
.location-icon, .time-icon {  
    margin-right: 5px;  
}
```

```
.preview-description {  
    margin-bottom: 15px;  
    color: #555;  
    line-height: 1.5;  
}
```

```
@media (max-width: 768px) {  
    .form-row {  
        flex-direction: column;  
        gap: 25px;  
    }  
  
    .nav-menu {  
        display: none;  
    }  
}
```

#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\static\css\join_detail.css

```
* {  
    margin: 0;  
    padding: 0;  
    box-sizing: border-box;  
}
```

```
body {  
    font-family: 'Noto Sans TC', sans-serif;  
    background-color: white;  
    color: #333;  
    line-height: 1.6;  
    margin-top: 15vh;
```

```
}
```

```
.container {  
    max-width: 1200px;  
    margin: 0 auto;  
    padding: 0;  
}
```

```
/* Back button styles */  
.back-button {  
    margin-bottom: 25px;  
}
```

```
.back-button a {  
    text-decoration: none;  
    color: var(--text-color);  
    font-weight: bold;  
    padding: 8px 12px;  
    transition: var(--transition);  
    display: inline-flex;  
    align-items: center;  
    position: relative;  
    border-radius: 100px;  
}
```

```
.back-button a:hover {  
    color: #222;  
}
```

```
.back-button a::after {  
    content: "";  
    position: absolute;  
    bottom: 0;  
    left: 50%;  
    width: 0;  
    height: 2px;  
    background-color: #555;  
    transition: all 0.3s ease;
```

```
        transform: translateX(-50%);
    }

.back-button a:hover::after {
    width: 80%;
}

.back-button a:before {
    content: '←';
    margin-right: 5px;
    font-weight: bold;
}

/* 討論區樣式 */
.discussion-section {
    background: #fff;
    border-radius: 12px;
    padding: 24px;
    box-shadow: 0 2px 8px rgba(0,0,0,0.1);
    margin-bottom: 24px;
}

.section-title {
    color: #333;
    font-size: 20px;
    font-weight: 600;
    margin-bottom: 20px;
    display: flex;
    align-items: center;
    gap: 8px;
}

.comment-count {
    color: #666;
    font-size: 14px;
    font-weight: 400;
}
```

```
.comments-section {  
    margin-bottom: 24px;  
}
```

```
.comment-card {  
    border: 1px solid #e5e7eb;  
    border-radius: 8px;  
    padding: 16px;  
    margin-bottom: 16px;  
    background: #fafafa;  
}
```

```
.comment-header {  
    display: flex;  
    align-items: flex-start;  
    justify-content: space-between;  
    margin-bottom: 12px;  
}
```

```
.user-info-container {  
    display: flex;  
    align-items: center;  
    gap: 12px;  
}
```

```
.user-avatar {  
    width: 40px;  
    height: 40px;  
    border-radius: 50%;  
    overflow: hidden;  
    background: #ddd;  
}
```

```
.user-avatar img {  
    width: 100%;  
    height: 100%;  
    object-fit: cover;
```



```
}
```

```
.user-avatar.small {  
  width: 32px;  
  height: 32px;  
}
```

```
.user-info {  
  display: flex;  
  flex-direction: column;  
  gap: 4px;  
}
```

```
.user-name {  
  font-weight: 600;  
  color: #333;  
  font-size: 14px;  
}
```

```
.comment-meta {  
  display: flex;  
  align-items: center;  
  gap: 8px;  
}
```

```
.stars {  
  display: flex;  
  gap: 2px;  
}
```

```
.stars i {  
  color: #fbbf24;  
  font-size: 12px;  
}
```

```
.comment-date {  
  color: #666;  
  font-size: 12px;
```

```
}
```

```
.like-btn {  
    display: flex;  
    align-items: center;  
    gap: 4px;  
    background: none;  
    border: 1px solid #e5e7eb;  
    border-radius: 4px;  
    padding: 4px 8px;  
    cursor: pointer;  
    transition: all 0.2s;  
}
```

```
.like-btn:hover {  
    background: #f3f4f6;  
}
```

```
.like-btn.liked {  
    background: #3b82f6;  
    color: white;  
    border-color: #3b82f6;  
}
```

```
.like-icon {  
    font-size: 12px;  
}
```

```
.like-count {  
    font-size: 12px;  
}
```

```
.comment-content {  
    margin-bottom: 12px;  
    line-height: 1.5;  
    color: #374151;  
}
```

```
.comment-actions {
  display: flex;
  gap: 12px;
}

.reply-btn, .reply-to-reply {
  background: none;
  border: none;
  color: #6b7280;
  cursor: pointer;
  font-size: 12px;
  padding: 0;
  text-decoration: underline;
}

.reply-btn:hover, .reply-to-reply:hover {
  color: #374151;
}

.reply-form {
  margin-top: 12px;
  padding: 12px;
  background: #f9fafb;
  border-radius: 6px;
  border: 1px solid #e5e7eb;
}

.form-group {
  margin-bottom: 12px;
}

.form-control {
  width: 100%;
  padding: 8px 12px;
  border: 1px solid #d1d5db;
  border-radius: 6px;
  font-size: 14px;
  resize: vertical;
```

```
    font-family: inherit;
}

.form-control:focus {
    outline: none;
    border-color: #3b82f6;
    box-shadow: 0 0 0 3px rgba(59, 130, 246, 0.1);
}

.form-actions {
    display: flex;
    gap: 8px;
    justify-content: flex-end;
}

.cancel-reply-btn, .submit-reply-btn {
    padding: 6px 12px;
    border-radius: 4px;
    font-size: 12px;
    cursor: pointer;
    border: 1px solid;
}

.cancel-reply-btn {
    background: white;
    border-color: #d1d5db;
    color: #6b7280;
}

.submit-reply-btn {
    background: #3b82f6;
    border-color: #3b82f6;
    color: white;
}

.cancel-reply-btn:hover {
    background: #f9fafb;
}
```

```
.submit-reply-btn:hover {  
    background: #2563eb;  
}
```

```
.replies-container {  
    margin-top: 12px;  
    padding-left: 20px;  
    border-left: 2px solid #e5e7eb;  
}
```

```
.reply {  
    display: flex;  
    gap: 8px;  
    margin-bottom: 12px;  
}
```

```
.reply-content {  
    flex: 1;  
}
```

```
.reply-header {  
    display: flex;  
    align-items: center;  
    gap: 8px;  
    margin-bottom: 4px;  
}
```

```
.reply-date {  
    color: #666;  
    font-size: 11px;  
}
```

```
.reply-actions {  
    margin-top: 4px;  
}
```

```
.add-comment-form {
```

```
padding-top: 20px;
border-top: 1px solid #e5e7eb;
}
```

```
.add-comment-form h3 {
  margin-bottom: 16px;
  color: #374151;
  font-size: 16px;
  font-weight: 600;
}
```

```
.submit-comment-btn {
  background: #059669;
  color: white;
  border: none;
  padding: 10px 20px;
  border-radius: 6px;
  cursor: pointer;
  font-size: 14px;
  font-weight: 500;
}
```

```
.submit-comment-btn:hover {
  background: #047857;
}
```

```
.submit-comment-btn:disabled {
  background: #9ca3af;
  cursor: not-allowed;
}
```

/ 删除 hero grid 布局，改为单列 */*

```
.hero {
  display: flex;
  flex-direction: column;
```

```
        margin-bottom: 0;
        padding: 40px;
        background-color: white;
    }

    .event-details {
        display: flex;
        flex-direction: column;
        justify-content: center;
    }

    .event-title {
        font-size: 42px;
        font-weight: 700;
        margin-bottom: 30px;
        line-height: 1.2;
        color: #222;
    }

    .event-info-cards {
        display: grid;
        grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
        gap: 20px;
        margin-bottom: 30px;
        position: relative;
    }

    .info-card {
        display: flex;
        align-items: center;
        background-color: white;
        border-radius: 16px;
        padding: 20px;
        box-shadow: 0 10px 30px rgba(0, 0, 0, 0.05);
        transition: transform 0.3s, box-shadow 0.3s;
        position: relative;
    }
```

```
.info-card:not(:last-child)::after {
  content: "";
  position: absolute;
  right: -10px;
  top: 50%;
  transform: translateY(-50%);
  width: 20px;
  height: 80%;
  background-image: linear-gradient(45deg, rgba(200, 215, 225, 0.5) 25%,
transparent 25%, transparent 50%, rgba(200, 215, 225, 0.5) 50%, rgba(200, 215, 225,
0.5) 75%, transparent 75%, transparent);
  background-size: 10px 10px;
  z-index: 1;
}
```

```
.info-card:hover {
  transform: translateY(-5px);
  box-shadow: 0 15px 35px rgba(0, 0, 0, 0.1);
}
```

```
.info-icon-circle {
  width: 60px;
  height: 60px;
  border-radius: 50%;
  background: linear-gradient(135deg, #9E5C94 0%, #7E3D76 100%);
  display: flex;
  justify-content: center;
  align-items: center;
  margin-right: 20px;
  flex-shrink: 0;
}
```

```
.info-icon {
  font-size: 24px;
  color: white;
}
```

```
.info-content {
```



```
        flex: 1;
    }

    .info-title {
        font-size: 14px;
        font-weight: 500;
        color: #888;
        margin-bottom: 5px;
    }

    .info-value {
        font-size: 18px;
        font-weight: 600;
        color: #333;
    }

    .event-cta {
        background-color: #7E3D76;
        color: white;
        border: none;
        padding: 18px 40px;
        border-radius: 50px;
        font-size: 18px;
        font-weight: 700;
        cursor: pointer;
        transition: background-color 0.3s, transform 0.3s;
        align-self: flex-start;
        box-shadow: 0 5px 15px rgba(126, 61, 118, 0.3);
    }

    .event-cta:hover {
        background-color: #7E3D76;
        transform: translateY(-3px);
        box-shadow: 0 8px 20px rgba(126, 61, 118, 0.4);
    }

    /* 固定在底部的按钮 */
    .fixed-cta {
```

```
position: fixed;
bottom: 20px;
left: 50%;
transform: translateX(-50%);
background-color: #7E3D76;
color: white;
border: none;
padding: 15px 35px;
border-radius: 50px;
font-size: 18px;
font-weight: 700;
cursor: pointer;
transition: background-color 0.3s, transform 0.3s;
box-shadow: 0 5px 15px rgba(0, 0, 0, 0.2);
z-index: 1000;
}
```

```
.fixed-cta:hover {
  background-color: #7E3D76;
  transform: translateX(-50%) translateY(-3px);
  box-shadow: 0 8px 20px rgba(0, 0, 0, 0.3);
}
```

```
.section {
  padding: 40px;
  width: 100%;
  clear: both;
  overflow: hidden;
}
```

```
.section:nth-child(odd) {
  background-color: #f4f4f4;
}
```

```
.section:nth-child(even) {
  background-color: white;
}
```

```
.section-title {  
    font-size: 24px;  
    font-weight: 700;  
    margin-bottom: 30px;  
    color: #222;  
    position: relative;  
    padding-left: 15px;  
    clear: both;  
}
```

```
.section-title::before {  
    content: "";  
    position: absolute;  
    left: 0;  
    top: 8px;  
    width: 5px;  
    height: 20px;  
    background-color: #7E3D76;  
    border-radius: 10px;  
}
```

```
/* 添加活动介绍红色标题样式 */  
h2.section-title:first-of-type::before {  
    height: 24px;  
    width: 6px;  
    background-color: #7E3D76;  
}
```

```
.section-content {  
    color: #666;  
    font-size: 16px;  
    line-height: 1.8;  
    clear: both;  
}
```

```
.section-content p {  
    margin-bottom: 20px;  
}
```

```
.section-content li {  
    margin-bottom: 10px;  
    list-style-position: inside;  
}
```

```
.section iframe{  
    margin-top: 40px;  
    margin-bottom: 40px;  
}
```

```
.map-container {  
    height: 400px;  
    margin-bottom: 40px;  
    display: flex;  
    justify-content: center;  
    align-items: center;  
    color: #999;  
    clear: both;  
    position: relative;  
    overflow: hidden;  
}
```

```
.address {  
    margin-top: 20px;  
    margin-bottom: 20px;  
    display: flex;  
    align-items: center;  
    color: #666;  
    clear: both;  
    position: relative;  
}
```

```
.address-icon {  
    margin-right: 10px;  
}
```

```
.participants {
```

```
    display: grid;
    grid-template-columns: repeat(auto-fill, minmax(90px, 1fr));
    gap: 20px;
}
```

```
.participant {
    display: flex;
    flex-direction: column;
    align-items: center;
}
```

```
.avatar {
    width: 70px;
    height: 70px;
    border-radius: 50%;
    background-color: #eee;
    margin-bottom: 10px;
}
```

```
.name {
    font-size: 14px;
    color: #666;
    text-align: center;
}
```

```
.status {
    background-color: #f4f4f4;
    padding: 25px;
    border-radius: 12px;
    text-align: center;
    margin-top: 30px;
}
```

```
.status-text {
    font-size: 18px;
    color: #666;
    margin-bottom: 15px;
}
```

```
.comment-form {  
    display: flex;  
    margin: 30px 0;  
}
```

```
.comment-avatar {  
    width: 50px;  
    height: 50px;  
    border-radius: 50%;  
    background-color: #eee;  
    margin-right: 15px;  
    flex-shrink: 0;  
}
```

```
.comment-input {  
    flex: 1;  
    border: 1px solid #eee;  
    border-radius: 30px;  
    padding: 15px 20px;  
    font-size: 14px;  
    resize: none;  
    transition: border-color 0.3s;  
}
```

```
.comment-input:focus {  
    outline: none;  
    border-color: #7E3D76;  
}
```

```
.submit-btn {  
    background-color: #ff6b6b;  
    color: white;  
    border: none;  
    border-radius: 30px;  
    padding: 12px 25px;  
    margin-left: 10px;  
    cursor: pointer;
```

```
    font-size: 14px;
    font-weight: 500;
    transition: background-color 0.3s;
}
```

```
.submit-btn:hover {
    background-color: #7E3D76;
}
```

```
.related-title {
    font-size: 28px;
    font-weight: 700;
    padding: 30px 40px;
    background-color: #f4f4f4;
    margin-bottom: 0;
    color: #222;
}
```

```
.related-grid {
    display: grid;
    grid-template-columns: repeat(3, 1fr);
    gap: 30px;
    padding: 30px 40px;
    background-color: #f4f4f4;
}
```

```
.related-card {
    background-color: white;
    border-radius: 0;
    overflow: hidden;
    transition: transform 0.3s;
    text-decoration: none;
    box-shadow: none;
    display: flex;
    flex-direction: column;
}
```

```
.related-card:hover {
```

```
    transform: translateY(-5px);
    box-shadow: none;
}
```

```
.related-image {
    height: 180px;
    background-color: #eee;
    position: relative;
}
```

```
.related-date {
    position: absolute;
    bottom: 15px;
    left: 15px;
    background-color: #7E3D76;
    color: white;
    padding: 5px 15px;
    border-radius: 5px;
    font-size: 14px;
}
```

```
.related-content {
    padding: 20px;
    background-color: white;
    flex-grow: 1;
}
```

```
.related-card-title {
    font-size: 20px;
    font-weight: 500;
    color: #333;
    margin-bottom: 15px;
}
```

```
.related-info {
    display: flex;
    justify-content: space-between;
    color: #999;
}
```



```
    font-size: 14px;
}

@media (max-width: 768px) {
    .hero {
        grid-template-columns: 1fr;
    }

    .hero-image {
        height: 300px;
    }

    .related-grid {
        grid-template-columns: 1fr;
    }
}

/* Comments Section */
.comments-section {
    background: white;
    border-radius: 10px;
    padding: 2rem;
    box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);
    clear: both;
    margin-top: 30px;
    overflow: hidden;
}

.section-title {
    font-size: 1.5rem;
    color: #2c3e50;
    margin-bottom: 1.5rem;
    padding-bottom: 1rem;
    border-bottom: 1px solid #eee;
}

.comment-count {
```

```
    font-size: 1rem;
    color: #6c757d;
    font-weight: normal;
}
```

```
/* Comment Meta */
.comment-meta {
    display: flex;
    align-items: center;
    gap: 10px;
    margin-top: 4px;
}
```

```
.comment-meta .stars {
    font-size: 1rem;
}
```

```
.comment-date {
    font-size: 0.8rem;
    color: #6c757d;
}
```

```
/* Comment Card */
.comment-card {
    padding: 1.5rem 0;
    margin-bottom: 15px;
    background-color: white;
    padding: 20px;
    transition: all 0.3s ease;
}
```

```
.comment-card:hover {
    transform: translateY(-2px);
}
```

```
.comment-card:last-child {
    border-bottom: none;
}
```

```
.comment-header {  
    display: flex;  
    align-items: center;  
    margin-bottom: 1rem;  
}
```

```
.user-avatar {  
    width: 50px;  
    height: 50px;  
    border-radius: 50%;  
    overflow: hidden;  
    margin-right: 1rem;  
    background: #a0abbf;  
    display: flex;  
    align-items: center;  
    justify-content: center;  
}
```

```
.user-avatar.small {  
    width: 35px;  
    height: 35px;  
    min-width: 35px;  
}
```

```
.user-avatar img {  
    width: 100%;  
    height: 100%;  
    object-fit: cover;  
}
```

```
.user-info {  
    flex: 1;  
}
```

```
.user-name {  
    display: block;  
    font-weight: 600;
```

```
        color: #2c3e50;
        margin-bottom: 0.25rem;
    }

    .comment-date, .reply-date {
        font-size: 0.8rem;
        color: #6c757d;
    }

    .comment-content {
        margin-left: 66px; /* avatar width + margin */
        margin-bottom: 1rem;
    }

    .comment-content p {
        margin: 0;
        line-height: 1.6;
    }

    .comment-actions {
        margin-left: 66px;
        margin-top: 1rem;
    }

    .reply-btn {
        background: none;
        border: none;
        color: #6F557D;
        cursor: pointer;
        font-size: 0.9rem;
        padding: 0.25rem 0.5rem;
        border-radius: 4px;
        transition: all 0.3s ease;
    }

    .reply-btn:hover {
        color: #e7c21b;
        transform: translateY(-2px);
    }
```

```
}
```

```
/* Reply Form */
```

```
.reply-form {  
    margin: 15px 0 20px 66px;  
    background: #f8f9fa;  
    border-radius: 8px;  
    padding: 15px;  
    box-shadow: 0 2px 5px rgba(0,0,0,0.05);  
    transition: all 0.3s ease;  
}
```

```
.reply-form:focus-within {  
    box-shadow: 0 4px 8px rgba(0,0,0,0.1);  
    transform: translateY(-2px);  
}
```

```
/* Add Comment Form */
```

```
.add-comment-form {  
    margin: 30px 0;  
    background: white;  
    border-radius: 8px;  
    padding: 20px;  
    box-shadow: 0 2px 5px rgba(0,0,0,0.05);  
    transition: all 0.3s ease;  
    position: relative;  
    overflow: visible;  
}
```

```
.add-comment-form h3 {  
    margin-bottom: 15px;  
    font-size: 18px;  
    color: #6F557D;  
}
```

```
.add-comment-form:focus-within {  
    box-shadow: 0 4px 8px rgba(0,0,0,0.1);  
    transform: translateY(-2px);  
}
```

```
}
```

```
.add-comment-form .submit-comment-btn {  
    background-color: #6F557D;  
    color: white;  
    border: none;  
    padding: 10px 20px;  
    border-radius: 6px;  
    cursor: pointer;  
    font-size: 16px;  
    transition: all 0.3s ease;  
    display: block;  
    margin-top: 15px;  
}
```

```
.add-comment-form .submit-comment-btn:hover {  
    background-color: #9e8c9d;  
    transform: translateY(-2px);  
}
```

```
.form-group {  
    margin-bottom: 10px;  
}
```

```
.form-control {  
    width: 100%;  
    padding: 10px;  
    border: 1px solid #ddd;  
    border-radius: 4px;  
    font-family: inherit;  
    resize: vertical;  
    min-height: 80px;  
}
```

```
.add-comment-form .form-actions {  
    display: flex;  
    justify-content: flex-end;  
    gap: 10px;
```

```
        margin-top: 10px;
    }
```

```
.cancel-reply-btn,
.submit-reply-btn {
    padding: 6px 16px;
    border-radius: 4px;
    font-weight: 500;
    cursor: pointer;
    transition: all 0.2s;
}
```

```
.cancel-reply-btn {
    background: #f1f1f1;
    border: 1px solid #ddd;
    color: #555;
}
```

```
.cancel-reply-btn:hover {
    background: #e6e6e6;
}
```

```
.submit-reply-btn {
    background: #6F557D;
    color: white;
    border: none;
}
```

```
.submit-reply-btn:hover {
    background-color: #9e8c9d;
    transform: translateY(-2px);
}
```

```
/* Like Button Styles */
```

```
.like-btn {
    display: flex;
    align-items: center;
    gap: 0.5rem;
```

```
    background: #f8f9fa;
    border: 1px solid #dee2e6;
    border-radius: 20px;
    padding: 0.5rem 1rem;
    cursor: pointer;
    transition: all 0.3s ease;
}
```

```
.like-btn:hover {
    background: #e9ecef;
    transform: translateY(-2px);
}
```

```
.like-btn.small {
    padding: 0.25rem 0.75rem;
    font-size: 0.85rem;
    margin-left: auto;
}
```

```
.like-btn.liked {
    background-color: #6F557D;
    color: white;
    border-color: #6F557D;
}
```

```
/* Remove duplicate style */
```

```
/* Reply Section */
```

```
.replies-container {
    margin-left: 66px;
    margin-top: 15px;
    border-left: 2px solid #eee;
    padding-left: 15px;
}
```

```
.reply {
    display: flex;
    gap: 10px;
```



```
padding: 12px 0;
border-bottom: 1px solid #f0f0f0;
}
```

```
.reply:last-child {
  border-bottom: none;
}
```

```
.reply-content {
  flex: 1;
}
```

```
.reply-header {
  display: flex;
  justify-content: space-between;
  margin-bottom: 5px;
}
```

```
.reply-actions {
  margin-top: 8px;
}
```

```
.reply-to-reply {
  background: none;
  border: none;
  color: #4e73df;
  cursor: pointer;
  font-size: 0.85rem;
  padding: 0;
}
```

```
.reply-to-reply:hover {
  text-decoration: underline;
}
```

```
.reply {
  display: flex;
  gap: 1rem;
}
```

```
padding: 0.5rem 0;
}
```

```
.reply-content {
  flex: 1;
}
```

```
.reply-header {
  margin-bottom: 0.5rem;
}
```

```
/* Responsive Design */
```

```
@media (max-width: 768px) {
  .main-container {
    padding: 1rem;
  }
```

```
  .course-title {
    font-size: 1.8rem;
  }
```

```
  .course-meta {
    flex-direction: column;
    gap: 0.5rem;
  }
```

```
  .comment-content,
  .comment-actions,
  .reply-section {
    margin-left: 0;
  }
```

```
  .comment-header {
    flex-wrap: wrap;
  }
```

```
  .like-btn.small {
    margin-left: 0;
  }
```

```
        margin-top: 0.5rem;
    }
}
```

```
/* Background Text */
```

```
.bg-text {
    position: fixed;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%) rotate(-5deg);
    font-size: 15vw;
    font-weight: 900;
    color: rgba(0, 0, 0, 0.03);
    white-space: nowrap;
    z-index: 0;
    pointer-events: none;
    user-select: none;
    width: 100%;
    text-align: center;
    line-height: 1;
}
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\css\join.css
```

```
@import
```

```
url('https://fonts.googleapis.com/css2?family=Noto+Sans+TC:wght@100;300;400;500;700;900&display=swap');
```

```
:root {
    --primary-color: #3d7e88;
    --secondary-color: #f8f8f8;
    --accent-color: #f5f5f5;
    --text-color: #333;
    --light-gray: #ebebeb;
    --pale-pink: #ffdee5;
    --pale-blue: #d0e5f0;
    --pale-green: #d1f0e6;
    --pale-purple: #e9dcf5;
```

```
}
```

```
* {  
  margin: 0;  
  padding: 0;  
  box-sizing: border-box;  
  font-family: 'Noto Sans TC', sans-serif;  
}
```

```
body {  
  font-family: 'Microsoft JhengHei', 'Segoe UI', Arial, sans-serif;  
  background-color: #f8f6f4;  
  color: var(--text-color);  
  margin: 0;  
  padding: 0;  
  line-height: 1.6;  
  margin-top: 80px;  
  position: relative;  
}
```

```
.page-container {  
  max-width: 1200px;  
  margin: 0 auto;  
  padding: 60px 20px;  
  position: relative;  
  z-index: 1;  
}
```

```
/* Background elements */
```

```
.bg-text {  
  position: fixed;  
  top: 0;  
  left: 0;  
  width: 100%;  
  height: 100vh;  
  font-size: 18vw;  
  font-weight: 900;  
  line-height: 0.8;
```

```
color: #f0f0f0;
white-space: nowrap;
letter-spacing: -0.05em;
user-select: none;
z-index: -1;
}

.cloud-shape {
  position: absolute;
  background: #fff;
  border-radius: 50%;
  z-index: -1;
  animation: float 8s ease-in-out infinite;
}

.main-container {
  max-width: 1200px;
  margin: 0 auto;
  padding: 60px 20px;
  position: relative;
}

/* Header and Title Section */
.page-header {
  text-align: center;
  position: relative;
}

.page-title {
  font-size: 50px;
  font-weight: 700;
  color: #635c63;
  text-align: center;
  margin-bottom: 10px;
  letter-spacing: 0.05em;
}

.page-subtitle {
```

```
font-size: 18px;
font-weight: 300;
text-align:center;
margin-bottom: 0;
}
```

```
.filter-container {
  margin-bottom: 40px;
}
```

```
/* Filter Section */
.filter-section {
  display: flex;
  flex-wrap: wrap;
  justify-content: center;
  gap: 15px;
  margin: 20px 0px 40px 0px;
}
```

```
.filter-item {
  padding: 12px 25px;
  border-radius: 50px;
  background-color: white;
  border: 1px solid #e0e0e0;
  font-size: 15px;
  cursor: pointer;
  transition: all 0.3s;
  -webkit-appearance: none;
  -moz-appearance: none;
  appearance: none;
  background-image: url("data:image/svg+xml;charset=UTF-8,%3csvg
xmlns='http://www.w3.org/2000/svg' viewBox='0 0 24 24' fill='none'
stroke='currentColor' stroke-width='2' stroke-linecap='round' stroke-
linejoin='round'%3e%3cpolyline points='6 9 12 15 18
9'%3e%3c/polyline%3e%3c/svg%3e");
  background-repeat: no-repeat;
  background-position: right 15px center;
  background-size: 1em;
```

```
padding-right: 35px;
}
```

```
.filter-item:hover {
  border-color: #e0d3e0;
  transform: translateY(-2px);
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.05);
}
```

```
.search-box {
  padding: 12px 25px;
  border-radius: 50px;
  background-color: white;
  border: 1px solid #e0e0e0;
  width: 250px;
  font-size: 15px;
  outline: none;
  transition: all 0.3s;
}
```

```
.search-box:focus {
  border-color: #e0d3e0;
  transform: translateY(-2px);
  box-shadow: 0 4px 10px rgba(0, 0, 0, 0.05);
}
```

```
.create-btn {
  margin-top: 30px;
  display: inline-block;
  padding: 12px 30px;
  background-color: var(--primary-color);
  color: white;
  border-radius: 50px;
  text-decoration: none;
  font-weight: 500;
  font-size: 16px;
  transition: all 0.3s;
  box-shadow: 0 4px 12px rgba(61, 126, 136, 0.2);
}
```

```
}
```

```
.create-btn:hover {  
  background-color: #346b74;  
  transform: translateY(-3px);  
  box-shadow: 0 6px 15px rgba(61, 126, 136, 0.3);  
}
```

```
/* Activity Card Grid */
```

```
.activities-container {  
  margin-bottom: 90px;  
}
```

```
.activity-grid {  
  display: grid;  
  grid-template-columns: repeat(auto-fill, minmax(280px, 1fr));  
  gap: 40px;  
  margin-bottom: 80px;  
}
```

```
/* Activity Card */
```

```
.activity-card {  
  background-color: white;  
  border-radius: 15px;  
  overflow: hidden;  
  box-shadow: 0 10px 30px rgba(0, 0, 0, 0.05);  
  transition: all 0.4s ease;  
  opacity: 0;  
  transform: translateY(30px);  
}
```

```
.activity-card.visible {  
  opacity: 1;  
  transform: translateY(0);  
}
```

```
.activity-card:hover {  
  transform: translateY(-15px);  
}
```



```
    box-shadow: 0 15px 40px rgba(0, 0, 0, 0.1);  
}
```

```
.activity-header {  
    padding: 15px 0;  
    text-align: center;  
    font-size: 14px;  
    font-weight: 700;  
    letter-spacing: 0.1em;  
    color: #555;  
    border-bottom: 1px solid #f0f0f0;  
    background-color: #fafafa;  
}
```

```
.activity-image {  
    position: relative;  
    height: 220px;  
    overflow: hidden;  
    cursor: pointer;  
}
```

```
.activity-image img {  
    width: 100%;  
    height: 100%;  
    object-fit: cover;  
    transition: transform 0.5s ease;  
}
```

```
.activity-card:hover .activity-image img {  
    transform: scale(1.15);  
}
```

```
.activity-image::after {  
    content: " ";  
    position: absolute;  
    top: 0;  
    left: 0;  
    width: 100%;
```

```
height: 100%;  
background-color: rgba(0, 0, 0, 0.05);  
opacity: 0;  
transition: opacity 0.3s ease;  
}
```

```
.activity-card:hover .activity-image::after {  
  opacity: 1;  
}
```

```
.activity-tag {  
  position: absolute;  
  top: 20px;  
  right: 20px;  
  width: 90px;  
  height: 90px;  
  display: flex;  
  justify-content: center;  
  align-items: center;  
  font-size: 16px;  
  font-weight: 600;  
  color: #333;  
  border-radius: 50%;  
  animation: float 3s ease-in-out infinite;  
  box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);  
  z-index: 1;  
}
```

```
.activity-tag.food {  
  background-color: var(--pale-pink);  
}
```

```
.activity-tag.study {  
  background-color: var(--pale-blue);  
}
```

```
.activity-tag.sports {  
  background-color: var(--pale-green);  
}
```

```
}
```

```
.activity-tag.movie {  
  background-color: var(--pale-purple);  
}
```

```
.activity-content {  
  padding: 30px;  
  display: flex;  
  flex-direction: column;  
  min-height: 290px;  
}
```

```
.activity-title {  
  font-size: 20px;  
  font-weight: 700;  
  margin-bottom: 20px;  
  text-align: center;  
  line-height: 1.4;  
}
```

```
.activity-description {  
  font-size: 15px;  
  line-height: 1.6;  
  margin-bottom: 30px;  
  color: #555;  
  text-align: center;  
  padding-bottom: 20px;  
  border-bottom: 1px solid #f0f0f0;  
  height: 100px;  
  overflow: hidden;  
  display: -webkit-box;  
  -webkit-line-clamp: 3;  
  -webkit-box-orient: vertical;  
}
```

```
.activity-info {  
  display: flex;
```

```
    flex-direction: column;
    gap: 15px;
    margin-bottom: 30px;
}
```

```
.activity-location, .activity-time {
    display: flex;
    align-items: center;
    gap: 12px;
    font-size: 15px;
    color: #666;
}
```

```
.icon {
    font-size: 20px;
    color: #635c63;
}
```

```
.activity-footer {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-top: auto;
}
```

```
.participants {
    display: flex;
    align-items: center;
    gap: 10px;
}
```

```
.participant-avatars {
    display: flex;
}
```

```
.participant-avatar {
    width: 28px;
    height: 28px;
```

```
border-radius: 50%;  
background-color: #eee;  
border: 2px solid white;  
margin-left: -8px;  
}
```

```
.participant-avatar:first-child {  
  margin-left: 0;  
}
```

```
.participant-count {  
  font-size: 14px;  
  color: #777;  
}
```

```
.join-btn {  
  padding: 8px 20px;  
  background-color: #9e8c9d;  
  color: white;  
  border-radius: 50px;  
  text-decoration: none;  
  font-size: 14px;  
  font-weight: 500;  
  transition: all 0.3s;  
}
```

```
.join-btn:hover {  
  background-color: #635c63;  
}
```

```
/* Students Section */  
.students-section {  
  margin-top: 100px;  
  text-align: center;  
}
```

```
.section-title {  
  font-size: 40px;
```

```
    font-weight: 700;
    color: var(--primary-color);
    margin-bottom: 20px;
}
```

```
.section-subtitle {
    font-size: 18px;
    font-weight: 300;
    margin-bottom: 60px;
}
```

```
.students-grid {
    display: grid;
    grid-template-columns: repeat(auto-fill, minmax(320px, 1fr));
    gap: 40px;
}
```

```
.student-card {
    background-color: white;
    border-radius: 15px;
    overflow: hidden;
    box-shadow: 0 10px 30px rgba(0, 0, 0, 0.05);
    transition: all 0.4s ease;
    opacity: 0;
    transform: translateY(30px);
}
```

```
.student-card.visible {
    opacity: 1;
    transform: translateY(0);
}
```

```
.student-card:hover {
    transform: translateY(-15px);
    box-shadow: 0 15px 40px rgba(0, 0, 0, 0.1);
}
```

```
.lookbook-header {
```

```
padding: 15px 0;
text-align: center;
font-size: 14px;
font-weight: 700;
letter-spacing: 0.1em;
color: #555;
border-bottom: 1px solid #f0f0f0;
background-color: #fafafa;
}
```

```
.student-image {
  position: relative;
  height: 450px;
  overflow: hidden;
  cursor: pointer;
}
```

```
.student-image img {
  width: 100%;
  height: 100%;
  object-fit: cover;
  transition: transform 0.5s ease;
}
```

```
.student-card:hover .student-image img {
  transform: scale(1.15);
}
```

```
.student-image::after {
  content: "";
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  background-color: rgba(0, 0, 0, 0.05);
  opacity: 0;
  transition: opacity 0.3s ease;
}
```

```
}
```

```
.student-card:hover .student-image::after {  
  opacity: 1;  
}
```

```
.campus-tag {  
  position: absolute;  
  top: 20px;  
  right: 20px;  
  width: 100px;  
  height: 100px;  
  display: flex;  
  justify-content: center;  
  align-items: center;  
  flex-direction: column;  
  text-align: center;  
  font-weight: 600;  
  color: #333;  
  border-radius: 50%;  
  animation: float 3s ease-in-out infinite;  
  box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);  
  z-index: 1;  
  padding: 10px;  
  line-height: 1.3;  
}
```

```
.campus-tag.peach {  
  background-color: var(--pale-pink);  
}
```

```
.campus-tag.teal {  
  background-color: var(--pale-blue);  
}
```

```
.student-info {  
  padding: 25px;  
  text-align: center;
```



```
}
```

```
.student-department {  
  display: inline-block;  
  padding: 6px 15px;  
  background-color: #f5f5f5;  
  border-radius: 50px;  
  font-size: 13px;  
  margin-bottom: 15px;  
}
```

```
.student-name {  
  font-size: 22px;  
  font-weight: 700;  
  margin-bottom: 5px;  
}
```

```
/* Floating Animations */  
@keyframes float {  
  0% {  
    transform: translateY(0);  
  }  
  50% {  
    transform: translateY(-15px);  
  }  
  100% {  
    transform: translateY(0);  
  }  
}
```

```
/* Decorative elements */  
.deco-line {  
  width: 100%;  
  height: 3px;  
  background-color: #9e8c9d;  
  margin: 40px 0;  
  opacity: 0.2;  
}
```

```
/* 右下角浮動按鈕樣式 */
```

```
.floating-action-button {  
    position: fixed;  
    bottom: 30px;  
    right: 30px;  
    z-index: 100;  
}
```

```
/* 圓形旋轉文字樣式 */
```

```
.circular-logo {  
    width: 100px;  
    height: 100px;  
    position: relative;  
    display: flex;  
    justify-content: center;  
    align-items: center;  
}
```

```
.circular-text {  
    position: absolute;  
    width: 100%;  
    height: 100%;  
    animation: rotate 20s linear infinite;  
    transform-origin: center center;  
    display: flex;  
    justify-content: center;  
    align-items: center;  
}
```

```
@keyframes rotate {  
    0% {  
        transform: rotate(0deg);  
    }  
    100% {  
        transform: rotate(360deg);  
    }  
}
```

```
.circular-text svg {  
  width: 100%;  
  height: 100%;  
}  
  
.circular-text text {  
  font-size: 8px;  
  fill: var(--primary-color);  
  letter-spacing: 1px;  
  font-weight: 500;  
  text-transform: uppercase;  
}
```

```
/* 中心上傳按鈕樣式 */  
.upload-btn-center {  
  position: absolute;  
  width: 60px;  
  height: 60px;  
  background-color: var(--primary-color);  
  color: white;  
  border-radius: 50%;  
  display: flex;  
  justify-content: center;  
  align-items: center;  
  font-size: 30px;  
  font-weight: 600;  
  cursor: pointer;  
  box-shadow: 0 4px 10px rgba(68, 55, 48, 0.25);  
  transition: all 0.3s ease;  
  z-index: 100;  
  top: 50%;  
  left: 50%;  
  transform: translate(-50%, -50%);  
}
```

```
.upload-btn-center:hover {  
  background-color: #2a5c64;
```

```
transform: translate(-50%, -50%) scale(1.1);
box-shadow: 0 6px 15px rgba(68, 55, 48, 0.35);
}
```

```
/* Responsive */
```

```
@media (max-width: 768px) {
  body {
    overflow-x: hidden;
  }
}
```

```
.title-container {
  flex-direction: column;
}
```

```
.title-left, .title-right {
  text-align: center;
  width: 100%;
}
```

```
.title-right {
  padding-top: 5px;
}
```

```
.page-title {
  font-size: 42px;
  text-align: center;
}
```

```
.filter-section {
  justify-content: center;
}
```

```
.activity-grid, .students-grid {
  grid-template-columns: 1fr;
}
```

```
.filter-item, .search-box {
  width: 100%;
}
```

```
}  
}
```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\css\login.css

```
/* Reset and base styles */
```

```
* {  
    margin: 0;  
    padding: 0;  
    box-sizing: border-box;  
    font-family: 'Microsoft JhengHei', Arial, sans-serif;  
}
```

```
body {  
    min-height: 100vh;  
    background-color: #f5f5f5;  
    position: relative;  
    overflow-x: hidden;  
}
```

```
input:focus {  
    appearance: none;  
    -webkit-appearance: none;  
    -moz-appearance: none;  
    background: white;  
}
```

```
/* Animated Background */
```

```
.background {  
    position: fixed;  
    width: 100%;  
    height: 100%;  
    top: 0;  
    left: 0;  
    z-index: -1;  
    overflow: hidden;  
}
```

```
.wave {  
    position: absolute;  
    width: 200%;  
    height: 200px;  
    background: url('../image/wave.png');  
    background-size: 50% 100%;  
    animation: wave 15s linear infinite;  
    opacity: 0.2;  
}
```

```
.wave:nth-child(1) {  
    top: 20%;  
    animation-duration: 20s;  
    opacity: 0.1;  
}
```

```
.wave:nth-child(2) {  
    top: 40%;  
    animation-delay: 5s;  
    animation-duration: 15s;  
}
```

```
.wave:nth-child(3) {  
    top: 60%;  
    animation-delay: 10s;  
    animation-duration: 10s;  
    opacity: 0.3;  
}
```

```
@keyframes wave {  
    0% {  
        transform: translateX(0);  
    }  
    100% {  
        transform: translateX(-50%);  
    }  
}
```

```
/* Header styles */
header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    padding: 20px 40px;
    background-color: rgba(255, 255, 255, 0.8);
    box-shadow: 0 2px 5px rgba(0, 0, 0, 0.1);
}
```

```
header h1 {
    font-size: 24px;
    color: #333;
}
```

```
nav ul {
    display: flex;
    list-style: none;
}
```

```
nav ul li {
    margin-left: 20px;
}
```

```
nav ul li a {
    text-decoration: none;
    color: #333;
    font-size: 16px;
    transition: color 0.3s;
}
```

```
nav ul li a:hover {
    color: #666;
}
```

```
/* Main content */
main {
    display: flex;
```

```
    justify-content: center;
    align-items: center;
    min-height: calc(100vh - 80px);
    padding: 20px;
}
```

```
.login-container {
    display: flex;
    width: 800px;
    height: 400px;
    background-color: #fff;
    border-radius: 10px;
    box-shadow: 0 4px 15px rgba(0, 0, 0, 0.1);
    position: relative;
}
```

```
.frame {
    width: 800px;
    height: 400px;
    background-color: transparent;
    border-radius: 10px;
    position: absolute;
    border: 1px solid rgb(71, 71, 71);
    top: 7%;
    left: 3%;
    z-index: -1;
}
```

/* Sidebar */

```
.login-sidebar {
    width: 150px;
    display: flex;
    flex-direction: column;
    justify-content: flex-start;
    align-items: center;
    padding: 20px 20px 20px 40px;
    position: relative;
}
```



```
.sidebar-text {  
    writing-mode: vertical-rl;  
    text-orientation: upright;  
    font-size: 16px;  
    color: #333;  
    letter-spacing: 5px;  
    position: absolute;  
    left: 50px;  
    top: 60%;  
    transform: translateY(-50%);  
    white-space: nowrap;  
}
```

```
/* Login form */  
.login-form {  
    padding: 40px;  
    flex-grow: 1;  
    position: relative;  
}
```

```
.login-sidebar h2 {  
    font-size: 24px;  
    margin-bottom: 30px;  
    color: #333;  
    writing-mode: vertical-rl;  
    text-align: center;  
    position: relative;  
    padding-top: 60px;  
    margin-top: 20px;  
    align-self: flex-start;  
    margin-left: 50px;  
    font-weight: bold;  
}
```

```
.login-sidebar h2::before {  
    content: "";  
    position: absolute;
```

```
    top: 0;
    left: 50%;
    transform: translateX(-50%);
    width: 3px;
    height: 50px;
    background-color: #333;
    font-weight: bold;
}
```

```
/* Login buttons */
.login-buttons {
    display: flex;
    align-items: center;
    justify-content: center;
    margin-top: 20px;
}
```

```
.login-img {
    width: 40%;
    position: relative;
}
```

```
.other-login-btn {
    text-align: center;
    display: inline-block;
}
```

```
/* Form actions */
.form-actions {
    position: absolute;
    bottom: 40px;
    right: 40px;
}
```

```
.btn-cancel {
    padding: 10px 20px;
    border: none;
    border-radius: 4px;
```

```
font-size: 16px;
cursor: pointer;
transition: background-color 0.3s;
background-color: #f0f0f0;
color: #333;
}
```

```
.btn-cancel:hover {
    background-color: #e0e0e0;
}
```

```
/* Logout button */
.logout-form {
    display: inline-block;
    margin-right: 20px;
}
```

```
.btn-logout {
    padding: 10px 20px;
    border: none;
    border-radius: 4px;
    font-size: 16px;
    cursor: pointer;
    transition: background-color 0.3s;
    background-color: #f0f0f0;
    color: #333;
}
```

```
.btn-logout:hover {
    background-color: #e0e0e0;
}
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\css\navbar.css
* {
    margin: 0;
    padding: 0;
    box-sizing: border-box;
```

```
    font-family: Arial, sans-serif;
}

body {
    background-color: #f0f0f0;
}

.navbar {
    position: fixed;
    top: 0;
    width: 100vw;
    display: flex;
    justify-content: space-between;
    align-items: center;
    padding: 20px 40px;
    transition: all 0.5s ease;
    z-index: 999;
}

.navbar-initial {
    background-color: transparent;
    height: 80px;
}

.navbar-scrolled {
    background-color: white;
    box-shadow: 0 2px 10px rgba(0, 0, 0, 0.1);
    height: 60px;
}

a.logo img.Logo {
    width: 45px;
    margin-right: 15px;
}

.logo {
    font-weight: bold;
    font-size: 18px;
```

```
    color: black;
    text-decoration: none;
    display: flex;
    align-items: center;
    width: 220px;
}
```

```
.nav-links {
    display: flex;
    list-style: none;
    margin-left: -220px;
}
```

```
.nav-links li {
    margin-left: 20px;
}
```

```
.nav-links a {
    text-decoration: none;
    color: #333;
    transition: all 0.3s ease;
    padding: 8px 12px;
    border-radius: 100px;
    position: relative;
}
```

```
.nav-links a:hover {
    color: #222;
    background-color: rgba(200, 200, 200, 0.5);
}
```

```
.nav-links a::after {
    content: "";
    position: absolute;
    bottom: 0;
    left: 50%;
    width: 0;
    height: 2px;
}
```

```
        background-color: #555;
        transition: all 0.3s ease;
        transform: translateX(-50%);
    }
```

```
.nav-links a:hover::after {
    width: 80%;
}
```

```
/* 用戶菜單相關樣式 */
```

```
.user-menu {
    position: relative;
}
```

```
.user-circle {
    width: 32px;
    height: 32px;
    background-color: #333;
    border: 2px solid #333;
    border-radius: 50%;
    display: flex;
    justify-content: center;
    align-items: center;
    color: white;
    cursor: pointer;
    transition: all 0.3s ease;
}
```

```
.user-circle:hover {
    background-color: #333;
    border-color: #333;
    color: white;
    transform: scale(1.05);
}
```

```
.user-circle i {
    font-size: 16px;
}
```

```
/* 下拉菜單樣式 */
```

```
.user-dropdown {  
    position: absolute;  
    top: 100%;  
    right: 0;  
    width: 120px;  
    background-color: white;  
    border-radius: 8px;  
    box-shadow: 0 5px 15px rgba(0, 0, 0, 0.1);  
    padding: 8px 0;  
    margin-top: 10px;  
    display: none;  
    z-index: 1001;  
}
```

```
.user-dropdown::before {  
    content: "";  
    position: absolute;  
    top: -8px;  
    right: 12px;  
    border-left: 8px solid transparent;  
    border-right: 8px solid transparent;  
    border-bottom: 8px solid white;  
}
```

```
.dropdown-item {  
    display: block;  
    padding: 10px 16px;  
    color: #333;  
    text-decoration: none;  
    transition: background-color 0.3s;  
    font-size: 14px;  
    cursor: pointer;  
}
```

```
.dropdown-item:hover {  
    background-color: #f5f5f5;
```

```
}
```

```
.phone-menu {  
    display: none;  
}
```

```
/* 顯示下拉菜單 */
```

```
.user-dropdown.show {  
    display: block;  
    animation: fadeIn 0.3s ease;  
}
```

```
.phone-dropdown{  
    display: none;  
}
```

```
@keyframes fadeIn {  
    from {  
        opacity: 0;  
        transform: translateY(-10px);  
    }  
    to {  
        opacity: 1;  
        transform: translateY(0);  
    }  
}
```

```
/* 響應式設計 */
```

```
@media (max-width: 970px) {  
    .Logo{  
        display: none;  
    }  
}
```

```
@media (max-width: 768px) {  
    .navbar {  
        padding: 15px 20px;  
    }  
}
```



```
.nav-links, .user-menu {
    display: none;
}

.phone-menu {
    display: block;
    position: relative;
}

.phone-menu .iconMenu {
    font-size: 25px;
    cursor: pointer;
    color: #333;
    transition: color 0.3s ease;
}

.phone-menu .iconMenu:hover {
    color: #555;
}

/* 手機菜單背景覆蓋層 */
.phone-menu-overlay {
    position: fixed;
    top: 0;
    left: 0;
    width: 100%;
    height: 100vh;
    background-color: rgba(0, 0, 0, 0.7);
    z-index: 1000;
    display: none;
    animation: fadeInOverlay 0.3s ease;
}

.phone-menu-overlay.show {
    display: block;
}

@keyframes fadeInOverlay {
```

```

        from {
            opacity: 0;
        }
        to {
            opacity: 1;
        }
    }
}

/* 手機菜單面板 */
.phone-dropdown {
    position: fixed;
    top: 0;
    right: -50%;
    width: 50%;
    height: 100vh;
    background-color: #333;
    padding: 80px 20px 20px 20px;
    z-index: 1001;
    display: flex;
    flex-direction: column;
    transition: right 0.3s ease;
    overflow-y: auto;
}

.phone-dropdown.show {
    right: 0;
}

/* 關閉按鈕 */
.phone-dropdown .close-btn {
    position: absolute;
    top: 20px;
    right: 20px;
    background: none;
    border: none;
    color: white;
    font-size: 25px;
    cursor: pointer;
}

```

```
padding: 5px;
transition: color 0.3s ease;
}
```

```
.phone-dropdown .close-btn:hover {
  color: #ccc;
}
```

```
/* 用戶區域 */
```

```
.phone-dropdown .user-section {
  margin-bottom: 30px;
  padding-bottom: 20px;
  border-bottom: 1px solid rgba(255, 255, 255, 0.2);
}
```

```
.phone-dropdown .user-section .user-icon {
  display: flex;
  align-items: center;
  margin-bottom: 15px;
  color: white;
  font-size: 16px;
}
```

```
.phone-dropdown .user-section .user-icon i {
  margin-right: 10px;
  font-size: 20px;
  padding: 5px 6px;
  border-radius: 100px;
  background-color: white;
  color: #333;
  border: white;
}
```

```
.phone-dropdown .user-section a {
  display: block;
  color: white;
  text-decoration: none;
  padding: 8px 0;
```

```

        font-size: 14px;
        transition: background-color 0.3s ease;
        padding-left: 10px;
    }

.phone-dropdown .user-section a:hover {
    background-color: rgba(255, 255, 255, 0.1);
}

.Now-Account {
    color: white;
    font-size: 12px;
    margin-left: 10px;
}

/* 導航區域 */
.phone-dropdown .nav-section {
    flex: 1;
}

.phone-dropdown .nav-section a,
.phone-dropdown .footer-section a {
    display: flex;
    justify-content: space-between;
    align-items: center;
    color: white;
    text-decoration: none;
    padding: 15px 10px;
    font-size: 18px;
    border-bottom: 1px solid rgba(255, 255, 255, 0.1);
    transition: background-color 0.3s ease;
    position: relative;
}

.phone-dropdown .nav-section a::after,
.phone-dropdown .footer-section a::after {
    content: '>';
    font-size: 16px;

```

```

        color: white;
        font-weight: bold;
        opacity: 0.7;
    }

    .phone-dropdown .nav-section a:hover,
    .phone-dropdown .footer-section a:hover {
        background-color: rgba(255, 255, 255, 0.1);
    }

    .phone-dropdown .nav-section a:last-child,
    .phone-dropdown .footer-section a:last-child {
        border-bottom: none;
    }

    .phone-dropdown .logout-section {
        margin-top: 20px;
        padding-top: 20px;
        border-top: 1px solid rgba(255, 255, 255, 0.2);
    }

    .phone-dropdown .logout-section a {
        display: block;
        color: white;
        text-decoration: none;
        padding: 8px 10px;
        font-size: 14px;
        transition: background-color 0.3s ease;
    }

    .phone-dropdown .logout-section a:hover {
        background-color: rgba(255, 255, 255, 0.1);
    }
}

```

```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\css\personal.css
/* 基本樣式重置 */

```

```
* {  
    margin: 0;  
    padding: 0;  
    box-sizing: border-box;  
    font-family: 'Arial', 'Microsoft JhengHei', sans-serif;  
}
```

```
body {  
    background-color: #F8F6F4;  
    color: #2E2B2F;  
    line-height: 1.6;  
}
```

```
.bg-text {  
    position: fixed;  
    top: 0;  
    left: 0;  
    width: 100%;  
    height: 100vh;  
    font-size: 18vw;  
    font-weight: 900;  
    line-height: 0.8;  
    color: #f0f0f0;  
    white-space: nowrap;  
    letter-spacing: -0.05em;  
    user-select: none;  
    z-index: -1;  
}
```

/* 頭部樣式 */

```
header {  
    padding: 16px 24px;  
    display: flex;  
    justify-content: center; /* 水平居中 */  
    align-items: center; /* 垂直居中 */  
    margin-top: 40px;
```

```
}
```

```
.title {  
    display: flex;  
    align-items: center;  
    gap: 12px; /* 控制圖標與文字之間的間距 */  
    text-align: center; /* 這裡可以保留，但不會影響 flexbox 中的對齊 */  
}
```

```
.title i {  
    font-size: 1.5rem;  
    animation: pulse 3s infinite alternate;  
}
```

```
.title h1 {  
    margin: 20px; /* 移除標題的外邊距 */  
    font-size: 50px;  
    color: #635c63;  
}
```

```
@keyframes pulse {  
    0% {  
        transform: scale(1);  
    }  
    100% {  
        transform: scale(1.15);  
    }  
}
```

```
h1, h2, h3 {  
    font-weight: 600;  
}
```

```
/* 容器樣式 */
```

```
.page-container {  
    max-width: 1200px;  
    margin: 0 auto;
```

```
padding: 18px;
margin-bottom: 40px;;
}
```

```
.row {
  display: flex;
  gap: 24px;
  margin-bottom: 24px;
}
```

/* 卡片樣式 */

```
.card {
  background: #ffffff86;
  border-radius: 16px;
  box-shadow: 0 6px 18px rgba(0, 0, 0, 0.06);
  padding: 24px;
  flex: 1;
  transition: transform 0.2s, box-shadow 0.2s;
  border-top: 4px solid #AA9DA9;
}
```

```
.card:hover {
  transform: translateY(-5px);
  box-shadow: 0 10px 25px rgba(0, 0, 0, 0.1);
}
```

```
.course-schedule {
  border-top-color: rgba(170, 157, 169, 0.5);
}
```

```
.profile-card {
  border-top-color: rgba(170, 157, 169, 0.4);
}
```

```
.activities-card {
  border-top-color: rgba(170, 157, 169, 0.6);
}
```



```
.card.calendar-card {  
  overflow: hidden;  
  position: relative;  
}
```

```
.calendar {  
  max-width: 100%;  
  height: 100%;  
  box-sizing: border-box;  
}
```

```
.calendarBody {  
  max-width: 100%;  
  overflow: hidden;  
}
```

```
.event {  
  max-width: 50px;  
  display: block;  
  margin-left: auto;  
  margin-right: auto;  
  text-align: center;  
  overflow: hidden;  
  text-overflow: ellipsis;  
  white-space: nowrap;  
}
```

/* 讓卡片等高並有下方間距 */

```
@media (max-width: 600px) {  
  .event {  
    max-width: 30px;  
    display: block;  
    overflow: hidden;  
    text-overflow: ellipsis;  
    white-space: nowrap;  
  }  
  .calendar-header-full {
```

```
        display: none !important;
    }
    .calendar-header-short {
        display: table-row !important;
    }
}
```

```
@media (min-width: 769px) {
    .calendar-card,
    .detail-card {
        margin-bottom: 50px;
        height: 680px;
    }
}
```

/* 行事曆事件內容過長時自動截斷 */

```
.calendar-card .calendar-event-text {
    display: inline-block;
    max-width: 6em;
    overflow: hidden;
    text-overflow: ellipsis;
    white-space: nowrap;
    vertical-align: bottom;
}
```

```
.todo-card {
    border-top-color: #AA9DA9;
}
```

```
.card h2 {
    color: #9479C1;
    margin-bottom: 16px;
    border-bottom: 2px solid rgba(170, 157, 169, 0.6);
    padding-bottom: 8px;
    font-size: 1.3rem;
    display: inline-block;
```

```
        position: relative;
    }

    .card h2:after {
        content: "";
        position: absolute;
        bottom: -2px;
        left: 0;
        width: 40%;
        height: 2px;
        background-color: #9479C1;
    }

    .card-header {
        display: flex;
        justify-content: space-between;
        align-items: center;
        margin-bottom: 16px;
    }

    .view-all {
        color: #9479C1;
        text-decoration: none;
        font-size: 0.9rem;
        display: flex;
        align-items: center;
        gap: 4px;
    }

    .view-all:hover {
        text-decoration: underline;
    }

    /* 課表樣式 */
    .schedule-table{
        border-radius: 10px;
    }
```

```
.schedule-table th {  
  
    background-color: #9479C1;  
    color: white;  
    padding: 8px 16px;  
    font-weight: normal;  
}
```

```
.schedule-table .time {  
    width: 56px;  
    min-width: 40px;  
    max-width: 64px;  
    background-color: #9479C1;  
    color: white;  
    word-break: break-word;  
    white-space: normal;  
}
```

```
.schedule-table .has-class {  
    position: relative;  
}
```

```
.class-item {  
    background-color: rgba(170, 157, 169, 0.3);  
    color: #2E2B2F;  
    border-radius: 6px;  
    padding: 8px;  
    height: 100%;  
    display: flex;  
    flex-direction: column;  
    justify-content: center;  
    position: relative;  
    border-left: 4px solid #AA9DA9;  
    transition: transform 0.2s;  
}
```

```
.class-item:hover {  
    transform: translateY(-2px);  
}
```

```
}
```

```
.class-name {  
    font-weight: bold;  
    margin-bottom: 2px;  
    color: #9479C1;  
}
```

```
.class-room {  
    font-size: 0.8rem;  
    opacity: 0.9;  
}
```

```
.schedule-table tr:nth-child(1) .class-item {  
    border-left-color: rgba(170, 157, 169, 0.5);  
}
```

```
.schedule-table tr:nth-child(2) .class-item {  
    border-left-color: rgba(170, 157, 169, 0.4);  
}
```

```
.schedule-table tr:nth-child(3) .class-item {  
    border-left-color: rgba(170, 157, 169, 0.6);  
}
```

```
.schedule-table tr:nth-child(5) .class-item {  
    border-left-color: rgba(170, 157, 169, 0.2);  
}
```

```
.schedule-table tr:nth-child(6) .class-item {  
    border-left-color: #9479C1;  
}
```

```
.course-schedule {  
    flex: 2;  
}
```

```
.schedule-table {
  overflow-x: auto;
}

.schedule-table table {
  width: 100%;
  border-collapse: collapse;
}

.schedule-table th, .schedule-table td {
  border: 1px solid #D5D0D5;
  padding: 8px;
  text-align: center;
  font-size: 0.9rem;
}

/* 個人資料卡片樣式 */
.profile-card {
  flex: 1;
}

.profile-content {
  display: flex;
  gap: 24px;
}

.profile-image img {
  width: 120px;
  height: 120px;
  object-fit: cover;
  border-radius: 50%;
  border: 3px solid rgba(170, 157, 169, 0.4);
  background-color: #f0f0f0;
  transition: transform 0.3s;
  box-shadow: 0 4px 8px rgba(0, 0, 0, 0.1);
}

.profile-image img:hover {
```

```
        transform: scale(1.05) rotate(5deg);
    }

.profile-details {
    flex: 1;
}

.profile-item {
    display: flex;
    margin-bottom: 10px;
    padding: 3px 0;
    border-bottom: 1px dashed rgba(170, 157, 169, 0.3);
    min-width: 200px;
}

.profile-item:last-child {
    border-bottom: none;
}

.profile-item .label {
    width: 60px;
    color: #AA9DA9;
    font-weight: 500;
}

.profile-item .value {
    flex: 1;
    font-weight: 400;
}

.progress-bar {
    width: 150px;
    height: 16px;
    background-color: #dbdfe4;
    border-radius: 10px;
    overflow: hidden;
    position: relative;
```

```
    cursor: pointer;
    clear: both;
    margin-top: 8px;
}
```

```
.progress-segment {
    height: 100%;
    float: left;
    transition: all 0.3s ease;
    position: relative;
}
```

```
@keyframes slideIn {
    0% {
        width: 0;
    }
    100% {
        width: var(--target-width);
    }
}
```

```
.progress-segment.animate {
    width: 0;
    animation: slideIn 1.5s ease-out forwards;
}
```

```
.progress-segment:hover {
    filter: brightness(1.1);
    z-index: 2;
}
```

```
.progress-segment.required {
    background: #219ebc;
}
```

```
.progress-segment.elective {
    background: #023047;
}
```



```
.progress-segment.major {  
    background: #ffb703;  
}
```

```
.progress-segment.general {  
    background: #fb8500;  
}
```

```
.tooltip {  
    position: relative;  
    background: rgba(0, 0, 0, 0.9);  
    color: white;  
    padding: 8px 4px;  
    border-radius: 8px;  
    font-size: 14px;  
    font-weight: 500;  
    text-align: center;  
    white-space: nowrap;  
    z-index: 1000;  
    opacity: 0;  
    visibility: hidden;  
    transition: all 0.3s ease;  
    pointer-events: none;  
    max-width: 130px;  
}
```

```
.tooltip.show {  
    opacity: 1;  
    visibility: visible;  
    transform: translateX(-90%) translateY(20px);  
}
```

```
.tooltip::after {  
    content: "";  
    position: absolute;  
    bottom: 100%; /* 放在 tooltip 上方 */  
    left: 50%;
```

```
    transform: translateX(-50%);
    border-width: 5px;
    border-style: solid;
    border-color: transparent transparent rgba(0, 0, 0, 0.9) transparent;
}
```

```
/* 活動卡片樣式 */
```

```
.activities-card {
    flex: 1;
}
```

```
.activities-list {
    display: flex;
    flex-direction: column;
    gap: 16px;
}
```

```
.activity-item {
    display: flex;
    gap: 16px;
    padding: 16px;
    border-radius: 10px;
    background-color: rgba(170, 157, 169, 0.3);
    transition: transform 0.2s, background-color 0.2s;
    margin-bottom: 8px;
}
```

```
.activity-item:hover {
    transform: translateX(5px);
    background-color: rgba(209, 197, 209, 0.5);
}
```

```
.activity-item:last-child {
    margin-bottom: 0;
}
```

```
.activity-icon {  
    width: 44px;  
    height: 44px;  
    border-radius: 50%;  
    display: flex;  
    align-items: center;  
    justify-content: center;  
    color: white;  
    font-size: 1.2rem;  
    box-shadow: 0 3px 6px rgba(0, 0, 0, 0.1);  
}
```

```
.activity-item:nth-child(1) .activity-icon,  
.activity-item:nth-child(2) .activity-icon,  
.activity-item:nth-child(3) .activity-icon {  
    background-color: #AA9DA9;  
}
```

```
.activity-content {  
    flex: 1;  
}
```

```
.activity-title {  
    font-weight: 500;  
    margin-bottom: 4px;  
    color: #6d616c;  
}
```

```
.activity-details {  
    display: flex;  
    justify-content: space-between;  
    font-size: 0.8rem;  
    color: #666;  
}
```

```
.activity-details span {  
    display: flex;  
    align-items: center;
```

```
        gap: 4px;
    }

/* 行事曆樣式 */
.calendar-card {
    flex: 2;
}

.calendar-header {
    display: flex;
    justify-content: space-between;
    align-items: center;
    margin-bottom: 16px;
}

.calendar-nav {
    background: none;
    border: none;
    cursor: pointer;
    color: #AA9DA9;
    font-size: 1.2rem;
    width: 36px;
    height: 36px;
    border-radius: 50%;
    display: flex;
    align-items: center;
    justify-content: center;
    transition: background-color 0.2s;
}

.calendar-nav:hover {
    background-color: rgba(170, 157, 169, 0.3);
}

.calendar table {
    width: 100%;
    border-collapse: collapse;
    border-radius: 8px;
```

```
        overflow: hidden;
    }

    .calendar th, .calendar td {
        border: 1px solid #D5D0D5;
        padding: 8px;
        text-align: center;
        height: 80px;
        width: 14.28%;
        vertical-align: top;
        font-size: 0.9rem;
        transition: background-color 0.2s;
    }

    .calendar th {
        background-color: #9479C1;
        color: white;
        height: auto;
        padding: 8px;
    }

    .calendar td:hover {
        background-color: rgba(170, 157, 169, 0.3);
    }

    .calendar .other-month {
        color: #cccccc;
        background-color: rgba(240, 240, 240, 0.5);
    }

    .calendar .current-day {
        background-color: rgba(209, 197, 209, 0.3);
        font-weight: bold;
        position: relative;
    }

    .calendar .current-day:before {
        content: ";
```

```
    position: absolute;
    top: 4px;
    right: 4px;
    width: 8px;
    height: 8px;
    background-color: rgba(170, 157, 169, 0.5);
    border-radius: 50%;
}
```

```
.event {
    background-color: #AA9DA9;
    color: white;
    border-radius: 4px;
    padding: 2px 4px;
    margin-top: 4px;
    font-size: 0.8rem;
    text-align: center;
    box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);
    transition: transform 0.2s;
}
```

```
.event:hover {
    transform: translateY(-2px);
}
```

/ 待辦事項樣式 */*

```
.todo-card {
    flex: 1;
    margin-bottom: 50px;
}
```

```
.todo-list {
    list-style: none;
}
```

```
.todo-item {
    display: flex;
    align-items: center;
```

```
padding: 10px;
margin-bottom: 0;
transition: background-color 0.2s;
border-left: 3px solid #D5D0D5;
position: relative;
background-color: #fdfdfd;
border-radius: 6px 6px 0 0;
cursor: pointer;
}

.todo-item:hover {
    background-color: rgba(170, 157, 169, 0.3);
}

.todo-item.completed {
    border-left-color: rgba(170, 157, 169, 0.2);
    background-color: #fdfbee;
}

.todo-item:not(.completed) {
    border-left-color: rgba(170, 157, 169, 0.5);
}

.todo-item input[type="checkbox"] {
    margin-right: 8px;
    accent-color: #AA9DA9;
    width: 18px;
    height: 18px;
}

.todo-item.completed label {
    text-decoration: line-through;
    color: #999;
}

.todo-status {
    margin-left: auto;
    font-size: 0.8rem;
```

```
    color: white;
    padding: 3px 10px;
    border-radius: 12px;
    background-color: #AA9DA9;
}
```

```
.delete-task-btn {
    position: absolute;
    right: 0;
    top: 50%;
    transform: translateY(-50%);
    background: none;
    border: none;
    color: #ccc;
    font-size: 20px;
    cursor: pointer;
    display: none;
    transition: color 0.2s;
}
```

```
.todo-item:hover .delete-task-btn {
    display: block;
}
```

```
.delete-task-btn:hover {
    color: red;
}
```

```
/* 詳細説明欄位様式 */
```

```
.todo-detail-view {
    margin-top: 4px;
    font-size: 14px;
    color: #666;
    padding-left: 1.5em;
    white-space: pre-wrap;
    background-color: #f9f9f9;
}
```



```
.todo-detail-container {  
    margin-top: 0;  
    border-radius: 8px;  
    padding: 12px 16px;  
    border-left: 3px solid #D5D0D5;  
    border-radius: 0 0 6px 6px;  
    box-shadow: 0 1px 3px rgba(0,0,0,0.05);  
    transition: max-height 0.3s ease, opacity 0.3s ease;  
    overflow: hidden;  
    background-color: #fdfdfd;  
}
```

```
.todo-detail-container.collapsed {  
    max-height: 0;  
    opacity: 0;  
    padding-top: 0;  
    padding-bottom: 0;  
    pointer-events: none;  
}
```

```
.todo-detail-label {  
    font-weight: bold;  
    font-size: 14px;  
    color: #444;  
    margin-bottom: 6px;  
}
```

```
.todo-detail-box {  
    font-size: 14px;  
    color: #555;  
    line-height: 1.6;  
    white-space: pre-wrap;  
}
```

```
.add-todo {  
    margin-top: 24px;
```

```
    display: flex;
    gap: 8px;
}

.add-todo input {
    flex: 1;
    padding: 10px;
    border: 1px solid rgba(170, 157, 169, 0.6);
    border-radius: 20px;
    transition: box-shadow 0.2s, border-color 0.2s;
}

.add-todo input:focus {
    outline: none;
    border-color: #AA9DA9;
    box-shadow: 0 0 0 3px rgba(170, 157, 169, 0.3);
}

.add-todo input {
    flex: 1;
    padding: 8px;
    border: 1px solid #D5D0D5;
    border-radius: 4px;
}

/* 按鈕樣式 */
.btn-primary,
.btn-secondary {
    padding: 8px 16px;
    border: none;
    border-radius: 4px;
    cursor: pointer;
    font-weight: 500;
    transition: background-color 0.2s;
}

.btn-primary {
    background-color: #AA9DA9;
```

```

        color: white;
    }

    .btn-secondary {
        background-color: rgba(170, 157, 169, 0.6);
        color: #2E2B2F;
        margin-top: 16px;
    }

    .btn-primary:hover,
    .btn-secondary:hover {
        opacity: 0.9;
    }

    /* 響應式設計 */
    @media (max-width: 992px) {
        .row {
            flex-direction: column;
        }

        .course-schedule,
        .calendar-card,
        .right-column {
            flex: auto;
        }

        .calendar td {
            height: 60px;
        }
    }

    @media (max-width: 576px) {
        .profile-content {
            flex-direction: column;
            align-items: center;
            text-align: center;
        }
    }

```

```
.profile-item {
    justify-content: center;
}

.activity-details {
    flex-direction: column;
}
}

/* 詳細資訊卡片樣式 */
.detail-card {
    flex: 1;
    max-width: 100%;
    margin-bottom: 50px;
}

.profile-card {
    margin-bottom: 20px; /* 或你要的間距大小 */
}

.detail-content {
    padding: 32px 28px 28px 28px;
    background: #fff;
    border-radius: 18px;
    margin-top: var(--space-lg);
    height: 500px;
    box-shadow: 0 6px 32px 0 rgba(170,157,169,0.12), 0 1.5px 6px 0
    rgba(170,157,169,0.06);
    border: 1.5px solid var(--border-color);
    position: relative;
    min-width: 320px;
    max-width: 520px;
    margin-left: auto;
    margin-right: auto;
}
```

```
.todo-input-group {  
  display: flex;  
  flex-direction: column;  
  gap: 18px;  
  margin-top: 8px;  
}
```

```
.todo-title-input {  
  font-size: 1.08rem;  
  font-weight: 600;  
  padding: 12px 16px;  
  border: 2px solid var(--border-color);  
  border-radius: 8px;  
  outline: none;  
  transition: border 0.2s, box-shadow 0.2s;  
  background: #eae9ec;  
  height: 44px;  
  min-height: 44px;  
  max-height: 44px;  
  resize: none;  
  box-shadow: 0 1px 2px rgba(170,157,169,0.04);  
}
```

```
.todo-title-input:focus {  
  border-color: var(--primary-purple);  
  box-shadow: 0 0 0 3px var(--very-light-purple);  
}
```

```
.todo-detail-input {  
  font-size: 1rem;  
  padding: 16px 16px;  
  border: 2px solid var(--border-color);  
  border-radius: 8px;  
  outline: none;  
  min-height: 96px;  
  background: #faf9fc;  
  resize: vertical;  
  transition: border 0.2s, box-shadow 0.2s;
```

```
        box-shadow: 0 1px 2px rgba(170,157,169,0.04);
    }
```

```
.todo-detail-input:focus {
    border-color: var(--primary-purple);
    box-shadow: 0 0 0 3px var(--very-light-purple);
}
```

```
.detail-todo-list {
    list-style: none;
    padding: 0;
    margin: 0 0 var(--space-lg) 0;
    max-height: 400px;
    overflow-y: auto;
}
```

```
.detail-todo-list::-webkit-scrollbar {
    width: 6px;
}
```

```
.detail-todo-list::-webkit-scrollbar-track {
    background: var(--very-light-purple);
    border-radius: 3px;
}
```

```
.detail-todo-list::-webkit-scrollbar-thumb {
    background: var(--light-purple);
    border-radius: 3px;
}
```

```
.detail-todo-list::-webkit-scrollbar-thumb:hover {
    background: var(--primary-purple);
}
```

```
/* 新增待辦事項區域 */
```

```
.add-todo-detail {
    position: absolute;
```

```
    bottom: 20px;
    right: 20px;
    left: 20px;
    height: 200px;
    background: white;
    padding: var(--space-lg);
    border-radius: 12px;
    box-shadow: 0 2px 8px rgba(138, 119, 136, 0.1);
    border: 1px solid var(--border-color);
}
```

```
.add-todo-detail h3 {
    margin: 0 0 var(--space-md) 0;
    color: var(--text-color);
    font-size: 1.1rem;
    font-weight: 600;
    display: flex;
    align-items: center;
}
```

```
.add-todo-detail h3::before {
    content: " ✦ ";
    margin-right: var(--space-sm);
    font-size: 1.2rem;
}
```

```
.todo-input-group {
    height: 100px;
    display: flex;
    flex-direction: column;
    gap: var(--space-md);
}
```

```
.todo-title-input:focus {
    outline: none;
    border-color: var(--primary-purple);
    box-shadow: 0 0 0 3px var(--very-light-purple);
    transform: translateY(-1px);
}
```

```
}
```

```
.todo-title-input::placeholder {  
  color: #aaa;  
  font-weight: 400;  
}
```

```
.todo-detail-input {  
  width: 100%;  
  min-height: 100px;  
  padding: 16px;  
  border: 2px solid var(--border-color);  
  border-radius: 8px;  
  font-size: 0.95rem;  
  line-height: 1.5;  
  resize: vertical;  
  font-family: inherit;  
  transition: all 0.3s ease;  
  background: white;  
}
```

```
.todo-detail-input:focus {  
  outline: none;  
  border-color: var(--primary-purple);  
  box-shadow: 0 0 0 3px var(--very-light-purple);  
  transform: translateY(-1px);  
}
```

```
.todo-detail-input::placeholder {  
  color: #aaa;  
  font-style: italic;  
}
```

```
.todo-actions {  
  display: flex;  
  gap: var(--space-sm);  
  justify-content: flex-end;  
  margin-top: var(--space-md);
```



```
}
```

```
.btn-primary-detail {  
  background: linear-gradient(135deg, var(--primary-purple) 0%, #8a7788 100%);  
  color: rgb(22, 2, 2);  
  padding: 4px 10px;  
  border: none;  
  border-radius: 8px;  
  cursor: pointer;  
  font-weight: 600;  
  font-size: 0.95rem;  
  transition: all 0.3s ease;  
  box-shadow: 0 2px 4px rgba(138, 119, 136, 0.597);  
}
```

```
.btn-primary-detail:hover {  
  transform: translateY(-2px);  
  box-shadow: 0 4px 12px rgba(138, 119, 136, 0.3);  
}
```

```
.btn-primary-detail:active {  
  transform: translateY(0);  
}
```

```
.btn-secondary-detail {  
  background: white;  
  color: var(--text-color);  
  padding: 12px 20px;  
  border: 2px solid var(--border-color);  
  border-radius: 8px;  
  cursor: pointer;  
  font-weight: 500;  
  font-size: 0.95rem;  
  transition: all 0.3s ease;  
}
```

```
.btn-secondary-detail:hover {  
  border-color: var(--light-purple);  
}
```

```
        background: var(--very-light-purple);
    }

    /* 輸入區域動畫效果 */
    .todo-input-group {
        animation: fadeInUp 0.5s ease-out;
    }

    @keyframes fadeInUp {
        from {
            opacity: 0;
            transform: translateY(20px);
        }
        to {
            opacity: 1;
            transform: translateY(0);
        }
    }

    /* 響應式調整 */
    @media (max-width: 768px) {
        .schedule-table th,
        .schedule-table td {
            font-size: 0.85rem;
            word-break: break-word;
            white-space: normal;
            padding: 4px 6px;
        }
        .schedule-table .class-name, .schedule-table .class-room {
            font-size: 0.6rem;
            word-break: break-word;
            white-space: normal;
        }

        .row {
            flex-direction: column;
        }
    }
    @media (max-width: 495px) {
```

```
.activities-card {
  padding: 20px;
}

.card.course-schedule {
  width: 100%;
  /* 根據視窗寬度等比例縮小 */
  transform: scale(calc(100vw / 495));
  transform-origin: top left;
  position: relative;
  left: 0;
  right: 0;
  margin: 0 auto 24px auto;
  z-index: 1;
  padding: 20px;
}

/* 外層容器允許橫向捲動，避免被裁切 */
.page-container {
  overflow-x: auto;
}

/* 不讓表格內容換行 */
.card.course-schedule .schedule-table,
.card.course-schedule .schedule-table th,
.card.course-schedule .schedule-table td.time {
  white-space: nowrap;
  transform: scale(calc(100vw / 495));
  transform-origin: top left;
  font-size: 10px;
}

/* .card.course-schedule .schedule-table td {
  font-size: 4px;
} */

.card.course-schedule .schedule-table th:first-child,
.card.course-schedule .schedule-table td.time {
  display: none;
}
```

```

.schedule-table tr:nth-child(5) .class-item {
    border-left-color: none;
}

.class-item {
    border-radius: 3px;
    padding: 2px;
    height: 100%;
    display: flex;
    flex-direction: column;
    justify-content: center;
    position: relative;
    border-left: 0px solid #AA9DA9;
    transition: transform 0.2s;
}

.detail-content {
    min-width: 200px;
}

}

}

.card.course-schedule {
    order: 2;
}

.card.activities-card {
    order: 3;
}

.card.calendar-card {
    order: 4;
}

.card.todo-card {
    order: 5;
}

.card.detail-card{
    order: 5;
}

```

```
.detail-content {
  padding: var(--space-md);
}
.add-todo-detail {
  padding: var(--space-md);
}
.todo-actions {
  flex-direction: column;
}
.btn-primary-detail,
.btn-secondary-detail {
  width: 100%;
  justify-content: center;
}
.todo-detail-input {
  min-height: 100px;
}
```

```
.event {
  font-size: 0.6rem;
}
```

```
.todo-item.completed label {
  color: #aaa;
  text-decoration: line-through;
}
```

```
.todo-item.completed .todo-status {
  color: #aaaaaa;
}
```

```
.event-completed {
  background-color: #e2dfe9;
  color: #999;
  text-decoration: line-through;
}
```

```
}
```

```
.todo-item.completed .todo-status {  
    color: white;  
}
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\css\reset.css  
/* http://meyerweb.com/eric/tools/css/reset/  
v2.0 | 20110126  
License: none (public domain)  
*/
```

```
html, body, div, span, applet, object, iframe,  
h1, h2, h3, h4, h5, h6, p, blockquote, pre,  
a, abbr, acronym, address, big, cite, code,  
del, dfn, em, img, ins, kbd, q, s, samp,  
small, strike, strong, sub, sup, tt, var,  
b, u, i, center,  
dl, dt, dd, ol, ul, li,  
fieldset, form, label, legend,  
table, caption, tbody, tfoot, thead, tr, th, td,  
article, aside, canvas, details, embed,  
figure, figcaption, footer, header, hgroup,  
menu, nav, output, ruby, section, summary,  
time, mark, audio, video {  
    margin: 0;  
    padding: 0;  
    border: 0;  
    font-size: 100%;  
    font: inherit;  
    vertical-align: baseline;  
}  
/* HTML5 display-role reset for older browsers */  
article, aside, details, figcaption, figure,  
footer, header, hgroup, menu, nav, section {  
    display: block;  
}
```

```
body {
    line-height: 1;
}
ol, ul {
    list-style: none;
}
blockquote, q {
    quotes: none;
}
blockquote:before, blockquote:after,
q:before, q:after {
    content: "";
    content: none;
}
table {
    border-collapse: collapse;
    border-spacing: 0;
}
```

#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\static\css\welcome_mo.css

```
body {
    margin: 0;
    background-color: #F8F6F4;
    font-family: sans-serif;
    overflow: hidden;
    width: 40vw;
    height: 40vh;
}
```

```
.transition-page {
    width: 100vw;
    height: 100vh;
    display: flex;
    justify-content: center;
    align-items: center;
}
```

```
/* 容器大小限制 + 裁切內容 */
```

```
.spline-mask {  
    width: 100vw;  
    height: 100vh;  
    position: relative;  
}
```

```
/* Spline 實際內容超出時會被容器擋住 */
```

```
.spline-box {  
    position: absolute;  
    top: 0;  
    left: 0;  
    width: 100%;  
    height: 110vh; /* 比容器高，底下 30px 會被裁掉 */  
}
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\css\welcome.css
```

```
body {  
    margin: 0;  
    background-color: #F8F6F4;  
    font-family: sans-serif;  
    overflow: hidden;  
    width: 100vw;  
    height: 100vh;  
}
```

```
.transition-page {  
    width: 100vw;  
    height: 100vh;  
    display: flex;  
    justify-content: center;  
    align-items: center;  
}
```

```
/* 容器大小限制 + 裁切內容 */
```

```
.spline-mask {
```



```
width: 100vw;
height: 100vh;
overflow: hidden;
position: relative;
}
```

```
/* Spline 實際內容超出時會被容器擋住 */
.spline-box {
  position: absolute;
  top: 0;
  left: 0;
  width: 100%;
  height: 110vh; /* 比容器高，底下 30px 會被裁掉 */
}
```

```
#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\static\js\pop_window\comment_pop.js
// comment_pop.js - 評論彈跳視窗功能
```

```
// 設置評分模態框
```

```
function setupRatingModal() {
  console.log('初始化評分模態框');
```

```
  // 綁定新增評論按鈕點擊事件
```

```
  const createBtns = document.querySelectorAll('.create-btn');
```

```
  createBtns.forEach(btn => {
```

```
    btn.addEventListener('click', function(e) {
```

```
      e.preventDefault();
```

```
      // 獲取課程信息
```

```
      const courseItem = this.closest('.course-item');
```

```
      const courseName = courseItem.querySelector('.course-
name').textContent;
```

```
      const courseTeacher = courseItem.querySelector('.course-
teacher').textContent.replace('教授', '').trim();
```

```
      // 顯示模態框並填充課程信息
```

```

const modal = document.getElementById('rating-modal');
if (!modal) {
    console.error('找不到評分模態框');
    return;
}

modal.querySelector('.modal-course-name').textContent =
courseName;
modal.querySelector('.modal-course-teacher').textContent =
courseTeacher + ' 教授';

// 重置星級評分
const modalStars = modal.querySelectorAll('.modal-stars i');
modalStars.forEach(star => {
    star.className = 'far fa-star';
});
modal.querySelector('#modal-rating-value').value = '0';
modal.querySelector('.rating-display').textContent = '0.0';

// 顯示模態框
modal.classList.add('show');
// 防止背景滾動
document.body.classList.add('modal-open');

// 保存課程 ID 到模態框
const courseId = courseItem.getAttribute('data-course-id') || '1';
modal.setAttribute('data-course-id', courseId);
});

// 綁定右下角加號按鈕
const commentBtn = document.getElementById('commentBtn');
if (commentBtn) {
    console.log('找到 #commentBtn，準備綁定點擊事件');
    commentBtn.addEventListener('click', function(e) {
        e.preventDefault();
        console.log('按下右下角加號，嘗試開啟 #rating-modal');
        const modal = document.getElementById('rating-modal');

```

```

        if (!modal) {
            console.error('找不到評分模態框');
            return;
        }
        // 清空課程資訊，顯示預設文字
        modal.querySelector('.modal-course-name').textContent = '自訂評論';
        modal.querySelector('.modal-course-teacher').textContent = '';
        const modalStars = modal.querySelectorAll('.modal-stars i');
        modalStars.forEach(star => {
            star.className = 'far fa-star';
        });
        modal.querySelector('#modal-rating-value').value = '0';
        modal.querySelector('.rating-display').textContent = '0.0';
        modal.classList.add('show');
        document.body.classList.add('modal-open');
        modal.removeAttribute('data-course-id');
    });
} else {
    console.warn('找不到 #commentBtn，無法綁定點擊事件');
}

// 初始化模態框事件處理
initializeModalEvents();
}

// 初始化模態框事件處理
function initializeModalEvents() {
    const modal = document.getElementById('rating-modal');
    if (!modal) {
        console.error('找不到評分模態框');
        return;
    }

    const closeBtn = modal.querySelector('.modal-close');
    const stars = modal.querySelectorAll('.modal-stars i');
    const ratingValue = modal.querySelector('#modal-rating-value');
    const ratingDisplay = modal.querySelector('.rating-display');

```

```
const submitBtn = modal.querySelector('.submit-rating-btn');
const fullCommentBtn = modal.querySelector('#full-comment-btn');

// 關閉模態框
if (closeBtn) {
    closeBtn.addEventListener('click', function() {
        modal.classList.remove('show');
        // 恢復背景滾動
        document.body.classList.remove('modal-open');
    });
}

// 點擊模態框外部關閉
modal.addEventListener('click', function(event) {
    if (event.target === modal) {
        modal.classList.remove('show');
        // 恢復背景滾動
        document.body.classList.remove('modal-open');
    }
});

// 星級評分點擊
stars.forEach(star => {
    star.addEventListener('click', function() {
        const value = parseInt(this.getAttribute('data-value'));
        if (ratingValue) ratingValue.value = value;
        if (ratingDisplay) ratingDisplay.textContent = value + '.0';

        // 更新星星顯示
        stars.forEach(s => {
            const starValue = parseInt(s.getAttribute('data-value'));
            s.className = starValue <= value ? 'fas fa-star' : 'far fa-star';
        });
    });
});

// 懸停效果
star.addEventListener('mouseover', function() {
    const value = parseInt(this.getAttribute('data-value'));
```

```

        stars.forEach(s => {
            const starValue = parseInt(s.getAttribute('data-value'));
            if (starValue <= value) {
                s.className = 'fas fa-star';
            } else {
                s.className = 'far fa-star';
            }
        });
    });

    star.addEventListener('mouseout', function() {
        const currentValue = parseInt(ratingValue?.value || '0');

        stars.forEach(s => {
            const starValue = parseInt(s.getAttribute('data-value'));
            s.className = starValue <= currentValue ? 'fas fa-star' : 'far fa-
star';
        });
    });
});

// 提交評分
if (submitBtn) {
    submitBtn.addEventListener('click', function() {
        const value = parseInt(ratingValue?.value || '0');
        const courseId = modal.getAttribute('data-course-id') || '1';

        if (value > 0) {
            console.log(`提交評分：課程 ID=${courseId}, 評分=${value}`);
            submitRating(courseId, value);
        } else {
            alert('請選擇評分！');
        }
    });
}

// 修改前往完整評論頁面的 URL

```

```

    if (fullCommentBtn) {
      fullCommentBtn.addEventListener('click', function(e) {
        const courseId = modal.getAttribute('data-course-id');
        fullCommentBtn.href = `/add\_comment/?course=${courseId}`;
      });
    }
  }
}

```

// 提交評分 (模擬)

```

function submitRating(courseId, rating) {
  console.log(`提交評分: 課程 ID=${courseId}, 評分=${rating}`);

  // 模擬 AJAX 請求
  setTimeout(() => {
    // 顯示成功消息
    const modal = document.getElementById('rating-modal');
    if (!modal) return;

    const modalContent = modal.querySelector('.modal-content');

    modalContent.innerHTML = `
    <div class="success-message">
      <i class="fas fa-check-circle">
      <h2>評分成功！</h2>
      <p>感謝您的評分，您給出了 ${rating} 星評價。</p>
      <button class="close-modal-btn">關閉</button>
    </div>`;

    // 關閉按鈕事件
    const closeBtn = modalContent.querySelector('.close-modal-btn');
    if (closeBtn) {
      closeBtn.addEventListener('click', function() {
        modal.classList.remove('show');
        // 恢復背景滾動
        document.body.classList.remove('modal-open');

        // 重新載入頁面或更新評分顯示
        setTimeout(() => {

```

```

        window.location.reload();
    }, 500);
    });
}
}, 800); // 模擬網路延遲
}

// 確保在頁面載入完成後初始化
document.addEventListener('DOMContentLoaded', function() {
    console.log('評分模態框 JS 已載入');
    // 延遲一點初始化，確保 DOM 元素都已載入
    setTimeout(() => {
        console.log('執行 setupRatingModal');
        setupRatingModal();
    }, 300);
});

```

#C:\Users\gaoxu\OneDrive\桌面
 \11056030_SSAE\web_app\static\js\pop_window\join_pop.js
 // join_pop.js - 發起揪團彈跳視窗功能

```

document.addEventListener('DOMContentLoaded', function() {
    // 初始化發起揪團功能
    initializeCreateActivity();

    // 初始化預覽功能
    initializePreview();
});

```

```

// 初始化發起揪團彈跳視窗
function initializeCreateActivity() {
    console.log('初始化發起揪團功能');

    // 獲取元素
    const uploadBtn = document.getElementById('uploadBtn');
    const uploadForm = document.getElementById('uploadForm');
    const closeUploadBtn = document.getElementById('closeUploadBtn');

```

```
const cancelCreateBtn = document.getElementById('cancel-create-btn');
const createGroupForm = document.getElementById('create-group-form');
const imageUploadArea = document.getElementById('image-upload-area');
```

```
// 打開發起揪團表單
```

```
if (uploadBtn) {
  uploadBtn.addEventListener('click', function() {
    console.log('打開發起揪團表單');
    if (uploadForm) {
      uploadForm.style.display = 'flex';
      document.body.style.overflow = 'hidden'; // 防止背景滾動
    }
  });
}
```

```
// 關閉發起揪團表單
```

```
function closeForm() {
  if (uploadForm) {
    uploadForm.style.display = 'none';
    document.body.style.overflow = 'auto'; // 恢復背景滾動
    // 重置表單
    if (createGroupForm) {
      createGroupForm.reset();
      resetPreview();
    }
  }
}
```

```
// X 按鈕關閉表單
```

```
if (closeUploadBtn) {
  closeUploadBtn.addEventListener('click', closeForm);
}
```

```
// 取消按鈕關閉表單
```

```
if (cancelCreateBtn) {
  cancelCreateBtn.addEventListener('click', closeForm);
}
```


// 點擊背景關閉表單

```
if (uploadForm) {  
    uploadForm.addEventListener('click', function(e) {  
        if (e.target === uploadForm) {  
            closeForm();  
        }  
    });  
}
```

// 圖片上傳區域點擊

```
if (imageUploadArea) {  
    imageUploadArea.addEventListener('click', function() {  
        // 創建隱藏的文件輸入元素  
        const fileInput = document.createElement('input');  
        fileInput.type = 'file';  
        fileInput.accept = 'image/*';  
        fileInput.addEventListener('change', handleImageUpload);  
        fileInput.click();  
    });  
}
```

// 拖拽上傳功能

```
imageUploadArea.addEventListener('dragover', function(e) {  
    e.preventDefault();  
    this.style.borderColor = '#3d7e88';  
    this.style.backgroundColor = '#f0f8fa';  
});
```

```
imageUploadArea.addEventListener('dragleave', function(e) {  
    e.preventDefault();  
    this.style.borderColor = '#ddd';  
    this.style.backgroundColor = '#fafafa';  
});
```

```
imageUploadArea.addEventListener('drop', function(e) {  
    e.preventDefault();  
    this.style.borderColor = '#ddd';  
    this.style.backgroundColor = '#fafafa';  
});
```

```

        const files = e.dataTransfer.files;
        if (files.length > 0) {
            handleImageUpload({ target: { files: files } });
        }
    });
}

// 表單提交處理
if (createGroupForm) {
    createGroupForm.addEventListener('submit', function(e) {
        e.preventDefault();

        // 驗證表單
        if (validateForm()) {
            // 處理表單提交邏輯
            console.log('表單提交成功');

            // 模擬提交成功
            showSuccessMessage();

            // 關閉表單
            setTimeout(() => {
                closeForm();
            }, 2000);
        }
    });
}

// 處理圖片上傳
function handleImageUpload(event) {
    const file = event.target.files[0];
    if (file) {
        // 檢查文件大小 (2MB)
        if (file.size > 2 * 1024 * 1024) {
            alert('圖片檔案大小不能超過 2MB');
            return;
        }
    }
}

```

```

// 檢查文件類型
if (!file.type.startsWith('image/')) {
    alert('請選擇圖片檔案');
    return;
}

// 預覽圖片
const reader = new FileReader();
reader.onload = function(e) {
    const imageUploadArea = document.getElementById('image-upload-
area');

    const previewImage = document.querySelector('.preview-image');

    if (imageUploadArea) {
        imageUploadArea.innerHTML = `
            
            <div style="margin-top: 10px; font-size: 14px; color: #666;">
點擊更換圖片</div>
        `;
    }

    if (previewImage) {
        previewImage.style.backgroundImage = `url(${e.target.result})`;
        previewImage.style.backgroundSize = 'cover';
        previewImage.style.backgroundPosition = 'center';
        previewImage.innerHTML = `<div class="preview-tag"
id="preview-tag">活動類型</div>`;
    }
};
reader.readAsDataURL(file);

console.log('圖片上傳成功:', file.name);
}
}

// 初始化預覽功能

```

```
function initializePreview() {  
    // 活動標題預覽  
    const activityTitle = document.getElementById('activity-title');  
    const previewTitle = document.getElementById('preview-title');  
  
    if (activityTitle && previewTitle) {  
        activityTitle.addEventListener('input', function() {  
            previewTitle.textContent = this.value || '活動標題';  
        });  
    }  
  
    // 活動類型預覽  
    const activityType = document.getElementById('activity-type');  
    const previewTag = document.getElementById('preview-tag');  
  
    if (activityType && previewTag) {  
        activityType.addEventListener('change', function() {  
            const typeMap = {  
                'food': '美食',  
                'sport': '運動',  
                'study': '讀書',  
                'travel': '旅遊',  
                'movie': '電影',  
                'other': '其他'  
            };  
            previewTag.textContent = typeMap[this.value] || '活動類型';  
        });  
    }  
  
    // 活動地點預覽  
    const activityLocation = document.getElementById('activity-location');  
    const previewLocation = document.getElementById('preview-location');  
  
    if (activityLocation && previewLocation) {  
        activityLocation.addEventListener('input', function() {  
            previewLocation.textContent = this.value || '活動地點';  
        });  
    }  
}
```

```
// 活動時間預覽
const activityDate = document.getElementById('activity-date');
const activityTime = document.getElementById('activity-time');
const previewTime = document.getElementById('preview-time');

function updateTimePreview() {
    const date = activityDate?.value || '';
    const time = activityTime?.value || '';
    let timeText = '活動時間';

    if (date && time) {
        const dateObj = new Date(date);
        const month = dateObj.getMonth() + 1;
        const day = dateObj.getDate();
        const timeFormatted = time.substring(0, 5);
        timeText = `${month}/${day} ${timeFormatted}`;
    } else if (date) {
        const dateObj = new Date(date);
        const month = dateObj.getMonth() + 1;
        const day = dateObj.getDate();
        timeText = `${month}/${day}`;
    }

    if (previewTime) {
        previewTime.textContent = timeText;
    }
}

if (activityDate) {
    activityDate.addEventListener('change', updateTimePreview);
}

if (activityTime) {
    activityTime.addEventListener('change', updateTimePreview);
}

// 活動說明預覽
```

```

const activityDescription = document.getElementById('activity-description');
const previewDescription = document.getElementById('preview-description');

if (activityDescription && previewDescription) {
    activityDescription.addEventListener('input', function() {
        previewDescription.textContent = this.value || '活動說明將顯示在這
裡...';
    });
}

// 重置預覽
function resetPreview() {
    const previewTitle = document.getElementById('preview-title');
    const previewTag = document.getElementById('preview-tag');
    const previewLocation = document.getElementById('preview-location');
    const previewTime = document.getElementById('preview-time');
    const previewDescription = document.getElementById('preview-description');
    const previewImage = document.querySelector('.preview-image');
    const imageUploadArea = document.getElementById('image-upload-area');

    if (previewTitle) previewTitle.textContent = '活動標題';
    if (previewTag) previewTag.textContent = '活動類型';
    if (previewLocation) previewLocation.textContent = '活動地點';
    if (previewTime) previewTime.textContent = '活動時間';
    if (previewDescription) previewDescription.textContent = '活動說明將顯示在這
裡...';

    if (previewImage) {
        previewImage.style.backgroundImage = "";
        previewImage.innerHTML = '圖片預覽區域<div class="preview-tag"
id="preview-tag">活動類型</div>';
    }

    if (imageUploadArea) {
        imageUploadArea.innerHTML = `
        <div class="image-upload-icon"> 🖼️ </div>
        <div class="image-upload-text">點擊上傳圖片或拖曳圖片至此處

```

```
</div>
```

```
    `;  
  }  
}
```

```
// 驗證表單
```

```
function validateForm() {
```

```
  const requiredFields = [  
    'activity-title',  
    'activity-type',  
    'activity-location',  
    'activity-date',  
    'activity-time',  
    'activity-description',  
    'activity-deadline'  
  ];
```

```
  let isValid = true;
```

```
  requiredFields.forEach(fieldId => {  
    const field = document.getElementById(fieldId);  
    if (field && !field.value.trim()) {  
      field.style.borderColor = '#e74c3c';  
      isValid = false;  
  
      // 3 秒後恢復邊框顏色  
      setTimeout(() => {  
        field.style.borderColor = '#e0e0e0';  
      }, 3000);  
    }  
  });
```

```
// 驗證人數邏輯
```

```
const minParticipants = document.getElementById('min-participants');  
const maxParticipants = document.getElementById('max-participants');
```

```
if (minParticipants && maxParticipants) {  
  const minValue = parseInt(minParticipants.value);
```

```
const maxValue = parseInt(maxParticipants.value);

if (minValue >= maxValue) {
    alert('最多參加人數必須大於最少參加人數');
    maxParticipants.style.borderColor = '#e74c3c';
    isValid = false;

    setTimeout(() => {
        maxParticipants.style.borderColor = '#e0e0e0';
    }, 3000);
}

// 驗證截止日期
const activityDate = document.getElementById('activity-date');
const deadline = document.getElementById('activity-deadline');

if (activityDate && deadline && activityDate.value && deadline.value) {
    const activityDateObj = new Date(activityDate.value);
    const deadlineObj = new Date(deadline.value);

    if (deadlineObj >= activityDateObj) {
        alert('報名截止日期必須早於活動日期');
        deadline.style.borderColor = '#e74c3c';
        isValid = false;

        setTimeout(() => {
            deadline.style.borderColor = '#e0e0e0';
        }, 3000);
    }
}

if (!isValid) {
    alert('請填寫所有必填欄位並檢查輸入內容');
}

return isValid;
}
```



```
// 顯示成功訊息
function showSuccessMessage() {
    // 創建成功訊息元素
    const successMessage = document.createElement('div');
    successMessage.style.cssText = `
        position: fixed;
        top: 50%;
        left: 50%;
        transform: translate(-50%, -50%);
        background-color: #4CAF50;
        color: white;
        padding: 20px 40px;
        border-radius: 10px;
        font-size: 18px;
        font-weight: 600;
        z-index: 300;
        box-shadow: 0 4px 15px rgba(0, 0, 0, 0.2);`;

    // 添加成功訊息到 body
    document.body.appendChild(successMessage);

    // 3 秒後移除成功訊息
    setTimeout(() => {
        successMessage.remove();
    }, 3000);
}
```

```
#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\static\js\pop_window\login_pop.js
// login_pop.js - 登入彈跳視窗功能
```

```
document.addEventListener('DOMContentLoaded', function() {
    console.log('login_pop.js 已載入');

    // 初始化登入模態視窗功能
    initializeLoginModal();
});
```

```

});

// 初始化登入模態視窗
function initializeLoginModal() {
    // 獲取元素
    const loginButton = document.getElementById('loginButton');
    const loginModal = document.getElementById('loginModal');
    const closeModalButton = document.querySelector('.close-modal');
    const cancelLoginButton = document.getElementById('cancelLogin');

    // 檢查必要元素是否存在
    if (!loginModal) {
        console.error('找不到登入模態視窗元素');
        return;
    }

    // 顯示登入模態視窗
    if (loginButton) {
        loginButton.addEventListener('click', function(e) {
            e.preventDefault();
            console.log('顯示登入模態視窗');

            // 隱藏用戶下拉菜單（如果存在）
            const userDropdown = document.getElementById('userDropdown');
            if (userDropdown) {
                userDropdown.classList.remove('show');
            }

            // 顯示登入模態視窗
            loginModal.classList.add('show');

            // 防止背景滾動
            document.body.style.overflow = 'hidden';
        });
    }

    // 關閉模態視窗的函數
    function closeLoginModal() {

```

```
        if (loginModal) {
            loginModal.classList.remove('show');
            // 恢復背景滾動
            document.body.style.overflow = 'auto';
            console.log('關閉登入模態視窗');
        }
    }

    // 點擊 X 按鈕關閉模態視窗
    if (closeModalButton) {
        closeModalButton.addEventListener('click', closeLoginModal);
    }

    // 點擊取消按鈕關閉模態視窗（如果存在）
    if (cancelLoginButton) {
        cancelLoginButton.addEventListener('click', closeLoginModal);
    }

    // 點擊模態視窗外部關閉模態視窗
    if (loginModal) {
        loginModal.addEventListener('click', function(e) {
            if (e.target === loginModal) {
                closeLoginModal();
            }
        });
    }

    // ESC 鍵關閉模態視窗
    document.addEventListener('keydown', function(e) {
        if (e.key === 'Escape' && loginModal.classList.contains('show')) {
            closeLoginModal();
        }
    });

    // 處理表單提交（如果需要額外邏輯）
    const loginForm = document.getElementById('loginForm');
    if (loginForm) {
        loginForm.addEventListener('submit', function(e) {
```

```

        // 這裡可以添加表單提交前的驗證邏輯
        console.log('登入表單提交');
    });
}

// 處理登出按鈕點擊（添加確認對話框）
const logoutButton = document.querySelector('.btn-logout');
if (logoutButton) {
    logoutButton.addEventListener('click', function(e) {
        // 添加確認對話框
        if (!confirm('確定要登出嗎？')) {
            e.preventDefault();
        }
    });
}

// 全域函數：手動顯示登入模態視窗
function showLoginModal() {
    const loginModal = document.getElementById('loginModal');
    if (loginModal) {
        loginModal.classList.add('show');
        document.body.style.overflow = 'hidden';
    }
}

// 全域函數：手動關閉登入模態視窗
function hideLoginModal() {
    const loginModal = document.getElementById('loginModal');
    if (loginModal) {
        loginModal.classList.remove('show');
        document.body.style.overflow = 'auto';
    }
}

#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\static\js\add_comment.js

```

```

// add_comment.js - 整合版本

document.addEventListener('DOMContentLoaded', function() {
    console.log('add_comment.js 已載入');

    // 初始化所有功能
    initializeUserInterface();
    initializeRatingSystem();
    initializeTextConversion();
    initializeFormValidation();
});

// 初始化用戶界面功能
function initializeUserInterface() {
    // 注意：根據 HTML，anonymous_yes 對應匿名，anonymous_no 對應實名
    const anonymousRadio = document.getElementById('anonymous_yes'); // 匿名選項
    const realNameRadio = document.getElementById('anonymous_no');    // 實名選項

    const usernameElement = document.querySelector('.username');
    const avatarElement = document.querySelector('.avatar');

    // 檢查元素是否存在
    if (!anonymousRadio || !realNameRadio || !usernameElement || !avatarElement) {
        console.error('找不到必要的用戶界面元素');
        console.log('anonymousRadio:', anonymousRadio);
        console.log('realNameRadio:', realNameRadio);
        console.log('usernameElement:', usernameElement);
        console.log('avatarElement:', avatarElement);
        return;
    }

    // 設定固定的用戶名和頭像路徑
    const realName = '實名用戶'; // 您可以根據需要修改這個名稱
    const anonymousName = '匿名';
    const realNameAvatarPath = '/static/image/lay.png';
    const anonymousAvatarPath = '/static/image/anonymous.png';

```

```
console.log('實名用戶名:', realName);
console.log('實名頭像路徑:', realNameAvatarPath);
console.log('匿名頭像路徑:', anonymousAvatarPath);

// Handle anonymous selection (anonymous_yes = 匿名)
anonymousRadio.addEventListener('change', function() {
    console.log('選擇匿名:', this.checked);
    if (this.checked) {
        usernameElement.textContent = anonymousName;
        avatarElement.src = anonymousAvatarPath;
        console.log('已切換到匿名模式');
        console.log('當前頭像路徑:', avatarElement.src);
    }
});

// Handle real name selection (anonymous_no = 實名)
realNameRadio.addEventListener('change', function() {
    console.log('選擇實名:', this.checked);
    if (this.checked) {
        usernameElement.textContent = realName;
        avatarElement.src = realNameAvatarPath;
        console.log('已切換到實名模式');
        console.log('當前頭像路徑:', avatarElement.src);
    }
});

// 設置初始狀態 - 根據 HTML，默認選中匿名 (anonymous_yes checked)
if (anonymousRadio.checked) {
    usernameElement.textContent = anonymousName;
    avatarElement.src = anonymousAvatarPath;
    console.log('初始化為匿名模式');
    console.log('初始頭像路徑:', avatarElement.src);
} else if (realNameRadio.checked) {
    usernameElement.textContent = realName;
    avatarElement.src = realNameAvatarPath;
    console.log('初始化為實名模式');
    console.log('初始頭像路徑:', avatarElement.src);
}
```

```

    }
}

// 初始化星級評分系統
function initializeRatingSystem() {
    const starsContainer = document.getElementById('rating-stars');
    if (!starsContainer) return;

    const stars = Array.from(starsContainer.querySelectorAll('i'));
    const ratingInput = document.getElementById('rating-input');
    const ratingText = starsContainer.querySelector('.rating-text');

    // Set initial rating to 1 by default
    let currentRating = 1;
    if (ratingInput) ratingInput.value = '1';
    updateStars(currentRating);

    // Click to set rating
    starsContainer.addEventListener('click', (e) => {
        if (e.target.matches('i')) {
            const star = e.target;
            const newRating = parseInt(star.getAttribute('data-rating'));

            // 設置為新的評分值
            currentRating = Math.min(5, Math.max(1, newRating)); // 確保最小
            評分為 1

            updateStars(currentRating);
            if (ratingInput) ratingInput.value = currentRating;
            if (ratingText) ratingText.textContent = `${currentRating}/5.0`;
        }
    });

    // Hover effect for better user experience
    stars.forEach(star => {
        star.addEventListener('mouseenter', function() {
            const hoverRating = parseInt(this.getAttribute('data-rating'));
            updateStars(hoverRating, false); // Don't update input on hover

```

```

    });

});

// Reset to current rating when mouse leaves
starsContainer.addEventListener('mouseleave', function() {
    updateStars(currentRating);
});

function updateStars(rating, updateText = true) {
    // Ensure rating is at least 1
    if (rating < 1) rating = 1;

    stars.forEach((star, index) => {
        const starRating = index + 1; // 1, 2, 3, 4, 5

        if (rating >= starRating) {
            // Full star
            star.className = 'fa-solid fa-star';
        } else {
            // Empty star
            star.className = 'fa-regular fa-star';
        }
    });

    // Update rating text
    if (updateText && ratingText) {
        ratingText.textContent = `${rating}/5.0`;
    }
}

}

// 初始化文字轉換功能
function initializeTextConversion() {
    const commentTextarea = document.getElementById('comment_text');
    const previewTextarea = document.getElementById('preview_text');
    const convertBtn = document.getElementById('convert_btn');

    // Make sure preview is initially empty

```



```

previewTextarea.value = "";

// Handle convert button click - transfer content from left to right with filtering
convertBtn.addEventListener('click', function() {
    const originalText = commentTextarea.value;

    if (!originalText.trim()) {
        alert('請先輸入評論內容再進行轉換');
        return;
    }

    // 示例轉換：將原文轉換為更正面的評論
    let convertedText = "";

    // 檢查是否包含負面詞彙並轉換
    const negativeWords = {
        // '很爛': '有改進空間',
        // '超爛': '需要加強',
        // '難死了': '具有挑戰性',
        // '無聊': '比較平淡',
        // '垃圾': '不太適合',
        // '糟糕': '需要改善',
        // '討厭': '不太喜歡',
        // '幹': '真是',
        // '靠': '哎呀',
        // '爛': '需要改善',
        // '廢': '有些不足',
        '這門課超爛，老師根本不會教，完全是照著投影片念，講話有夠無聊，根本是在整學生，每週都要熬夜寫報告，完全沒有人性，奉勸大家不要踩雷，能避就避！': '這門課的教學方式以照著投影片講解為主，整體互動較少，對於習慣討論式學習或需要更多說明的同學來說，可能較難投入。老師授課節奏較快，說明部分內容時較為簡略，可能會影響理解。課程作業安排較密集，每週需要花費相當多時間準備報告，對時間管理能力是很大的挑戰。若沒有充足準備，可能會感受到學習壓力較大。整體來說，這門課對於具備自學能力與良好時間規劃的學生會比較適合。',
    };

    convertedText = originalText;

```

```

// 替換負面詞彙
Object.keys(negativeWords).forEach(word => {
    const regex = new RegExp(word, 'g');
    convertedText = convertedText.replace(regex, negativeWords[word]);
});

// 如果沒有需要轉換的內容，添加一些正面的修飾
if (convertedText === originalText) {
    convertedText = '總體來說，' + originalText + ' 希望能持續改進，讓
課程更好。';
}
// else {
//     convertedText = '經過思考後，我認為' + convertedText + ' 以上是
我的客觀評價。';
// }

// Update preview with converted text
previewTextarea.value = convertedText;

// 顯示轉換完成提示
const originalBtnText = convertBtn.innerHTML;
const originalBgColor = convertBtn.style.backgroundColor;

convertBtn.innerHTML = '已轉換';
convertBtn.style.backgroundColor = '#e0d3e0';
convertBtn.style.color = '#635c63';
convertBtn.disabled = true;

setTimeout(() => {
    convertBtn.innerHTML = originalBtnText;
    convertBtn.style.backgroundColor = originalBgColor;
    convertBtn.style.color = '#fff';
    convertBtn.disabled = false;
}, 1500);
});
}

```

// 初始化表單驗證和提交

```
function initializeFormValidation() {
```

```
    const commentForm = document.querySelector('.comment-form');
```

```
    const commentTextarea = document.getElementById('comment_text');
```

```
    const previewTextarea = document.getElementById('preview_text');
```

```
    if (!commentForm) return;
```

```
    // Remove the onsubmit attribute from HTML to prevent conflicts
```

```
    commentForm.removeAttribute('onsubmit');
```

```
    // Form submission handling with validation
```

```
    commentForm.addEventListener('submit', function(e) {
```

```
        e.preventDefault(); // 防止默認提交
```

```
        // 獲取所有必填欄位
```

```
        const schoolYear = document.getElementById('school_year')?.value || '';
```

```
        const category = document.getElementById('category')?.value || '';
```

```
        const classInfo = document.getElementById('class_info')?.value || '';
```

```
        const course = document.getElementById('course')?.value || '';
```

```
        const rating = document.getElementById('rating-input')?.value || '';
```

```
        const commentText = commentTextarea?.value.trim() || '';
```

```
        const previewText = previewTextarea?.value.trim() || '';
```

```
        const realNameRadio = document.getElementById('anonymous_no'); // 實
```

名選項

```
        // 驗證必填欄位
```

```
        let missingFields = [];
```

```
        if (!schoolYear) missingFields.push('學年度');
```

```
        if (!category) missingFields.push('學制');
```

```
        if (!classInfo) missingFields.push('班級');
```

```
        if (!course) missingFields.push('課程');
```

```
        if (!rating || rating < 1 || rating > 5) missingFields.push('課程評分');
```

```
        if (!commentText && !previewText) missingFields.push('評論內容');
```

```
        if (missingFields.length > 0) {
```

```
            alert('請填寫以下必填欄位：\n' + missingFields.join('、 '));
```

```

        return;
    }

    // 確認提交
    const isAnonymous = realNameRadio?.checked ? '實名' : '匿名';
    const finalText = previewText || commentText; // 優先使用轉換後的文字

    const confirmMessage = `送出後將無法修改，確定要送出嗎？`;

    if (confirm(confirmMessage)) {
        // 如果有轉換後的文字，將其設為主要提交內容
        if (previewText && commentTextarea) {
            commentTextarea.value = previewText;
        }

        // 顯示提交中狀態
        const submitBtn = this.querySelector('.btn-submit');
        if (submitBtn) {
            const originalText = submitBtn.innerHTML;

            submitBtn.innerHTML = '<i class="fas fa-spinner fa-spin"> 送出
中...!';

            submitBtn.disabled = true;

            // 模擬提交過程
            setTimeout(() => {
                alert('評論送出成功！');
                window.location.href = '/comment/';
            }, 1500);
        }
    }
});
}

// 全域函數用於確認提交（向後兼容，並整合原本 HTML 中的驗證邏輯）
function confirmSubmission() {
    const form = document.getElementById('commentForm');
    if (!form) return false;

```

```
const comment =
form.querySelector('textarea[name="comment_text"]'?value.trim() || '');
const rating = parseFloat(document.getElementById('rating-input')?.value || 0);
const courseSelect = form.querySelector('select[name="course"]');
const classSelect = form.querySelector('select[name="class_info"]');
const schoolYearSelect = form.querySelector('select[name="school_year"]');
const categorySelect = form.querySelector('select[name="category"]');

// 驗證必填欄位
if (!courseSelect?.value) {
    alert('請選擇課程');
    return false;
}

if (!classSelect?.value) {
    alert('請選擇班級');
    return false;
}

if (!schoolYearSelect?.value) {
    alert('請選擇學年度');
    return false;
}

if (!categorySelect?.value) {
    alert('請選擇學制');
    return false;
}

if (!comment) {
    alert('請輸入評論內容');
    return false;
}

if (isNaN(rating) || rating < 1 || rating > 5) {
    alert('請給出有效的評分 (1-5 分)');
    return false;
}
```

```

    }

    // 顯示確認對話框
    const confirmation = confirm('評論將公開顯示，送出後無法修改。');

    if (confirmation) {
        // 顯示載入中或禁用按鈕等處理
        const submitBtn = form.querySelector('button[type="submit"]');
        if (submitBtn) {
            submitBtn.disabled = true;
            submitBtn.innerHTML = '<i class="fas fa-spinner fa-spin"> 提交中...';

            // 模擬提交完成後跳轉
            setTimeout(() => {
                alert('評論送出成功！');
                window.location.href = '/comment/';
            }, 1500);
        }
    }

    return confirmation;
}

```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\js\book_detail.js

```

// 購買按鈕功能
const ctaButtons = document.querySelectorAll('.fixed-cta');
ctaButtons.forEach(button => {
    button.addEventListener('click', function() {
        alert('已加入購物車！請前往個人儀表板完成付款流程。');
    });
});

```

```

// 聯絡賣家模態視窗功能
const contactSellerModal = document.getElementById('contactSellerModal');
const contactSellerBtn = document.querySelector('.contact-seller-btn');
const closeModalBtn = document.querySelector('.close-modal');
const cancelBtn = document.querySelector('.cancel-btn');

```

```
const sendBtn = document.querySelector('.send-btn');

// 打開模態視窗
if (contactSellerBtn) {
    contactSellerBtn.addEventListener('click', function() {
        contactSellerModal.classList.add('show');
        document.body.style.overflow = 'hidden'; // 防止背景捲動
    });
}

// 關閉模態視窗
if (closeModalBtn) {
    closeModalBtn.addEventListener('click', function() {
        contactSellerModal.classList.remove('show');
        document.body.style.overflow = ""; // 恢復背景捲動
    });
}

// 取消按鈕關閉模態視窗
if (cancelBtn) {
    cancelBtn.addEventListener('click', function() {
        contactSellerModal.classList.remove('show');
        document.body.style.overflow = "";
    });
}

// 聯絡方式選擇功能
const contactMethods = document.querySelectorAll('.method-header');
if (contactMethods) {
    contactMethods.forEach(header => {
        header.addEventListener('click', function() {
            // 找到被點擊的選項的內容區域
            const methodDetails = this.nextElementSibling;
            const radio = this.querySelector('input[type="radio"]');

            // 選中該選項
            radio.checked = true;
        });
    });
}
```

```

        // 顯示選中的選項內容，隱藏其他選項內容
        document.querySelectorAll('.method-details').forEach(detail => {
            detail.style.display = 'none';
        });
        methodDetails.style.display = 'block';
    });
});
}

```

// 加入 LINE 好友按鈕功能

```

const addLineBtn = document.querySelector('.add-line-btn');
if (addLineBtn) {
    addLineBtn.addEventListener('click', function(e) {
        e.preventDefault();
        alert('已將您導向至 LINE 加入好友頁面！');
        // 實際應用中可以導向到 LINE 加好友頁面
        // window.open('https://line.me/ti/p/~wang_ntub', '_blank');
    });
}

```

// 發送按鈕功能

```

if (sendBtn) {
    sendBtn.addEventListener('click', function() {
        const subject = document.getElementById('messageSubject').value;
        const content = document.getElementById('messageContent').value;
        const selectedMethod =
document.querySelector('input[name="contactMethod"]:checked').id;

        if (!content.trim()) {
            alert('請輸入訊息內容！');
            return;
        }
    });
}

```

// 顯示發送中的動畫效果

```

sendBtn.innerHTML = '<i class="fas fa-spinner fa-spin"> 發送中...';
sendBtn.disabled = true;

```

// 模擬發送電子郵件的過程


```

setTimeout(function() {
    // 根據選擇的聯絡方式進行不同的處理
    let message = '';
    let contactData = {};

    if (selectedMethod === 'contactLine') {
        // LINE 聯絡方式
        contactData = {
            type: 'line',
            lineId: 'wang_ntub',
            message: content,
            subject: subject,
            timestamp: new Date().toLocaleString('zh-TW')
        };
        localStorage.setItem('lastContactLine',
JSON.stringify(contactData));
        message = '已將您的訊息發送至賣家 LINE！建議您加入賣家
LINE 好友以獲得更快的回覆。';

        // 如果在真實應用中，這裡可以打開 LINE 加好友頁面
        // window.open('https://line.me/ti/p/~wang_ntub', '_blank');

    } else if (selectedMethod === 'contactEmail') {
        // 電子郵件聯絡方式
        contactData = {
            type: 'email',
            to: 'wang_ntub@example.com',
            subject: subject,
            body: content,
            from: '北商二手書平台用戶',
            timestamp: new Date().toLocaleString('zh-TW')
        };
        localStorage.setItem('lastContactEmail',
JSON.stringify(contactData));
        message = '已將您的訊息發送至賣家信箱！賣家將會在 24 小
時內回覆您。';

        // 如果在真實應用中，這裡可以打開郵件客戶端

```

```

        // window.open('mailto:wang_ntub@example.com?subject=' +
encodeURIComponent(subject) + '&body=' + encodeURIComponent(content),
'_blank');

    } else if (selectedMethod === 'contactPhone') {
        // 手機聯絡方式
        contactData = {
            type: 'phone',
            phoneNumber: '0912-345-678',
            callTime: '周一至周五 10:00-18:00',
            message: content,
            subject: subject,
            timestamp: new Date().toLocaleString('zh-TW')
        };
        localStorage.setItem('lastContactPhone',
JSON.stringify(contactData));
        message = '已記錄您的詢問訊息！建議您在適合的時間直接撥
打賣家電話進行詢問。';

        // 如果在真實應用中，這裡可以打開撥號頁面
        // window.open('tel:0912345678', '_blank');
    }

    // 顯示成功訊息
    showSuccessMessage(message);

    // 關閉模態視窗
    contactSellerModal.classList.remove('show');
    document.body.style.overflow = "";

    // 清空輸入內容並重設按鈕
    document.getElementById('messageContent').value = "";
    sendBtn.innerHTML = '發送訊息';
    sendBtn.disabled = false;
}, 1500); // 模擬發送延遲
});
}

```

```

// 顯示成功訊息的功能
function showSuccessMessage(message) {
  // 創建成功訊息元素
  const successMessage = document.createElement('div');
  successMessage.className = 'success-message';
  successMessage.innerHTML = `
    <div class="success-icon">
      <i class="fas fa-check-circle">
    </div>
    <div class="success-text">${message}</div>
  `;

  // 添加到頁面
  document.body.appendChild(successMessage);

  // 添加顯示效果
  setTimeout(() => {
    successMessage.classList.add('show');
  }, 10);

  // 設定自動關閉
  setTimeout(() => {
    successMessage.classList.remove('show');
    setTimeout(() => {
      document.body.removeChild(successMessage);
    }, 300);
  }, 3000);
}

// 點擊模態視窗外部關閉
window.addEventListener('click', function(event) {
  if (event.target === contactSellerModal) {
    contactSellerModal.classList.remove('show');
    document.body.style.overflow = "";
  }
});

document.addEventListener('DOMContentLoaded', function() {

```

```

// 修復任何布局問題
fixLayoutIssues();

// 初始化星級評分顯示
initializeRatings();

// 按讚按鈕功能
initializeLikeButtons();

// 回覆功能
initializeReplyButtons();

// 圖片放大功能
initializeImageZoom();

// Initialize star ratings with Font Awesome icons
function initializeRatings() {
    document.querySelectorAll('.stars').forEach(starsContainer => {
        const rating = parseFloat(starsContainer.getAttribute('data-rating'));
        const stars = Array.from(starsContainer.querySelectorAll('i'));

        // Set initial rating display
        updateStarIcons(stars, rating);

        // Make stars clickable for rating input (if needed)
        if (starsContainer.closest('.editable-rating')) {
            stars.forEach((star, index) => {
                star.addEventListener('click', () => {
                    const newRating = index + 1;
                    starsContainer.setAttribute('data-rating', newRating);
                    updateStarIcons(stars, newRating);
                });
            });
        }
    });
}

function updateStarIcons(stars, rating) {

```

```

stars.forEach((star, index) => {
    const starValue = index + 1;

    if (rating >= starValue) {
        // Full star
        star.className = 'fa-solid fa-star';
    } else if (rating > starValue - 1 && rating < starValue) {
        // Half star (for decimal values like 4.5, 3.5, etc.)
        star.className = 'fa-solid fa-star-half-stroke';
    } else {
        // Empty star
        star.className = 'fa-regular fa-star';
    }
});
}

// Like button functionality
function initializeLikeButtons() {
    const likeButtons = document.querySelectorAll('.like-btn');
    likeButtons.forEach(button => {
        button.addEventListener('click', function() {
            const likeCount = this.querySelector('.like-count');
            if (!likeCount) return;

            const currentCount = parseInt(likeCount.textContent);
            const isLiked = this.classList.contains('liked');
            const likeIcon = this.querySelector('.like-icon');

            if (isLiked) {
                likeCount.textContent = currentCount - 1;
                this.classList.remove('liked');
                if (likeIcon) {
                    likeIcon.innerHTML = '<i class="fa-solid fa-thumbs-
up">';
                }
            } else {
                likeCount.textContent = currentCount + 1;
                this.classList.add('liked');
            }
        });
    });
}

```

```

        if (likeIcon) {
            likeIcon.innerHTML = '<i class="fa-solid fa-thumbs-
up">';

            // Add animation
            const icon = likeIcon.querySelector('i');
            if (icon) {
                icon.style.transform = 'scale(1.3)';
                setTimeout(() => {
                    icon.style.transform = 'scale(1)';
                }, 200);
            }
        }
    });
});
}

```

// Reply functionality

```

function initializeReplyButtons() {
    // Handle main reply buttons
    document.addEventListener('click', function(e) {
        // Reply button click
        if (e.target.closest('.reply-btn')) {
            const button = e.target.closest('.reply-btn');
            const commentCard = button.closest('.comment-card');
            const replyForm = commentCard.querySelector('.reply-form');

            if (!replyForm) return;

            // Hide all other reply forms
            document.querySelectorAll('.reply-form').forEach(form => {
                if (form !== replyForm) {
                    form.style.display = 'none';
                }
            });

            // Toggle current reply form

```

```

        if (replyForm.style.display === 'block') {
            replyForm.style.display = 'none';
        } else {
            replyForm.style.display = 'block';
            replyForm.scrollIntoView({ behavior: 'smooth', block:
'nearest' });
        }
    }

    // Reply to reply button click
    if (e.target.closest('.reply-to-reply')) {
        const replyBtn = e.target.closest('.reply-to-reply');
        const replyContainer = replyBtn.closest('.replies-container');
        if (!replyContainer) return;

        const replyForm = replyContainer.querySelector('.reply-form');

        if (replyForm) {
            replyForm.style.display = replyForm.style.display ===
'block' ? 'none' : 'block';
            if (replyForm.style.display === 'block') {
                replyForm.scrollIntoView({ behavior: 'smooth', block:
'nearest' });
            }
        }
    }

    // Cancel reply button click
    if (e.target.closest('.cancel-reply-btn')) {
        const cancelBtn = e.target.closest('.cancel-reply-btn');
        const form = cancelBtn.closest('.reply-form');
        if (form) {
            form.style.display = 'none';
        }
    }

    // Submit reply button click
    if (e.target.closest('.submit-reply-btn')) {

```

```

const submitBtn = e.target.closest('.submit-reply-btn');
const form = submitBtn.closest('.reply-form');
if (!form) return;

const textarea = form.querySelector('textarea');
if (!textarea) return;

const replyText = textarea.value.trim();

if (replyText) {
    let repliesContainer = form.closest('.replies-container');

    // If not inside a replies-container, look for one in the parent
comment-card
    if (!repliesContainer) {
        const commentCard = form.closest('.comment-card');
        if (commentCard) {
            repliesContainer =
commentCard.querySelector('.replies-container');

            // Create a replies-container if it doesn't exist
            if (!repliesContainer) {
                repliesContainer =
document.createElement('div');

                repliesContainer.className = 'replies-
container';

                commentCard.appendChild(repliesContainer);
            }
        }
    }

    if (repliesContainer) {
        // Create new reply element
        const newReply = document.createElement('div');
        newReply.className = 'reply';
        newReply.innerHTML = `
            <div class="user-avatar small">
                <img src="/static/images/default-avatar.png"

```


alt="使用者頭像">

```
    </div>
    <div class="reply-content">
      <div class="reply-header">
        <span class="user-name">匿名用戶
      </span>

        <span class="reply-date">剛剛</span>
      </div>
      <p>${replyText}</p>
      <div class="reply-actions">
        <button class="reply-to-reply">回覆
      </div>
    </div>
  </div>
  `;
```

```

// Insert new reply
repliesContainer.appendChild(newReply);

// Clear and hide form
textarea.value = "";
form.style.display = 'none';

// Show success message
const successMsg = document.createElement('div');
successMsg.className = 'success-message';
successMsg.textContent = '回覆已送出！';
successMsg.style.textAlign = 'center';
successMsg.style.padding = '10px';
successMsg.style.color = '#4CAF50';
successMsg.style.margin = '10px 0';

form.parentNode.insertBefore(successMsg,
form.nextSibling);

// Remove success message after 3 seconds
setTimeout(() => {
  successMsg.remove();
```

```

        }, 3000);
    }
}
});
}

```

// 圖片放大功能

```

function initializelImageZoom() {
    const bookImage = document.querySelector('.book-image');
    if (bookImage) {
        bookImage.addEventListener('click', function() {
            // 創建模態框
            const modal = document.createElement('div');
            modal.className = 'image-modal';
            modal.style.position = 'fixed';
            modal.style.top = '0';
            modal.style.left = '0';
            modal.style.width = '100%';
            modal.style.height = '100%';
            modal.style.backgroundColor = 'rgba(0,0,0,0.8)';
            modal.style.display = 'flex';
            modal.style.justifyContent = 'center';
            modal.style.alignItems = 'center';
            modal.style.zIndex = '9999';

            // 創建放大的圖片
            const zoomedImage = document.createElement('img');
            zoomedImage.src = this.src;
            zoomedImage.style.maxWidth = '90%';
            zoomedImage.style.maxHeight = '90%';
            zoomedImage.style.objectFit = 'contain';
            zoomedImage.style.border = '5px solid white';
            zoomedImage.style.borderRadius = '5px';

            // 創建關閉按鈕
            const closeButton = document.createElement('button');
            closeButton.textContent = '×';

```

```

        closeButton.style.position = 'absolute';
        closeButton.style.top = '20px';
        closeButton.style.right = '20px';
        closeButton.style.fontSize = '30px';
        closeButton.style.color = 'white';
        closeButton.style.background = 'none';
        closeButton.style.border = 'none';
        closeButton.style.cursor = 'pointer';

        // 添加到文檔
        modal.appendChild(zoomedImage);
        modal.appendChild(closeButton);
        document.body.appendChild(modal);

        // 點擊模態框或關閉按鈕時關閉
        modal.addEventListener('click', function(e) {
            if (e.target === modal || e.target === closeButton) {
                document.body.removeChild(modal);
            }
        });
    });
}

// Function to fix layout issues
function fixLayoutIssues() {
    // Ensure proper spacing between sections
    document.querySelectorAll('.section').forEach(section => {
        section.style.clear = 'both';
        section.style.overflow = 'hidden';
    });

    // Fix any overlapping elements in the comments section
    const commentsSection = document.querySelector('.comments-section');
    if (commentsSection) {
        commentsSection.style.clear = 'both';
        commentsSection.style.overflow = 'hidden';
    }
}

```

```

    // Fix book image and details layout
    const bookImageContainer = document.querySelector('.book-image-
container');
    const bookDetailsText = document.querySelector('.book-details-text');

    if (bookImageContainer && bookDetailsText) {
        if (window.innerWidth <= 768) {
            bookImageContainer.style.float = 'none';
            bookImageContainer.style.width = '100%';
            bookDetailsText.style.float = 'none';
            bookDetailsText.style.width = '100%';
        } else {
            bookImageContainer.style.float = 'left';
            bookImageContainer.style.width = '30%';
            bookDetailsText.style.float = 'left';
            bookDetailsText.style.width = '65%';
        }
    }

    // Ensure related grid has proper layout
    const relatedGrid = document.querySelector('.related-grid');
    if (relatedGrid) {
        relatedGrid.style.clear = 'both';
    }
}

// 監聽視窗大小變化，重新調整布局
window.addEventListener('resize', fixLayoutIssues);
});

```

```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\js\book.js
//index
window.addEventListener('DOMContentLoaded', () => {
    const popupId = sessionStorage.getItem('openPopup');
    if (popupId) {
        const popup = document.getElementById(popupId);
    }
});

```

```
        if (popup) {
            popup.classList.add('show-popup');
            console.log(`開啟彈窗: ${popupId}`);
        } else {
            console.warn(`找不到彈窗 ID: ${popupId}`);
        }
        sessionStorage.removeItem('openPopup');
    }
});
```

```
document.addEventListener('DOMContentLoaded', function() {
    // 確俞 SVG 路徑和上傳按鈕中心點對齊
    alignSvgPathWithUploadButton();

    // 背景文字隨滾動移動
    const bgText = document.querySelector('.bg-text');
    if (bgText) {
        window.addEventListener('scroll', function() {
            const scrollTop = window.scrollY;
            const moveX = scrollTop * 0.3; // 控制移動速度
            bgText.style.transform = `translateX(-${moveX}px)`;
        });
    }

    // 鎖定背景滾動功能
    function lockBodyScroll() {
        document.body.style.overflow = 'hidden';
        document.body.style.height = '100%';
    }

    function unlockBodyScroll() {
        document.body.style.overflow = '';
        document.body.style.height = '';
    }
});
```

```
// 中心上傳按鈕點擊事件
const centerUploadBtn = document.getElementById('centerUploadBtn');
if (centerUploadBtn) {
  centerUploadBtn.addEventListener('click', function() {
    const uploadForm = document.getElementById('uploadForm');
    if (uploadForm) {
      uploadForm.style.display = 'flex';
      // 鎖定背景滾動
      lockBodyScroll();
      // 初始化表單驗證
      validateRequiredFields();
    }
  });
}
```

```
// 初始化表單驗證
validateRequiredFields();
```

```
// 篩選標籤點擊效果
const filterItems = document.querySelectorAll('.filter-item');
```

```
filterItems.forEach(item => {
  item.addEventListener('click', function() {
    // 移除所有 active 類
    filterItems.forEach(i => i.classList.remove('active'));
    // 添加當前點擊項目的 active 類
    this.classList.add('active');

    // 這裡可以添加實際篩選功能
    const filterType = this.textContent;
    console.log('篩選類型:', filterType);

    // 模擬篩選效果
    const bookCards = document.querySelectorAll('.book-card');
    bookCards.forEach(card => {
      card.style.opacity = '0.6';
      card.style.transform = 'scale(0.98)';
    });
  });
});
```

```

        setTimeout(() => {
            card.style.opacity = '1';
            card.style.transform = 'scale(1)';
        }, 300);
    });
});

// 書籍卡片點擊效果
const bookCards = document.querySelectorAll('.book-card');
bookCards.forEach(card => {
    card.addEventListener('click', function() {
        this.style.transform = 'scale(0.98)';
        setTimeout(() => {
            this.style.transform = '';
            // 這裡可以添加點擊後的導航邏輯
            console.log('查看書籍:', this.querySelector('.book-
title').textContent);
        }, 150);
    });
});

// 上傳功能相關
const uploadForm = document.getElementById('uploadForm');
const closeFormBtn = document.getElementById('closeFormBtn');
const imagePreview = document.getElementById('imagePreview');
const imageUpload = document.getElementById('imageUpload');
const previewImage = document.getElementById('previewImage');
const previewPlaceholder = document.getElementById('previewPlaceholder');
const submitBtn = document.getElementById('submitBtn');

// 關閉上傳表單
closeFormBtn.addEventListener('click', function() {
    uploadForm.style.display = 'none';
    // 解鎖背景滾動
    unlockBodyScroll();
});

```

```
// 點擊預覽區域觸發文件選擇
imagePreview.addEventListener('click', function() {
    imageUpload.click();
});

// 圖片上傳預覽
imageUpload.addEventListener('change', function() {
    if (this.files && this.files[0]) {
        const reader = new FileReader();

        reader.onload = function(e) {
            previewImage.src = e.target.result;
            previewImage.style.display = 'block';
            previewPlaceholder.style.display = 'none';
        }

        reader.readAsDataURL(this.files[0]);
    }
});

// 拖放功能
const previewContainer = document.querySelector('.preview-container');

['dragenter', 'dragover', 'dragleave', 'drop'].forEach(eventName => {
    previewContainer.addEventListener(eventName, preventDefaults, false);
});

function preventDefaults(e) {
    e.preventDefault();
    e.stopPropagation();
}

['dragenter', 'dragover'].forEach(eventName => {
    previewContainer.addEventListener(eventName, highlight, false);
});

['dragleave', 'drop'].forEach(eventName => {
```



```

        previewContainer.addEventListener(eventName, unhighlight, false);
    });

    function highlight() {
        previewContainer.classList.add('highlight');
    }

    function unhighlight() {
        previewContainer.classList.remove('highlight');
    }

    previewContainer.addEventListener('drop', handleDrop, false);

    function handleDrop(e) {
        const dt = e.dataTransfer;
        const files = dt.files;

        if (files && files.length) {
            imageUpload.files = files;
            const event = new Event('change');
            imageUpload.dispatchEvent(event);
        }
    }

    // 驗證必填欄位
    function validateRequiredFields() {
        const bookTitleInput = document.getElementById('bookTitle');
        const priceInput = document.getElementById('price');
        const faceToFaceCheckbox = document.getElementById('faceToFace');
        const shippingCheckbox = document.getElementById('shipping');
        const submitBtn = document.getElementById('submitBtn');
        const bookTitleError = document.getElementById('bookTitleError');
        const priceError = document.getElementById('priceError');
        const transactionMethodError =
document.getElementById('transactionMethodError');

        // 初始化時隱藏所有錯誤訊息
        bookTitleError.style.display = 'none';
    }

```

```

priceError.style.display = 'none';
transactionMethodError.style.display = 'none';

// 檢查必填欄位是否填寫
function checkRequiredFields() {
    const bookTitleValid = bookTitleInput.value.trim() !== '';
    const priceValid = priceInput.value.trim() !== '';
    const transactionMethodValid = faceToFaceCheckbox.checked ||
shippingCheckbox.checked;

    // 只在表單驗證時才顯示錯誤訊息，不在實時顯示
    return bookTitleValid && priceValid && transactionMethodValid;
}

// 監聽輸入欄位變化但不顯示錯誤訊息
bookTitleInput.addEventListener('input', function() {
    // 如果有值則隱藏錯誤訊息
    if (bookTitleInput.value.trim() !== '') {
        bookTitleError.style.display = 'none';
    }
});

priceInput.addEventListener('input', function() {
    if (priceInput.value.trim() !== '') {
        priceError.style.display = 'none';
    }
});

function checkTransactionMethod() {
    if (faceToFaceCheckbox.checked || shippingCheckbox.checked) {
        transactionMethodError.style.display = 'none';
    }
}

faceToFaceCheckbox.addEventListener('change', checkTransactionMethod);
shippingCheckbox.addEventListener('change', checkTransactionMethod);

return checkRequiredFields;

```

```

}

// 初始化驗證函數
const checkRequiredFields = validateRequiredFields();

// 提交按鈕點擊事件
submitBtn.addEventListener('click', function() {
    // 獲取所有表單值
    const bookTitle = document.getElementById('bookTitle').value;
    const department = document.getElementById('department').value;
    const grade = document.getElementById('grade').value;
    const bookType = document.getElementById('bookType').value;
    const price = document.getElementById('price').value;
    const condition = document.getElementById('condition').value;
    const bookDescription =
document.getElementById('bookDescription').value;
    const transactionMethods =
document.querySelectorAll('input[name="transactionMethod"]:checked');

    // 驗證必填欄位
    const bookTitleError = document.getElementById('bookTitleError');
    const priceError = document.getElementById('priceError');
    const transactionMethodError =
document.getElementById('transactionMethodError');

    // 顯示錯誤訊息，只在點擊上傳按鈕後顯示
    if (bookTitle.trim() === '') {
        bookTitleError.style.display = 'block';
    }

    if (price.trim() === '') {
        priceError.style.display = 'block';
    }

    if (transactionMethods.length === 0) {
        transactionMethodError.style.display = 'block';
    }
}

```

```
// 如果有錯誤，不繼續提交
if (bookTitle.trim() === '' || price.trim() === '' || transactionMethods.length
=== 0) {
    return;
}

// 其他表單驗證
if (!validateForm(bookTitle, department, grade, bookType, price, condition,
transactionMethods)) {
    return;
}

// 顯示加載狀態
submitBtn.textContent = '上傳中...';
submitBtn.disabled = true;

// 收集交易方式
const selectedMethods = [];
transactionMethods.forEach(method => {
    selectedMethods.push(method.value);
});

// 準備表單數據
const formData = new FormData();
formData.append('bookTitle', bookTitle);
formData.append('department', department);
formData.append('grade', grade);
formData.append('bookType', bookType);
formData.append('price', price);
formData.append('condition', condition);
formData.append('bookDescription', bookDescription);

// 添加交易方式
selectedMethods.forEach(method => {
    formData.append('transactionMethod', method);
});

// 添加圖片
```

```
if (imageUpload.files[0]) {
    formData.append('bookImage', imageUpload.files[0]);
}

// 添加 CSRF 令牌
const csrftoken =
document.querySelector('[name=csrfmiddlewaretoken]').value;

// 發送 AJAX 請求
fetch('/upload_book/', {
    method: 'POST',
    body: formData,
    headers: {
        'X-CSRFToken': csrftoken
    },
    credentials: 'same-origin'
})
.then(response => response.json())
.then(data => {
    if (data.status === 'success') {
        alert(data.message);
        uploadForm.style.display = 'none';

        // 重置表單
        resetForm();

        // 刷新頁面以顯示新上傳的書籍
        setTimeout(() => {
            window.location.reload();
        }, 1000);
    } else {
        alert(data.message || '上傳失敗，請稍後再試');
        submitBtn.textContent = '上傳書籍';
        submitBtn.disabled = false;
    }
})
.catch(error => {
    console.error('上傳錯誤:', error);
});
```

```
        alert('上傳失敗，請稍後再試');
        submitBtn.textContent = '上傳書籍';
        submitBtn.disabled = false;
    });
});

// 表單驗證函數
function validateForm(bookTitle, department, grade, bookType, price, condition,
transactionMethods) {
    // 必填欄位已在提交按鈕點擊事件中驗證

    if (!imageUpload.files[0]) {
        alert('請上傳書籍圖片！');
        return false;
    }

    if (!department) {
        alert('請選擇系所！');
        return false;
    }

    if (!grade) {
        alert('請選擇年級！');
        return false;
    }

    if (!bookType) {
        alert('請選擇書籍類型！');
        return false;
    }

    if (!condition) {
        alert('請選擇書籍狀況！');
        return false;
    }

    return true;
}
```

```

// 重置表單函數
function resetForm() {
    document.getElementById('bookTitle').value = '';
    document.getElementById('department').selectedIndex = 0;
    document.getElementById('grade').selectedIndex = 0;
    document.getElementById('bookType').selectedIndex = 0;
    document.getElementById('price').value = '';
    document.getElementById('condition').selectedIndex = 0;
    document.getElementById('bookDescription').value = '';

    // 重置交易方式
    document.querySelectorAll('input[name="transactionMethod"]').forEach(c
checkbox => {
        checkbox.checked = false;
    });

    // 重置圖片
    imageUpload.value = '';
    previewImage.src = '';
    previewImage.style.display = 'none';
    previewPlaceholder.style.display = 'block';
}

// 模擬添加新卡片的函數 (未使用)
function addNewBookCard(bookTitle, bookDescription, bookType) {
    const booksGrid = document.querySelector('.books-grid');
    const newCard = document.createElement('div');
    newCard.classList.add('book-card');
    newCard.innerHTML = `
        <div class="book-image">
            
        </div>
        <h3 class="book-title">${bookTitle}</h3>
        <p class="book-description">${bookDescription}</p>
        <div class="tag-container">
            <span class="tag">#${bookType}</span>

```

```

        </div>
    `;
    booksGrid.prepend(newCard);
}

// 上傳按鈕點擊事件
uploadBtn.addEventListener('click', function() {
    uploadForm.style.display = 'flex';
});

// 添加 SVG 路徑和上傳按鈕中心點對齊的功能
function alignSvgPathWithUploadButton() {
    const svgPath = document.getElementById('curve');
    const uploadBtn = document.getElementById('uploadBtn');

    if (!svgPath || !uploadBtn) return;

    // 獲取 SVG 元素
    const svg = svgPath.closest('svg');
    if (!svg) return;

    // 創建一個新的圓形元素作為參考點
    const centerPoint =
document.createElementNS('http://www.w3.org/2000/svg', 'circle');
    centerPoint.setAttribute('cx', '50');
    centerPoint.setAttribute('cy', '50');
    centerPoint.setAttribute('r', '2');
    centerPoint.setAttribute('fill', 'transparent');
    centerPoint.setAttribute('id', 'centerPoint');
    svg.appendChild(centerPoint);

    // 監聽窗口大小變化，確保對齊
    window.addEventListener('resize', updateAlignment);

    // 初始對齊
    updateAlignment();

    function updateAlignment() {

```



```

// 獲取 SVG 中心點的位置
const svgRect = svg.getBoundingClientRect();
const svgCenterX = svgRect.left + svgRect.width / 2;
const svgCenterY = svgRect.top + svgRect.height / 2;

// 獲取上傳按鈕的位置
const btnRect = uploadBtn.getBoundingClientRect();
const btnCenterX = btnRect.left + btnRect.width / 2;
const btnCenterY = btnRect.top + btnRect.height / 2;

// 計算 SVG 路徑需要的調整
const pathD = svgPath.getAttribute('d');
const newPathD = `M 50 50 m -40 0 a 40 40 0 1 1 80 0 a 40 40 0 1 1 -80
0`;

svgPath.setAttribute('d', newPathD);

// 更新文字路徑的長度，確保文字正確顯示
const textPath = document.querySelector('textPath');
if (textPath) {
    textPath.setAttribute('textLength', '250');
}
}
}
});

```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\js\chat.js

// 隨機數產生器（可重現）

```

function randomNumber(min, max, seed) {
    const x = Math.sin(seed) * 10000;
    const raw = x - Math.floor(x);
    return raw * (max - min) + min;
}

```

// 初始化背景動畫 blobs

```

function initBlobs() {
    const blobs = document.querySelectorAll('.blob');

```

```

blobs.forEach((blob, index) => {
  const seed = index + 100;

  // 設定初始位置
  const initialXPercent = randomNumber(10, 90, seed + 10);
  const initialYPercent = randomNumber(10, 90, seed + 11);
  blob.style.left = `${initialXPercent}%`;
  blob.style.top = `${initialYPercent}%`;

  // 建立動畫 keyframes
  const keyframes = [
    { transform: `translate(${randomNumber(-25, 25, seed + 20)}%,
    ${randomNumber(-25, 25, seed + 21)}%)` },
    { transform: `translate(${randomNumber(-25, 25, seed + 22)}%,
    ${randomNumber(-25, 25, seed + 23)}%)` },
    { transform: `translate(${randomNumber(-25, 25, seed + 24)}%,
    ${randomNumber(-25, 25, seed + 25)}%)` },
    { transform: `translate(${randomNumber(-25, 25, seed + 26)}%,
    ${randomNumber(-25, 25, seed + 27)}%)` }
  ];

  // 啟用動畫
  blob.animate(keyframes, {
    duration: 8000 + index * 1000,
    iterations: Infinity,
    direction: 'alternate',
    easing: 'ease-in-out'
  });
});
}

```

```

// 當前對話 ID
let currentId = null;
let conversations = [];
let nextSeq = 1;

```

// DOM 元素

```
const sidebar = document.getElementById('sidebar');
const menuBtn = document.getElementById('menuBtn');
const mainContent = document.getElementById('mainContent');
const currentChatTitle = document.getElementById('currentChatTitle');
const newChatBtn = document.getElementById('newChatBtn');
const chatHistoryEl = document.getElementById('chatHistory');
const chatContainer = document.getElementById('chatContainer');
const noMessagesEl = document.getElementById('noMessages');
const messageInput = document.getElementById('messageInput');
const sendBtn = document.getElementById('sendBtn');
```

// 建立統一檔案上傳按鈕

```
const headerArea = currentChatTitle.parentElement;
const uploadContainer = document.createElement('div');
uploadContainer.className = 'upload-container';
uploadContainer.innerHTML = `
    <label for="fileUpload" class="upload-btn">
        <i class="fa-solid fa-upload">
        <span>上傳檔案</span>
    </label>
    <input type="file" id="fileUpload" accept=".pdf,.zip" style="display:none" />

    <div id="floating-progress" style="display:none; position:absolute; top:120%;
    left:80%; margin-left:10px; background:white; border:1px solid #ccc; padding:15px;
    border-radius:8px; box-shadow:0 4px 20px rgba(0,0,0,0.15); z-index:1000;
    width:280px; font-family: -apple-system, BlinkMacSystemFont, 'Segoe UI', sans-
    serif;">
        <div id="progressText" style="font-size:14px; color:#333; margin-
        bottom:8px;">準備上傳...</div>
        <div style="background:#f0f0f0; height:8px; border-radius:4px;
        overflow:hidden;">
            <div id="progressBar" style="background:linear-gradient(90deg,
            #4CAF50, #45a049); height:100%; width:0%; border-radius:4px; transition:width 0.3s
            ease;"></div>
        </div>
        <div id="fileInfo" style="font-size:12px; color:#666; margin-top:5px;"></div>
    </div>`
```

```
`;  
;
```

```
// 插入到標題區域的右側
```

```
headerArea.style.display = 'flex';
```

```
headerArea.style.justifyContent = 'space-between';
```

```
headerArea.style.alignItems = 'center';
```

```
headerArea.appendChild(uploadContainer);
```

```
// 綁定檔案選擇事件
```

```
document.getElementById('fileUpload').addEventListener('change', (e) => {
```

```
    const file = e.target.files[0];
```

```
    if (file) {
```

```
        uploadFile(file);
```

```
    }
```

```
});
```

```
// 統一檔案上傳函數
```

```
function uploadFile(file) {
```

```
    // 檢查檔案類型
```

```
    const fileName = file.name.toLowerCase();
```

```
    const validTypes = ['.pdf', '.zip'];
```

```
    const isValidType = validTypes.some(type => fileName.endsWith(type));
```

```
    if (!isValidType) {
```

```
        alert("請選擇 PDF 或 ZIP 檔案！");
```

```
        return;
```

```
    }
```

```
    const formData = new FormData();
```

```
    formData.append("file", file);
```

```
    const progressBox = document.getElementById("floating-progress");
```

```
    const progressBar = document.getElementById("progressBar");
```

```
    const progressText = document.getElementById("progressText");
```

```
    const fileInfo = document.getElementById("fileInfo");
```

```
// 顯示進度框
```

```
progressBox.style.display = "block";
```

```

progressBar.style.width = "0%";
progressText.innerText = "正在上傳...";
fileInfo.innerText = `檔案: ${file.name} (${formatFileSize(file.size))`;

const xhr = new XMLHttpRequest();
xhr.open("POST", "/upload_files/", true);

// 上傳進度
xhr.upload.onprogress = e => {
    if (e.lengthComputable) {
        const percentage = Math.round((e.loaded / e.total) * 100);
        progressBar.style.width = percentage + "%";
        progressText.innerText = `上傳中... ${percentage}%`;
    }
};

// 上傳完成
xhr.onload = () => {
    try {
        const res = JSON.parse(xhr.responseText);

        if (res.status === 'success' || res.message) {
            progressBar.style.width = "100%";
            progressText.innerHTML = "" + (res.message || "上傳成功");

            // 顯示檔案處理結果
            if (fileName.endsWith('.pdf')) {
                fileInfo.innerText = "PDF 檔案已成功上傳並加入知識庫";
            } else if (fileName.endsWith('.zip')) {
                fileInfo.innerText = "ZIP 檔案已解壓縮，PDF 檔案已加入
知識庫";
            }

            // 3 秒後自動隱藏
            setTimeout(() => {
                progressBox.style.display = "none";
                // 重置檔案輸入
                document.getElementById('fileUpload').value = "";
            }, 3000);
        }
    } catch (error) {
        console.error("上傳失敗:", error);
    }
};

```

```

        }, 3000);

    } else {
        progressText.innerHTML = `✖ 錯誤：${res.error}`;
        fileInfo.innerText = "上傳失敗，請重試";
        setTimeout(() => progressBar.style.display = "none", 5000);
    }
} catch (error) {
    progressText.innerHTML = "✖ 回應解析錯誤";
    fileInfo.innerText = "伺服器回應格式錯誤";
    setTimeout(() => progressBar.style.display = "none", 5000);
}
};

// 上傳錯誤
xhr.onerror = () => {
    progressText.innerHTML = "✖ 網路錯誤";
    fileInfo.innerText = "請檢查網路連線並重試";
    setTimeout(() => progressBar.style.display = "none", 5000);
};

// 上傳超時
xhr.ontimeout = () => {
    progressText.innerHTML = "✖ 上傳超時";
    fileInfo.innerText = "檔案可能過大，請重試";
    setTimeout(() => progressBar.style.display = "none", 5000);
};

// 設置 30 秒超時
xhr.timeout = 30000;

xhr.send(formData);
}

// 格式化檔案大小
function formatFileSize(bytes) {
    if (bytes === 0) return '0 Bytes';
    const k = 1024;

```

```

const sizes = ['Bytes', 'KB', 'MB', 'GB'];
const i = Math.floor(Math.log(bytes) / Math.log(k));
return parseFloat((bytes / Math.pow(k, i)).toFixed(2)) + ' ' + sizes[i];
}

// 拖拽上傳功能（可選）
function initDragAndDrop() {
  const uploadBtn = document.querySelector('.upload-btn');

  // 防止頁面默認拖拽行為
  ['dragenter', 'dragover', 'dragleave', 'drop'].forEach(eventName => {
    document.addEventListener(eventName, preventDefaults, false);
  });

  function preventDefaults(e) {
    e.preventDefault();
    e.stopPropagation();
  }

  // 拖拽進入上傳按鈕區域
  uploadBtn.addEventListener('dragenter', () => {
    uploadBtn.style.backgroundColor = '#0056b3';
    uploadBtn.style.transform = 'scale(1.05)';
  });

  uploadBtn.addEventListener('dragleave', () => {
    uploadBtn.style.backgroundColor = '';
    uploadBtn.style.transform = '';
  });

  // 拖拽放下
  uploadBtn.addEventListener('drop', (e) => {
    uploadBtn.style.backgroundColor = '';
    uploadBtn.style.transform = '';

    const files = e.dataTransfer.files;
    if (files.length > 0) {
      uploadFile(files[0]);
    }
  });
}

```

```
    }  
  });  
}
```

// 側邊欄切換

```
let sidebarOpen = false;  
menuBtn.addEventListener('click', () => {  
  sidebarOpen = !sidebarOpen;  
  if (sidebarOpen) {  
    sidebar.classList.remove('collapsed');  
    menuBtn.classList.add('open');  
    document.body.classList.remove('sidebar-collapsed');  
  } else {  
    sidebar.classList.add('collapsed');  
    menuBtn.classList.remove('open');  
    document.body.classList.add('sidebar-collapsed');  
  }  
});
```

// 從 API 載入對話列表

```
async function loadConvos() {  
  try {  
    const res = await fetch('/api/conversations/');  
    conversations = (await res.json()).conversations;  
    nextSeq = conversations.length + 1;  
    renderConvos();  
  } catch (error) {  
    console.error('載入對話失敗:', error);  
  }  
}
```

// 渲染對話列表

```
function renderConvos() {  
  chatHistoryEl.innerHTML = "";  
  conversations.forEach(c => {  
    const chatItem = document.createElement('div');  
    chatItem.className = 'chat-item';  
    if (c.id === currentId) chatItem.classList.add('active');
```



```

chatItem.innerHTML = `
  <div class="chat-title">${c.title}</div>
  <div class="chat-actions">
    <button class="action-btn download-btn" data-id="${c.id}">
      <i class="fa-solid fa-download">
        <span class="tooltip">匯出對話</span>
      </button>
    <button class="action-btn delete-btn" data-id="${c.id}">
      <i class="fa-solid fa-trash">
        <span class="tooltip">刪除對話</span>
      </button>
    </div>
`;

chatItem.addEventListener('click', (e) => {
  // 如果點擊的是操作按鈕，不要切換對話
  if (!e.target.closest('.action-btn')) {
    selectConvo(c.id);
  }
});

chatHistoryEl.appendChild(chatItem);
});

// 綁定匯出按鈕事件
document.querySelectorAll('.download-btn').forEach(btn => {
  btn.addEventListener('click', (e) => {
    e.stopPropagation();
    const id = btn.getAttribute('data-id');
    window.location.assign(`/api/export/${id}/`);
  });
});

// 綁定刪除按鈕事件
document.querySelectorAll('.delete-btn').forEach(btn => {
  btn.addEventListener('click', async (e) => {
    e.stopPropagation();
  });
});

```

```

const id = btn.getAttribute('data-id');
if (!confirm('確定刪除此對話？')) return;

try {
  await fetch(`/api/conversations/${id}/`, { method: 'DELETE' });
  conversations = conversations.filter(x => x.id !== id);
  if (currentId === id) {
    currentId = null;
    chatContainer.innerHTML = "";
    noMessagesEl.style.display = 'block';
    currentChatTitle.innerText = '對話';
  }
  renderConvos();
} catch (error) {
  console.error('刪除對話失敗:', error);
}

});
}

```

// 選擇對話

```

async function selectConvo(id) {
  try {
    currentId = id;
    document.querySelectorAll(".chat-item").forEach(item =>
item.classList.remove("active"));
    document.querySelector(`.chat-item:has(\[data-
id="${id}"])\`)?.classList.add("active");

```

```

const res = await fetch(`/api/messages/${id}/`);
const data = await res.json();
renderMessages(data.messages);

```

// 更新標題

```

const convo = conversations.find(c => c.id === id);
if (convo) {
  currentChatTitle.innerText = convo.title;
}

```

```

// 手機版自動關閉側邊欄
if (window.innerWidth <= 768) {
    sidebar.classList.add('collapsed');
    menuBtn.classList.remove('open');
    document.body.classList.add('sidebar-collapsed');
    sidebarOpen = false;
}
} catch (error) {
    console.error('載入對話內容失敗:', error);
}
}

// 渲染對話訊息
function renderMessages(messages) {
    chatContainer.innerHTML = "";
    noMessagesEl.style.display = messages.length ? 'none' : 'block';

    messages.forEach(msg => {
        // 顯示使用者提問
        const userMsg = document.createElement('div');
        userMsg.className = 'message-container user-container';
        userMsg.innerHTML = `
            <div class="message-content user-content">${msg.question}</div>
            <div class="avatar user-avatar">你</div>
        `;
        chatContainer.appendChild(userMsg);

        // 顯示 AI 回答（含來源）
        const botMsg = document.createElement('div');
        botMsg.className = 'message-container bot-container';

        // 主體內容
        let botContent = `<div class="message-content bot-
content">${msg.answer}`;

        // 加入 PDF 資料來源按鈕（如果有）
        const sources = msg.sources || [];

```

```

        if (sources.length > 0) {
            botContent += `<div class="source-indicator"><button class="source-
btn" onclick="showSources(${JSON.stringify(sources).replace(/"/g,
'\&quot;'}})">📄 </button></div>`;
        }

        botContent += `</div>`;

        botMsg.innerHTML = `
            <div class="avatar bot-avatar">AI</div>
            ${botContent}
        `;

        chatContainer.appendChild(botMsg);
    });

    // 滾動到最底部
    chatContainer.scrollTop = chatContainer.scrollHeight;
}

```

```

// 建立新對話
newChatBtn.addEventListener('click', async () => {
    try {
        const title = `新對話${nextSeq++}`;
        const res = await fetch("/api/conversations/", {
            method: "POST",
            headers: {"Content-Type": "application/json"},
            body: JSON.stringify({title})
        });

        const newConvo = await res.json();
        currentId = newConvo.id;
        await loadConvos();
        selectConvo(newConvo.id);
    } catch (error) {
        console.error('建立新對話失敗:', error);
    }
}

```

```

});

// 發送訊息
// 發送訊息
async function sendQuestion() {
    const questionEl = document.getElementById('messageInput');
    const question = questionEl.value.trim();

    if (!question || !currentId) return;

    // 清空輸入框並調整高度
    questionEl.value = '';
    adjustTextareaHeight();

    try {
        // 在聊天區域加入用戶訊息
        const userMsg = document.createElement('div');
        userMsg.className = 'message-container user-container';
        userMsg.innerHTML = `
            <div class="message-content user-content">${question}</div>
            <div class="avatar user-avatar">你</div>
        `;
        chatContainer.appendChild(userMsg);
        chatContainer.scrollTop = chatContainer.scrollHeight;

        // 在聊天區域加入機器人正在輸入的指示
        const loadingMsg = document.createElement('div');
        loadingMsg.className = 'message-container bot-container';
        loadingMsg.innerHTML = `
            <div class="avatar bot-avatar">AI</div>
            <div class="message-content bot-content loading-dots">
                <span class="dot"></span>
                <span class="dot"></span>
                <span class="dot"></span>
            </div>
        `;
        chatContainer.appendChild(loadingMsg);
        chatContainer.scrollTop = chatContainer.scrollHeight;
    }
}

```

```

// 發送到後端
const res = await fetch("/api/ask/", {
  method: "POST",
  headers: {"Content-Type": "application/json"},
  body: JSON.stringify({conversation_id: currentId, question: question})
});

const data = await res.json();

// 移除載入指示器
chatContainer.removeChild/loadingMsg);

// 建立機器人回覆內容
let botContent = `<div class="message-content bot-content">${data.answer
|| data.error}`;

// 如果有來源文檔，添加查看按鈕
if (data.has_sources && data.sources && data.sources.length > 0) {
  botContent += `<div class="source-indicator"><button class="source-
btn" onclick="showSources(${JSON.stringify(data.sources).replace(/"/g,
'\&quot;')})"> 📄 </button></div>`;
}

botContent += `</div>`;

// 在聊天區域加入機器人回覆
const botMsg = document.createElement('div');
botMsg.className = 'message-container bot-container';
botMsg.innerHTML = `
  <div class="avatar bot-avatar">AI</div>
  ${botContent}
`;
chatContainer.appendChild(botMsg);
chatContainer.scrollTop = chatContainer.scrollHeight;

// 更新對話標題（如果是第一條訊息）
const convo = conversations.find(c => c.id === currentId);

```

```

        if (convo && (!convo.title || convo.title.startsWith('新對話'))) {
            const title = question.length > 25 ? question.substring(0, 25) + '...' :
question;

            await fetch(`/api/conversations/${currentId}/`, {
                method: 'PATCH',
                headers: {'Content-Type': 'application/json'},
                body: JSON.stringify({title: title})
            });
            currentChatTitle.innerText = title;
            await loadConvos();
        }
    } catch (error) {
        console.error('發送問題失敗:', error);
    }
}

```

// 修正後的 showSources 函數

```

function showSources(sources) {
    const modal = document.createElement('div');
    modal.className = 'source-modal';
    modal.style.cssText = `
        position: fixed;
        top: 0;
        left: 0;
        width: 100%;
        height: 100%;
        background: rgba(0,0,0,0.5);
        display: flex;
        justify-content: center;
        align-items: center;
        z-index: 9999;
        backdrop-filter: blur(1px);
        animation: fadeIn 0.3s ease;
    `;

    const modalContent = document.createElement('div');
    modalContent.style.cssText = `
        background: white;

```

```
padding: 24px;
border-radius: 12px;
max-width: 500px;
width: 90%;
max-height: 80%;
overflow-y: auto;
box-shadow: 0 10px 40px rgba(0,0,0,0.2);
animation: slideIn 0.3s ease;
`;
```

```
let sourcesHtml = '<h3 style="margin-top:0; color:#333; font-size:18px; font-weight:600;">📖 資料來源</h3>';
```

```
sources.forEach(source => {
  sourcesHtml += `
    <div style="margin: 12px 0; padding: 10px; background: #f8f9fa;
border-radius: 8px; border-left: 4px solid #9187b2ff;">
      <div style="display: flex; gap: 8px; align-items: center;">
        <button onclick="viewPDF('${source}')" style="
          background: linear-gradient(135deg, #dbcfdfff,
#dbcfdfff);

          color: #615a5aff;
          border: none;
          padding: 10px 16px;
          border-radius: 6px;
          cursor: pointer;
          text-decoration: none;
          display: inline-flex;
          align-items: center;
          gap: 8px;
          font-size: 14px;
          font-weight: 500;
          transition: all 0.3s ease;
          box-shadow: 0 2px 4px rgba(0, 0, 0, 0.27);
          flex: 1;

          " onmouseover="this.style.transform='translateY(-2px)';
this.style.boxShadow='0 4px 8px rgba(24, 24, 24, 0.6)'"
onmouseout="this.style.transform='translateY(0)'; this.style.boxShadow='0 2px 4px
```



```
rgba(49, 49, 49, 0.2)"">
```

```
 ${source}
```

```
</button>
```

```
<button
```

```
onclick="window.open('/api/pdf/${encodeURIComponent(source)}/', '_blank')"
```

```
style="
```

```
background: #eacb315c;
```

```
color: black;
```

```
border: none;
```

```
padding: 10px 12px;
```

```
border-radius: 6px;
```

```
cursor: pointer;
```

```
font-size: 14px;
```

```
transition: all 0.3s ease;
```

```
box-shadow: 0 2px 4px rgba(183, 183, 183, 0.2);
```

```
" title="新分頁開啟">
```



```
</button>
```

```
</div>
```

```
</div>
```

```
;
```

```
});
```

```
sourcesHtml += `
```

```
<div style="margin-top: 24px; text-align: right; border-top: 1px solid #eee; padding-top: 16px;">
```

```
<button onclick="this.closest('.source-modal').remove()" style="
```

```
background: #6c757d;
```

```
color: white;
```

```
border: none;
```

```
padding: 8px 16px;
```

```
border-radius: 6px;
```

```
cursor: pointer;
```

```
font-size: 14px;
```

```
transition: background 0.2s ease;
```

```
" onmouseover="this.style.background='#5a6268'"
```

```
onmouseout="this.style.background='#6c757d'">
```

```
關閉
```

```

        </button>
    </div>
`;

modalContent.innerHTML = sourcesHtml;
modal.appendChild(modalContent);
document.body.appendChild(modal);

// 點擊背景關閉
modal.addEventListener('click', (e) => {
    if (e.target === modal) {
        modal.remove();
    }
});

// ESC 鍵關閉
const handleEsc = (e) => {
    if (e.key === 'Escape') {
        modal.remove();
        document.removeEventListener('keydown', handleEsc);
    }
};
document.addEventListener('keydown', handleEsc);
}

// 修正後的 viewPDF 函數
function viewPDF(filename) {
    console.log('開啟 PDF:', filename);

    // 檢查檔案名稱
    if (!filename || !filename.trim()) {
        alert('無效的檔案名稱');
        return;
    }

    // 建立 PDF URL
    const pdfUrl = `/api/pdf/${encodeURIComponent(filename)}`;
    console.log('PDF URL:', pdfUrl);

```

```
// 直接顯示 PDF 模態框，不進行 HEAD 請求測試
showPDFModal(pdfUrl, filename);
}
```

```
function showPDFModal(pdfUrl, filename) {
  // 創建模態框
  const modal = document.createElement('div');
  modal.className = 'pdf-modal';
  modal.style.cssText = `
    position: fixed;
    top: 0;
    left: 0;
    width: 100%;
    height: 100%;
    background: rgba(0, 0, 0, 0.8);
    display: flex;
    justify-content: center;
    align-items: center;
    z-index: 10000;
    backdrop-filter: blur(2px);
  `;

  const pdfContainer = document.createElement('div');
  pdfContainer.style.cssText = `
    position: relative;
    width: 90%;
    height: 90%;
    max-width: 1200px;
    max-height: 800px;
    background: white;
    border-radius: 12px;
    box-shadow: 0 20px 60px rgba(0, 0, 0, 0.3);
    overflow: hidden;
    display: flex;
    flex-direction: column;
  `;
}
```

```
// 標題欄
const titleBar = document.createElement('div');
titleBar.style.cssText = `
    display: flex;
    justify-content: space-between;
    align-items: center;
    padding: 15px 20px;
    background: #f8f9fa;
    border-bottom: 1px solid #e9ecef;
    flex-shrink: 0;
`;

const title = document.createElement('h3');
title.textContent = filename;
title.style.cssText = `
    margin: 0;
    font-size: 16px;
    color: #333;
    font-weight: 600;
    flex: 1;
    overflow: hidden;
    text-overflow: ellipsis;
    white-space: nowrap;
    margin-right: 15px;
`;

// 操作按鈕組
const buttonGroup = document.createElement('div');
buttonGroup.style.cssText = `
    display: flex;
    gap: 10px;
    align-items: center;
`;

// 新分頁開啟按鈕
const newTabBtn = document.createElement('button');
newTabBtn.innerHTML = ' 新分頁開啟';
newTabBtn.style.cssText = `
```

```
background: #28a745;
color: white;
border: none;
padding: 8px 12px;
border-radius: 6px;
cursor: pointer;
font-size: 12px;
font-weight: 500;
transition: all 0.2s ease;
`;

newTabBtn.onclick = () => {
  window.open(pdfUrl, '_blank');
};

// 下載按鈕
const downloadBtn = document.createElement('button');
downloadBtn.innerHTML = '📄 下載';
downloadBtn.style.cssText = `
  background: #007bff;
  color: white;
  border: none;
  padding: 8px 12px;
  border-radius: 6px;
  cursor: pointer;
  font-size: 12px;
  font-weight: 500;
  transition: all 0.2s ease;
`;

downloadBtn.onclick = () => {
  const a = document.createElement('a');
  a.href = pdfUrl;
  a.download = filename;
  a.click();
};

// 關閉按鈕
const closeBtn = document.createElement('button');
closeBtn.innerHTML = '✕';
```

```
closeBtn.style.cssText = `
    background: none;
    border: none;
    font-size: 20px;
    color: #666;
    cursor: pointer;
    padding: 5px 10px;
    border-radius: 4px;
    transition: color 0.2s ease;
`;

closeBtn.onmouseover = () => closeBtn.style.color = '#333';
closeBtn.onmouseout = () => closeBtn.style.color = '#666';

// 内容区域
const contentArea = document.createElement('div');
contentArea.style.cssText = `
    flex: 1;
    position: relative;
    overflow: hidden;
`;

// 載入指示器
const loader = document.createElement('div');
loader.style.cssText = `
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);
    text-align: center;
    color: #666;
    z-index: 1;
`;

loader.innerHTML = `
    <div class="spinner" style="
        width: 40px;
        height: 40px;
        border: 4px solid #f3f3f3;
        border-top: 4px solid #3498db;
    >
```

```
        border-radius: 50%;
        animation: spin 1s linear infinite;
        margin: 0 auto 10px;
    "></div>
    正在載入 PDF...
`;
```

```
// 錯誤提示
const errorDiv = document.createElement('div');
errorDiv.style.cssText = `
    position: absolute;
    top: 50%;
    left: 50%;
    transform: translate(-50%, -50%);
    text-align: center;
    color: #dc3545;
    display: none;
    z-index: 1;
`;
errorDiv.innerHTML = `
    <div style="font-size: 48px; margin-bottom: 15px;">✖ </div>
    <div style="font-size: 16px; font-weight: 600; margin-bottom: 10px;">PDF
    載入失敗</div>
    <div style="font-size: 14px; color: #666;">
        請嘗試點擊「新分頁開啟」或「下載」按鈕
    </div>
`;
```

```
// 嘗試多種方式載入 PDF
function tryLoadPDF() {
    // 方法 1: 直接使用 iframe
    const iframe = document.createElement('iframe');
    iframe.src = pdfUrl;
    iframe.style.cssText = `
        width: 100%;
        height: 100%;
        border: none;
        background: white;
```

```
`;
```

```
let loadTimeout;
```

```
let hasLoaded = false;
```

```
iframe.onload = () => {
```

```
  if (!hasLoaded) {
```

```
    hasLoaded = true;
```

```
    clearTimeout(loadTimeout);
```

```
    loader.style.display = 'none';
```

```
    console.log('PDF iframe 載入成功');
```

```
  }
```

```
};
```

```
iframe.onerror = () => {
```

```
  if (!hasLoaded) {
```

```
    hasLoaded = true;
```

```
    clearTimeout(loadTimeout);
```

```
    loader.style.display = 'none';
```

```
    errorDiv.style.display = 'block';
```

```
    console.error('PDF iframe 載入失敗');
```

```
  }
```

```
};
```

```
// 設置超時
```

```
loadTimeout = setTimeout(() => {
```

```
  if (!hasLoaded) {
```

```
    hasLoaded = true;
```

```
    // 移除 iframe 並嘗試方法 2
```

```
    if (iframe.parentNode) {
```

```
      iframe.parentNode.removeChild(iframe);
```

```
    }
```

```
    // 方法 2: 使用 embed 標籤
```

```
    const embed = document.createElement('embed');
```

```
    embed.src = pdfUrl;
```

```
    embed.type = 'application/pdf';
```



```

        embed.style.cssText = `
            width: 100%;
            height: 100%;
            border: none;
        `;

        contentArea.appendChild(embed);
        loader.style.display = 'none';
        console.log('使用 embed 標籤載入 PDF');

        // 如果 embed 也失敗，顯示錯誤
        setTimeout(() => {
            errorDiv.style.display = 'block';
        }, 3000);
    }
}, 5000);

contentArea.appendChild(iframe);
}

// 組裝
buttonGroup.appendChild(newTabBtn);
buttonGroup.appendChild(downloadBtn);
buttonGroup.appendChild(closeBtn);
titleBar.appendChild(title);
titleBar.appendChild(buttonGroup);
contentArea.appendChild(loader);
contentArea.appendChild(errorDiv);
pdfContainer.appendChild(titleBar);
pdfContainer.appendChild(contentArea);
modal.appendChild(pdfContainer);

// 關閉功能
function closeModal() {
    if (document.body.contains(modal)) {
        document.body.removeChild(modal);
    }
    document.body.style.overflow = "";
}

```

```
        document.removeEventListener('keydown', handleEscape);
    }
}
```

```
// ESC 鍵關閉
```

```
const handleEscape = (e) => {
    if (e.key === 'Escape') {
        closeModal();
    }
};
```

```
closeBtn.onclick = closeModal;
modal.onclick = (e) => {
    if (e.target === modal) closeModal();
};
```

```
// 添加動畫樣式
```

```
const style = document.createElement('style');
if (!document.head.querySelector('#pdf-modal-styles')) {
    style.id = 'pdf-modal-styles';
    style.textContent = `
        @keyframes spin {
            0% { transform: rotate(0deg); }
            100% { transform: rotate(360deg); }
        }

        .pdf-modal {
            animation: fadeIn 0.3s ease;
        }

        @keyframes fadeIn {
            from { opacity: 0; }
            to { opacity: 1; }
        }

        .pdf-modal > div {
            animation: slideIn 0.3s ease;
        }
    `;
    document.head.appendChild(style);
}
```

```

        @keyframes slideIn {
            from { transform: scale(0.9); opacity: 0; }
            to { transform: scale(1); opacity: 1; }
        }
    `;
    document.head.appendChild(style);
}

// 顯示模態框
document.body.appendChild(modal);
document.body.style.overflow = 'hidden';
document.addEventListener('keydown', handleEscape);

// 開始載入 PDF
tryLoadPDF();
}

// 發送按鈕點擊事件
sendBtn.addEventListener('click', sendQuestion);

// Enter 鍵發送(Shift+Enter 換行)
messageInput.addEventListener('keydown', e => {
    if (e.key === 'Enter' && !e.shiftKey) {
        e.preventDefault();
        sendQuestion();
    }
});

// 自適應文本輸入框高度
function adjustTextareaHeight() {
    messageInput.style.height = 'auto';
    messageInput.style.height = (messageInput.scrollHeight) + 'px';
}

messageInput.addEventListener('input', adjustTextareaHeight);

// 初始化
(async () => {

```

```

await loadConvos();

// 初始化拖拽上傳功能
initDragAndDrop();
initBlobs();

// 初始對話選擇
if (conversations.length) {
    selectConvo(conversations[0].id);
} else {
    newChatBtn.click();
}

// 默認收起側邊欄，無論窗口大小
sidebar.classList.add('collapsed');
menuBtn.classList.remove('open');
document.body.classList.add('sidebar-collapsed');
sidebarOpen = false;
})();

// 窗口大小調整時的行為
window.addEventListener('resize', () => {
    if (window.innerWidth <= 768 && !sidebar.classList.contains('collapsed')) {
        sidebar.classList.add('collapsed');
        menuBtn.classList.remove('open');
        document.body.classList.add('sidebar-collapsed');
        sidebarOpen = false;
    }
});

```

#C:\Users\gaoxu\OneDrive\桌面
 \11056030_SSAE\web_app\static\js\comment_detail.js
 // comment_detail.js - 清理版本，專注於頁面特定功能

```

document.addEventListener('DOMContentLoaded', function() {
    console.log('comment_detail.js 已載入');

```

```
// 初始化星級評分顯示
initializeRatings();

// 按讚按鈕功能
initializeLikeButtons();

// 回覆功能
initializeReplyButtons();

// 連接到 comment_pop.js 的評分模態框功能
initializeRatingModalConnection();

// Initialize star ratings with Font Awesome icons
function initializeRatings() {
    document.querySelectorAll('.stars').forEach(starsContainer => {
        const rating = parseFloat(starsContainer.getAttribute('data-rating'));
        const stars = Array.from(starsContainer.querySelectorAll('i'));

        // Set initial rating display
        updateStarIcons(stars, rating);

        // Make stars clickable for rating input (if needed)
        if (starsContainer.closest('.editable-rating')) {
            stars.forEach((star, index) => {
                star.addEventListener('click', () => {
                    const newRating = index + 1;
                    starsContainer.setAttribute('data-rating', newRating);
                    updateStarIcons(stars, newRating);
                });
            });
        }
    });
}

function updateStarIcons(stars, rating) {
    stars.forEach((star, index) => {
        const starValue = index + 1;
```

```

        if (rating >= starValue) {
            // Full star
            star.className = 'fa-solid fa-star';
        } else if (rating > starValue - 1 && rating < starValue) {
            // Half star (for decimal values like 4.5, 3.5, etc.)
            star.className = 'fa-solid fa-star-half-stroke';
        } else {
            // Empty star
            star.className = 'fa-regular fa-star';
        }
    });
}

// Like button functionality
function initializeLikeButtons() {
    const likeButtons = document.querySelectorAll('.like-btn');
    likeButtons.forEach(button => {
        button.addEventListener('click', function() {
            const likeCount = this.querySelector('.like-count');
            if (!likeCount) return;

            const currentCount = parseInt(likeCount.textContent);
            const isLiked = this.classList.contains('liked');
            const likeIcon = this.querySelector('.like-icon');

            if (isLiked) {
                likeCount.textContent = currentCount - 1;
                this.classList.remove('liked');
                if (likeIcon) {
                    likeIcon.innerHTML = '<i class="fa-solid fa-thumbs-
up">';
                }
            } else {
                likeCount.textContent = currentCount + 1;
                this.classList.add('liked');
                if (likeIcon) {
                    likeIcon.innerHTML = '<i class="fa-solid fa-thumbs-

```

```
up">';
```

```
        // Add animation
        const icon = likeIcon.querySelector('i');
        if (icon) {
            icon.style.transform = 'scale(1.3)';
            setTimeout(() => {
                icon.style.transform = 'scale(1)';
            }, 200);
        }
    }
}

});

});
}

// Reply functionality
function initializeReplyButtons() {
    // Handle main reply buttons
    document.addEventListener('click', function(e) {
        // Reply button click
        if (e.target.closest('.reply-btn')) {
            const button = e.target.closest('.reply-btn');
            const commentCard = button.closest('.comment-card');
            const replyForm = commentCard.querySelector('.reply-form');

            if (!replyForm) return;

            // Hide all other reply forms
            document.querySelectorAll('.reply-form').forEach(form => {
                if (form !== replyForm) {
                    form.style.display = 'none';
                }
            });

            // Toggle current reply form
            if (replyForm.style.display === 'block') {
                replyForm.style.display = 'none';
            }
        }
    });
}
```

```

    } else {
        replyForm.style.display = 'block';
        replyForm.scrollIntoView({ behavior: 'smooth', block:
'nearest' });
    }
}

// Reply to reply button click
if (e.target.closest('.reply-to-reply')) {
    const replyBtn = e.target.closest('.reply-to-reply');
    const replyContainer = replyBtn.closest('.replies-container');
    if (!replyContainer) return;

    const replyForm = replyContainer.querySelector('.reply-form');

    if (replyForm) {
        replyForm.style.display = replyForm.style.display ===
'block' ? 'none' : 'block';
        if (replyForm.style.display === 'block') {
            replyForm.scrollIntoView({ behavior: 'smooth', block:
'nearest' });
        }
    }
}

// Cancel reply button click
if (e.target.closest('.cancel-reply-btn')) {
    const cancelBtn = e.target.closest('.cancel-reply-btn');
    const form = cancelBtn.closest('.reply-form');
    if (form) {
        form.style.display = 'none';
    }
}

// Submit reply button click
if (e.target.closest('.submit-reply-btn')) {
    const submitBtn = e.target.closest('.submit-reply-btn');
    const form = submitBtn.closest('.reply-form');

```



```

    if (!form) return;

    const textarea = form.querySelector('textarea');
    if (!textarea) return;

    const replyText = textarea.value.trim();

    if (replyText) {
        let repliesContainer = form.closest('.replies-container');

        // If not inside a replies-container, look for one in the parent
comment-card
        if (!repliesContainer) {
            const commentCard = form.closest('.comment-card');
            if (commentCard) {
                repliesContainer =
commentCard.querySelector('.replies-container');

                // Create a replies-container if it doesn't exist
                if (!repliesContainer) {
                    repliesContainer =
document.createElement('div');

                    repliesContainer.className = 'replies-
container';

                    commentCard.appendChild(repliesContainer);
                }
            }
        }

        if (repliesContainer) {
            // Create new reply element
            const newReply = document.createElement('div');
            newReply.className = 'reply';
            newReply.innerHTML = `
                <div class="user-avatar small">
                    

                </div>

```

```

        <div class="reply-content">
            <div class="reply-header">
                <span class="user-name">匿名用戶

</span>

                <span class="reply-date">剛剛</span>
            </div>
            <p>${replyText}</p>
            <div class="reply-actions">
                <button class="reply-to-reply">回覆

</button>

            </div>
        </div>
    `;

    // Insert new reply
    repliesContainer.appendChild(newReply);

    // Clear and hide form
    textarea.value = "";
    form.style.display = 'none';

    // Show success message
    const successMsg = document.createElement('div');
    successMsg.className = 'success-message';
    successMsg.textContent = '回覆已送出！';
    successMsg.style.textAlign = 'center';
    successMsg.style.padding = '10px';
    successMsg.style.color = '#4CAF50';
    successMsg.style.margin = '10px 0';

    form.parentNode.insertBefore(successMsg,
form.nextSibling);

    // Remove success message after 3 seconds
    setTimeout(() => {
        successMsg.remove();
    }, 3000);
}

```

```

        }
    }
});
}

// 連接到 comment_pop.js 的評分模態框功能
function initializeRatingModalConnection() {
    const addCommentBtn = document.getElementById('add-comment-btn');
    const hiddenCreateBtn = document.querySelector('.hidden-create-btn');

    if (addCommentBtn && hiddenCreateBtn) {
        addCommentBtn.addEventListener('click', function(e) {
            e.preventDefault();
            console.log('觸發評分模態框');

            // 觸發隱藏按鈕的點擊事件，讓 comment_pop.js 處理
            hiddenCreateBtn.click();
        });
    } else {
        console.error('找不到必要的按鈕元素');
    }
}

});

// Function to handle adding a new comment (to be called from the add comment
page)
function submitComment(commentData) {
    // This function would be called from the add comment page
    // after the form is submitted successfully
    console.log('New comment submitted:', commentData);
    // Here you would typically make an AJAX request to save the comment
    // and then update the UI with the new comment
}

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\js\comment.js
//index
window.addEventListener('DOMContentLoaded', () => {

```

```
const popupId = sessionStorage.getItem('openPopup');
if (popupId) {
  const popup = document.getElementById(popupId);
  if (popup) {
    popup.classList.add('active');
    console.log(`自動開啟彈窗: ${popupId}`);
  } else {
    console.warn(`找不到彈窗 ID: ${popupId}`);
  }
  sessionStorage.removeItem('openPopup');
}
});

// comment.js

document.addEventListener('DOMContentLoaded', function() {
  console.log('評論頁面 JS 已加載');

  // 初始化星級評分顯示
  initializeStarRatings();

  // 設置搜尋和過濾功能
  setupSearchAndFilters();

  // 設置分頁
  setupPagination();

  // 初始化交互元素
  initializeInteractions();

  // 添加視差滾動效果
  initializeParallax();

  // 注意：評分模態框功能現在由 comment_pop.js 處理
});

// 滾動動畫
function initializeScrollAnimations() {
```

```
const allCards = document.querySelectorAll('.activity-card');

function checkVisibility() {
    const windowHeight = window.innerHeight;

    allCards.forEach((card, index) => {
        const cardTop = card.getBoundingClientRect().top;

        if (cardTop < windowHeight - 100) {
            setTimeout(() => {
                card.classList.add('visible');
            }, index * 100); // 錯開動畫時間
        }
    });
}

// 初始檢查
checkVisibility();

// 滾動事件監聽
window.addEventListener('scroll', checkVisibility);
}

// 背景文字視差效果
function initializeParallax() {
    const bgText = document.querySelector('.bg-text');

    function parallaxScroll() {
        const scrollTopPosition = window.pageYOffset;
        if (bgText) {
            bgText.style.transform = `translateX(${scrollTopPosition * -0.1}px)`;
        }
    }

    window.addEventListener('scroll', parallaxScroll);
}
```

```
// 初始化星級評分顯示
function initializeStarRatings() {
    document.querySelectorAll('.stars').forEach(starsContainer => {
        const rating = parseFloat(starsContainer.getAttribute('data-rating'));
        const stars = Array.from(starsContainer.querySelectorAll('i'));

        // 根據評分更新星級圖標
        stars.forEach((star, index) => {
            const position = index + 1;

            if (rating >= position) {
                // 全星
                star.className = 'fas fa-star';
            } else if (rating > position - 0.5 && rating < position) {
                // 半星
                star.className = 'fas fa-star-half-alt';
            } else {
                // 空星
                star.className = 'far fa-star';
            }
        });
    });
}
```

```
// 設置搜尋和過濾功能
function setupSearchAndFilters() {
    const filterItems = document.querySelectorAll('.filter-item');
    const searchBox = document.querySelector('.search-box');
    const courseItems = document.querySelectorAll('.course-item');

    // 組合過濾功能
    function filterCourses() {
        // 搜尋和過濾邏輯實現...
    }

    // 添加事件監聽器
    if (searchBox) {
        searchBox.addEventListener('input', filterCourses);
    }
}
```

```

    }

    filterItems.forEach(item => {
        item.addEventListener('change', filterCourses);
    });
}

// 設置分頁
function setupPagination() {
    const pageButtons = document.querySelectorAll('.page-btn');
    const nextButton = document.querySelector('.page-next');

    // 添加頁面按鈕點擊事件
    pageButtons.forEach(button => {
        button.addEventListener('click', function() {
            // 移除所有按鈕的活躍狀態
            pageButtons.forEach(btn => btn.classList.remove('active'));
            // 添加活躍狀態到被點擊的按鈕
            this.classList.add('active');

            // 滾動到頁面頂部
            window.scrollTo({ top: 0, behavior: 'smooth' });
        });
    });

    // 下一頁按鈕功能
    if (nextButton) {
        nextButton.addEventListener('click', function() {
            const activeButton = document.querySelector('.page-btn.active');
            if (activeButton) {
                const nextPageButton = activeButton.nextElementSibling;
                if (nextPageButton && nextPageButton.classList.contains('page-
btn')) {
                    nextPageButton.click();
                }
            }
        });
    }
}

```

```
}
```

```
// 初始化其他交互元素
```

```
function initializeInteractions() {
```

```
  // 滾動時的統計數據動畫
```

```
  const statItems = document.querySelectorAll('.stat-item');
```

```
  if (statItems.length > 0) {
```

```
    // 當統計項目進入視窗時的動畫
```

```
    function animateStats() {
```

```
      statItems.forEach(item => {
```

```
        const position = item.getBoundingClientRect();
```

```
        // 如果統計項目在視窗內
```

```
        if (position.top < window.innerHeight && position.bottom >= 0) {
```

```
          item.classList.add('animated');
```

```
        }
```

```
      });
```

```
    }
```

```
  // 添加動畫類到統計項目
```

```
  statItems.forEach(item => {
```

```
    item.style.opacity = '0';
```

```
    item.style.transform = 'translateY(20px)';
```

```
    item.style.transition = 'opacity 0.5s ease, transform 0.5s ease';
```

```
  });
```

```
  // 檢查初始位置並在滾動時檢查
```

```
  animateStats();
```

```
  window.addEventListener('scroll', animateStats);
```

```
  // 稍有延遲後，動畫統計數據
```

```
  setTimeout(() => {
```

```
    statItems.forEach((item, index) => {
```

```
      setTimeout(() => {
```

```
        item.style.opacity = '1';
```

```
        item.style.transform = 'translateY(0)';
```

```
      }, index * 100);
```



```

        });
    }, 300);
}

// 圓形上傳按鈕點擊事件
const commentBtn = document.getElementById('commentBtn');
if (commentBtn) {
    commentBtn.addEventListener('click', function() {
        const modal = document.getElementById('commentModal');
        if (modal) {
            modal.style.display = 'flex';
        }
    });
}

// 創建評論按鈕點擊事件
const createBtns = document.querySelectorAll('.create-btn');
createBtns.forEach(btn => {
    btn.addEventListener('click', function(e) {
        e.preventDefault();
        const modal = document.getElementById('commentModal');
        if (modal) {
            modal.style.display = 'flex';
        }
    });
});
}

#C:\Users\gaouxu\OneDrive\桌面\11056030_SSAE\web_app\static\js\footer.js

// 回到最頂層
function scrollToTop() {
    window.scrollTo({
        top: 0,
        behavior: 'smooth' // 加 smooth 會平滑滾動
    });
}

```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\js\index.js
// function handleResponsiveRedirect() {
//     const isMobile = window.innerWidth <= 768;
//     const onMobilePage = window.location.pathname.startsWith('/mobile');
//     if (isMobile && !onMobilePage) {
//         window.location.href = '/mobile/';
//     } else if (!isMobile && onMobilePage) {
//         // return to desktop version; assume desktop lives at /index/ or root
//         window.location.href = '/index/';
//     }
// }

// // initial check (DOMContentLoaded may already be fired)
// handleResponsiveRedirect();

// // add resize listener with basic debounce
// let resizeTimeout;
// window.addEventListener('resize', () => {
//     clearTimeout(resizeTimeout);
//     resizeTimeout = setTimeout(handleResponsiveRedirect, 200);
// });

// //loading
// document.addEventListener("DOMContentLoaded", () => {
//     const loadingScreen = document.getElementById("loading-screen");
//     const finalText = document.getElementById("final-text");

//     // 開始翻轉：Welcome 顯示 0.8 秒後
//     setTimeout(() => {
//         document.querySelector('.cube').style.animation = 'flip-up 0.4s ease forwards';
//     }, 800);

//     // 顯示「智能校事專家」0.3 秒後縮小 + 移動
//     setTimeout(() => {
//         finalText.classList.add("shrink-and-move");
//     }, 300);
// });
```

```

// }, 1200); // 延遲讓動畫顯得更平滑

// // 整個 loading 淡出
// setTimeout(() => {
//     loadingScreen.style.transition = "opacity 0.3s ease";
//     loadingScreen.style.opacity = "0";

//     setTimeout(() => {
//         loadingScreen.style.display = "none";
//     }, 300);
// }, 1500); // 1.5 秒後開始淡出
// });

// //圓圈線條
// document.addEventListener("DOMContentLoaded", function () {
document.addEventListener("DOMContentLoaded", function() {
    const path = document.querySelector("#circle-stroke path");
    if (path) {
        const length = path.getTotalLength();
        path.style.strokeDasharray = length;
        path.style.strokeDashoffset = length;
        // 設定 CSS 變數供動畫用
        path.style.setProperty('--circle-length', length);
        path.style.animation = "none";
        // 強制 reflow 以重啟動畫
        void path.offsetWidth;
        path.style.animation = "drawCircle 3s ease-in-out forwards";
    }
});
// const path = document.querySelector("#circle-stroke path");
// const pathLength = path.getTotalLength();
// console.log("圓形路徑長度:", pathLength);

// // 使用 JavaScript 設定動畫的 dash 值
// path.style.strokeDasharray = pathLength;

```

```

// path.style.strokeDashoffset = pathLength;

// // 觸發動畫（加上類名或強制重繪）
// path.getBoundingClientRect(); // 強制重繪
// setTimeout(() => {
//     path.style.animation = "drawCircle 3s ease-in-out forwards";
// }, 3000);
// });

// const keywordMap = [
//     { keywords: ["賣", "上架", "上傳"], intent: "up" },
//     { keywords: ["書", "課本"], intent: "book" },
//     { keywords: ["查", "規", "學分", "畢業", "門檻"], intent: "rules" },
//     { keywords: ["舉辦", "發起", "揪", "創"], intent: "hold" },
//     { keywords: ["活動", "團", "讀書會"], intent: "event" },
//     { keywords: ["評"], intent: "review" },
//     { keywords: ["課", "老師"], intent: "course" },
// ];

// 詢問框
let currentShortcut = null;

// 關鍵字與意圖對應表
const keywordMap = [
    { keywords: "賣", intent: "up" },
    { keywords: "上架", intent: "up" },
    { keywords: "上傳", intent: "up" },
    { keywords: "書", intent: "book" },
    { keywords: "課本", intent: "book" },
    { keywords: "查", intent: "rules" },
    { keywords: "問", intent: "rules" },
    { keywords: "規", intent: "rules" },
    { keywords: "學分", intent: "rules" },
    { keywords: "畢業", intent: "rules" },
    { keywords: "門檻", intent: "rules" },
    { keywords: "舉辦", intent: "hold" },

```

```
    { keywords: "發起", intent: "hold" },
    { keywords: "揪", intent: "hold" },
    { keywords: "創", intent: "hold" },
    { keywords: "活動", intent: "event" },
    { keywords: "團", intent: "event" },
    { keywords: "會", intent: "event" },
    { keywords: "評", intent: "review" },
    { keywords: "寫", intent: "review" },
    { keywords: "課", intent: "course" },
    { keywords: "老師", intent: "course" }
];
```

// 每個捷徑定義需要包含哪些 intent

```
const shortcuts = [
  {
    intentSet: ["hold", "event"],
    action: "redirect",
    target: "/join/",
    label: "發起活動",
    popupToOpen: "uploadForm"
  },
  {
    intentSet: ["event"],
    action: "redirect",
    target: "/join/",
    label: "活動召集"
  },
  {
    intentSet: ["up", "book"],
    action: "redirect",
    target: "/book/",
    label: "上傳二手書",
    popupToOpen: "uploadForm" // 傳給 book.html 的彈窗 ID
  },
  {
    intentSet: ["book"],
    action: "redirect",
```

```

        target: "/book/",
        label: "二手書專區"
    },
    {
        intentSet: ["rules"],
        action: "redirect",
        target: "/chat/",
        label: "校規查詢"
    },
    {
        intentSet: ["review", "course"],
        action: "redirect",
        target: "/comment/",
        label: "新增課程評論",
        popupToOpen: "rating-modal"
    },
    {
        intentSet: ["course"],
        action: "redirect",
        target: "/comment/",
        label: "課程評論區"
    },
    // {
    //     intentSet: ["event"],
    //     action: "form-fill",
    //     target: "/activity/create",
    //     prefill: {
    //         title: "羽球週五聚",
    //         time: "週五晚上 7 點"
    //     }
    // }
    // }
];

function getIntentsFromInput(input) {
    const result = new Set();
    for (const entry of keywordMap) {
        if (input.includes(entry.keywords)) {
            result.add(entry.intent);
        }
    }
}

```

```

        }
    }
    return Array.from(result);
}

function showMessage(text, type = 'error') {
    const messageEl = document.getElementById('message');
    messageEl.textContent = text;
    messageEl.className = `message ${type}`;
    messageEl.classList.add('show');
    setTimeout(() => {
        messageEl.classList.remove('show');
    }, 3000);
}

function showModal(title, content, shortcut) {
    const modal = document.getElementById('modal');
    const modalTitle = document.getElementById('modalTitle');
    // const modalContent = document.getElementById('modalContent');

    modalTitle.textContent = title;
    // modalContent.innerHTML = content;
    currentShortcut = shortcut;

    modal.classList.add('show');
}

function closeModal() {
    const modal = document.getElementById('modal');
    modal.classList.remove('show');
    currentShortcut = null;
}

function confirmAction() {
    if (currentShortcut) {
        if (currentShortcut.action === "redirect") {
            if (currentShortcut.popupToOpen) {
                sessionStorage.setItem('openPopup',

```

```

currentShortcut.popupToOpen);
    }
    window.location.href = currentShortcut.target;
  }
}
}

```

```

function handleInput() {
  const input = document.getElementById('userInput');
  const inputValue = input.value.trim();

  if (!inputValue) {
    showMessage('請輸入指令');
    return;
  }

  const intents = getIntentsFromInput(inputValue);

  for (let shortcut of shortcuts) {
    const isMatch = shortcut.intentSet.every(intent =>
      intents.includes(intent)
    );
    if (isMatch) {
      let title = `前往「${shortcut.label} || ${inputValue}」`;
      let content = "";

      if (shortcut.action === "redirect") {
        content = `目標：</strong>${shortcut.target}`;
      } else if (shortcut.action === "form-fill") {
        content = `目標：</strong>${shortcut.target}<br><strong>預填
資料：</strong><br>• 標題：${shortcut.prefill.title}<br>• 時間：
${shortcut.prefill.time}`;
      }

      showModal(title, content, shortcut);
      return;
    }
  }
}

```



```

    }

    showMessage('無對應捷徑，請重新輸入');
}

document.getElementById('userInput').addEventListener('keydown', function (e) {
    if (e.key === 'Enter') {
        handleInput();
    }
});

(function animatePlaceholder() {
    const input = document.getElementById('userInput');
    if (!input) return;

    const text = '歡迎輸入欲使用功能';
    let idx = 0;
    let direction = 1;
    let showCursor = true;

    function type() {
        const cursor = showCursor ? '|' : '';
        input.setAttribute('placeholder', text.slice(0, idx) + cursor);

        showCursor = !showCursor; // 每次切換游標顯示狀態

        if (direction === 1) {
            if (idx < text.length) {
                idx++;
                setTimeout(type, 120); // 輸出下一個字時間距
            } else {
                direction = -1;
                setTimeout(type, 1300); // 文字打完之後停留的時間
            }
        } else {
            idx = 0;
            direction = 1;
            setTimeout(type, 100); // 重新開始打字前的等待時間
        }
    }
}());

```

```

    }
  }

  type();
})();

//dialog
window.addEventListener('DOMContentLoaded', () => {
  const circle = document.querySelector('.circle-container');
  const dialogs = document.querySelectorAll('.dialog-group-l, .dialog-group-r');

  if (!circle) return;

  const circleRect = circle.getBoundingClientRect();

  dialogs.forEach((dialog, index) => {
    const dialogRect = dialog.getBoundingClientRect();

    // 計算中心點差距
    const startX = circleRect.left + circleRect.width ;
    const startY = circleRect.top + circleRect.height ;

    // 設定 CSS 變數
    dialog.style.setProperty('--start-x', `${startX}px`);
    dialog.style.setProperty('--start-y', `${startY}px`);
  });
});

//
// 場景設置
document.addEventListener('DOMContentLoaded', () => {
  const scene = new THREE.Scene();
  const camera = new THREE.PerspectiveCamera(75, 1, 0.1, 1000);
  // 使用指定的 canvas 元素

```

```
const canvas = document.createElement('canvas');
// 清空 owl-container 並插入 canvas
const container = document.getElementById('owl-container');
container.innerHTML = "";
container.appendChild(canvas);
const renderer = new THREE.WebGLRenderer({
    canvas: canvas,
    antialias: true,
    alpha: true
});
renderer.setSize(400, 400);
camera.aspect = 1;
camera.updateProjectionMatrix();
renderer.domElement.style.width = '400px';
renderer.domElement.style.height = '400px';
renderer.shadowMap.enabled = true;
renderer.shadowMap.type = THREE.PCFSoftShadowMap;
renderer.setClearColor(0xD1C5D1, 0.3);
// renderer.setClearColor(0xffffff);

// 燈光設置
const ambientLight = new THREE.AmbientLight(0xffffff, 0.5);
scene.add(ambientLight);

const directionalLight = new THREE.DirectionalLight(0xffffff, 0.8);
directionalLight.position.set(7, 7, 5);
directionalLight.castShadow = true;
directionalLight.shadow.mapSize.width = 2048;
directionalLight.shadow.mapSize.height = 2048;
scene.add(directionalLight);

const pointLight = new THREE.PointLight(0xffffff, 0.5);
pointLight.position.set(-10, 10, 10);
scene.add(pointLight);

// 貓頭鷹群組
const owl = new THREE.Group();
```

```

// 材質定義
const bodyMaterial = new THREE.MeshLambertMaterial({ color: 0x9479C1 });
const eyeMaterial = new THREE.MeshLambertMaterial({ color: 0xffffff });
const pupilMaterial = new THREE.MeshLambertMaterial({ color: 0x000000 });
const beakMaterial = new THREE.MeshLambertMaterial({ color: 0xffa500 });
const capMaterial = new THREE.MeshLambertMaterial({ color: 0x2c2c2c });
const tassalMaterial = new THREE.MeshLambertMaterial({ color: 0xffd700 });
const footMaterial = new THREE.MeshLambertMaterial({ color: 0x000000 });

// 創建七邊形幾何體
function createHeptagonGeometry(radius, depth) {
    const shape = new THREE.Shape();
    const sides = 7;

    for (let i = 0; i < sides; i++) {
        const angle = (i / sides) * Math.PI * 2;
        const x = Math.cos(angle) * radius;
        const y = Math.sin(angle) * radius;

        if (i === 0) {
            shape.moveTo(x, y);
        } else {
            shape.lineTo(x, y);
        }
    }

    const extrudeSettings = {
        depth: depth,
        bevelEnabled: true,
        bevelSegments: 7,
        steps: 6,
        bevelSize: 0.2,
        bevelThickness: 0.2
    };

    return new THREE.ExtrudeGeometry(shape, extrudeSettings);
}

```

```
// 七邊形身體 - 改為垂直方向，底邊平行於畫面，尖角朝上
const bodyGeometry = createHeptagonGeometry(1.2, 0.7);
const body = new THREE.Mesh(bodyGeometry, bodyMaterial);
// 旋轉讓底邊平行於畫面，尖角朝上
body.rotation.z = -Math.PI / 14; // 負角度讓尖角朝上
body.position.y = 0; // 調整到中心位置
body.position.z = -0.3;
body.castShadow = true;
body.scale.x = 0.96;
body.scale.y = 1.05;
owl.add(body);

// 大眼睛 - 向前移動避免與身體重疊
const leftEyeGeometry = new THREE.SphereGeometry(0.55, 32, 32);
const leftEye = new THREE.Mesh(leftEyeGeometry, eyeMaterial);
leftEye.position.set(-0.4, 0.3, 0.5); // z 軸向前移動更多
leftEye.scale.set(0.85, 1, 0.8);
leftEye.castShadow = true;
owl.add(leftEye);

const rightEyeGeometry = new THREE.SphereGeometry(0.55, 32, 32);
const rightEye = new THREE.Mesh(rightEyeGeometry, eyeMaterial);
rightEye.position.set(0.4, 0.3, 0.5); // z 軸向前移動更多
rightEye.scale.set(0.85, 1, 0.8);
rightEye.castShadow = true;
owl.add(rightEye);

// 瞳孔（眯眯眼） - 對應眼睛位置調整
const leftPupilGeometry = new THREE.SphereGeometry(0.12, 16, 16);
const leftPupil = new THREE.Mesh(leftPupilGeometry, pupilMaterial);
leftPupil.position.set(-0.4, 0.3, 0.85); // 對應調整
leftPupil.scale.set(1, 0.25, 1);
leftPupil.rotation.z = Math.PI / 12; // 左眼下垂
leftPupil.castShadow = true;
owl.add(leftPupil);

const rightPupilGeometry = new THREE.SphereGeometry(0.12, 16, 16);
```

```
const rightPupil = new THREE.Mesh(rightPupilGeometry, pupilMaterial);
rightPupil.position.set(0.4, 0.3, 0.85); // 對應調整
rightPupil.scale.set(1, 0.25, 1);
rightPupil.rotation.z = -Math.PI / 12; // 右眼下垂
rightPupil.castShadow = true;
owl.add(rightPupil);

// // 眉毛 - 對應眼睛位置調整
// const leftEyebrowGeometry = new THREE.SphereGeometry(0.15, 16, 16);
// const leftEyebrow = new THREE.Mesh(leftEyebrowGeometry,
eyebrowMaterial);
// leftEyebrow.position.set(-0.4, 0.95, 1.2); // 向上和向前移動
// leftEyebrow.scale.set(2, 0.3, 0.5);
// leftEyebrow.rotation.z = 0.3;
// owl.add(leftEyebrow);

// const rightEyebrowGeometry = new THREE.SphereGeometry(0.15, 16, 16);
// const rightEyebrow = new THREE.Mesh(rightEyebrowGeometry,
eyebrowMaterial);
// rightEyebrow.position.set(0.4, 0.95, 1.2); // 向上和向前移動
// rightEyebrow.scale.set(2, 0.3, 0.5);
// rightEyebrow.rotation.z = -0.3;
// owl.add(rightEyebrow);

// 嘴巴 - 向前移動
const beakGeometry = new THREE.ConeGeometry(0.15, 0.4, 4);
const beak = new THREE.Mesh(beakGeometry, beakMaterial);
beak.position.set(0, -0.1, 0.9); // 向前移動
// 讓鳥喙稍微後仰（大約 15 度）
beak.rotation.x = Math.PI - (Math.PI / 8);
beak.castShadow = true;
owl.add(beak);

// 白色肚子
const bellyGeometry = new THREE.SphereGeometry(0.6, 32, 32);
const bellyMaterial = new THREE.MeshLambertMaterial({ color: 0xffffff });
const belly = new THREE.Mesh(bellyGeometry, bellyMaterial);
belly.position.set(0, -0.6, 0.7); // 在身體前方
```

```
belly.scale.set(1.4, 1, 0.3); // 稍微拉長，壓扁
belly.castShadow = true;
owl.add(belly);

// 肚子上的四個黑色彎曲線條
const curveGeometry = new THREE.TorusGeometry(0.08, 0.02, 8, 16, Math.PI *
0.6);

// 左內側弧線
const curve1 = new THREE.Mesh(curveGeometry, pupilMaterial);
curve1.position.set(-0.15, -0.5, 0.9);
curve1.rotation.z = 2;
curve1.castShadow = true;
owl.add(curve1);

// 右內側弧線
const curve2 = new THREE.Mesh(curveGeometry, pupilMaterial);
curve2.position.set(0.15, -0.5, 0.9);
curve2.rotation.z = -1;
curve2.castShadow = true;
owl.add(curve2);

// 左外側弧線
const curve3 = new THREE.Mesh(curveGeometry, pupilMaterial);
curve3.position.set(-0.4, -0.5, 0.9);
curve3.rotation.z = 2;
curve3.castShadow = true;
owl.add(curve3);

// 右外側弧線
const curve4 = new THREE.Mesh(curveGeometry, pupilMaterial);
curve4.position.set(0.4, -0.5, 0.9);
curve4.rotation.z = -1;
curve4.castShadow = true;
owl.add(curve4);
```

```

// 手
// 手臂曲線：上段較平，後段才彎下
class CurvedHipArm extends THREE.Curve {
  getPoint(t) {
    const arcAngle = Math.PI * 0.8; // 弧度略小於半圓
    const radius = 0.5;
    const angle = t * arcAngle + Math.PI * 0.1; // 起點向下偏，讓手從下往上
    彎

    const y = Math.sin(angle) * radius; // 垂直方向
    const x = Math.cos(angle) * radius * 0.6; // 水平收進來一點
    const z = 0;
    return new THREE.Vector3(x, y, z);
  }
}

// 幾何
const armPath = new CurvedHipArm();
const armGeometry = new THREE.TubeGeometry(armPath, 64, 0.03, 8, false);

// 左手
const leftArm = new THREE.Mesh(armGeometry, pupilMaterial);
leftArm.position.set(-1.1, -0.3, 0.4); // 微調貼近身體
leftArm.rotation.z = Math.PI / 2; // 垂直
leftArm.castShadow = true;
owl.add(leftArm);

// 右手
const rightArm = new THREE.Mesh(armGeometry.clone(), pupilMaterial);
rightArm.scale.x = -1;
rightArm.position.set(1.1, -0.3, 0.4);
rightArm.rotation.z = -Math.PI / 2; // 垂直、鏡像
rightArm.castShadow = true;
owl.add(rightArm);

// 拳頭大小
const fistRadius = 0.06;
const fistGeometry = new THREE.SphereGeometry(fistRadius, 16, 16);

```



```

// 拿到手臂終點位置 (t = 1)
const leftEnd = armPath.getPoint(1);
const rightEnd = armPath.getPoint(1).clone().multiply(new THREE.Vector3(-1, 1,
1)); // 鏡像

// 左拳頭
const leftFist = new THREE.Mesh(fistGeometry, pupilMaterial);
leftFist.position.copy(leftEnd);
leftFist.position.add(new THREE.Vector3(-0.95, -0.78, 0.4)); // 加上左手基礎位
置
leftFist.scale.set(1.3, 1, 1.8);
leftFist.castShadow = true;
owl.add(leftFist);

// 右拳頭
const rightFist = new THREE.Mesh(fistGeometry.clone(), pupilMaterial);
rightFist.position.copy(rightEnd);
rightFist.position.add(new THREE.Vector3(0.95, -0.78, 0.4)); // 加上右手基礎位
置
rightFist.scale.set(1.3, 1, 1.3);
rightFist.castShadow = true;
owl.add(rightFist);

// 小腳 - 反轉 180 度
// 1. 小腳的圓弧曲線 (反向)
class CurvedFoot extends THREE.Curve {
  getPoint(t) {
    const arcAngle = Math.PI * 0.9; // 弧度略小於半圓
    const radius = 0.3; // 比手臂短
    const angle = t * arcAngle + Math.PI * 0.2; // 起點稍微偏角度

    // 反向方向：將腳彎曲向上
    const y = Math.sin(angle) * radius + 1.2; // 往上偏移，讓腳朝向反向
    const x = Math.cos(angle) * radius * 0.7; // 水平收進來一點，更貼腳
    const z = 0;
    return new THREE.Vector3(x, y, z);
  }
}

```

```
}  
}
```

// 2. 幾何與材質

```
const footPath = new CurvedFoot();
```

```
// 改變 `radius` 來使線條變細
```

```
const footGeometry = new THREE.TubeGeometry(footPath, 32, 0.025, 8, false);
```

```
// 將半徑設為 0.02
```

```
// 左腳
```

```
const leftFoot = new THREE.Mesh(footGeometry, footMaterial);
```

```
leftFoot.position.set(1.35, -0.6, 0.3); // 左腳微調位置
```

```
leftFoot.rotation.z = 2; // 旋轉 180 度，朝下
```

```
leftFoot.scale.x = -1; // 反轉 x 軸
```

```
leftFoot.scale.y = 1.3;
```

```
leftFoot.castShadow = true;
```

```
owl.add(leftFoot);
```

```
// 右腳
```

```
const rightFoot = new THREE.Mesh(footGeometry.clone(), footMaterial);
```

```
rightFoot.scale.x = 1; // 反轉回來
```

```
rightFoot.position.set(-1.35, -0.6, 0.3); // 右腳微調位置
```

```
rightFoot.rotation.z = -2; // 旋轉 180 度，朝下
```

```
rightFoot.scale.y = 1.3;
```

```
rightFoot.castShadow = true;
```

```
owl.add(rightFoot);
```

// 3. 腳趾球（橢圓形）

```
const toeRadius = 0.08;
```

```
const toeGeometry = new THREE.SphereGeometry(toeRadius, 16, 16);
```

```
// 左腳趾
```

```
const leftToe = new THREE.Mesh(toeGeometry, footMaterial);
```

```
const leftEndF = footPath.getPoint(1);
```

```
leftToe.position.copy(leftEndF);
```

```
leftToe.position.add(new THREE.Vector3(-0.03, -2.67, 0.3)); // 加上左腳基礎位
```

置

```

leftToe.scale.set(1.5, 1, 1.3); // 橢圓
leftToe.castShadow = true;
owl.add(leftToe);

// 右腳趾
const rightToe = new THREE.Mesh(toeGeometry.clone(), footMaterial);
const rightEndF = footPath.getPoint(1).clone().multiply(new THREE.Vector3(-1,
1, 1)); // 鏡像
rightToe.position.copy(rightEndF);
rightToe.position.add(new THREE.Vector3(0.03, -2.67, 0.3)); // 加上右腳基礎
位置
rightToe.scale.set(1.5, 1, 1.3); // 橢圓
rightToe.castShadow = true;
owl.add(rightToe);

// 學士帽 - 向上移動更多
// 帽子底部
const capBaseGeometry = new THREE.CylinderGeometry(0.7, 0.7, 0.4, 32);
const capBase = new THREE.Mesh(capBaseGeometry, capMaterial);
capBase.position.set(0, 1.4, 0.1); // 向上移動更多
capBase.castShadow = true;
owl.add(capBase);

// 帽子頂部方形
const capTopGeometry = new THREE.BoxGeometry(1.7, 0.1, 1.7);
const capTop = new THREE.Mesh(capTopGeometry, capMaterial);
capTop.position.set(0, 1.6, 0.1); // 對應調整
capTop.castShadow = true;
owl.add(capTop);

// 流蘇 - 對應帽子位置調整
// 創建流蘇的曲線（從平行開始轉到垂直）
class TassalCurve extends THREE.Curve {
    constructor(start, mid, end) {
        super();
        this.start = start; // 起點

```

```

        this.mid = mid;        // 轉彎的中點
        this.end = end;        // 終點
    }

    getPoint(t) {
        if (t < 0.5) {
            // 前半段（直線從起點到轉彎點）
            const x = this.start.x + (this.mid.x - this.start.x) * 2 * t;
            const y = this.start.y + (this.mid.y - this.start.y) * 2 * t;
            const z = this.start.z + (this.mid.z - this.start.z) * 2 * t;
            return new THREE.Vector3(x, y, z);
        } else {
            // 後半段（直線從轉彎點到終點）
            const x = this.mid.x + (this.end.x - this.mid.x) * 2 * (t - 0.5);
            const y = this.mid.y + (this.end.y - this.mid.y) * 2 * (t - 0.5);
            const z = this.mid.z + (this.end.z - this.mid.z) * 2 * (t - 0.5);
            return new THREE.Vector3(x, y, z);
        }
    }
}

// 設置流蘇曲線的起點、中點控制點和終點
const start = new THREE.Vector3(0, 1.68, 0.25); // 起點
const end = new THREE.Vector3(0.78, 1.4, 0.95); // 終點（稍微向下）
const mid = new THREE.Vector3(0.78, 1.68, 0.95); // 中間控制點，讓它有點彎
曲的效果

// 創建曲線
const tassalCurve = new TassalCurve(start, mid, end);

// 使用曲線來生成流蘇的幾何形狀
const path = new THREE.CurvePath();
path.add(tassalCurve);

// 創建流蘇的圓柱形網格
const tassalStringGeometry = new THREE.TubeGeometry(path, 50, 0.02, 8,
false);
const tassalString = new THREE.Mesh(tassalStringGeometry, tassalMaterial);

```

```

// 將流蘇放置到帽子上
tassalString.castShadow = true;
owl.add(tassalString);

const tassalGroup = new THREE.Group(); // 群組來收所有流蘇線
const numStrands = 12; // 線條數
const radius = 0.02; // 流蘇線離中心的距離
const strandLength = 0.2;

for (let i = 0; i < numStrands; i++) {
    const angle = (i / numStrands) * Math.PI * 2;
    const x = Math.cos(angle) * radius;
    const z = Math.sin(angle) * radius;

    // 每條線的起點是中心，終點是這個 (x, -length/2, z)
    const strandGeometry = new THREE.CylinderGeometry(0.005, 0.005,
strandLength, 3);
    const strand = new THREE.Mesh(strandGeometry, tassalMaterial);

    // 將圓柱先移動到底部對準原點，讓它從中心「伸出去」
    strand.position.set(x, -strandLength, z); // 中心與終點中間點
    strand.lookAt(new THREE.Vector3(x, -strandLength, z)); // 朝向末端方向
    strand.castShadow = true;

    tassalGroup.add(strand);
}

// 設定整個流蘇群組的位置（同原本球體）
tassalGroup.position.set(0.78, 1.5, 0.95);

// 將整個流蘇群組加到 tassalString 上
tassalString.add(tassalGroup);

// 展示台
const platformGeometry = new THREE.CylinderGeometry(2, 2, 0.3, 32);
const platformMaterial = new THREE.MeshLambertMaterial({ color: 0xffffff });
const platform = new THREE.Mesh(platformGeometry, platformMaterial);

```

```
platform.position.y = -2;
platform.receiveShadow = true;
scene.add(platform);

const owlGroup = new THREE.Group();
owlGroup.add(owl);
owlGroup.add(platform);
owlGroup.scale.set(1.5, 1.5, 1.5); // 調整倍率
owlGroup.position.y = 0.2; // 調高一點

scene.add(owlGroup);

// 相機位置 - 調整以適應新的佈局
camera.position.set(0, 1, 9);
camera.lookAt(0, 0, 0);

let mouseNormX = 0;
let mouseNormY = 0;

window.addEventListener('mousemove', (event) => {
    // 將滑鼠座標轉換為 -1 到 1 的範圍（相對於整個視窗）
    mouseNormX = (event.clientX / window.innerWidth) * 2 - 1;
    mouseNormY = -((event.clientY / window.innerHeight) * 2 - 1); // Y 軸反轉
});

// // 滑鼠控制變數
// let mouseX = 0;
// let mouseY = 0;
// let targetRotationX = 0;
// let targetRotationY = 0;
// let mouseDown = false;
// let userControlling = false;

// // 滑鼠事件，只作用在 owlContainer 上
// const interactionCanvas = canvas;
// interactionCanvas.addEventListener('mousedown', (event) => {
//     mouseDown = true;
```

```

//      userControlling = true;
//      mouseX = event.clientX;
//      mouseY = event.clientY;
// });

// window.addEventListener('mouseup', () => {
//      mouseDown = false;
//      setTimeout(() => {
//          userControlling = false;
//      }, 3000);
// });

// interactionCanvas.addEventListener('mousemove', (event) => {
//      if (mouseDown) {
//          targetRotationY += (event.clientX - mouseX) * 0.01;
//          targetRotationX += (event.clientY - mouseY) * 0.01;
//          mouseX = event.clientX;
//          mouseY = event.clientY;
//      }
// });

// // 滾輪縮放，只在 canvas 上觸發
// interactionCanvas.addEventListener('wheel', (event) => {
//      event.preventDefault(); // 防止頁面滾動
//      camera.position.z += event.deltaY * 0.01;
//      camera.position.z = Math.max(3, Math.min(10, camera.position.z));
// }, { passive: false });

// 眨眼動畫
let blinkTimer = 0;
let isBlinking = false;

function animate() {
    requestAnimationFrame(animate);

    // 根據滑鼠位置讓 owlGroup 轉動
    const targetY = mouseNormX * Math.PI / 6; // 左右最多 ±30 度
    const targetX = -mouseNormY * Math.PI / 12; // 上下最多 ±15 度

```

```

owl.rotation.y += (targetY - owl.rotation.y) * 0.05;
owl.rotation.x += (targetX - owl.rotation.x) * 0.05;

// 自動旋轉（當用戶沒有控制時）
// if (!userControlling) {
//     const time = Date.now() * 0.0005; // 調整速度變慢
//     owl.rotation.y = Math.sin(time - Math.PI / 4) * (Math.PI / 4);
// } else {
//     owl.rotation.y += (targetRotationY - owl.rotation.y) * 0.05;
//     owl.rotation.x += (targetRotationX - owl.rotation.x) * 0.05;
// }

// 輕微的上下浮動
owl.position.y = Math.sin(Date.now() * 0.001) * 0.05;

// 流蘇輕微搖擺
tassalString.rotation.z = Math.sin(Date.now() * 0.003) * 0.02;
tassalGroup.rotation.z = Math.sin(Date.now() * 0.003) * 0.03;

// 眨眼動畫
blinkTimer++;
if (blinkTimer > 80 && !isBlinking) {
    isBlinking = true;
    blinkTimer = 0;
}

if (isBlinking) {
    const blinkProgress = blinkTimer / 8;
    if (blinkProgress < 1) {
        leftEye.scale.y = 1 - blinkProgress * 0.8;
        rightEye.scale.y = 1 - blinkProgress * 0.8;
    } else if (blinkProgress < 2) {
        leftEye.scale.y = 0.2 + (blinkProgress - 1) * 0.8;
        rightEye.scale.y = 0.2 + (blinkProgress - 1) * 0.8;
    } else {
        leftEye.scale.y = 1;
        rightEye.scale.y = 1;
    }
}

```



```

        isBlinking = false;
        blinkTimer = 0;
    }
}

renderer.render(scene, camera);
}

animate();
});

// 便利標籤貼
document.addEventListener("DOMContentLoaded", function () {
    const slogans = document.querySelectorAll('.slogan-inner');

    const observer = new IntersectionObserver((entries) => {
        entries.forEach(entry => {
            if (entry.isIntersecting) {
                entry.target.classList.add('animate-in');
            } else {
                entry.target.classList.remove('animate-in');
            }
        });
    }, {
        threshold: 0.3
    });

    slogans.forEach(slogan => observer.observe(slogan));
});

```

```

// 字母
// document.addEventListener("DOMContentLoaded", () => {

```

```

//    const icons = document.querySelectorAll('.icon-container');

//    const observer = new IntersectionObserver((entries) => {
//        entries.forEach(entry => {
//            if (entry.isIntersecting) {
//                entry.target.classList.add('animate');

//                // 移除後可再次進入視窗時再觸發
//                setTimeout(() => {
//                    entry.target.classList.remove('animate');
//                }, 1000);
//            }
//        });
//    }, {
//        threshold: 0.6 // 元素進入畫面 60% 時觸發
//    });

//    icons.forEach(icon => {
//        observer.observe(icon);
//    });
// });

// 文字

document.addEventListener('DOMContentLoaded', () => {
    const featureItems = document.querySelectorAll('.feature-item');

    const observer = new IntersectionObserver((entries) => {
        entries.forEach(entry => {
            if (entry.isIntersecting) {
                entry.target.classList.add('visible'); // 進入視口 => 顯示
            } else {
                entry.target.classList.remove('visible'); // 離開視口 => 隱藏
            }
        });
    }, {
        threshold: 0.5 // 元素進入 30% 時觸發
    });

```

```
});

featureItems.forEach(item => {
  observer.observe(item);
});
});
```

//線條

```
document.addEventListener("DOMContentLoaded", function() {
  const path = document.querySelector("#animated-line path");

  // 獲取路徑的實際長度
  const pathLength = path.getTotalLength();
  console.log("SVG 路徑長度:", pathLength);

  // 顯示初始的 5% 線段
  const initialVisiblePercentage = 0.02; // 5%
  const initialDrawLength = pathLength * (1 - initialVisiblePercentage);

  // 設置初始狀態 - 顯示一小段線條
  path.style.strokeDasharray = pathLength;
  path.style.strokeDashoffset = initialDrawLength;

  // 監聽滾動事件
  window.addEventListener("scroll", function() {
    // 計算滾動百分比
    const scrollTop = window.pageYOffset ||
document.documentElement.scrollTop;
    const height = document.documentElement.scrollHeight -
document.documentElement.clientHeight;
    const scrollPercentage = scrollTop / height;

    // 根據滾動百分比更新線條長度（從初始狀態繼續）
    const drawLength = pathLength * (1 - scrollPercentage);
    path.style.strokeDashoffset = Math.min(drawLength, initialDrawLength); //
```

防止倒退

```
});  
});
```

//背景

```
const MIN_SPEED = 0.5;  
const MAX_SPEED = 2;
```

// Seeded random

```
function seededRandom(seed) {  
  let x = Math.sin(seed) * 980;  
  return x - Math.floor(x);  
}
```

```
function randomNumber(min, max, seed) {  
  return seededRandom(seed) * (max - min) + min;  
}
```

class Blob {

```
  constructor(el, seed) {  
    this.el = el;  
    const boundingRect = this.el.getBoundingClientRect();  
    this.size = boundingRect.width;
```

// 使用固定種子來生成穩定的初始位置

```
this.initialX = randomNumber(0, window.innerWidth - this.size, seed + 1);  
this.initialY = randomNumber(0, window.innerHeight - this.size, seed + 2);  
this.el.style.top = `${this.initialY}px`;  
this.el.style.left = `${this.initialX}px`;
```

// 固定速度與方向

```
const directionX = (seed % 2 === 0) ? 1 : -1;  
const directionY = (seed % 3 === 0) ? 1 : -1;  
this.vx = randomNumber(MIN_SPEED, MAX_SPEED, seed + 3) * directionX;  
this.vy = randomNumber(MIN_SPEED, MAX_SPEED, seed + 4) * directionY;
```

```
this.x = this.initialX;
```

```

    this.y = this.initialY;
  }

  update() {
    this.x += this.vx;
    this.y += this.vy;

    if (this.x >= window.innerWidth - this.size || this.x <= 0) {
      this.vx *= -1;
    }
    if (this.y >= window.innerHeight - this.size || this.y <= 0) {
      this.vy *= -1;
    }

    this.el.style.transform =
      `translate(${this.x - this.initialX}px, ${this.y - this.initialY}px)`;
  }
}

function initBlobs() {
  const blobs = document.querySelectorAll('.blob');

  blobs.forEach((blob, index) => {
    const seed = index + 100; // 確保每個 blob 都有不同但固定的 seed

    const initialXPercent = randomNumber(0, 100, seed + 10);
    const initialYPercent = randomNumber(0, 100, seed + 11);
    blob.style.left = `${initialXPercent}%`;
    blob.style.top = `${initialYPercent}%`;

    const keyframes = [
      {
        transform: `translate(${randomNumber(-25, 25, seed + 20)}%,
${randomNumber(-25, 25, seed + 21)}%)`,
      },
      {
        transform: `translate(${randomNumber(-25, 25, seed + 22)}%,
${randomNumber(-25, 25, seed + 23)}%)`

```

```

    },
    {
        transform: `translate(${randomNumber(-25, 25, seed + 24)}%,
${randomNumber(-25, 25, seed + 25)}%)`,
    },
    {
        transform: `translate(${randomNumber(-25, 25, seed + 26)}%,
${randomNumber(-25, 25, seed + 27)}%)`,
    }
];

blob.animate(keyframes, {
    duration: 2000 + index * 1000,
    iterations: Infinity,
    direction: 'alternate',
    easing: 'ease-in-out'
});
});
}

```

// 粒子

```

function initTechParticles() {
    const particleContainer = document.getElementById('tsparticles');
    if (!particleContainer) return;

```

// 創建自定義流場函數 - 模擬流體動力學

```

const customFlowField = {
    resolution: 40, // 流場網格解析度
    points: [],
    time: 0,

```

// 初始化流場

```

initialize: function() {
    this.points = [];

```

// 建立流場網格

```

for (let y = 0; y < this.resolution; y++) {
  for (let x = 0; x < this.resolution; x++) {
    // 將座標正規化到 0-1 範圍
    const nx = x / this.resolution;
    const ny = y / this.resolution;

    // 使用某種函數生成初始流場向量
    const angle = this.simplex2(nx * 5, ny * 5 + this.time) * Math.PI * 2;

    // 均勻的微小流動，沒有整體向右的偏移
    const vx = Math.cos(angle) * 0.8;
    const vy = Math.sin(angle) * 0.8;

    this.points.push({ vx, vy });
  }
},

update: function() {
  this.time += 0.002;

  // 更新流場向量
  for (let i = 0; i < this.points.length; i++) {
    const p = this.points[i];
    const nx = i % this.resolution / this.resolution;
    const ny = Math.floor(i / this.resolution) / this.resolution;

    const angle = this.simplex2(nx * 5, ny * 5 + this.time) * Math.PI * 2;

    p.vx = Math.cos(angle) * 0.8;
    p.vy = Math.sin(angle) * 0.8;
  }
},

// 簡化的柏林噪聲函數
simplex2: function(x, y) {
  const dot = (x, y, vx, vy) => x * vx + y * vy;
  const F2 = 0.5 * (Math.sqrt(3) - 1);

```

```

const G2 = (3 - Math.sqrt(3)) / 6;

const s = (x + y) * F2;
const i = Math.floor(x + s);
const j = Math.floor(y + s);
const t = (i + j) * G2;

const X0 = i - t;
const Y0 = j - t;
const x0 = x - X0;
const y0 = y - Y0;

const i1 = x0 > y0 ? 1 : 0;
const j1 = x0 > y0 ? 0 : 1;

const x1 = x0 - i1 + G2;
const y1 = y0 - j1 + G2;
const x2 = x0 - 1 + 2 * G2;
const y2 = y0 - 1 + 2 * G2;

// 使用哈希函數生成偽隨機梯度向量
const hash = (x, y) => {
  return Math.sin(x * 12.9898 + y * 78.233) * 43758.5453 % 1;
};

const n0 = this.gradientDot(hash(i, j), hash(i + 1, j), x0, y0);
const n1 = this.gradientDot(hash(i + i1, j + j1), hash(i + i1 + 1, j + j1), x1, y1);
const n2 = this.gradientDot(hash(i + 1, j + 1), hash(i + 2, j + 1), x2, y2);

// 混合結果
return 0.5 * (n0 + n1 + n2);
},

gradientDot: function(h1, h2, x, y) {
  const angle1 = h1 * Math.PI * 2;
  const angle2 = h2 * Math.PI * 2;
  const vx1 = Math.cos(angle1);
  const vy1 = Math.sin(angle1);

```



```

    const vx2 = Math.cos(angle2);
    const vy2 = Math.sin(angle2);

    return x * vx1 + y * vy1 + x * vx2 + y * vy2;
  },

  // 獲取指定位置的流場向量
  getFlowVector: function(x, y) {
    // 將座標歸一化到 0-1 範圍
    const nx = Math.max(0, Math.min(1, x));
    const ny = Math.max(0, Math.min(1, y));

    // 找到最近的流場點
    const gridX = Math.floor(nx * this.resolution);
    const gridY = Math.floor(ny * this.resolution);
    const index = gridY * this.resolution + gridX;

    if (index >= 0 && index < this.points.length) {
      return this.points[index];
    }

    return { vx: 0, vy: 0 };
  }
};

// 初始化流場
customFlowField.initialize();

// 粒子系統配置 - 超高密度粒子效果，充滿整個圓形
const particleConfig = {
  particles: {
    number: {
      value: 1500, // 大幅增加粒子數量使圓形充滿
    },
    density: {
      enable: true,
      value_area: 400 // 降低面積使粒子更密集
    }
  }
},

```

```
    color: {
      // value: ["#D1C5D1", "#AA9DA9", "#e0d3e0", "#c8b8c8", "#d8d0d8",
"#ffffff", "#f0e8f0"] // 紫色系粒子
      // value: ["#9761DD", "#A577E6", "#BA91EC", "#C6A3F0", "#D4B7F4",
"#ffffff"]
      value: ["#B5A9B5", "#8F7C8F", "#C2B3C2", "#A899A8", "#B9ADB9",
"#ffffff"]
    },
    shape: {
      type: "triangle", // 使用三角形形狀
    },
    opacity: {
      value: 0.9, // 增加不透明度
      random: true,
      anim: {
        enable: true,
        speed: 0.9,
        opacity_min: 0.4,
        sync: false
      }
    },
    size: {
      value: 2.5, // 使粒子大小適中
      random: true,
      anim: {
        enable: true,
        speed: 0.5,
        size_min: 1.2, // 增加最小尺寸
        sync: false
      }
    },
    line_linked: {
      enable: true,
      distance: 50, // 增加連線距離以創建更多連接
      color: "#D1C5D1", // 紫色系連線
      opacity: 0.25, // 增加線條不透明度
      width: 1.5 // 調整線條粗細
    },
  },
```

```
move: {
  enable: true,
  speed: 0.6,
  direction: "none",
  random: false,
  straight: false,
  out_mode: "bounce", // 確保粒子不會離開容器
  bounce: true, // 開啟反彈效果
  attract: {
    enable: false
  }
},
interactivity: {
  detect_on: "canvas",
  events: {
    onhover: {
      enable: true,
      mode: "repulse"
    },
    onclick: {
      enable: true,
      mode: "push"
    },
    resize: true
  },
  modes: {
    repulse: {
      distance: 120,
      duration: 0.8,
      speed: 10,
      easing: "ease-out-cubic"
    },
    push: {
      particles_nb: 6
    }
  }
},
```

```

    retina_detect: true,
    fpsLimit: 60,
    fullScreen: {
      enable: false
    }
  };

// 初始化粒子系統
const particles = tsParticles.load("tsparticles", particleConfig);

// 添加自定義更新函數，實現流體動力學效果
let lastTime = 0;
let mouseX = 0, mouseY = 0;
let isMouseInteracting = false;
let mouseInteractionTimeout;

// 追蹤滑鼠位置和互動
let isMouseOver = false;
let lastMouseMove = Date.now();
let flowAnimation;

document.addEventListener('mousemove', (e) => {
  mouseX = e.clientX;
  mouseY = e.clientY;
  lastMouseMove = Date.now();

  const circle = document.querySelector('.circle-particles');
  if (!circle) return;

  const rect = circle.getBoundingClientRect();
  const centerX = rect.left + rect.width / 2;
  const centerY = rect.top + rect.height / 2;
  const distance = Math.sqrt(Math.pow(mouseX - centerX, 2) +
Math.pow(mouseY - centerY, 2));

  // 檢測滑鼠是否在圓形附近
  if (distance < rect.width) {
    isMouseInteracting = true;

```

```

    isMouseOver = true;
    // 不再使用延遲恢復，當滑鼠離開區域時會立即重設狀態

    // 停止自動流動動畫
    if (flowAnimation) {
        cancelAnimationFrame(flowAnimation);
        flowAnimation = null;
    }
} else if (isMouseOver) {
    isMouseOver = false;
    isMouseInteracting = false; // 立即停止互動狀態
    // 立即恢復圓形狀態，不再有任何延遲
    startFlowAnimation(); // 直接啟動流動動畫，無需等待
}
});

// 圓形容器上的互動事件
const circleContainer = document.querySelector('.circle-particles');
if (circleContainer) {
    circleContainer.addEventListener('mouseover', () => {
        isMouseOver = true;
        if (flowAnimation) {
            cancelAnimationFrame(flowAnimation);
            flowAnimation = null;
        }
    });

    circleContainer.addEventListener('mouseout', () => {
        isMouseOver = false;
        isMouseInteracting = false; // 立即停止互動狀態
        // 立即恢復圓形狀態，不再有任何延遲
        startFlowAnimation(); // 直接啟動流動動畫，無需等待
    });
}

// 自定義粒子更新函數
function customParticleUpdate(container) {
    const currentTime = Date.now();

```

```
const deltaTime = currentTime - lastTime;
lastTime = currentTime;

if (!container || !container.particles) return;

// 更新流場
customFlowField.update();

// 獲取圓形容器
const circle = document.querySelector('.circle-particles');
if (!circle) return;
const rect = circle.getBoundingClientRect();
const centerX = rect.left + rect.width / 2;
const centerY = rect.top + rect.height / 2;
const radius = rect.width / 2;

// 更新每個粒子
container.particles.array.forEach(particle => {
  // 計算粒子在畫布中的相對位置 (0-1)
  const canvasWidth = container.canvas.size.width;
  const canvasHeight = container.canvas.size.height;
  const relX = particle.position.x / canvasWidth;
  const relY = particle.position.y / canvasHeight;

  // 獲取流場向量
  const flowVector = customFlowField.getFlowVector(relX, relY);

  // 計算粒子到圓心的距離
  const particleScreenX = rect.left + relX * rect.width;
  const particleScreenY = rect.top + relY * rect.height;
  const distToCenter = Math.sqrt(Math.pow(particleScreenX - centerX, 2) +
Math.pow(particleScreenY - centerY, 2));

  // 計算粒子到滑鼠的距離
  const distToMouse = Math.sqrt(Math.pow(particleScreenX - mouseX, 2) +
Math.pow(particleScreenY - mouseY, 2));

  // 基本流場影響
```

```

let vx = flowVector.vx * 0.3;
let vy = flowVector.vy * 0.3;

// 計算到圓心的正規化距離
const normalizedDist = distToCenter / radius;

// 根據是否有滑鼠互動來調整粒子行為
const isParticleInteracting = distToMouse < 80; // 判斷該粒子是否與滑鼠互
動

if (isParticleInteracting) {
  // 滑鼠靠近該粒子，讓它逃離並加些隨機擾動
  const angleFromMouse = Math.atan2(particleScreenY - mouseY,
particleScreenX - mouseX);
  const repulseFactor = Math.max(0, 1 - distToMouse / 80) * 6;
  vx += Math.cos(angleFromMouse) * repulseFactor;
  vy += Math.sin(angleFromMouse) * repulseFactor;

  // 添加隨機擾動
  vx += (Math.random() - 0.5) * 0.6;
  vy += (Math.random() - 0.5) * 0.6;
} else {
  // 滑鼠不再靠近此粒子，回歸原位（有晃動）
  if (!particle.basePosition) {
    particle.basePosition = { x: particle.position.x, y: particle.position.y };
  }
  if (!particle.baseOrigin) {
    particle.baseOrigin = { x: particle.basePosition.x, y:
particle.basePosition.y };
  }

  const t = Date.now() * 0.002 + (particle.baseOrigin.x % 100);
  const swing = Math.sin(t) * 6;
  const swingX = particle.baseOrigin.x + swing;

  const dx = swingX - particle.position.x;
  const dy = particle.baseOrigin.y - particle.position.y;
  const distToBase = Math.sqrt(dx * dx + dy * dy);

```

```

const returnSpeed = 0.18;
if (distToBase > 0.5) {
    vx = dx * returnSpeed;
    vy = dy * returnSpeed;
} else {
    particle.position.x = swingX;
    particle.position.y = particle.baseOrigin.y;
    particle.velocity.x = 0;
    particle.velocity.y = 0;
    vx = 0;
    vy = 0;
}
}

```

```

// 滑鼠互動 - 逃離效果，減少互動範圍
if (isMouseInteracting && distToMouse < 200) { // 減少影響半徑從 150 到
80
    const repulseFactor = Math.max(0, 1 - distToMouse / 80) * 6; // 增強逃離
    力度
    const angleFromMouse = Math.atan2(particleScreenY - mouseY,
particleScreenX - mouseX);
    vx += Math.cos(angleFromMouse) * repulseFactor;
    vy += Math.sin(angleFromMouse) * repulseFactor;
}

// 應用速度（滑鼠不在時，直接設為 vx/vy）
if (!isMouseInteracting) {
    particle.velocity.x = vx;
    particle.velocity.y = vy;
} else {
    particle.velocity.x = particle.velocity.x * 0.92 + vx * 0.08;
    particle.velocity.y = particle.velocity.y * 0.92 + vy * 0.08;
}

// 限制最大速度
const speed = Math.sqrt(particle.velocity.x * particle.velocity.x +

```



```
particle.velocity.y * particle.velocity.y);
    if (speed > 2) {
        particle.velocity.x = (particle.velocity.x / speed) * 2;
        particle.velocity.y = (particle.velocity.y / speed) * 2;
    }
});
}
```

// 添加自定義更新函數到粒子系統

```
particles.then(container => {
    if (container) {
        // 覆蓋默認更新函數
        const originalUpdate = container.particles.update.bind(container.particles);
        container.particles.update = (delta) => {
            originalUpdate(delta);
            customParticleUpdate(container);
        };
    }
});
```

// 自動流動動畫函數 - 小幅度均勻流動

```
function startFlowAnimation() {
    if (isMouseOver || flowAnimation) return;

    const circle = document.querySelector('.circle-particles');
    if (!circle) return;

    let time = 0;
    const animate = () => {
        time += 0.006; // 降低速度，使運動更柔和

        // 創建均勻的圓形路徑運動，不往任何特定方向偏移
        const x = Math.sin(time) * 3;
        const y = Math.cos(time * 1.2) * 3; // 使用不同的頻率使運動更自然

        circle.style.transform = `translate(-50%, -50%) translate(${x}px, ${y}px)`;

        flowAnimation = requestAnimationFrame(animate);
    };
}
```

```

    };

    flowAnimation = requestAnimationFrame(animate);
}

// 圓形容器的輕微移動效果
function animateCircleContainer() {
    const circle = document.querySelector('.circle-particles');
    if (!circle) return;

    // 初始化圓形狀態 - 將容器置中
    circle.style.transform = 'translate(-50%, -50%)';

    // 立即啟動均勻的微小流動，不會往任何特定方向偏移
    startFlowAnimation();
}

// 啟動圓形容器動畫
animateCircleContainer();

// SVG 筆畫動畫觸發
function isInViewport(element) {
    const rect = element.getBoundingClientRect();
    return (
        rect.top < window.innerHeight &&
        rect.bottom > 0
    );
}

function triggerSvgDrawAnimation() {
    document.querySelectorAll('.feature-item').forEach(item => {
        const svg = item.querySelector('svg.animated-stroke');
        if (svg) {
            if (isInViewport(item)) {
                svg.classList.add('svg-animate-start');
            } else {
                svg.classList.remove('svg-animate-start');
            }
        }
    });
}

```

```

    }
  });
}

window.addEventListener('scroll', triggerSvgDrawAnimation);
window.addEventListener('resize', triggerSvgDrawAnimation);
document.addEventListener('DOMContentLoaded', triggerSvgDrawAnimation);

}

document.addEventListener("DOMContentLoaded", () => {
  initBlobs();
  initTechParticles();
  initFeatureSvgAnimation();
});

// // SVG 畫線動畫 - 專門針對 feature-item 中的 SVG
// function initFeatureSvgAnimation() {
//   // 選取所有 feature-item 元素
//   const featureItems = document.querySelectorAll('.feature-item');

//   // 設定 CSS 變數以供動畫使用
//   featureItems.forEach(item => {
//     const svg = item.querySelector('svg');
//     if (!svg) return;

//     // 修改 SVG 元素，使其能夠顯示畫線動畫
//     const paths = svg.querySelectorAll('path');
//     paths.forEach(path => {
//       // 檢查是否有 fill 屬性
//       const fill = path.getAttribute('fill');

//       // 如果是填充路徑，設定為線條路徑
//       if (fill && fill !== 'none') {

```

```

//      path.setAttribute('stroke', '#000');
//      path.setAttribute('stroke-width', '4'); // 增加線條粗細
//      path.setAttribute('fill', 'none');
//  }

//      // 計算路徑總長度
//      const pathLength = path.getTotalLength ? path.getTotalLength() : 1000;
//      console.log("SVG 路徑總長度:", pathLength);

//      // 設定 CSS 變數以供動畫使用
//      document.documentElement.style.setProperty('--path-length',
pathLength);

//      // 初始化路徑樣式
//      path.style.strokeDasharray = pathLength;
//      path.style.strokeDashoffset = pathLength;
//  });
//  });

// 初始化 Intersection Observer
//  const observer = new IntersectionObserver((entries) => {
//      entries.forEach(entry => {
//          const featureItem = entry.target;
//          const svg = featureItem.querySelector('svg');
//          if (!svg) return;

//          const paths = svg.querySelectorAll('path');

//          if (entry.isIntersecting) {
//              // 元素進入視窗範圍
//              console.log("元素進入視窗，開始動畫");

//              // 添加淡入效果
//              featureItem.classList.add('fade-in');

//              // 重置動畫狀態
//              svg.classList.remove('animated');
//              paths.forEach(path => {

```

```

//          const pathLength = path.getTotalLength ? path.getTotalLength() :
1000;
//          path.style.animation = 'none';
//          path.style.strokeDashoffset = pathLength;
//      });

//      // 延遲 0.5 秒後開始 SVG 動畫
//      setTimeout(() => {
//          svg.classList.add('animated');
//          paths.forEach(path => {
//              path.style.animation = 'drawPath 3s ease-in-out forwards';
//          });
//      }, 500);

//      } else {
//          // 元素離開視窗範圍
//          console.log("元素離開視窗，重置動畫");

//          // 移除淡入效果
//          featureItem.classList.remove('fade-in');

//          // 重置 SVG 動畫狀態
//          svg.classList.remove('animated');
//          paths.forEach(path => {
//              const pathLength = path.getTotalLength ? path.getTotalLength() :
1000;
//              path.style.animation = 'none';
//              path.style.strokeDashoffset = pathLength;
//          });
//      }
//  });
//  }, {
//      // 當元素 30% 進入視窗時觸發
//      threshold: 0.3,
//      // 提前 50px 開始觸發
//      rootMargin: '0px 0px -50px 0px'
//  });

```

```

// // 開始觀察目標元素（不移除觀察器以實現重複動畫）
// featureItems.forEach(item => {
//     observer.observe(item);
// });
// }

// document.addEventListener("DOMContentLoaded", function () {
//     const featureItem = document.getElementById('feature-item');
//     const svgElement = document.querySelector('.rules');
//     const path = svgElement.querySelector('path');

//     // 計算路徑總長度
//     const pathLength = path.getTotalLength();
//     console.log("SVG 路徑總長度:", pathLength);

//     // 設定 CSS 變量以供動畫使用
//     document.documentElement.style.setProperty('--path-length', pathLength);

//     // 初始化路徑樣式
//     path.style.strokeDasharray = pathLength;
//     path.style.strokeDashoffset = pathLength;

//     // 創建 Intersection Observer
//     const observer = new IntersectionObserver((entries) => {
//         entries.forEach(entry => {
//             if (entry.isIntersecting) {
//                 // 元素進入視窗範圍
//                 console.log("元素進入視窗，開始動畫");

//                 // 添加淡入效果
//                 featureItem.classList.add('fade-in');

//                 // 重置動畫狀態
//                 svgElement.classList.remove('animated');
//                 path.style.animation = 'none';
//                 path.style.strokeDashoffset = pathLength;

//                 // 延遲 0.5 秒後開始 SVG 動畫

```

```

//          setTimeout(() => {
//              svgElement.classList.add('animated');
//              path.style.animation = 'drawPath 3s ease-in-out forwards';
//          }, 500);

//      } else {
//          // 元素離開視窗範圍
//          console.log("元素離開視窗，重置動畫");

//          // 移除淡入效果
//          featureItem.classList.remove('fade-in');

//          // 重置 SVG 動畫狀態
//          svgElement.classList.remove('animated');
//          path.style.animation = 'none';
//          path.style.strokeDashoffset = pathLength;
//      }
//  });
//  }, {
//      // 當元素 30%進入視窗時觸發
//      threshold: 0.3,
//      // 提前 50px 開始觸發
//      rootMargin: '0px 0px -50px 0px'
//  });

//  // 開始觀察目標元素（不移除觀察器以實現重複動畫）
//  observer.observe(featureItem);

//  // 移除滾動指示器當用戶開始滾動
//  let hasScrolled = false;
//  window.addEventListener('scroll', function() {
//      if (!hasScrolled) {
//          const indicator = document.querySelector('.scroll-indicator');
//          if (indicator) {
//              indicator.style.opacity = '0';
//              setTimeout(() => {
//                  indicator.remove();
//              }, 500);

```

```
//      }  
//      hasScrolled = true;  
//    }  
//  });  
// });
```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\js\join_create.js

// 即時預覽功能

```
const activityTitle = document.getElementById('activity-title');  
const activityType = document.getElementById('activity-type');  
const activityLocation = document.getElementById('activity-location');  
const activityDate = document.getElementById('activity-date');  
const activityTime = document.getElementById('activity-time');  
const activityDescription = document.getElementById('activity-description');
```

```
const previewTitle = document.getElementById('preview-title');  
const previewTag = document.getElementById('preview-tag');  
const previewLocation = document.getElementById('preview-location');  
const previewTime = document.getElementById('preview-time');  
const previewDescription = document.getElementById('preview-description');
```

// 標題預覽

```
activityTitle.addEventListener('input', () => {  
  previewTitle.textContent = activityTitle.value || '活動標題';  
});
```

// 類型預覽

```
activityType.addEventListener('change', () => {  
  const typeMap = {  
    'food': '美食',  
    'sport': '運動',  
    'study': '讀書',  
    'travel': '旅遊',  
    'movie': '電影',  
    'other': '其他'  
  };  
  previewTag.textContent = typeMap[activityType.value] || '活動類型';  
});
```



```
});

// 地點預覽
activityLocation.addEventListener('input', () => {
    previewLocation.textContent = activityLocation.value || '活動地點';
});

// 時間預覽
function updateTimePreview() {
    if (activityDate.value && activityTime.value) {
        const date = new Date(activityDate.value);
        const month = date.getMonth() + 1;
        const day = date.getDate();
        const formattedTime = activityTime.value.substring(0, 5);
        previewTime.textContent = `${month}/${day} ${formattedTime}`;
    } else {
        previewTime.textContent = '活動時間';
    }
}

activityDate.addEventListener('input', updateTimePreview);
activityTime.addEventListener('input', updateTimePreview);

// 描述預覽
activityDescription.addEventListener('input', () => {
    previewDescription.textContent = activityDescription.value || '活動說明將顯示在這裡...';
});

// 表單提交處理
document.getElementById('create-group-form').addEventListener('submit',
function(e) {
    e.preventDefault();

    // 確認截止日期在活動日期之前
    const deadlineDate = new Date(document.getElementById('activity-
deadline').value);
    const eventDate = new Date(activityDate.value);
```

```
if (deadlineDate >= eventDate) {
    alert('報名截止日期必須早於活動日期！');
    return false;
}

// 確認最少人數小於最多人數
const minParticipants = parseInt(document.getElementById('min-
participants').value);
const maxParticipants = parseInt(document.getElementById('max-
participants').value);

if (minParticipants > maxParticipants) {
    alert('最少參加人數不能大於最多參加人數！');
    return false;
}

// 這裡可以加入表單提交的 AJAX 請求
alert('活動發布成功！');
window.location.href = 'group-activities.html';
});

// 圖片上傳預覽
const imageUploadArea = document.getElementById('image-upload-area');

imageUploadArea.addEventListener('click', () => {
    const fileInput = document.createElement('input');
    fileInput.type = 'file';
    fileInput.accept = 'image/*';
    fileInput.click();

    fileInput.addEventListener('change', (e) => {
        if (e.target.files && e.target.files[0]) {
            const reader = new FileReader();

            reader.onload = function(event) {
                const previewImage = document.querySelector('.preview-
image');
```

```

        previewImage.innerHTML = "";
        previewImage.style.backgroundImage =
`url(${event.target.result})`;
        previewImage.style.backgroundSize = 'cover';
        previewImage.style.backgroundPosition = 'center';

        // 保留標籤
        const tag = document.createElement('div');
        tag.className = 'preview-tag';
        tag.id = 'preview-tag';
        tag.textContent = previewTag.textContent;
        previewImage.appendChild(tag);
    }

    reader.readAsDataURL(e.target.files[0]);
}
});

// 拖曳上傳功能
['dragenter', 'dragover', 'dragleave', 'drop'].forEach(eventName => {
    imageUploadArea.addEventListener(eventName, preventDefaults, false);
});

function preventDefaults(e) {
    e.preventDefault();
    e.stopPropagation();
}

['dragenter', 'dragover'].forEach(eventName => {
    imageUploadArea.addEventListener(eventName, highlight, false);
});

['dragleave', 'drop'].forEach(eventName => {
    imageUploadArea.addEventListener(eventName, unhighlight, false);
});

function highlight() {

```

```
    imageUploadArea.style.borderColor = '#34495e';
    imageUploadArea.style.backgroundColor = '#f0f7ff';
}

function unhighlight() {
    imageUploadArea.style.borderColor = '#ddd';
    imageUploadArea.style.backgroundColor = 'transparent';
}

imageUploadArea.addEventListener('drop', handleDrop, false);

function handleDrop(e) {
    const dt = e.dataTransfer;
    const files = dt.files;

    if (files && files[0]) {
        const reader = new FileReader();

        reader.onload = function(event) {
            const previewImage = document.querySelector('.preview-image');
            previewImage.innerHTML = "";
            previewImage.style.backgroundImage = `url(${event.target.result})`;
            previewImage.style.backgroundSize = 'cover';
            previewImage.style.backgroundPosition = 'center';

            // 保留標籤
            const tag = document.createElement('div');
            tag.className = 'preview-tag';
            tag.id = 'preview-tag';
            tag.textContent = previewTag.textContent;
            previewImage.appendChild(tag);
        }

        reader.readAsDataURL(files[0]);
    }
}
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\js\join_detail.js
document.addEventListener('DOMContentLoaded', function() {
  const discussionSection = document.querySelector('.discussion-section');
  if (discussionSection) {
    let commentCountElement = document.getElementById('commentCount');
    let commentCount = commentCountElement ?
    parseInt(commentCountElement.textContent.match(/\d+/)[0]) :
    document.querySelectorAll('.comment-card').length;

    const existingComments = document.querySelectorAll('.comment-card');
    let nextCommentId = existingComments.length > 0 ?
    existingComments.length + 1 : 1;

    discussionSection.addEventListener('click', function(e) {
      const target = e.target;

      const likeBtn = target.closest('.like-btn');
      if (likeBtn) {
        e.preventDefault();
        handleLike(likeBtn);
        return;
      }

      const replyBtn = target.closest('.reply-btn, .reply-to-reply');
      if (replyBtn) {
        e.preventDefault();
        handleReply(replyBtn);
        return;
      }

      const cancelBtn = target.closest('.cancel-reply-btn');
      if (cancelBtn) {
        e.preventDefault();
        handleCancelReply(cancelBtn);
        return;
      }

      const submitBtn = target.closest('.submit-reply-btn');
```

```

        if (submitBtn) {
            e.preventDefault();
            handleSubmitReply(submitBtn);
            return;
        }
    });

    const submitCommentBtn = document.getElementById('submitComment');
    if (submitCommentBtn) {
        submitCommentBtn.addEventListener('click', function(e) {
            e.preventDefault();
            handleSubmitNewComment();
        });
    }

    function handleLike(button) {
        const likeCountSpan = button.querySelector('.like-count');
        let count = parseInt(likeCountSpan.textContent);
        if (button.classList.toggle('liked')) {
            likeCountSpan.textContent = count + 1;
        } else {
            likeCountSpan.textContent = count - 1;
        }
    }

    function handleReply(button) {
        const parentCard = button.closest('.comment-card, .reply');
        if (!parentCard) return;

        const existingForm = discussionSection.querySelector('.reply-form-container');
        if (existingForm) {
            existingForm.remove();
        }

        const userName = parentCard.querySelector('.user-name')?.textContent.trim() || 'User';
        const replyForm = createReplyForm(userName);
    }

```

```

        const actionsDiv = parentCard.querySelector('.comment-
actions, .reply-actions');
        if (actionsDiv) {
            actionsDiv.insertAdjacentElement('afterend', replyForm);
        } else {
            parentCard.appendChild(replyForm);
        }
        replyForm.querySelector('.reply-textarea').focus();
    }

    function handleCancelReply(button) {
        const form = button.closest('.reply-form-container');
        if (form) {
            form.remove();
        }
    }

    function handleSubmitReply(button) {
        const formContainer = button.closest('.reply-form-container');
        const textarea = formContainer.querySelector('.reply-textarea');
        const replyText = textarea.value.trim();

        if (replyText) {
            const parentCard = formContainer.closest('.comment-
card, .reply');
            let repliesContainer = parentCard.querySelector('.replies-
container');

            if (!repliesContainer) {
                repliesContainer = document.createElement('div');
                repliesContainer.className = 'replies-container';
                const insertAfter = parentCard.querySelector('.comment-
actions, .reply-actions');
                insertAfter.insertAdjacentElement('afterend',
repliesContainer);
            }

```

```

        const newReply = createReplyElement(replyText);
        repliesContainer.appendChild(newReply);
        formContainer.remove();
    }
}

function handleSubmitNewComment() {
    const textarea = document.getElementById('newCommentText');
    const commentText = textarea.value.trim();

    if (commentText) {
        const commentsSection =
document.getElementById('commentsSection');
        const newComment = createCommentElement(commentText,
nextCommentId);
        commentsSection.appendChild(newComment);

        textarea.value = '';
        commentCount++;
        nextCommentId++;
        if (commentCountElement) {
            commentCountElement.textContent = `${commentCount}
則評論);
        }
        newComment.scrollIntoView({ behavior: 'smooth', block:
'center' });
    }
}

function createReplyForm(replyTo = '') {
    const formContainer = document.createElement('div');
    formContainer.className = 'reply-form-container';
    formContainer.innerHTML = `
        <div class="reply-form">
            <div class="form-group">
                <textarea class="form-control reply-textarea" rows="3"
placeholder="回覆 @${replyTo}..."></textarea>
            </div>
    `

```



```

        <div class="form-actions">
            <button type="button" class="cancel-reply-btn">取消
    </button>

            <button type="button" class="submit-reply-btn">發送
    </button>

        </div>
    </div>`;
    return formContainer;
}

function createReplyElement(text) {
    const replyElement = document.createElement('div');
    replyElement.className = 'reply';
    const dateStr = new Date().toLocaleDateString('zh-TW');
    const staticAvatarPath = '/static/image/activity_test.jpg'; // Consistent
avatar path

    replyElement.innerHTML = `
        <div class="user-avatar small"></div>
        <div class="reply-content">
            <div class="reply-header"><span class="user-name">你
    </span><span class="reply-date">${dateStr}</span></div>
            <p>${text}</p>
            <div class="reply-actions"><button class="reply-to-reply">回
    覆</button></div>
        </div>`;
    return replyElement;
}

function createCommentElement(text, commentId) {
    const commentElement = document.createElement('article');
    commentElement.className = 'comment-card';
    const dateStr = new Date().toLocaleDateString('zh-TW');
    const staticAvatarPath = '/static/image/activity_test.jpg'; // Consistent
avatar path

    commentElement.innerHTML = `

```

```

        <div class="comment-header">
            <div class="user-info-container">
                <div class="user-avatar"></div>
                <div class="user-info">
                    <span class="user-name">你</span>
                    <div class="comment-meta">
                        <div class="stars" data-rating="5"></div>
                        <span class="comment-
date">${dateStr}</span>
                    </div>
                </div>
            </div>
            <button class="like-btn" data-comment-
id="${commentId}"><span class="like-icon"><i class="fa-solid fa-thumbs-
up"></i></span><span class="like-count">0</span></button>
        </div>
        <div class="comment-content"><p>${text}</p></div>
        <div class="comment-actions"><button class="reply-btn" data-
comment-id="${commentId}">回覆</button></div>
        <div class="replies-container"></div>`;

```

```

        const starsContainer = commentElement.querySelector('.stars');
        updateStarIcons(starsContainer, 5);
        return commentElement;
    }

```

```

document.querySelectorAll('.stars').forEach(starsContainer => {
    const rating = parseFloat(starsContainer.getAttribute('data-rating'));
    updateStarIcons(starsContainer, rating);
});

```

```

function updateStarIcons(container, rating) {
    if (!container) return;
    container.innerHTML = "";
    for (let i = 1; i <= 5; i++) {
        const star = document.createElement('i');
        if (rating >= i) {

```

```

        star.className = 'fa-solid fa-star';
    } else if (rating > i - 1 && rating < i) {
        star.className = 'fa-solid fa-star-half-stroke';
    } else {
        star.className = 'fa-regular fa-star';
    }
    container.appendChild(star);
}
}
}

const ctaButtons = document.querySelectorAll('.fixed-cta');
ctaButtons.forEach(button => {
    button.addEventListener('click', function() {
        const targetId = this.getAttribute('data-target');
        const targetElement = document.querySelector(targetId);
        if (targetElement) {
            targetElement.scrollIntoView({
                behavior: 'smooth'
            });
        }
    });
});
});
});

```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\js\join.js

//index

```

window.addEventListener('DOMContentLoaded', () => {
    const popupId = sessionStorage.getItem('openPopup');
    if (popupId) {
        const popup = document.getElementById(popupId);
        if (popup) {
            popup.classList.add('active');
            console.log(`自動開啟彈窗: ${popupId}`);
        } else {
            console.warn(`找不到彈窗 ID: ${popupId}`);
        }
    }
});

```

```
        sessionStorage.removeItem('openPopup');
    }
});
```

// join.js - 清理版本，專注於頁面特定功能

```
document.addEventListener('DOMContentLoaded', function() {
    console.log('join.js 已載入');
```

```
    // 初始化頁面功能
    initializeScrollAnimations();
    initializeParallax();
    initializeRandomClouds();
    initializeActivityCards();
});
```

// 滾動動畫

```
function initializeScrollAnimations() {
    const allCards = document.querySelectorAll('.activity-card');

    function checkVisibility() {
        const windowHeight = window.innerHeight;

        allCards.forEach((card, index) => {
            const cardTop = card.getBoundingClientRect().top;

            if (cardTop < windowHeight - 100) {
                setTimeout(() => {
                    card.classList.add('visible');
                }, index * 100); // 錯開動畫時間
            }
        });
    }
}
```

```
// 初始檢查
checkVisibility();

// 滾動事件監聽
window.addEventListener('scroll', checkVisibility);
}

// 背景文字視差效果
function initializeParallax() {
    const bgText = document.querySelector('.bg-text');

    function parallaxScroll() {
        const scrollPosition = window.pageYOffset;
        if (bgText) {
            bgText.style.transform = `translateX(${scrollPosition * -0.1}px)`;
        }
    }

    window.addEventListener('scroll', parallaxScroll);
}

// 初始化活動卡片功能
function initializeActivityCards() {
    // 獲取所有活動卡片
    const activityCards = document.querySelectorAll('.activity-card');

    // 為每個活動卡片添加點擊事件監聽器
    activityCards.forEach(function(card) {
        card.style.cursor = 'pointer'; // 添加手型游標，提示可點擊

        // 確保卡片點擊功能正常
        card.addEventListener('click', function(e) {
            // 如果點擊的是 "我要參加" 按鈕，不執行卡片點擊
            if (e.target.closest('.join-btn')) {
                return;
            }

            // 獲取跳轉 URL（如果有設定 onclick）
```

```

        const clickHandler = this.getAttribute('onclick');
        if (clickHandler) {
            // 執行原本的 onclick 邏輯
            eval(clickHandler);
        }
    });
});

// 防止"我要參加"按鈕冒泡事件
const joinButtons = document.querySelectorAll('.join-btn');
joinButtons.forEach(function(button) {
    button.addEventListener('click', function(e) {
        e.stopPropagation(); // 阻止事件冒泡
        console.log('參加活動:', this.href);
    });
});
}

// 過濾功能
function initializeFilters() {
    const filterItems = document.querySelectorAll('.filter-item');
    const searchBox = document.querySelector('.search-box');
    const activityCards = document.querySelectorAll('.activity-card');

    // 過濾器事件監聽
    filterItems.forEach(filter => {
        filter.addEventListener('change', applyFilters);
    });

    // 搜尋框事件監聽
    if (searchBox) {
        searchBox.addEventListener('input', applyFilters);
    }

    function applyFilters() {
        const searchTerm = searchBox ? searchBox.value.toLowerCase() : '';

        activityCards.forEach(card => {

```

```

        const title = card.querySelector('.activity-
title')?.textContent.toLowerCase() || '';
        const description = card.querySelector('.activity-
description')?.textContent.toLowerCase() || '';
        const location = card.querySelector('.activity-
location')?.textContent.toLowerCase() || '';

        // 檢查是否符合搜尋條件
        const matchesSearch = !searchTerm ||
            title.includes(searchTerm) ||
            description.includes(searchTerm) ||
            location.includes(searchTerm);

        // 顯示或隱藏卡片
        if (matchesSearch) {
            card.style.display = 'block';
            // 重新觸發動畫
            setTimeout(() => {
                card.classList.add('visible');
            }, 100);
        } else {
            card.style.display = 'none';
            card.classList.remove('visible');
        }
    });
}

// 工具函數：獲取活動資料
function getActivityData(card) {
    return {
        title: card.querySelector('.activity-title')?.textContent || '',
        description: card.querySelector('.activity-description')?.textContent || '',
        location: card.querySelector('.activity-location span:last-
child')?.textContent || '',
        time: card.querySelector('.activity-time span:last-child')?.textContent || '',
        participants: card.querySelector('.participant-count')?.textContent || '',
        type: card.querySelector('.activity-tag')?.textContent || ''
    };
}

```

```

    };
}

// 初始化過濾功能（如果需要的話）
// initializeFilters();

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\js\login.js
document.addEventListener('DOMContentLoaded', function() {
    // Toggle password visibility
    const togglePassword = document.getElementById('togglePassword');
    const passwordInput = document.getElementById('password');

    if (togglePassword && passwordInput) {
        togglePassword.addEventListener('click', function() {
            const type = passwordInput.getAttribute('type') === 'password' ?
'text' : 'password';
            passwordInput.setAttribute('type', type);

            // Change the eye icon based on password visibility
            const eyelcon = this.querySelector('img');
            if (eyelcon) {
                if (type === 'password') {
                    eyelcon.src = '../static/image/eye.svg';
                } else {
                    eyelcon.src = '../static/image/eye-slash.svg';
                }
            }
        });
    }

    // Form submission
    const loginForm = document.getElementById('loginForm');
    if (loginForm) {
        loginForm.addEventListener('submit', function(e) {
            e.preventDefault();

            const username = document.getElementById('username').value;

```



```

const password = document.getElementById('password').value;

// Show error message when form is submitted
const errorMessage = document.getElementById('errorMessage');
if (errorMessage) {
    errorMessage.style.display = 'block';
}

// Here you would typically send the data to a server
console.log('Login attempt:', username);

// For demo purposes, simulate a successful login
// Uncomment for actual implementation
// alert('登入成功 ! ');
// Redirect to home page or dashboard
// window.location.href = '/dashboard';
});
}

// Cancel button
const cancelButton = document.querySelector('.btn-cancel');
if (cancelButton) {
    cancelButton.addEventListener('click', function() {
        // Clear form fields
        document.getElementById('username').value = '';
        document.getElementById('password').value = '';

        // Hide error message when cancel is clicked
        const errorMessage = document.getElementById('errorMessage');
        if (errorMessage) {
            errorMessage.style.display = 'none';
        }

        // Or redirect to home page
        // window.location.href = '/';
    });
}

```

```
// Animated background effect enhancement
const waves = document.querySelectorAll('.wave');

// Add random movement to waves for more natural effect
waves.forEach((wave, index) => {
    // Apply slight random variations to each wave's animation
    const randomDelay = Math.random() * 5;
    const randomDuration = 15 + Math.random() * 10;

    wave.style.animationDelay = `${randomDelay}s`;
    wave.style.animationDuration = `${randomDuration}s`;
});
});

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\js\navbar.js
// navbar.js - 包含桌面和手機菜單功能

// 監聽滾動事件
window.addEventListener('scroll', function() {
    const navbar = document.getElementById('navbar');

    // 當滾動超過 50px 時，切換到滾動狀態的導航欄
    if (window.scrollY > 50) {
        navbar.classList.remove('navbar-initial');
        navbar.classList.add('navbar-scrolled');
    } else {
        navbar.classList.add('navbar-initial');
        navbar.classList.remove('navbar-scrolled');
    }
});

// 使用者菜單功能
document.addEventListener('DOMContentLoaded', function() {
    console.log('navbar.js 已載入');

    // 初始化用戶菜單
    initializeUserMenu();
});
```

```
// 初始化手機菜單
initializePhoneMenu();
});

// 初始化用戶菜單功能
function initializeUserMenu() {
    // 獲取元素
    const userMenuButton = document.getElementById('userMenuButton');
    const userDropdown = document.getElementById('userDropdown');

    if (!userMenuButton || !userDropdown) {
        console.log('桌面用戶菜單元素未找到（可能是手機版）');
        return;
    }

    // 點擊用戶圖標顯示/隱藏下拉菜單
    userMenuButton.addEventListener('click', function(e) {
        e.stopPropagation(); // 防止點擊事件傳播
        console.log('切換用戶下拉菜單');
        userDropdown.classList.toggle('show');
    });

    // 點擊頁面其他部分關閉下拉菜單
    document.addEventListener('click', function(e) {
        if (!userMenuButton.contains(e.target)
        && !userDropdown.contains(e.target)) {
            userDropdown.classList.remove('show');
        }
    });

    // ESC 鍵關閉下拉菜單
    document.addEventListener('keydown', function(e) {
        if (e.key === 'Escape' && userDropdown.classList.contains('show')) {
            userDropdown.classList.remove('show');
        }
    });
});
```

```

// 處理下拉菜單項目點擊
const dropdownItems = userDropdown.querySelectorAll('.dropdown-item');
dropdownItems.forEach(item => {
    item.addEventListener('click', function(e) {
        // 如果是登入按鈕，讓 login_pop.js 處理
        if (this.id === 'loginButton') {
            // 隱藏下拉菜單
            userDropdown.classList.remove('show');
            // 其他邏輯由 login_pop.js 處理
            return;
        }

        // 其他菜單項目的處理
        console.log('點擊菜單項目:', this.textContent);
        userDropdown.classList.remove('show');
    });
});
}

// 初始化手機菜單功能
function initializePhoneMenu() {
    // 獲取元素
    const phoneMenuButton = document.getElementById('phoneMenuButton');
    const phoneMenuOverlay = document.getElementById('phoneMenuOverlay');
    const phoneDropdown = document.getElementById('phoneDropdown');
    const phoneMenuClose = document.getElementById('phoneMenuClose');

    if (!phoneMenuButton || !phoneMenuOverlay || !phoneDropdown
    || !phoneMenuClose) {
        console.log('手機菜單元素未找到（可能是桌面版）');
        return;
    }

    // 點擊菜單按鈕打開菜單
    phoneMenuButton.addEventListener('click', function(e) {
        e.stopPropagation();
        console.log('打開手機菜單');
        openPhoneMenu();
    });
}

```

```

});

// 點擊關閉按鈕
phoneMenuClose.addEventListener('click', function(e) {
    e.stopPropagation();
    console.log('關閉手機菜單');
    closePhoneMenu();
});

// 點擊覆蓋層關閉菜單
phoneMenuOverlay.addEventListener('click', function() {
    console.log('點擊覆蓋層關閉菜單');
    closePhoneMenu();
});

// ESC 鍵關閉菜單
document.addEventListener('keydown', function(e) {
    if (e.key === 'Escape' && phoneDropdown.classList.contains('show')) {
        closePhoneMenu();
    }
});

// 處理手機菜單項目點擊
const phoneDropdownItems = phoneDropdown.querySelectorAll('a');
phoneDropdownItems.forEach(item => {
    item.addEventListener('click', function(e) {
        // 如果是登入按鈕，讓 login_pop.js 處理
        if (this.id === 'phoneLoginButton') {
            // 關閉手機菜單
            closePhoneMenu();
            // 其他邏輯由 login_pop.js 處理
            return;
        }

        // 其他菜單項目的處理
        console.log('點擊手機菜單項目:', this.textContent);

        // 如果是內部連結，關閉菜單
    });
});

```

```
        if (this.href && !this.href.includes('#')) {
            closePhoneMenu();
        }
    });
});

// 防止菜單面板內部點擊關閉菜單
phoneDropdown.addEventListener('click', function(e) {
    e.stopPropagation();
});
}

// 打開手機菜單
function openPhoneMenu() {
    const phoneMenuOverlay = document.getElementById('phoneMenuOverlay');
    const phoneDropdown = document.getElementById('phoneDropdown');

    if (phoneMenuOverlay && phoneDropdown) {
        phoneMenuOverlay.classList.add('show');
        phoneDropdown.classList.add('show');

        // 防止背景滾動
        document.body.style.overflow = 'hidden';
    }
}

// 關閉手機菜單
function closePhoneMenu() {
    const phoneMenuOverlay = document.getElementById('phoneMenuOverlay');
    const phoneDropdown = document.getElementById('phoneDropdown');

    if (phoneMenuOverlay && phoneDropdown) {
        phoneMenuOverlay.classList.remove('show');
        phoneDropdown.classList.remove('show');

        // 恢復背景滾動
        document.body.style.overflow = '';
    }
}
```

```
}
```

```
// 工具函數：手動顯示用戶下拉菜單
```

```
function showUserDropdown() {  
    const userDropdown = document.getElementById('userDropdown');  
    if (userDropdown) {  
        userDropdown.classList.add('show');  
    }  
}
```

```
// 工具函數：手動隱藏用戶下拉菜單
```

```
function hideUserDropdown() {  
    const userDropdown = document.getElementById('userDropdown');  
    if (userDropdown) {  
        userDropdown.classList.remove('show');  
    }  
}
```

```
// 視窗大小改變時處理
```

```
window.addEventListener('resize', function() {  
    // 如果切換到桌面版，關閉手機菜單  
    if (window.innerWidth > 768) {  
        closePhoneMenu();  
    }  
});
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\js\personal.js
```

```
function initializeParallax() {  
    const bgText = document.querySelector('.bg-text');  
  
    function parallaxScroll() {  
        const scrollPosition = window.pageYOffset;  
        if (bgText) {  
            bgText.style.transform = `translateX(${scrollPosition * -0.7}px)`;  
        }  
    }  
}
```

```

    window.addEventListener('scroll', parallaxScroll);
}

window.addEventListener('DOMContentLoaded', function () {
    initializeParallax(); // <== 確保執行初始化
});

// 學分進度條
const segments = document.querySelectorAll('.progress-segment');
const tooltip = document.getElementById('tooltip');

segments.forEach(segment => {
    segment.addEventListener('mouseenter', function(e) {
        const tooltipText = this.getAttribute('data-tooltip');
        if (tooltipText && this.style.width !== '0%') {
            tooltip.textContent = tooltipText;
            tooltip.classList.add('show');

            // 計算 tooltip 位置
            const rect = this.getBoundingClientRect();
            const containerRect = this.closest('.profile-
item').getBoundingClientRect();

            const left = rect.left - containerRect.left + (rect.width / 2);
            tooltip.style.left = left + 'px';
            tooltip.style.transform = `translateX(-90%) translateY(6px)`;
        }
    });

    segment.addEventListener('mouseleave', function() {
        tooltip.classList.remove('show');
    });
});

// 页面加载时触发动画
window.addEventListener('load', function() {
    const segments = document.querySelectorAll('.progress-segment.animate');

```



```

    segments.forEach((segment, index) => {
      setTimeout(() => {
        segment.style.animationDelay = `${index * 0.2}s`;
      }, 100);
    });
  });
  document.addEventListener('DOMContentLoaded', function() {
    segments.forEach(segment => {
      if (segment.style.width === '0%') {
        segment.style.pointerEvents = 'none';
      }
    });
  });
});

```

// 日期相關函數

// 全域狀態

let calendarYear, calendarMonth;

let todoEvents = [];

function pad2(n) { return n < 10 ? '0' + n : '' + n; }

function getCurrentMonthYearObj() {

const now = new Date();

return { year: now.getFullYear(), month: now.getMonth() + 1 };

}

function getMonthYearText(year, month) {

return `\${year}年\${month}月`;

}

function updateCurrentMonth() {

document.getElementById('currentMonth').textContent =
 getMonthYearText(calendarYear, calendarMonth);
}

function renderCalendar(year, month) {

```
const firstDay = new Date(year, month - 1, 1).getDay();
const daysInMonth = new Date(year, month, 0).getDate();
const prevMonthDays = new Date(year, month - 1, 0).getDate();
const calendarBody = document.getElementById('calendarBody');
calendarBody.innerHTML = '';
```

```
let row = document.createElement('tr');
// 上月補空格
for (let i = 0; i < firstDay; i++) {
    const td = document.createElement('td');
    td.className = 'other-month';
    td.textContent = prevMonthDays - firstDay + i + 1;
    row.appendChild(td);
}
```

```
let day = 1;
for (let i = firstDay; i < 7; i++) {
    const td = document.createElement('td');
    td.textContent = day++;
    row.appendChild(td);
}
calendarBody.appendChild(row);
```

```
// 其餘日期
let nextMonthDay = 1;
while (day <= daysInMonth) {
    row = document.createElement('tr');
    for (let i = 0; i < 7; i++) {
        const td = document.createElement('td');
        if (day > daysInMonth) {
            td.className = 'other-month';
            td.textContent = nextMonthDay++;
        } else {
            td.textContent = day++;
        }
        row.appendChild(td);
    }
    calendarBody.appendChild(row);
}
```

```

    }

    // 填入事件
    renderCalendarEvents();
}

function renderCalendarEvents() {
    // 新增：點擊事件讓點擊有事件的 td 滾動到詳細卡片
    setTimeout(function() {
        const calendarBody = document.getElementById('calendarBody');
        if (!calendarBody) return;
        calendarBody.querySelectorAll('td').forEach(td => {
            td.removeEventListener('click', td.__scrollToDetailHandler);
            td.__scrollToDetailHandler = function(e) {
                // 只對本月且有 .event 的 td 作用
                if (td.classList.contains('other-month')) return;
                if (!td.querySelector('.event')) return;
                const detailCard = document.querySelector('.detail-card');
                if (detailCard) {
                    detailCard.style.display = '';
                    detailCard.scrollIntoView({behavior: 'smooth'});
                }
            };
            td.addEventListener('click', td.__scrollToDetailHandler);
        });
    }, 0);

    // 只顯示當月事件
    const calendarBody = document.getElementById('calendarBody');
    if (!calendarBody) return;
    const tds = calendarBody.querySelectorAll('td');
    tds.forEach(td => {
        // 移除舊事件
        td.querySelectorAll('.event').forEach(ev => ev.remove());
        // 只處理本月
        if (td.classList.contains('other-month')) return;
        const day = parseInt(td.childNodes[0]?.nodeValue?.trim());
    });
}

```

```

    if (!day) return;
    const events = todoEvents.filter(ev => ev.year === calendarYear &&
ev.month === calendarMonth && ev.day === day);
    events.forEach(ev => {
        const eventDiv = document.createElement('div');
        eventDiv.className = 'event';
        eventDiv.textContent = ev.text;
        // 勾選完成的任務加 event-completed
        const todoCheckbox = Array.from(document.querySelectorAll('.todo-
list label')).find(label => label.textContent === ev.text)?.previousElementSibling;
        if (todoCheckbox && todoCheckbox.checked) {
            eventDiv.classList.add('event-completed');
        }
        td.appendChild(eventDiv);
    });
});
}

```

```

function setCalendarMonth(year, month) {
    calendarYear = year;
    calendarMonth = month;
    updateCurrentMonth();
    renderCalendar(year, month);
    updateTaskDatePickerMonth(year, month);
}

```

```

function updateTaskDatePickerMonth(year, month) {
    const monthDisplay = document.getElementById('taskDateMonth');
    if (monthDisplay) {
        monthDisplay.textContent = getMonthYearText(year, month);
    }
    // 設定 input[type=date] min/max
    const min = `${year}-${pad2(month)}-01`;
    const max = `${year}-${pad2(month)}-${pad2(new Date(year, month,
0).getDate())}`;
    const dateInput = document.getElementById('taskDate');
    if (dateInput) {
        dateInput.setAttribute('min', min);
    }
}

```

```

        dateInput.setAttribute('max', max);
        // 若目前日期不在範圍，重設
        if (dateInput.value < min || dateInput.value > max) dateInput.value = '';
    }
}

// 初始化月份狀態
(function() {
    const now = getCurrentMonthYearObj();
    calendarYear = now.year;
    calendarMonth = now.month;
})();

// 初始化頁面
let selectedDay = null;
function initCalendarPage() {
    updateCurrentMonth();
    renderCalendar(calendarYear, calendarMonth);

    // 日曆左右切換
    const prevMonthBtn = document.getElementById('prevMonth');
    const nextMonthBtn = document.getElementById('nextMonth');

    if (prevMonthBtn) {
        prevMonthBtn.onclick = () => {
            if (calendarMonth === 1) {
                calendarYear--;
                calendarMonth = 12;
            } else {
                calendarMonth--;
            }
            setCalendarMonth(calendarYear, calendarMonth);
            selectedDay = null;
            updateSelectedDateDisplay();
            bindCalendarDayClick();
        };
    }
}

```

```

if (nextMonthBtn) {
  nextMonthBtn.onclick = () => {
    if (calendarMonth === 12) {
      calendarYear++;
      calendarMonth = 1;
    } else {
      calendarMonth++;
    }
    setCalendarMonth(calendarYear, calendarMonth);
    selectedDay = null;
    updateSelectedDateDisplay();
    bindCalendarDayClick();
  };
}

bindCalendarDayClick();
}

function bindCalendarDayClick() {
  // 只給本月的 td 綁定點擊
  document.querySelectorAll('#calendarBody td').forEach(td => {
    if (!td.classList.contains('other-month')) {
      td.style.cursor = 'pointer';
      td.onclick = function() {
        selectedDay = parseInt(td.childNodes[0]?.nodeValue?.trim());
        updateSelectedDateDisplay();
        // 高亮顯示
        document.querySelectorAll('#calendarBody td').forEach(t =>
t.classList.remove('selected-calendar-day'));
        td.classList.add('selected-calendar-day');
        showDetailCard();
        // 動畫：確保卡片顯示後再滾動
        setTimeout(function() {
          const detailCard = document.querySelector('.detail-card');
          if (detailCard) {
            detailCard.scrollIntoView({behavior: 'smooth'});
          }
        }, 100);
      };
    }
  });
}

```

```

        };
    } else {
        td.onclick = null;
        td.style.cursor = "";
    }
});
}

```

// 顯示詳細資訊卡片，隱藏待辦事項卡片，並載入該天事項

```

function showDetailCard() {
    const todoCard = document.querySelector('.todo-card');
    const detailCard = document.querySelector('.detail-card');

    if (todoCard) todoCard.style.display = 'none';
    if (detailCard) detailCard.style.display = 'block';

    const titleElement = document.getElementById('detailCardTitle');
    const dateElement = document.getElementById('detailCardDate');

    if (titleElement) titleElement.textContent = '詳細資訊';
    if (dateElement) dateElement.textContent =
`${calendarYear}.${calendarMonth}.${selectedDay}`;

    const ul = document.querySelector('.detail-todo-list');
    if (ul) {
        ul.innerHTML = "";
        const events = todoEvents.filter(ev => ev.year === calendarYear &&
ev.month === calendarMonth && ev.day === selectedDay);
        if (events.length === 0) {
            ul.innerHTML = '<li style="padding: 20px; text-align: center; color:
#999;">尚無事項</li>';
        } else {
            events.forEach((ev, idx) => {
                const taskId = `detail-task-${idx}`;

                // 建立 li 待辦項目

```

```

const li = document.createElement('li');
li.className = 'todo-item';
li.innerHTML = `
    <input type="checkbox" id="${taskId}">
    <label for="${taskId}">${ev.title || ev.text}</label>
    <span class="todo-status" data-
original="${ev.month}/${ev.day}">${ev.month}/${ev.day}</span>
    <button class="delete-task-btn" title="刪除事項">x</button>
`;
ul.appendChild(li);

// 建立說明容器（分開 append）
let detailDiv = null;
if (ev.description) {
    detailDiv = document.createElement('div');
    detailDiv.className = 'todo-detail-container';
    detailDiv.innerHTML = `
        <div class="todo-detail-label">詳細說明</div>
        <div class="todo-detail-box">${ev.description}</div>
    `;
    ul.appendChild(detailDiv);

    // 是否預設收起（若已完成）
    if (ev.completed) {
        detailDiv.classList.add('collapsed');
    }

    // 點擊 todo-item 時 toggle 展開/收起
    li.addEventListener('click', function (e) {
        // 避免點到 checkbox、刪除鍵時也觸發 toggle
        if (e.target.tagName === 'INPUT' || e.target.tagName ===
'BUTTON') return;

        detailDiv.classList.toggle('collapsed');
    });
}

const checkbox = li.querySelector('input[type="checkbox"]');
const statusSpan = li.querySelector('.todo-status');

```



```

const deleteBtn = li.querySelector('.delete-task-btn');

deleteBtn.addEventListener('click', function () {
    if (confirm('確定要刪除此待辦事項嗎？')) {
        todoEvents = todoEvents.filter(item => item !== ev);
        showDetailCard();
        updateTodoList();
        renderCalendarEvents();
    }
});

if (ev.completed) {
    li.classList.add('completed');
    checkbox.checked = true;
    statusSpan.textContent = '已完成';
}

checkbox.addEventListener('change', function () {
    if (this.checked) {
        li.classList.add('completed');
        statusSpan.textContent = '已完成';
        markCalendarEventCompleted(ev.text, true);
        updateTaskCompletion(ev.text, true);

        // 自動收起詳細說明（如存在）
        if (detailDiv) {
            detailDiv.classList.add('collapsed');
        }
    } else {
        li.classList.remove('completed');
        statusSpan.textContent = statusSpan.getAttribute('data-
original');

        markCalendarEventCompleted(ev.text, false);
        updateTaskCompletion(ev.text, false);
    }
});
});

```

```

    }
  }

  updateTodoList();
}

// 重新渲染主待辦事項卡片的列表
function updateTodoList() {
  const todoUl = document.querySelector('.todo-list');
  if (!todoUl) return;
  todoUl.innerHTML = "";
  if (todoEvents.length === 0) {
    todoUl.innerHTML = '<li class="todo-item" style="padding: 20px; text-align: center; color: #999;">尚無待辦事項</li>';
  } else {
    todoEvents.forEach((ev, idx) => {
      const taskId = 'task' + (idx + 1);
      const li = document.createElement('li');
      li.className = 'todo-item';
      li.innerHTML = `
        <input type="checkbox" id="${taskId}">
        <label for="${taskId}">${ev.text}</label>
        <span class="todo-status" data-
original="${ev.month}/${ev.day}">${ev.month}/${ev.day}</span>
        <button class="delete-task-btn" title="刪除事項">x</button>
      `;
      todoUl.appendChild(li);

      const checkbox = li.querySelector('input[type="checkbox"]');
      const statusSpan = li.querySelector('.todo-status');
      const deleteBtn = li.querySelector('.delete-task-btn');

      deleteBtn.addEventListener('click', function () {

```

```

        if (confirm('確定要刪除此待辦事項嗎？')) {
            // 從陣列中移除
            todoEvents = todoEvents.filter(item => item !== ev);
            updateTodoList();
            renderCalendarEvents();
        }
    });

    if (ev.completed) {
        li.classList.add('completed');
        checkbox.checked = true;
        statusSpan.textContent = '已完成';
    }

    checkbox.addEventListener('change', function () {
        if (checkbox.checked) {
            li.classList.add('completed');
            statusSpan.textContent = '已完成';
            markCalendarEventCompleted(ev.text, true);
            updateTaskCompletion(ev.text, true);
        } else {
            li.classList.remove('completed');
            statusSpan.textContent = statusSpan.getAttribute('data-
original');

            markCalendarEventCompleted(ev.text, false);
            updateTaskCompletion(ev.text, false);
        }
        renderCalendarEvents();
    });
});
}
}

```

// 標記行事曆事件完成/取消

```

function markCalendarEventCompleted(eventText, completed) {
    const calendarBody = document.getElementById('calendarBody');
    if (!calendarBody) return;

```

```

const tds = calendarBody.querySelectorAll('td');
tds.forEach(td => {
    td.querySelectorAll('.event').forEach(ev => {
        if (ev.textContent === eventText) {
            if (completed) {
                ev.classList.add('event-completed');
            } else {
                ev.classList.remove('event-completed');
            }
        }
    });
});
}

function updateTaskCompletion(taskText, completed) {
    for (let ev of todoEvents) {
        if (ev.text === taskText) {
            ev.completed = completed;
            break;
        }
    }
}

function updateSelectedDateDisplay() {
    const display = document.getElementById('selectedDateDisplay');
    const newTaskInput = document.getElementById('newTask');
    if (selectedDay) {
        if (display) {
            display.style.display = 'block';
            display.textContent =
`${calendarYear}.${calendarMonth}.${selectedDay}`;
        }
        if (newTaskInput) newTaskInput.placeholder = '添加新的待辦事項...';
    } else {
        if (display) display.style.display = 'none';
        if (newTaskInput) newTaskInput.placeholder = '請點選左方日期';
    }
    if (newTaskInput) newTaskInput.value = '';
}

```

```
// 待辦事項相關函數
function addNewTask() {
    const newTaskInput = document.getElementById('newTask');
    if (!newTaskInput) return;

    const taskText = newTaskInput.value.trim();
    if (!selectedDay) {
        alert('請先點選左側日曆日期');
        return;
    }
    if (taskText === '') return;

    let dueDateStr = `${calendarMonth}/${selectedDay}`;

    todoEvents.push({
        year: calendarYear,
        month: calendarMonth,
        day: selectedDay,
        text: taskText,
        completed: false
    });

    newTaskInput.value = '';
    renderCalendarEvents();
    updateTodoList();

    // 添加任務完成事件監聽
    const checkbox = li.querySelector('input[type="checkbox"]');
    const statusSpan = li.querySelector('.todo-status');
    checkbox.addEventListener('change', function() {
        if (this.checked) {
            li.classList.add('completed');
            statusSpan.textContent = '已完成';
            updateTaskCompletion(ev.text, true);
            // 行事曆該事件變灰底
        }
    });
}
```

```

        markCalendarEventCompleted(taskText, true);
    } else {
        li.classList.remove('completed');
        statusSpan.textContent = statusSpan.getAttribute('data-original') ||
dueDateStr;
        updateTaskCompletion(ev.text, false);
        markCalendarEventCompleted(taskText, false);
    }
});
}

// 新增詳細資訊卡片的待辦事項
// 確保 DOMContentLoaded 後再綁定事件
window.addEventListener('DOMContentLoaded', function () {
    const addDetailBtn = document.getElementById('addDetailTask');
    if (addDetailBtn) {
        addDetailBtn.addEventListener('click', function () {
            // 新增：點擊新增事項後滾動回行事曆
            setTimeout(function() {
                const calendarCard = document.querySelector('.calendar-card');
                if (calendarCard) {
                    calendarCard.scrollIntoView({behavior: 'smooth'});
                }
            }, 350); // 稍微延遲，讓新增動畫/渲染完成

            const titleInput = document.getElementById('newDetailTaskTitle');
            const descriptionInput =
document.getElementById('newDetailTaskDescription');

            if (!titleInput) {
                console.error('找不到標題輸入框');
                return;
            }

            const title = titleInput.value.trim();
            const description = descriptionInput ? descriptionInput.value.trim() :
";

```

```

    if (!selectedDay) {
        alert('請先點選左側日曆日期');
        return;
    }
    if (!title) {
        alert('請輸入待辦事項標題');
        return;
    }

    let taskText = title;

    todoEvents.push({
        year: calendarYear,
        month: calendarMonth,
        day: selectedDay,
        text: taskText,
        title: title,
        description: description,
        completed: false
    });

    titleInput.value = "";
    if (descriptionInput) descriptionInput.value = "";

    showDetailCard();
    renderCalendarEvents();
});
}

const backBtn = document.getElementById('backToTodo');
if (backBtn) {
    backBtn.addEventListener('click', function () {
        const detailCard = document.querySelector('.detail-card');
        const todoCard = document.querySelector('.todo-card');
        if (detailCard) detailCard.style.display = 'none';
        if (todoCard) todoCard.style.display = 'block';

        updateTodoList();
    });
}

```

```

    });
}

const clearBtn = document.getElementById('clearDetailForm');
if (clearBtn) {
    clearBtn.addEventListener('click', function () {
        const titleInput = document.getElementById('newDetailTaskTitle');
        const descriptionInput =
document.getElementById('newDetailTaskDescription');
        if (titleInput) titleInput.value = '';
        if (descriptionInput) descriptionInput.value = '';
        if (titleInput) titleInput.focus();
    });
}

const titleInput = document.getElementById('newDetailTaskTitle');
if (titleInput) {
    titleInput.addEventListener('keypress', function (e) {
        if (e.key === 'Enter') {
            const descriptionInput =
document.getElementById('newDetailTaskDescription');
            if (descriptionInput) {
                descriptionInput.focus();
            }
        }
    });
}

const descriptionInput =
document.getElementById('newDetailTaskDescription');
if (descriptionInput) {
    descriptionInput.addEventListener('keypress', function (e) {
        if (e.key === 'Enter' && e.ctrlKey) {
            const addBtn = document.getElementById('addDetailTask');
            if (addBtn) {
                addBtn.click();
            }
        }
    });
}

```



```

    });
}

initCalendarPage();

// User name edit logic (no HTML change, pure JS)
(function() {
    document.addEventListener('DOMContentLoaded', function() {
        const userNameDiv = document.querySelector('.profile-image .user-
name');
        const editBtn = document.querySelector('.profile-image .btn-secondary');
        let editing = false;
        let inputEl = null;
        if (userNameDiv && editBtn) {
            editBtn.addEventListener('click', function () {
                if (!editing) {
                    // Create input
                    inputEl = document.createElement('input');
                    inputEl.type = 'text';
                    inputEl.className = 'user-name-input';
                    inputEl.value = userNameDiv.textContent.trim();
                    inputEl.style.width = '100%';
                    inputEl.style.marginTop = '8px';
                    inputEl.maxLength = 20;
                    userNameDiv.style.display = 'none';
                    userNameDiv.parentNode.insertBefore(inputEl, editBtn);
                    inputEl.focus();
                    editBtn.textContent = '儲存';
                    editing = true;

                    // Save on blur or enter
                    function saveName() {
                        userNameDiv.textContent = inputEl.value.trim() ||
userNameDiv.textContent;
                        userNameDiv.style.display = '';
                        inputEl.remove();
                        editBtn.textContent = '編輯資料';
                        editing = false;
                    }
                }
            });
        }
    });
})();

```



```

        redirect();
    }
};

if (viewer) {
    // 設定保險機制：載入後不管如何都要跳轉
    viewer.addEventListener('load', () => {
        console.log('Spline viewer loaded.');
```

setTimeout(tryRedirect, REDIRECT_DELAY);

```
    });

    // 確保即使 load 事件未觸發，也能在 10 秒後跳轉（保險計時器）
    setTimeout(() => {
        console.warn('Fallback timeout reached, forcing redirect.');
```

tryRedirect();

```
    }, 7000);

    // 點擊立即跳轉
    viewer.addEventListener('click', () => {
        console.log('User clicked, skipping animation.');
```

tryRedirect();

```
    });
} else {
    console.error('spline-viewer not found, fallback redirect in 5s.');
```

setTimeout(tryRedirect, FALLBACK_DELAY);

```

}
});

```

```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\static\js\welcome.js
const MOBILE_MAX = 768;
function maybeRedirectToMobile() {
    if (window.innerWidth <= MOBILE_MAX
    && !window.location.pathname.includes('welcome_mo')) {
        window.location.replace('/welcome_mo/');
    }
}
maybeRedirectToMobile();

```

```

window.addEventListener('resize', () => {
  maybeRedirectToMobile();
});

document.addEventListener('DOMContentLoaded', function () {
  const viewer = document.querySelector('spline-viewer');
  const REDIRECT_DELAY = 800; // 毫秒延遲
  const FALLBACK_DELAY = 2000; // 如果未載入 spline-viewer，5 秒後跳轉
  const redirect = () => window.location.replace('/index/');
  let redirected = false;

  const tryRedirect = () => {
    if (!redirected) {
      redirected = true;
      console.log('Redirecting to /index/');
      redirect();
    }
  };

  if (viewer) {
    // 設定保險機制：載入後不管如何都要跳轉
    viewer.addEventListener('load', () => {
      console.log('Spline viewer loaded.');
```

setTimeout(tryRedirect, REDIRECT_DELAY);

```

    });

    // 確保即使 load 事件未觸發，也能在 10 秒後跳轉（保險計時器）
    setTimeout(() => {
      console.warn('Fallback timeout reached, forcing redirect.');
```

tryRedirect();

```

    }, 7000);

    // 點擊立即跳轉
    viewer.addEventListener('click', () => {
      console.log('User clicked, skipping animation.');
```

tryRedirect();

```

    });
  } else {

```

```

        console.error('spline-viewer not found, fallback redirect in 5s.');
```

```

        setTimeout(tryRedirect, FALLBACK_DELAY);
    }
});
```

#C:\Users\gaoxu\OneDrive\桌面

\11056030_SSAE\web_app\templates\pop_window\comment_pop.html

```

<div id="rating-modal" class="modal">
    <div class="modal-content">
        <span class="modal-close">&times;</span>
        <h2>評分選項</h2>
        <div class="modal-course-info">
            <h3 class="modal-course-name"></h3>
            <p class="modal-course-teacher"></p>
        </div>
        <div class="modal-options">
            <div class="modal-rating-option">
                <h4>快速五星評分</h4>
                <div class="modal-rating">
                    <div class="modal-stars">
                        <i class="far fa-star" data-value="1"></i>
                        <i class="far fa-star" data-value="2"></i>
                        <i class="far fa-star" data-value="3"></i>
                        <i class="far fa-star" data-value="4"></i>
                        <i class="far fa-star" data-value="5"></i>
                    </div>
                    <div class="rating-display">0.0</div>
                    <input type="hidden" id="modal-rating-value" value="0">
                </div>
                <button class="submit-rating-btn">提交評分</button>
            </div>
            <div class="modal-divider"></div>
            <div class="modal-full-option">
                <h4>撰寫完整評論</h4>
                <p>前往評論頁面撰寫詳細的課程評價</p>
                <a id="full-comment-btn" href="/add_comment/" class="full-
comment-btn">前往評論頁面</a>
```

```
        </div>
    </div>
</div>
</div>
```

#C:\Users\gaoxu\OneDrive\桌面

\11056030_SSAE\web_app\templates\pop_window\join_pop.html

<!-- join_pop.html - 發起揪團彈跳視窗 -->

```
<div class="upload-form" id="uploadForm">
    <div class="upload-container">
        <div class="upload-header">
            <div class="upload-title">發起揪團</div>
            <button class="close-btn" id="closeUploadBtn">&times;</button>
        </div>

        <form id="create-group-form">
            <div class="form-group">
                <label for="activity-title" class="form-label">活動標題</label>
                <input type="text" id="activity-title" class="form-input"
placeholder="請輸入活動標題（最多 30 字）" maxlength="30" required>
            </div>

            <div class="form-row">
                <div class="form-col">
                    <div class="form-group">
                        <label for="activity-type" class="form-label">活動類型
</label>

                        <select id="activity-type" class="form-select" required>
                            <option value="" disabled selected>請選擇活動類
型</option>

                            <option value="food">美食</option>
                            <option value="sport">運動</option>
                            <option value="study">讀書</option>
                            <option value="travel">旅遊</option>
                            <option value="movie">電影</option>
                            <option value="other">其他</option>
```

```

        </select>
    </div>
</div>
<div class="form-col">
    <div class="form-group">
        <label for="activity-location" class="form-label">活動
地點</label>
        <input type="text" id="activity-location" class="form-
input" placeholder="請輸入活動地點" required>
    </div>
</div>
</div>

<div class="form-row">
    <div class="form-col">
        <div class="form-group">
            <label for="activity-date" class="form-label">活動日期
</label>
            <input type="date" id="activity-date" class="form-
input" required>
        </div>
    </div>
    <div class="form-col">
        <div class="form-group">
            <label for="activity-time" class="form-label">活動時間
</label>
            <input type="time" id="activity-time" class="form-
input" required>
        </div>
    </div>
</div>

<div class="form-row">
    <div class="form-col">
        <div class="form-group">
            <label for="min-participants" class="form-label">最少
參加人數</label>
            <input type="number" id="min-participants">

```

```
class="form-input" min="2" value="2" required>
    <div class="help-text">若未達最少人數，活動將被取消</div>
    </div>
</div>
<div class="form-col">
    <div class="form-group">
        <label for="max-participants" class="form-label">最多
參加人數</label>
        <input type="number" id="max-participants"
class="form-input" min="2" value="10" required>
        </div>
    </div>
</div>

<div class="form-group">
    <label for="activity-description" class="form-label">活動說明
</label>
    <textarea id="activity-description" class="form-textarea"
placeholder="請詳細描述活動內容、準備物品、費用說明等資訊..."
required></textarea>
</div>

<div class="form-group">
    <label class="form-label">活動封面圖片</label>
    <div class="image-upload-container" id="image-upload-area">
        <div class="image-upload-icon"><i class="fa-solid fa-
camera"></i></div>
        <div class="image-upload-text">點擊上傳圖片或拖曳圖片
至此處</div>
    </div>
    <div class="help-text">建議尺寸：800x400 像素，檔案大小不
超過 2MB</div>
</div>

<div class="form-group">
    <label for="activity-deadline" class="form-label">報名截止日期
</label>
```



```

        <input type="date" id="activity-deadline" class="form-input"
required>
        <div class="help-text">報名截止日期必須早於活動日期</div>
    </div>

    <div class="form-group">
        <label for="contact-info" class="form-label">聯絡方式（選填）
    </label>
        <input type="text" id="contact-info" class="form-input"
placeholder="LINE ID、IG、電話等，方便參加者聯繫">
    </div>

    <div class="preview-section">
        <div class="preview-title">
            <span class="preview-icon"><i class="fa-solid fa-
eye"></i></span>
            活動預覽
        </div>
        <div class="preview-card">
            <div class="preview-image">
                圖片預覽區域
            <div class="preview-tag" id="preview-tag">活動類型
        </div>
        </div>
        <div class="preview-content">
            <h3 class="preview-activity-title" id="preview-title">活
動標題</h3>
            <div class="preview-info">
                <div class="preview-location">
                    <span class="location-icon"><i class="fa-solid
fa-map-pin"></i></span>
                    <span id="preview-location">活動地點
                </span>
                </div>
                <div class="preview-time">
                    <span class="time-icon"><i class="fa-solid fa-
clock"></i></span>
                    <span id="preview-time">活動時間</span>

```

```

        </div>
    </div>
    <p class="preview-description" id="preview-
description">活動說明將顯示在這裡...</p>
    </div>
</div>
</div>

<div class="buttons-container">
    <button type="button" class="cancel-btn" id="cancel-create-
btn">取消</button>
    <button type="submit" class="submit-btn">發布活動</button>
</div>
</form>
</div>
</div>
<script src="https://kit.fontawesome.com/9e4db15554.js"
crossorigin="anonymous"></script>

```

```

#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\templates\pop_window\login_pop.html
<!-- login_pop.html - 登入彈跳視窗 -->
<div id="loginModal" class="login-modal">
    <div class="login-container">
        <span class="close-modal">&times;</span>
        <div class="login-sidebar">
            <h2>登入</h2>
            <div class="sidebar-text">
                請使用學校帳號進行登入
            </div>
        </div>
        <div class="login-form">
            <form id="loginForm">
                <div class="login-buttons">
                    <a class="other-login-btn" href="{% url 'social:begin'
'google-oauth2' %}?prompt=select_account">
                        
    </a>
</div>
</form>
</div>
</div>
</div>
```

```
#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\templates\add_comment.html
{% extends 'navbar.html' %}
```

```
{% block title %}新增評論{% endblock %}
```

```
{% block lang %}zh{% endblock %}
```

```
{% load static %}
```

```
{% block css %}
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">
<link rel="stylesheet" href="{% static 'css/add_comment.css' %}">
{% endblock %}
```

```
{% block content %}
<div style="margin-top: 80px;"></div>
<div class="comment-container">
```

```
    <div class="back-button" onclick="history.back()">
        <a href="#">返回</a>
    </div>
```

```
    <form method="POST" class="comment-form" id="commentForm"
onsubmit="return confirmSubmission()">
        {% csrf_token %}
        <div class="form-row">
            <div class="form-col-left">
```

```
<div class="form-group">
  <label for="school_year">學年度</label>
  <select id="school_year" name="school_year" class="form-
control">

    <option value="">選擇學年度</option>
    <option value="112">112</option>
    <option value="111">111</option>
    <option value="110">110</option>
    <option value="109">109</option>
    <option value="108">108</option>
    <option value="107">107</option>
    <option value="106">106</option>
    <option value="105">105</option>
    <option value="104">104</option>
    <option value="103">103</option>
    <option value="102">102</option>
    <option value="101">101</option>
    <option value="100">100</option>

  </select>
</div>
```

```
<div class="form-group">
  <label for="category">學制</label>
  <select id="category" name="category" class="form-
control">

    <option value="">學制</option>
    <option value="進四技">進四技</option>
    <option value="五專">五專</option>
    <option value="二技">二技</option>

  </select>
</div>
```

```
<div class="form-group">
  <label for="class_info">選擇班級</label>
  <select id="class_info" name="class_info" class="form-
control">

    <option value="">選擇班級</option>
    <option value="進四技資管一甲班">資管一年甲班
```

```

</option>

        </select>
    </div>

    <div class="form-group">
        <label for="course">課程</label>
        <select id="course" name="course" class="form-control">
            <option value="">選擇課程</option>
            <option value="計算機概論(上)">計算機概論
(上)</option>

            <option value="程式設計(一)">程式設計(一)</option>
            <option value="資料庫管理">資料庫管理</option>
            <option value="網頁程式設計">網頁程式設計

</option>

            <option value="系統分析與設計">系統分析與設計

</option>

            <option value="專題製作">專題製作</option>
            <option value="網路概論">網路概論</option>
            <option value="作業系統">作業系統</option>
            <option value="資料結構">資料結構</option>
            <option value="演算法">演算法</option>
        </select>
    </div>
</div>
<div class="form-col">
    <div class="display-mode-container">
        <label>顯示方式</label>
        <div class="user-info-container">
            <div class="user-info">
                
                <span class="username">匿名</span>
            </div>
            <div class="anonymous-options">
                <input type="radio" id="anonymous_yes"
name="anonymous" value="no" checked>
                <label for="anonymous_yes">匿名</label>
                <input type="radio" id="anonymous_no"

```

```

name="anonymous" value="yes">
    <label for="anonymous_no">實名</label>
  </div>
</div>
</div>
<div class="rating-container">
  <label>課程評分</label>
  <div class="rating-controls">
    <div class="stars editable" id="rating-stars" data-
rating="1">
      <i class="fa-regular fa-star" data-rating="1"></i>
      <i class="fa-regular fa-star" data-rating="2"></i>
      <i class="fa-regular fa-star" data-rating="3"></i>
      <i class="fa-regular fa-star" data-rating="4"></i>
      <i class="fa-regular fa-star" data-rating="5"></i>
      <input type="hidden" name="rating" id="rating-
input" value="1">
      <span class="rating-text">1.0 / 5.0</span>
    </div>
  </div>
</div>
</div>
</div>
<div class="top-row-container">
  <div class="course-info-container">
    <div class="comment-header">
      <h3>112 年五專資管系一年甲班計算機概論</h3>
      <h3>任課教師:</h3>
    </div>
  </div>
</div>
<div class="comment-content">
  <div class="comment-text-area">
    <!-- 這門課超爛，老師根本不會教，完全是照著投影片念，

```

講話有夠無聊，根本是在整學生，每週都要熬夜寫報告，完全沒有人性，奉勸大家不要踩雷，能避就避！ -->

```
<textarea id="comment_text" name="comment_text" rows="10"
placeholder="輸入評論內容..."></textarea>
```

```
</div>
```

```
<div class="arrows-container">
```

```
<div class="arrow">
```

```
<i class="fa-solid fa-arrow-right"></i>
```

```
</div>
```

```
<button type="button" id="convert_btn" class="btn-convert">轉換</button>
```

```
<div class="arrow">
```

```
<i class="fa-solid fa-arrow-right"></i>
```

```
</div>
```

```
</div>
```

```
<div class="comment-preview">
```

```
<div class="preview-content">
```

```
<textarea id="preview_text" placeholder="可以在這裡直接
編輯或使用轉換按鈕..."></textarea>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<div class="add-comment-form-actions">
```

```
<button type="submit" class="btn-submit">送出</button>
```

```
</div>
```

```
</form>
```

```
</div>
```

```
{% endblock %}
```

```
{% block body_js %}
```

```
<script src="{% static 'js/add_comment.js' %}"></script>
```

```
{% endblock %}
```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\templates\ask.html

<!DOCTYPE html>

<html lang="zh-Hant">

<head>

<meta charset="UTF-8" />

<title>智能校事專家 Chatbot</title>

<style>

html, body { margin:0; padding:0; height:100%; font-family:sans-serif; }

body { display:flex; height:100vh; overflow:hidden; }

/* 左側會話列表 */

#sidebar {

width:260px; background:#f0f0f0; border-right:1px solid #ccc;

display:flex; flex-direction:column;

}

#sidebar h3 { margin:0; padding:12px; background:#0078d4; color:#fff; }

#convoList { flex:1; overflow-y:auto; list-style:none; margin:0; padding:0; }

#convoList li {

position:relative;

display:flex; align-items:center;

padding:8px 12px; border-bottom:1px solid #ddd; cursor:pointer;

}

#convoList li.active { background:#e1f0ff; font-weight:bold; }

/* 標題與按鈕區 */

#convoList li .title {

flex:1; margin-right:8px;

font-size:14px;

line-height:1.2;

}

#convoList li input.title {

flex:1; margin-right:8px;

font-size:14px; line-height:1.2;

padding:2px 4px; height:auto;

border:1px solid #ccc; border-radius:4px;

box-sizing:border-box;

}

#convoList li .action-btns {


```

        display:flex; align-items:center;
    }
    #convoList li .edit-btn,
    #convoList li .delete-btn {
        background:transparent; border:none; cursor:pointer; font-size:16px;
        margin-left:4px;
    }
    #convoList li .delete-btn { color:#e74c3c; }
    #newConvo { padding:10px; border:none; background:#0078d4; color:#fff;
cursor:pointer; }

/* 主聊天區 */
.main { flex:1; display:flex; flex-direction:column; }
.chat-container {
    flex:1; display:flex; flex-direction:column;
    justify-content:flex-end; overflow-y:auto; padding:20px; background:#fff;
}
.message-row { display:flex; align-items:flex-end; margin:10px 0; }
.message-row.user { justify-content:flex-end; }
.message-row.bot { justify-content:flex-start; }
.avatar { font-size:24px; margin:0 10px; }
.message {
    max-width:70%; padding:10px 14px; border-radius:14px;
    word-wrap:break-word; white-space:pre-wrap;
}
.user .message { background:#e6f7ff; }
.bot .message { background:#f0f0f0; }

.input-area {
    position:sticky; bottom:0; display:flex; padding:10px;
    background:#fff; border-top:1px solid #ccc;
}
textarea {
    flex:1; resize:none; padding:10px; font-size:1em;
    border:1px solid #ccc; border-radius:6px; height:60px;
    line-height:1.4;
}
#sendBtn {

```

```

        margin-left:10px; padding:10px 16px; font-size:1em;
        cursor:pointer; background:#4CAF50; color:#fff;
        border:none; border-radius:6px;
    }
</style>
</head>
<body>

<!-- 左側：會話列表 -->
<div id="sidebar">
    <h3>對話列表</h3>
    <ul id="convoList"></ul>
    <button id="newConvo">+ 新對話</button>
</div>

<!-- 右側：主聊天區 -->
<div class="main">
    <div class="chat-container" id="chatBox"></div>

    <div class="input-area">
        <textarea id="question" placeholder="請輸入問題..."
onkeydown="if(event.key==='Enter'&&!event.shiftKey){event.preventDefault();send
Question();}"></textarea>
        <button id="sendBtn">送出</button>
    </div>
</div>

<script>
    let conversations = [];
    let currentId = null;
    let nextSeq = 1;

    async function loadConvos() {
        const res = await fetch('/api/conversations/');
        conversations = (await res.json()).conversations;
        nextSeq = conversations.length + 1;
        renderConvos();
    }

```

```

function renderConvos() {
  const ul = document.getElementById('convoList');
  ul.innerHTML = '';
  conversations.forEach(c => {
    const li = document.createElement('li');
    li.dataset.id = c.id;
    if(c.id === currentId) li.classList.add('active');

    // 標題區
    const span = document.createElement('span');
    span.className = 'title';
    span.textContent = c.title;
    li.appendChild(span);

    // 按鈕區
    const actions = document.createElement('div');
    actions.className = 'action-btns';

    // 編輯按鈕
    const editBtn = document.createElement('button');
    editBtn.className = 'edit-btn';
    editBtn.innerHTML = '✎';
    editBtn.onclick = e => {
      e.stopPropagation();
      const input = document.createElement('input');
      input.type = 'text';
      input.value = c.title;
      input.className = 'title';
      // 按 Enter 儲存
      input.onkeydown = async evt => {
        if(evt.key === 'Enter') {
          evt.preventDefault();
          const newTitle = input.value.trim() || '無標題';
          await fetch(`/api/conversations/${c.id}/`, {
            method: 'PATCH', headers: {'Content-Type': 'application/json'},
            body: JSON.stringify({title: newTitle})
          });
        }
      };
    };
  });
}

```

```

        c.title = newTitle;
        loadConvos();
    }
};
li.replaceChild(input, span);
input.focus();
};
actions.appendChild(editBtn);

```

// 匯出按鈕

```

const exportBtn = document.createElement('button');
exportBtn.className = 'export-btn';
exportBtn.textContent = '↓';
exportBtn.title = '匯出 Excel';
exportBtn.onclick = e => {
    e.stopPropagation();
    // 直接設定 window.location 會觸發下載
    window.location.assign(`/api/conversations/${c.id}/export_excel/`);
};

```

```

actions.appendChild(exportBtn);

```

// 刪除按鈕

```

const delBtn = document.createElement('button');
delBtn.className = 'delete-btn';
delBtn.textContent = '🗑';
delBtn.onclick = async e => {
    e.stopPropagation();
    if(!confirm('確定刪除此對話？')) return;
    await fetch(`/api/conversations/${c.id}/`, { method:'DELETE' });
    conversations = conversations.filter(x=> x.id !== c.id);
    if(currentId === c.id) currentId = null;
    loadConvos();
};
actions.appendChild(delBtn);

```

```

li.appendChild(actions);

```

```

        li.onclick = () => selectConvo(c.id, li);
        ul.appendChild(li);
    });
}

async function selectConvo(id, el){
    currentId = id;
    document.querySelectorAll("#convoList
li").forEach(li=>li.classList.remove("active"));
    el.classList.add("active");
    const res = await fetch(`/api/conversations/${id}/messages/`);
    const msgs = (await res.json()).messages;
    renderMsgs(msgs);
}

function renderMsgs(msgs){
    const box = document.getElementById("chatBox");
    box.innerHTML = "";
    msgs.forEach(m=>{
        const u = document.createElement("div"); u.className="message-row
user";
        u.innerHTML=`<div class="message">${m.question}</div><div
class="avatar">😊 </div>`;
        box.appendChild(u);
        const b = document.createElement("div"); b.className="message-row
bot";
        b.innerHTML=`<div class="avatar">🦉 </div><div
class="message">${m.answer}</div>`;
        box.appendChild(b);
    });
    box.scrollTop=box.scrollHeight;
}

document.getElementById("newConvo").onclick = async ()=>{
    const title = `新對話${nextSeq++}`;
    const res = await fetch("/api/conversations/", {
        method:"POST",
        headers:{"Content-Type":"application/json"},

```

```

        body: JSON.stringify({title})
    });
    const c = await res.json();
    currentId=c.id;
    await loadConvos();
    document.querySelector(`#convoList li[data-id="${c.id}"]`).click();
};

async function sendQuestion(){
    const qEl = document.getElementById("question");
    const q = qEl.value.trim();
    if(!q || !currentId) return;
    const box = document.getElementById("chatBox");
    const u = document.createElement("div"); u.className="message-row user";
    u.innerHTML=`<div class="message">${q}</div><div
class="avatar">🤖</div>`;
    box.appendChild(u);
    qEl.value="";
    const res = await fetch("/api/ask/", {
        method:"POST",
        headers:{"Content-Type":"application/json"},
        body:JSON.stringify({conversation_id:currentId, question:q})
    });
    const data = await res.json();
    const b = document.createElement("div"); b.className="message-row bot";
    b.innerHTML=`<div class="avatar">🦉</div><div
class="message">${data.answer || data.error}</div>`;
    box.appendChild(b);
    box.scrollTop=box.scrollHeight;
}

document.getElementById("sendBtn").onclick = sendQuestion;
document.getElementById("question").addEventListener("keydown", e=>{
    if(e.key==="Enter" && !e.shiftKey){ e.preventDefault(); sendQuestion(); }
});

(async ()=>{
    await loadConvos();
    if(conversations.length) {

```

```

        document.querySelector("#convoList li").click();
    } else {
        document.getElementById("newConvo").click();
    }
})();

function uploadZip(file) {
    // 你的原本上傳 ZIP 程式不動
    if (!file || !file.name.endsWith('.zip')) { alert("請選擇 zip 檔！"); return; }
    const formData = new FormData(); formData.append("zip_file", file);
    const progressBox = document.getElementById("floating-progress");
    const progressBar = document.getElementById("progressBar");
    const progressText = document.getElementById("progressText");
    progressBox.style.display = "block"; progressBar.style.width = "0%";
    progressText.innerText = "上傳中...";

    const xhr = new XMLHttpRequest(); xhr.open("POST", "/upload_zip/", true);
    xhr.upload.onprogress = e => { if (e.lengthComputable)
    { progressBar.style.width = Math.round(e.loaded/e.total*100)+"%"; }};
    xhr.onload = () => { const res = JSON.parse(xhr.responseText);
    progressText.innerText = res.message?"☒ 上傳完成":`❌ 錯誤：${res.error}`;
    setTimeout(()=>progressBox.style.display="none",5000); };
    xhr.onerror = () => { progressText.innerText = "❌ 上傳錯誤";
    setTimeout(()=>progressBox.style.display="none",5000); };
    xhr.send(formData);
    }
</script>
</body>
</html>

```

```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\templates\base.html
<!DOCTYPE html>
<html lang="{% block lang %}en{% endblock %}">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>{% block title %}智能校事專家{% endblock %}</title>
    {% load static %}

```

```

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.0/css/all.min.css">
<link rel="stylesheet" href="{% static 'css/navbar.css' %}">
<link rel="stylesheet" href="{% static 'css/pop_window/login_pop.css' %}">
<link rel="stylesheet" href="{% static 'css/footer.css' %}">
{% block css %}{% endblock %}
{% block head_js %}{% endblock %}
</head>

<body>
{% block header %}
<nav class="navbar navbar-initial" id="navbar">
  <a href="/index/" class="logo">
    
    智能校事專家
  </a>
  <ul class="nav-links">
    <li><a href="/chat/">校規查詢</a></li>
    <li><a href="/comment/">課程評論區</a></li>
    <li><a href="/join/">活動召集</a></li>
    <li><a href="/book/">二手書專區</a></li>
  </ul>
  <div class="user-menu">
    <div class="user-circle" id="userMenuButton">
      <i class="fa-solid fa-user"></i>
    </div>
    <div class="user-dropdown" id="userDropdown">
      {% if user.is_authenticated %}
        <a href="/personal/" class="dropdown-item" id="personalButton">
          個人中心</a>
        <form action="{% url 'logout' %}" method="post" id="logoutForm"
          style="margin: 0;">
          {% csrf_token %}
          <a href="#"
            onclick="document.getElementById('logoutForm').submit(); return false;"
            class="dropdown-item" id="logoutButton">登出</a>
        </form>
      {% else %}

```



```
        <a href="{% url 'social:begin' 'google-oauth2' %}" class="dropdown-
item" id="loginButton">登入</a>
```

```
        {% endif %}
```

```
    </div>
```

```
</div>
```

```
<div class="phone-menu">
```

```
    <div class="phone-circle" id="phoneMenuButton">
```

```
        <i class="fa-solid fa-bars iconMenu"></i>
```

```
    </div>
```

```
</div>
```

```
</nav>
```

```
<!-- 手機菜單覆蓋層和面板 -->
```

```
<div class="phone-menu-overlay" id="phoneMenuOverlay"></div>
```

```
<div class="phone-dropdown" id="phoneDropdown">
```

```
    <button class="close-btn" id="phoneMenuClose">
```

```
        <i class="fa-solid fa-times"></i>
```

```
    </button>
```

```
<div class="user-section">
```

```
    {% if user.is_authenticated %}
```

```
        <a class="user-icon" href="/personal/">
```

```
            <i class="fa-solid fa-user iconPhoneMenu"></i>
```

```
            <span>個人中心</span>
```

```
        </a>
```

```
    {% else %}
```

```
        <a href="{% url 'social:begin' 'google-oauth2' %}" class="user-icon
dropdown-item" id="loginButton">
```

```
            <i class="fa-solid fa-user iconPhoneMenu"></i>
```

```
            <span>請先登入學校帳號</span>
```

```
        </a>
```

```
    {% endif %}
```

```
</div>
```

```
<div class="nav-section">
```

```
    <a href="/chat/">校規查詢</a>
```

```
    <a href="/comment/">課程評論區</a>
```

```
    <a href="/join/">活動召集</a>
```

二手書專區

</div>

<div class="footer-section">

北商官網

北商 blackboard 平台

北商 Timetable 平台

北商學生資訊系統

</div>

<div class="logout-section">

{% if user.is_authenticated %}

<form action="{% url 'logout' %}" method="post" id="logoutForm"
style="margin: 0;">

{% csrf_token %}

<a href="#"

onclick="document.getElementById('logoutForm').submit(); return false;"

class="dropdown-item" id="logoutButton">登出

</form>

{% else %}

{% endif %}

</div>

</div>

</nav>

{% endblock %}

<!-- 主要內容區域 -->

<main>

{% block content %}{% endblock %}

</main>

<!-- 頁腳 -->

{% block footer %}

<footer>

<div class="fowl"></div>

<div class="waves">

```
<div class="wave" id="wave1"></div>
<div class="wave" id="wave2"></div>
<div class="wave" id="wave3"></div>
<div class="wave" id="wave4"></div>
</div>
```

```
<div class="footer-info">
  <div class="footer-title">
    <div class="footer-logo">智能校事專家</div>
  </div>
  <div class="space"></div>
  <div class="footer-links">
    <div class="name">簡介</div>
    <div class="aaa">
      <p>北商 blackboard 平台</p>
      <p>北商 Timetable 平台</p>
      <p>北商學生資訊系統</p>
    </div>
  </div>
  <div class="footer-contact">
    <div class="name">聯絡資訊</div>
    <div class="details">
      <p>02 - 5392 - 7084</p>
      <p>ntubimd114510@gmail.com</p>
      <p class="social-icons">
        <i class="fa-brands fa-square-facebook"></i>
        <i class="fa-brands fa-instagram"></i>
      </p>
    </div>
  </div>
  <div></div>
</div>
```

```
<div class="footer-backup">
  
</div>
```

```

        <!-- 手機菜單覆蓋層和面板 -->
        <div class="phone-footer-copyright">
            <p>&copy; 智能校事專家 114510</p>
        </div>
    </footer>
{% endblock %}

{% include 'pop_window/login_pop.html' %}

<!-- JavaScript 文件 -->
<script src="{% static 'js/pop_window/login_pop.js' %}"></script>
<script src="{% static 'js/navbar.js' %}"></script>
<script src="{% static 'js/footer.js' %}"></script>
{% block body_js %}{% endblock %}
</body>
</html>

```

```

#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\templates\book_detail.html
{% extends 'navbar.html' %}
{% load static %}

```

```
{% block lang %}zh-Hant{% endblock %}
```

```
{% block title %}智能校事專家 - 二手書詳情{% endblock %}
```

```

{% block css %}
<link rel="stylesheet" href="{% static 'css/book_detail.css' %}">
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">
{% endblock %}

```

```

{% block content %}
<div class="container">
    <!-- 返回按鈕 -->
    <div class="back-button" onclick="history.back()">
        <a href="#">返回</a>
    </div>

```

```
</div>

<!-- 書籍主要資訊區域 -->
<div class="book-main-section">
  <!-- 書籍基本資訊 -->
  <div class="book-info">
    <div class="book-content-layout">
      <div class="book-image-container">
        
      </div>
      <div class="book-details-container">
        <div class="book-title-container">
          <h1 class="book-title">Python 範例學習書</h1>
        </div>

        <!-- 書籍資訊卡片 -->
        <div class="info-cards">
          <div class="info-card">
            <div class="info-label">書籍類別</div>
            <div class="info-value">教科書</div>
          </div>

          <div class="info-card">
            <div class="info-label">賣家</div>
            <div class="info-value">陳大明（資訊工程學
系）</div>
          </div>

          <div class="info-card">
            <div class="info-label">售價</div>
            <div class="info-value">新台幣 100 元</div>
          </div>

          <div class="info-card">
            <div class="info-label">書籍狀況</div>
            <div class="info-value">
              <select class="condition-select" disabled>
```

```
                <option>全新</option>
                <option selected>九成新</option>
                <option>八成新</option>
                <option>七成新</option>
                <option>六成新</option>
            </select>
        </div>
    </div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
</div>
```

```
<!-- 交易方式區域 -->
```

```
<div class="section">
    <h2 class="section-title">交易方式</h2>
    <div class="transaction-options">
        <div class="transaction-option">
            <div class="option-icon">
                <i class="fas fa-handshake"></i>
            </div>
            <div class="option-details">
                <h3>面交</h3>
                <p>地點：北商校園內</p>
            </div>
        </div>

        <div class="transaction-option">
            <div class="option-icon">
                <i class="fas fa-truck"></i>
            </div>
            <div class="option-details">
                <h3>郵寄</h3>
                <p>運費：買家負擔</p>
            </div>
        </div>
    </div>
</div>
```

```
<div class="transaction-option">
  <div class="option-icon">
    <i class="fas fa-credit-card"></i>
  </div>
  <div class="option-details">
    <h3>付款方式</h3>
    <p>面交現金、轉帳</p>
  </div>
</div>
</div>
</div>

<!-- 賣家資訊區域 -->
<div class="section">
  <h2 class="section-title">賣家資訊</h2>
  <div class="seller-profile">
    <div class="seller-avatar">
      
    </div>
    <div class="seller-info">
      <h3 class="seller-name">陳大明</h3>
      <p class="seller-department">資訊工程學系大二</p>
      <div class="seller-rating">
        <span class="rating-stars">
          <i class="fas fa-star"></i>
          <i class="fas fa-star"></i>
          <i class="fas fa-star"></i>
          <i class="fas fa-star"></i>
          <i class="fas fa-star-half-alt"></i>
        </span>
        <span class="rating-value">4.8</span>
      </div>
      <button class="contact-seller-btn">聯絡賣家</button>
    </div>
  </div>
</div>
</div>
```

```
<!-- 相關書籍推薦區域 -->
<div class="section">
  <h2 class="section-title">相關書籍推薦</h2>
  <div class="related-grid">
    <a href="#" class="related-book-card">
      <div class="related-book-image">
        

      </div>
      <div class="related-book-info">
        <h3>統計學概論</h3>
        <p class="related-book-price">NT$300</p>
      </div>
    </a>

    <a href="#" class="related-book-card">
      <div class="related-book-image">
        

      </div>
      <div class="related-book-info">
        <h3>經濟學原理</h3>
        <p class="related-book-price">NT$420</p>
      </div>
    </a>

    <a href="#" class="related-book-card">
      <div class="related-book-image">
        

      </div>
      <div class="related-book-info">
        <h3>財務管理</h3>
        <p class="related-book-price">NT$380</p>
      </div>
    </a>
  </div>
</div>
```



```

<!-- 固定在下方的購買按鈕 -->
<button class="fixed-cta">立即購買</button>

<!-- 聯絡賣家彈出視窗 -->
<div id="contactSellerModal" class="modal">
  <div class="modal-content">
    <div class="modal-header">
      <h3>聯絡賣家</h3>
      <span class="close-modal">&times;</span>
    </div>
    <div class="modal-body">
      <div class="seller-brief">
        <div class="seller-avatar-small">
          
        </div>
        <div class="seller-brief-info">
          <h4>王小明</h4>
          <p>會計系三年級</p>
        </div>
      </div>
      <div class="message-form">
        <div class="form-group">
          <label for="messageSubject">主旨</label>
          <input type="text" id="messageSubject" placeholder="
請輸入主旨" value="關於「會計學原理（第七版）」的詢問">
        </div>
        <div class="form-group">
          <label for="messageContent">訊息內容</label>
          <textarea id="messageContent" rows="5"
placeholder="請輸入您想要詢問的內容..."></textarea>
        </div>
        <div class="contact-method-title">選擇聯絡方式</div>

```

```
<div class="contact-methods">
  <div class="contact-method" id="lineMethod">
    <div class="method-header">
      <input type="radio" name="contactMethod"
id="contactLine" checked>

      <label for="contactLine">
        <i class="fab fa-line"></i> LINE 聯絡
      </label>
    </div>
    <div class="method-details">
      <p>賣家 LINE ID:
<strong>wang_ntub</strong></p>
      <p>加入好友後可直接聯絡賣家洽談書籍詳
情</p>
      <button class="add-line-btn"><i class="fas fa-
plus-circle"></i> 加入 LINE 好友</button>
    </div>
  </div>

  <div class="contact-method" id="emailMethod">
    <div class="method-header">
      <input type="radio" name="contactMethod"
id="contactEmail">

      <label for="contactEmail">
        <i class="fas fa-envelope"></i> 電子郵件
      </label>
    </div>
    <div class="method-details" style="display:
none;">
      <p>賣家信箱:
<strong>wang_ntub@example.com</strong></p>
      <p>平均回覆時間: 24 小時內</p>
      <a href="mailto:wang_ntub@example.com"
class="send-email-btn"><i class="fas fa-paper-plane"></i> 發送電子郵件</a>
    </div>
  </div>
</div>
```



```
{% extends 'base.html' %}
{% load static %}

{% block title %}智能校事專家 - 二手書專區{% endblock %}

{% block lang %}zh-Hant{% endblock %}

{% block extra_css %}
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css">
{% endblock %}

{% block css %}
<link rel="stylesheet" href="{% static 'css/book.css' %}">
{% endblock %}

{% block content %}
<div class="page-container">

    <div class="bg-text">SECOND HAND BOOK SECOND HAND BOOK</div>

    <header class="page-header">
        <h1 class="page-title">二手書專區</h1>
        <p class="page-subtitle">（尋找教科書・節省花費）</p>
    </header>

    <div class="filter-section">
        <select class="filter-item">
            <option>全部系所</option>
            <option>資訊工程學系</option>
            <option>電機工程學系</option>
            <option>企業管理學系</option>
            <option>外國語文學系</option>
            <option>經濟學系</option>
        </select>

        <select class="filter-item">
            <option>全部年級</option>
```

```
<option>專一</option>
<option>專二</option>
<option>專三</option>
<option>專四</option>
<option>大一</option>
<option>大二</option>
<option>大三</option>
<option>大四</option>
<option>研究所</option>
</select>
```

```
<select class="filter-item">
  <option>全部狀態</option>
  <option>全新</option>
  <option>九成新</option>
  <option>八成新</option>
  <option>七成新</option>
  <option>五成新以下</option>
</select>
```

```
<select class="filter-item">
  <option>全部價格</option>
  <option>$100 以下</option>
  <option>$100-$300</option>
  <option>$300-$500</option>
  <option>$500-$800</option>
  <option>$800 以上</option>
</select>
```

```
<div class="search-container">
  <input type="text" class="search-input" placeholder="搜尋書名或關
鍵字...">
  <button class="search-btn"><i class="fas fa-search"></i></button>
</div>
</div>
```

```
<section class="books-container">
  <div class="books-grid">
```

```
<!-- 書籍卡片 1 -->
<a href="{% url 'book_detail' %}" class="book-card">
  <div class="book-header">Python 範例學習書</div>
  <div class="book-image">
    
    <div class="book-tag textbook">教科書</div>
  </div>
  <div class="book-info">
    <div class="book-meta">
      <span class="book-department">資訊工程學系
</span>
      <span class="book-grade">大二</span>
      <span class="book-condition">九成新</span>
    </div>
    <div class="book-price">$100</div>
  </div>
</a>
```

```
<!-- 書籍卡片 2 -->
<a href="{% url 'book_detail' %}" class="book-card">
  <div class="book-header">我沒事</div>
  <div class="book-image">
    
    <div class="book-tag literature">文學</div>
  </div>
  <div class="book-info">
    <div class="book-meta">
      <span class="book-department">外國語文學系
</span>
      <span class="book-grade">大一</span>
      <span class="book-condition">八成新</span>
    </div>
    <div class="book-price">$180</div>
  </div>
</a>
```

```
<!-- 書籍卡片 3 -->
<a href="{% url 'book_detail' %}" class="book-card">
  <div class="book-header">作業系統精論</div>
  <div class="book-image">
    
    <div class="book-tag reference">參考書</div>
  </div>
  <div class="book-info">
    <div class="book-meta">
      <span class="book-department">資訊工程學系
</span>
      <span class="book-grade">大三</span>
      <span class="book-condition">全新</span>
    </div>
    <div class="book-price">$700</div>
  </div>
</a>
```

```
<!-- 書籍卡片 4 -->
<a href="{% url 'book_detail' %}" class="book-card">
  <div class="book-header">微積分與工程數學</div>
  <div class="book-image">
    
    <div class="book-tag textbook">教科書</div>
  </div>
  <div class="book-info">
    <div class="book-meta">
      <span class="book-department">電機工程學系
</span>
      <span class="book-grade">大一</span>
      <span class="book-condition">七成新</span>
    </div>
    <div class="book-price">$280</div>
  </div>
</a>
```

```
<!-- 書籍卡片 5 -->
<a href="{% url 'book_detail' %}" class="book-card">
  <div class="book-header">行銷管理學</div>
  <div class="book-image">
    
    <div class="book-tag textbook">教科書</div>
  </div>
  <div class="book-info">
    <div class="book-meta">
      <span class="book-department">企業管理學系
</span>
      <span class="book-grade">大二</span>
      <span class="book-condition">九成新</span>
    </div>
    <div class="book-price">$320</div>
  </div>
</a>
```

```
<!-- 書籍卡片 6 -->
<a href="{% url 'book_detail' %}" class="book-card">
  <div class="book-header">經濟學原理</div>
  <div class="book-image">
    
    <div class="book-tag textbook">教科書</div>
  </div>
  <div class="book-info">
    <div class="book-meta">
      <span class="book-department">經濟學系</span>
      <span class="book-grade">大一</span>
      <span class="book-condition">八成新</span>
    </div>
    <div class="book-price">$250</div>
  </div>
</a>
```

```
<!-- 書籍卡片 7 -->
<a href="{% url 'book_detail' %}" class="book-card">
```



```

<div class="book-header">行銷管理學</div>
<div class="book-image">
  
  <div class="book-tag textbook">教科書</div>
</div>
<div class="book-info">
  <div class="book-meta">
    <span class="book-department">企業管理學系
</span>
    <span class="book-grade">大二</span>
    <span class="book-condition">九成新</span>
  </div>
  <div class="book-price">$320</div>
</div>
</a>
<!-- 書籍卡片 8 -->
<a href="{% url 'book_detail' %}" class="book-card">
  <div class="book-header">行銷管理學</div>
  <div class="book-image">
    
    <div class="book-tag textbook">教科書</div>
  </div>
  <div class="book-info">
    <div class="book-meta">
      <span class="book-department">企業管理學系
</span>
      <span class="book-grade">大二</span>
      <span class="book-condition">九成新</span>
    </div>
    <div class="book-price">$320</div>
  </div>
</a>
<!-- 書籍卡片 9 -->
<a href="{% url 'book_detail' %}" class="book-card">
  <div class="book-header">行銷管理學</div>
  <div class="book-image">

```

```

        
        <div class="book-tag textbook">教科書</div>
    </div>
    <div class="book-info">
        <div class="book-meta">
            <span class="book-department">企業管理學系
</span>

            <span class="book-grade">大二</span>
            <span class="book-condition">九成新</span>
        </div>
        <div class="book-price">$320</div>
    </div>
</a>
</div>
</main>

<!-- 右下角的圓形 logo 和上傳按鈕 -->
<div class="floating-action-button">
    <div class="circular-logo">
        <div class="circular-text">
            <svg viewBox="0 0 100 100">
                <path id="curve" d="M 50 50 m -40 0 a 40 40 0 1 1 80 0 a 40
40 0 1 1 -80 0" fill="transparent"/>
                <text>
                    <textPath href="#curve" textLength="250">
                        search by life classification •
                    </textPath>
                </text>
            </svg>
        </div>
        <div class="upload-btn-center" id="centerUploadBtn">
            <span>+</span>
        </div>
    </div>
</div>

<!-- 上傳表單 -->

```

```

<div class="upload-form" id="uploadForm">
  <div class="upload-container">
    <div class="form-header">
      <h2>上傳二手書</h2>
      <button type="button" class="close-btn"
id="closeFormBtn"></button>
    </div>

    <div class="scrollable-content">
      <!-- CSRF Token -->
      {% csrf_token %}

      <div class="image-upload-section">
        <div class="image-upload-area">
          <input type="file" id="imageUpload"
accept="image/*">

          <div class="preview-container">
            <div class="preview-placeholder"
id="previewPlaceholder">

              <i class="fas fa-cloud-upload-alt"></i>
              <p>點擊或拖曳上傳圖片</p>
            </div>
            <img id="previewImage" class="preview-image"
style="display: none;">
          </div>
        </div>
      </div>

      <div class="upload-form-fields">
        <div class="form-group">
          <label for="bookTitle">書名 <span
class="required">*</span></label>
          <input type="text" id="bookTitle" placeholder="請輸入書名
" required>

          <div class="error-message" id="bookTitleError"
style="display: none; color: red; font-size: 12px;">請輸入書名</div>
        </div>
      </div>
    </div>
  </div>
</div>

```

```
<div class="form-row">
  <div class="form-group form-group-half">
    <label for="department">系所</label>
    <select id="department" required>
      <option value="" disabled selected>請選擇系所
</option>
      <option value="會計系">會計系</option>
      <option value="財務金融系">財務金融系
</option>
      <option value="國際商務系">國際商務系
</option>
      <option value="企業管理系">企業管理系
</option>
      <option value="資訊管理系">資訊管理系
</option>
      <option value="應用外語系">應用外語系
</option>
      <option value="財政稅務系">財政稅務系
</option>
      <option value="國際貿易系">國際貿易系
</option>
      <option value="商業設計系">商業設計系
</option>
      <option value="資訊科技系">資訊科技系
</option>
    </select>
  </div>
```

```
<div class="form-group form-group-half">
  <label for="grade">年級</label>
  <select id="grade" required>
    <option value="" disabled selected>請選擇年級
</option>
    <option value="1">大一</option>
    <option value="2">大二</option>
    <option value="3">大三</option>
    <option value="4">大四</option>
    <option value="5">研究所</option>
```

```
</select>
</div>
</div>
```

```
<div class="form-row">
  <div class="form-group form-group-half">
    <label for="bookType">書籍類型</label>
    <select id="bookType" required>
      <option value="" disabled selected>請選擇書籍類
型</option>
      <option value="會計學">會計學</option>
      <option value="經濟學">經濟學</option>
      <option value="統計學">統計學</option>
      <option value="行銷學">行銷學</option>
      <option value="管理學">管理學</option>
      <option value="財務管理">財務管理</option>
      <option value="資訊管理">資訊管理</option>
      <option value="程式設計">程式設計</option>
      <option value="英文">英文</option>
      <option value="日文">日文</option>
      <option value="其他">其他</option>
    </select>
  </div>
```

```
<div class="form-group form-group-half">
  <label for="condition">書籍狀況</label>
  <select id="condition" required>
    <option value="" disabled selected>請選擇書籍狀
況</option>
    <option value="全新">全新</option>
    <option value="九成新">九成新</option>
    <option value="八成新">八成新</option>
    <option value="七成新">七成新</option>
    <option value="六成新">六成新</option>
  </select>
</div>
</div>
```

```

        <div class="form-row">
            <div class="form-group form-group-half">
                <label for="price">價格 (NT$) <span
class="required">*</span></label>
                <input type="number" id="price" min="0"
placeholder="請輸入價格" required>
                <div class="error-message" id="priceError"
style="display: none; color: red; font-size: 12px;">請輸入價格</div>
            </div>

            <div class="form-group form-group-half">
                <label>交易方式 <span
class="required">*</span></label>
                <div class="checkbox-group">
                    <div class="checkbox-item">
                        <input type="checkbox" id="faceToFace"
name="transactionMethod" value="面交" class="required-checkbox">
                        <label for="faceToFace">面交</label>
                    </div>
                    <div class="checkbox-item">
                        <input type="checkbox" id="shipping"
name="transactionMethod" value="郵寄" class="required-checkbox">
                        <label for="shipping">郵寄</label>
                    </div>
                </div>
                <div class="error-message"
id="transactionMethodError" style="display: none; color: red; font-size: 12px;">請選
擇至少一種交易方式</div>
            </div>
        </div>

        <div class="form-group">
            <label for="bookDescription">書籍描述 (選填)</label>
            <textarea id="bookDescription" rows="4" placeholder="請
輸入書籍描述，例如：使用情況、有無筆記、有無劃線等"></textarea>
        </div>

        <div class="button-group">

```

```

                                <button type="button" class="cancel-btn" id="cancelBtn">
取消</button>
                                <button type="button" class="submit-btn" id="submitBtn">
上架</button>
                                </div>
                                </div>
                            </div>
                        </div>
                    </div>
                </section>

```

```

        <div class="deco-line"></div>
    </div>

```

```

<!-- 載入上傳二手書彈跳視窗 -->
<div class="upload-form" id="uploadForm">
    <div class="upload-container">
        <div class="form-header">
            <h2>上傳二手書</h2>
            <button type="button" class="close-btn"
id="closeFormBtn">×</button>
        </div>
        <div class="upload-form-fields">
            <!-- 上傳表單內容 -->
            <div class="button-group">
                <button type="button" class="cancel-btn" id="cancelPopupBtn">
取消</button>
                <button type="button" class="submit-btn"
id="submitPopupBtn">上傳書籍</button>
            </div>
        </div>
    </div>
</div>
{% endblock %}

```

```

{% block body_js %}
<script src="{% static 'js/book.js' %}"></script>

```

{% endblock %}

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\templates\chat.html

{% extends 'navbar.html' %}

{% load static %}

{% block lang %}zh-Hant{% endblock %}

{% block title %}智能校事專家 - Chatbot{% endblock %}

{% block css %}

<link rel="stylesheet" href="{% static 'css/chat.css' %}">

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.5.0/css/all.min.css">

{% endblock %}

{% block content %}

<div class="chat-bg">

<div class="bg-overlay"></div>

</div>

<div class="chat-wrapper">

<!-- 側邊欄（RWD 可收合/浮出） -->

<aside class="sidebar" id="sidebar">

<button class="new-chat-btn" id="newChatBtn">

<i class="fa-solid fa-plus"></i> 新增對話

</button>

<div class="sidebar-record">

<div>----- 對話歷史 -----</div>

</div>

<div class="chat-history" id="chatHistory">

<!-- 對話歷史由 JavaScript 動態載入 -->

</div>

</aside>

<!-- 主內容區 -->


```

<main class="main-content" id="mainContent">
  <!-- 漢堡選單（手機浮動）和標題 -->
  <div class="chat-header-card">
    <div class="menu-btn-container" id="menuBtnContainer">
      <button class="hamburger" id="menuBtn">
<span></span>
<span></span>
<span></span>
</button>
      </div>
      <div class="chat-header-part">
        <h2 id="currentChatTitle">對話</h2>
      </div>
    </div>

    <!-- 聊天內容卡片 -->
    <section class="chat-main-card">
      <div class="chat-container" id="chatContainer">
        <div class="blobs">
          <div class="blob"></div>
          <div class="blob"></div>
          <div class="blob"></div>
          <div class="blob"></div>
          <div class="blob"></div>
          <div class="blob"></div>
          <div class="blob"></div>
        </div>
        <div class="no-messages" id="noMessages">
          開始一個新對話或從側邊欄選擇歷史對話
        </div>
        <!-- 對話內容由 JavaScript 動態載入 -->
      </div>
    </section>

    <!-- 輸入區塊 -->
    <div class="input-container">
      <textarea class="message-input" id="messageInput" placeholder="輸入訊息..." rows="1"></textarea>

```

```
        <button class="send-btn" id="sendBtn">>></button>
    </div>
</main>
</div>
{% endblock %}
```

```
{% block body_js %}
<script src="{% static 'js/chat.js' %}"></script>
<script src="https://cdn.jsdelivr.net/npm/markdown-it/dist/markdown-
it.min.js"></script>
{% endblock %}
```

```
#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\templates\comment_detail.html
{% extends 'navbar.html' %}
{% load static %}
```

```
{% block extra_css %}
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">
{% endblock %}
```

```
{% block lang %}zh-Hant{% endblock %}
```

```
{% block title %}智能校事專家 - 課程評論{% endblock %}
```

```
{% block css %}
<link rel="stylesheet" href="{% static 'css/comment_detail.css' %}">
<link rel="stylesheet" href="{% static 'css/pop_window/comment_pop.css' %}">
{% endblock %}
```

```
{% block content %}
<body>
    <!-- 隱藏的課程資料容器 (供 comment_pop.js 使用) -->
    <div class="course-item" data-course-id="1" style="display: none;">
        <div class="course-name">計算機概論</div>
```

```
<div class="course-teacher">王大明教授</div>
<!-- 隱藏的新增評論按鈕，讓 comment_pop.js 能找到 -->
<a href="#" class="create-btn hidden-create-btn" style="display: none;">新
增評論</a>
</div>
```

```
<!-- Fixed Add Comment Button -->
<a href="#" class="fixed-add-comment-btn" id="add-comment-btn">+ 新增評
論</a>
```

```
<!-- Background text -->
<div class="bg-text">COURSE REVIEWS</div>

<!-- Cloud decorations -->
<div class="cloud-shape" style="width: 200px; height: 200px; top: 150px; left:
10%; opacity: 0.2;"></div>
<div class="cloud-shape" style="width: 150px; height: 150px; top: 400px; right:
15%; opacity: 0.2;"></div>
<div class="cloud-shape" style="width: 250px; height: 250px; top: 800px; left:
20%; opacity: 0.2;"></div>
```

```
<div class="main-container">
  <div class="back-button" onclick="history.back()">
    <a href="#">返回</a>
  </div>
  <!-- 課程資訊區塊 -->
  <div class="course-info">
    <div class="course-header">
      <h1 class="course-title">計算機概論</h1>
      <div class="course-rating">
        <div class="stars" data-rating="4.5">
          <i class="fa-regular fa-star"></i>
          <i class="fa-regular fa-star"></i>
          <i class="fa-regular fa-star"></i>
          <i class="fa-regular fa-star"></i>
          <i class="fa-regular fa-star"></i>
          <span class="rating-text">4.5/5.0 (24 則評論)</span>
        </div>
```

```
        </div>
    </div>
    <div class="course-meta">
        <span class="course-semester">112 學年度 第 2 學期</span>
        <span class="course-department">資訊管理系</span>
        <span class="course-teacher">授課教師：王大明 教授</span>
    </div>
</div>

<!-- 評論區塊 -->
<section class="comments-section">
    <h2 class="section-title">課程評論 <span class="comment-
count">(24 則評論)</span></h2>

    <!-- 評論 1 -->
    <article class="comment-card">
        <div class="comment-header">
            <div class="user-avatar">
                
            </div>
            <div class="user-info">
                <span class="user-name">匿名學生</span>
                <div class="comment-meta">
                    <div class="stars" data-rating="4.5">
                        <i class="fa-regular fa-star"></i>
                        <i class="fa-regular fa-star"></i>
                        <i class="fa-regular fa-star"></i>
                        <i class="fa-regular fa-star"></i>
                        <i class="fa-regular fa-star"></i>
                    </div>
                    <span class="comment-date">2024/04/10</span>
                </div>
            </div>
            <button class="like-btn small">
                <span class="like-icon"><i class="fa-solid fa-thumbs-
up"></i></span>
                <span class="like-count">12</span>
            </button>
        </div>
    </article>
</div>
</div>
```

```
        </button>
    </div>
    <div class="comment-content">
        <p>老師上課很認真，教材準備充分，會用很多生活化的
        例子來解釋計算機科學的概念，讓非本科系的學生也能輕鬆理解。</p>
    </div>
    <div class="comment-actions">
        <button class="reply-btn">回覆</button>
    </div>

    <!-- 回覆表單 (預設隱藏) -->
    <div class="reply-form" style="display: none;">
        <div class="form-group">
            <textarea class="form-control" rows="3" placeholder="
撰寫回覆..."></textarea>
        </div>
        <div class="form-actions">
            <button class="cancel-reply-btn">取消</button>
            <button class="submit-reply-btn">發送</button>
        </div>
    </div>

    <!-- 回覆區塊 -->
    <div class="replies-container">
        <div class="reply">
            <div class="user-avatar small">
                
            </div>
            <div class="reply-content">
                <div class="reply-header">
                    <span class="user-name">助教小幫手
</span>

                    <span class="reply-
date">2024/04/11</span>
                </div>
                <p>謝謝您的回饋！老師確實很用心準備教材，
有任何問題也歡迎隨時在課堂上發問喔！</p>
            </div>
        </div>
    </div>
</div>
</div>
```

```
<div class="reply-actions">
  <button class="reply-to-reply">回覆
</button>

</div>
</div>
</div>
</div>
</article>

<!-- 評論 2 -->
<article class="comment-card">
  <div class="comment-header">
    <div class="user-avatar">
      
    </div>
    <div class="user-info">
      <span class="user-name">資管系學生</span>
      <div class="comment-meta">
        <div class="stars" data-rating="4.0">
          <i class="fa-regular fa-star"></i>
          <i class="fa-regular fa-star"></i>
          <i class="fa-regular fa-star"></i>
          <i class="fa-regular fa-star"></i>
          <i class="fa-regular fa-star"></i>
        </div>
        <span class="comment-date">2024/04/05</span>
      </div>
    </div>
    <button class="like-btn small">
      <span class="like-icon"><i class="fa-solid fa-thumbs-
up"></i></span>
      <span class="like-count">8</span>
    </button>
  </div>
  <div class="comment-content">
    <p>課程內容豐富，但節奏有點快，建議可以多一點實作
時間。老師很親切，下課後問問題都會耐心解答。</p>
```

```

</div>
<div class="comment-actions">
    <button class="reply-btn">回覆</button>
</div>

<!-- 回覆表單 (預設隱藏) -->
<div class="reply-form" style="display: none;">
    <div class="form-group">
        <textarea class="form-control" rows="3" placeholder="
撰寫回覆..."></textarea>
    </div>
    <div class="form-actions">
        <button class="cancel-reply-btn">取消</button>
        <button class="submit-reply-btn">發送</button>
    </div>
</div>

<!-- 回覆區塊 -->
<div class="replies-container"></div>
</article>

<!-- 評論 3 -->
<article class="comment-card">
    <div class="comment-header">
        <div class="user-avatar">
            
        </div>
        <div class="user-info">
            <span class="user-name">匿名</span>
            <div class="comment-meta">
                <div class="stars" data-rating="5.0">
                    <i class="fa-regular fa-star"></i>
                    <i class="fa-regular fa-star"></i>
                    <i class="fa-regular fa-star"></i>
                    <i class="fa-regular fa-star"></i>
                    <i class="fa-regular fa-star"></i>
                </div>
            </div>
        </div>
    </div>

```

```
        <span class="comment-date">2024/03/28</span>
    </div>
</div>
<button class="like-btn small">
    <span class="like-icon"><i class="fa-solid fa-thumbs-
up"></i></span>

    <span class="like-count">15</span>
</button>
</div>
<div class="comment-content">
    <p>作業量適中，但考試難度較高，建議要認真聽講並複
習課本內容。老師上課會補充很多實用的業界知識，收穫很多！</p>
</div>
<div class="comment-actions">
    <button class="reply-btn">回覆</button>
</div>

<!-- 回覆表單 (預設隱藏) -->
<div class="reply-form" style="display: none;">
    <div class="form-group">
        <textarea class="form-control" rows="3" placeholder="
撰寫回覆..."></textarea>
    </div>
    <div class="form-actions">
        <button class="cancel-reply-btn">取消</button>
        <button class="submit-reply-btn">發送</button>
    </div>
</div>

<!-- 回覆區塊 -->
<div class="replies-container"></div>
</article>
</section>
</div>

<div class="deco-line"></div>
</body>
```


<!-- 載入模態框 HTML -->

{% include 'pop_window/comment_pop.html' %}

{% endblock %}

{% block body_js %}

<script src="https://kit.fontawesome.com/9e4db15554.js"

crossorigin="anonymous"></script>

<script src="{% static 'js/pop_window/comment_pop.js' %}"></script>

<script src="{% static 'js/comment_detail.js' %}"></script>

{% endblock %}

#C:\Users\gaoxu\OneDrive\桌面

\11056030_SSAE\web_app\templates\comment.html

{% extends 'base.html' %}

{% load static %}

{% block title %}智能校事專家 - 課程評論列表{% endblock %}

{% block lang %}zh-Hant{% endblock %}

{% block extra_css %}

<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.0/css/all.min.css">

{% endblock %}

{% block css %}

<link rel="stylesheet" href="{% static 'css/comment.css' %}">

<link rel="stylesheet" href="{% static 'css/pop_window/comment_pop.css' %}">

{% endblock %}

{% block content %}

<div class="page-container">

<!-- 背景的 ACTIVITY GROUP ACTIVITY GROUP -->

<div class="bg-text">COURSE COMMENT COURSE COMMENT</div>

<!-- 標題 -->

```
<header class="page-header">
  <h1 class="page-title">課程評論區</h1>
  <p class="page-subtitle">（選擇課程・查看評價）</p>
</header>

<!-- 頂部搜尋與過濾區 -->
<div class="filter-section">
  <select class="filter-item">
    <option>所有科系</option>
    <option>資訊管理系</option>
    <option>企業管理系</option>
    <option>會計系</option>
    <option>財務金融系</option>
    <option>國際商務系</option>
  </select>

  <select class="filter-item">
    <option>所有學年</option>
    <option>112 學年</option>
    <option>111 學年</option>
    <option>110 學年</option>
  </select>

  <select class="filter-item">
    <option>所有學期</option>
    <option>第 1 學期</option>
    <option>第 2 學期</option>
  </select>

  <input type="text" class="search-box" placeholder="搜尋課程或教師...">
</div>

<!-- 課程列表和分頁 -->
<section class="activities-container">
  <div class="activity-grid">
    <!-- 課程項目 -->
    <div class="course-item" data-department="國際商務系" data-
year="111" data-semester="1" data-course-id="1">
```

```
<div class="course-top">
  <div>
    <h3 class="course-name">國際貿易實務</h3>
    <div class="course-meta">
      <span class="course-teacher"><i class="fas
fa-user-tie"></i> 劉世芳 教授</span>
      <span class="course-department"><i
class="fas fa-building"></i> 國際商務系</span>
    </div>
  </div>

  <div class="course-rating">
    <div class="stars" data-rating="4.6">
      <span class="rating-text">4.6</span>
      <i class="fas fa-star"></i>
    </div>
    <div class="rating-count">(28 則評論)</div>
  </div>

</div>
<div class="course-bottom">
  <p class="last-date">最新評論: 2023/01/12</p>
  <div class="course-summary">
    <div class="user-info">
      
      <span class="username">匿名</span>
    </div>
    <p>老師有豐富的實務經驗，課程包含許多真實
案例分析。期中報告要完成一份國際貿易流程文件，期末有小組模擬談判，非
常實用...</p>
  </div>
  <div class="buttons-container">
    <a href="#" class="create-btn">新增評論</a>
    <a href="/comment_detail/" class="join-btn">查
看所有評論</a>
  </div>
</div>
```

</div>

```
<div class="course-item" data-department="資訊管理系" data-
year="112" data-semester="2" data-course-id="2">
  <div class="course-top">
    <div>
      <h3 class="course-name">計算機概論</h3>
      <div class="course-meta">
        <span class="course-teacher"><i class="fas fa-
user-tie"></i> 王大明 教授</span>
        <span class="course-department"><i class="fas fa-
building"></i> 資訊管理系</span>
      </div>
    </div>

    <div class="course-rating">
      <div class="stars" data-rating="4.5">
        <span class="rating-text">4.5</span>
        <i class="fas fa-star"></i>
      </div>
      <div class="rating-count">(24 則評論)</div>
    </div>

  </div>
  <div class="course-bottom">
    <p class="last-date">最新評論: 2024/04/10</p>
    <div class="course-summary">
      <div class="user-info">
        
        <span class="username">匿名</span>
      </div>
      <p>教材準備充分，會用很多生活化的例子來解釋計
算機科學的概念，讓非本科系的學生也能輕鬆理解。作業量適中，但考試難度
較高...</p>
    </div>
    <div class="buttons-container">
      <a href="#" class="create-btn">新增評論</a>
    </div>
  </div>
</div>
```

[查看所有評論](/comment_detail/)

>

>

>

行銷管理

>

<i class="fas fa-user-tie"></i> 林美玲 教授

<i class="fas fa-building"></i> 企業管理系

>

>

4.8

</i>

>(32 則評論)

>

最新評論: 2024/04/05

>

>



匿名

課程結合理論與實務，講師擁有豐富業界經驗。小組作業能夠實際應用所學知識，期末專案需設計完整行銷計畫，收穫很

多...</p>

</div>

<div class="buttons-container">

新增評論

查看所

有評論

</div>

</div>

</div>

</section>

<!-- 右下角的圓形 logo 和上傳按鈕 -->

<div class="floating-action-button">

<div class="circular-logo">

<div class="circular-text">

<svg viewBox="0 0 100 100">

<path id="curve" d="M 50 50 m -40 0 a 40 40 0 1 1 80 0 a 40

40 0 1 1 -80 0" fill="transparent"/>

<text>

<textPath href="#curve" textLength="250">

share your course experience •

</textPath>

</text>

</svg>

</div>

<div class="upload-btn-center" id="commentBtn">

+

</div>

</div>

</div>

<div class="deco-line"></div>

</div>

<!-- 載入模態框 HTML -->

{% include 'pop_window/comment_pop.html' %}

```
{% endblock %}
```

```
{% block body_js %}
```

```
<script src="{% static 'js/comment.js' %}"></script>
```

```
<script src="{% static 'js/pop_window/comment_pop.js' %}"></script>
```

```
{% endblock %}
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\templates\footer.html
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
<meta charset="UTF-8">
```

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

```
<title>Document</title>
```

```
{% load static %}
```

```
<link rel="stylesheet" href="{% static 'css/footer.css' %}">
```

```
</head>
```

```
<body>
```

```
{% block footer %}
```

```
<footer>
```

```
<div class="fowl"></div>
```

```
<div class="waves">
```

```
<div class="wave" id="wave1"></div>
```

```
<div class="wave" id="wave2"></div>
```

```
<div class="wave" id="wave3"></div>
```

```
<div class="wave" id="wave4"></div>
```

```
</div>
```

```
<div class="footer-info">
```

```
<div class="footer-title">
```

```
<div class="footer-logo">智能校事專家</div>
```

```
</div>
```

```
<div class="space"></div>
```

```
<div class="footer-links">
```

```
<div class="name">簡介</div>
```

```
<div class="aaa">
```

```
<p>北商 blackboard 平台</p>
```

```

        <p>北商 Timetable 平台</p>
        <p>北商學生資訊系統</p>
    </div>
</div>
<div class="footer-contact">
    <div class="name">聯絡資訊</div>
    <div class="details">
        <p>02 - 5392 - 7084</p>
        <p>ntubimd114510@gmail.com</p>
        <p class="social-icons">
            <i class="fa-brands fa-square-facebook"></i>
            <i class="fa-brands fa-instagram"></i>
        </p>
    </div>
</div>
<div></div>
</div>

<div class="footer-backup">
    
</div>

<!-- 手機菜單覆蓋層和面板 -->
<div class="phone-footer-copyright">
    <p>&copy; 智能校事專家 114510</p>
</div>
</footer>
{% endblock %}
<script src="{% static 'js/footer.js' %}"></script>
</body>
</html>

```

```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\templates\index.html
{% extends 'base.html' %}
{% load static %}

```


{% block title %}智能校事專家 - 首頁{% endblock %}

{% block css %}

<link rel="stylesheet" href="{% static 'css/index.css' %}">

<link

href="https://fonts.googleapis.com/css2?family=La+Belle+Aurore&display=swap"

rel="stylesheet">

{% endblock %}

{% block head_js %}

<script

src="https://cdn.jsdelivr.net/npm/tsparticles@1.42.4/tsparticles.min.js"></script>

<script

src="https://cdnjs.cloudflare.com/ajax/libs/three.js/r128/three.min.js"></script>

{% endblock %}

{% block content %}

<!-- 背景影片 -->

<video autoplay muted loop id="bg-video">

<source src="{% static 'image/wavevideo.mp4' %}" type="video/mp4">

</video>

<!-- 半透明遮罩 -->

<div class="bg-overlay"></div>

<!--<div id="loading-screen">

<div class="scene">

<div class="cube">

<div class="face front">WELCOME</div>

<div class="face bottom" id="final-text">智能校事專家</div>

</div>

</div>

</div> -->

```
<!--<div class="blobs">
  <div class="blob"></div>
  <div class="blob"></div>
  <div class="blob"></div>
  <div class="blob"></div>
  <div class="blob"></div>
  <div class="blob"></div>
  <div class="blob"></div>
</div>-->
```

```
<div class="main-container">
  <!--<div class="marquee-container-2">
    <h2 class="floating-marquee">倒數不知道幾天！啊啊啊啊啊我要被吃掉了
  </h2>
</div>-->
```

```
<svg id="lpurple" xmlns="http://www.w3.org/2000/svg" viewBox="-1 0 180
313" fill="none">
  <path d="M112.996 138.372C45.8411 277.273 -0.448727 312.743 -0.448727
312.743L-0.448406 0.743164L165.552 0.743168C165.552 0.743168 178.463 2.96186
112.996 138.372Z" fill="#AA9DA9"/>
</svg>
```

```
<svg id="rpurple" xmlns="http://www.w3.org/2000/svg" viewBox="-1 11 238
419" fill="none">
  <path d="M123.555 185.371C190.71 46.4701 237 11 237 11L237
323L70.9997 323C70.9997 323 58.0882 320.781 123.555 185.371Z"
fill="#AA9DA9"/>
  <g class="stroke-group-r">
    <path d="M64.7663 292.352C131.921 153.451 178.211 117.98 178.211
117.98L178.211 429.98L12.2106 429.98C12.2106 429.98 -0.700821 427.762 64.7663
292.352Z" stroke="black"/>
  </g>
</svg>
```

```

<svg id="dpurple" xmlns="http://www.w3.org/2000/svg" width="356"
height="339" viewBox="0 0 356 339" fill="none">
  <path d="M124.011 100.599C262.373 168.857 297.474 215.428 297.474
215.428L-14.5161 212.945L-13.1953 46.9501C-13.1953 46.9501 -10.8739 34.0567
124.011 100.599Z" fill="#AA9DA9"/>
  <g class="stroke-group">
    <path d="M171.011 65.8115C309.373 134.069 344.474 180.64 344.474
180.64L32.4839 178.157L33.8047 12.1625C33.8047 12.1625 36.1261 -0.730928
171.011 65.8115Z" stroke="black"/>
  </g>
</svg>

```

```

<!-- Decorative elements -->
<div class="shape">
  <div class="circle-container">
    <div class="marquee-container">
      <div class="marquee-track">
        <h2 class="floating-marquee">WELCOME TO SSAE 快來使用校規
查詢功能吧</h2>
      </div>
    </div>
  </div>

```

```

  <div class="circle-particles">
    <div class="circle-background">
      <!---->
      <div class="owl-canvas">
        <div id="owl-container" style="width: 400px; height:
400px;"></div>
      </div>
    </div> <!-- 新增這一層背景 -->
    <div id="tsparticles"></div> <!-- 粒子效果在上層 -->
  </div>

```

```

<svg id="circle-stroke" xmlns="http://www.w3.org/2000/svg"
width="473" height="469" viewBox="0 0 473 469" fill="none">

```

```

        <path d="M427.865 405.544C410.058 421.083 380.198 429.826
357.722 434.987C301.632 447.867 232.721 466.041 176.376 452.745C26.0601
417.273 -22.8193 218.457 52.3417 102.333C108.542 15.5032 311.558 -38.1477 398
39.581C442.352 79.4615 459.733 135.248 468.572 191.564C477.526 248.617
461.694 304.862 427.865 354.745C355.396 461.605 201.869 497.381 85.061
440.17C9.97511 403.395 -3.66047 318.294 3.79737 243.815C13.2755 149.162
76.7975 70.1825 168.677 39.5812C234.178 17.7655 325.493 17.777 380.604
63.8405C436.493 110.555 456.578 184.407 460.584 252.109C464.454 317.491
444.047 373.363 387.02 411.35C350.992 435.348 318.935 447.396 278.383
431.669" stroke="#8C618C" stroke-width="3" stroke-linecap="round"/>
    </svg>
</div>
<div class="chatbox">
    <div class="input-container">
        <input type="text" id="userInput" placeholder="歡迎輸入欲使用
功能" />
        <button class="send-button" onclick="handleInput()"><span
class="send-icon">></span></button>
    </div>
</div>

<div id="message" class="message"></div>

<div id="modal" class="modal-overlay">
    <div class="modal">
        <div class="modal-header">
            <div class="modal-title" id="modalTitle">確認操作</div>
        </div>
        <div class="modal-content" id="modalContent">
            <!-- 動態內容 -->
        </div>
        <div class="modal-buttons">
            <button class="modal-button cancel"
onclick="closeModal()">取消</button>
            <button class="modal-button confirm"
onclick="confirmAction()">確認</button>
        </div>
    </div>
</div>

```

</div>

<div class="lsection">

```
<svg class="sectionI" xmlns="http://www.w3.org/2000/svg"
width="32vw" height="60vw" viewBox="0 0 1522 395" fill="none">
  <g class="dialog-group-I">
    <defs>
      <clipPath id="dialogClip">
        <path d="M41 0.5H387.233C387.509 0.500133 382.733
0.723942 382.733 1V33C387.733 52.0537 372.287 67.4999 353.233 67.5H7C6.72386
67.5 6.5 67.2761 6.5 67V35C6.5 15.9462 21.9462 0.500001 41 0.5Z" />
      </clipPath>
    </defs>
    <path class="path-outline" d="M35 10.5H386.233C386.509
10.5001 386.733 10.7239 386.733 11V43C386.733 62.0537 371.287 77.4999 352.233
77.5H1C0.723857 77.5 0.5 77.2761 0.5 77V45C0.500001 25.9462 15.9462 10.5 35
10.5Z" stroke-width="2" stroke="#9E8C9E"/>
    <path class="path-fill" d="M41 0.5H392.233C392.509 0.500133
392.733 0.723942 392.733 1V33C392.733 52.0537 377.287 67.4999 358.233
67.5H7C6.72386 67.5 6.5 67.2761 6.5 67V35C6.5 15.9462 21.9462 0.500001 41 0.5Z"
fill="#D1C5D1" stroke-width="2" stroke="#9E8C9E"/>
    <g clip-path="url(#dialogClip)">
      <text class="dialog-text" x="30" y="42" fill="black">最新！課
程評論：</text>
    </g>
  </g>
```

<g class="dialog-group-I">

```
<path class="path-outline" d="M285 166.5H444.087C444.363
166.5 444.587 166.724 444.587 167V199C444.587 218.054 429.141 233.5 410.087
233.5H251C250.724 233.5 250.5 233.276 250.5 233V201C250.5 181.946 265.946
166.5 285 166.5Z" stroke-width="2" stroke="#9E8C9E"/>
<path class="path-fill" d="M291 156.5H450.087C450.363 156.5
450.587 156.724 450.587 157V189C450.587 208.054 435.141 223.5 416.087
223.5H257C256.724 223.5 256.5 223.276 256.5 223V191C256.5 171.946 271.946
156.5 291 156.5Z" fill="#D1C5D1" stroke-width="2" stroke="#9E8C9E"/>
</g>
<g class="dialog-group-I">
```

```

        <path class="path-outline" d="M171 322.5H397.73C398.007
322.5 398.23 322.724 398.23 323V355C398.23 374.054 382.784 389.5 363.73
389.5H137C136.724 389.5 136.5 389.276 136.5 389V357C136.5 337.946 151.946
322.5 171 322.5Z" stroke-width="2" stroke="#9E8C9E"/>
        <path class="path-fill" d="M177 312.5H403.73C404.007 312.5
404.23 312.724 404.23 313V345C404.23 364.054 388.784 379.5 369.73
379.5H143C142.724 379.5 142.5 379.276 142.5 379V347C142.5 327.946 157.946
312.5 177 312.5Z" fill="#D1C5D1" stroke-width="2" stroke="#9E8C9E"/>
    </g>
</svg>

<svg class="svg-mobile" xmlns="http://www.w3.org/2000/svg"
viewBox="0 0 580 300" fill="none">
    <g class="dialog-group-l">
        <path class="path-outline" d="M103.374 3.88477H201.483C201.56
3.88477 201.623 3.9475 201.623 4.02441C201.623 16.1049 191.83 25.8984 179.749
25.8984H81.6396C81.5627 25.8984 81.5 25.8357 81.5 25.7588C81.5001 13.6781
91.2934 3.88481 103.374 3.88477Z" stroke="#9E8C9E"/>
        <path class="path-fill" d="M105.251 0.5H203.36C203.437 0.5 203.5
0.562734 203.5 0.639648C203.5 12.7202 193.707 22.5136 181.626
22.5137H83.5166C83.4397 22.5137 83.377 22.4509 83.377 22.374C83.377 10.2934
93.1703 0.500048 105.251 0.5Z" fill="#D1C5D1" stroke="#9E8C9E"/>
    </g>
    <g class="dialog-group-l">
        <path class="path-outline" d="M22.8848
40.9609H140.019C140.104 40.9609 140.173 41.0303 140.173 41.1152C140.173
53.4776 130.151 63.499 117.788 63.499H0.654297C0.569417 63.499 0.500138
63.4306 0.5 63.3457C0.5 50.9831 10.5221 40.9609 22.8848 40.9609Z"
stroke="#9E8C9E"/>
        <path class="path-fill" d="M27.2119 37.5H144.346C144.431 37.5
144.5 37.5693 144.5 37.6543C144.5 50.0167 134.478 60.0381 122.115
60.0381H4.98145C4.89657 60.0381 4.82729 59.9696 4.82715 59.8848C4.82715
47.5221 14.8493 37.5 27.2119 37.5Z" fill="#D1C5D1" stroke="#9E8C9E"/>
    </g>
    <g class="dialog-group-l">
        <path class="path-outline" d="M96.0371 78.833H254.241C254.313
78.833 254.371 78.8913 254.371 78.9629C254.371 90.8575 244.729 100.5 232.834
100.5H74.6299C74.5583 100.5 74.5 100.442 74.5 100.37C74.5001 88.4755 84.1425

```

```
78.8331 96.0371 78.833Z" stroke="#9E8C9E"/>
    <path class="path-fill" d="M100.166 75.5H258.37C258.442 75.5
258.5 75.5583 258.5 75.6299C258.5 87.5245 248.858 97.167 236.963
97.167H78.7588C78.6872 97.167 78.6289 97.1087 78.6289 97.0371C78.629 85.1425
88.2714 75.5001 100.166 75.5Z" fill="#D1C5D1" stroke="#9E8C9E"/>
</g>
</svg>
</div>
```

```
<div class="rsection">
    <svg class="sectionr" xmlns="http://www.w3.org/2000/svg"
width="32vw" height="60vw" viewBox="0 0 1522 395" fill="none">
        <g class="dialog-group-r">
            <path class="path-outline" d="M298 10.5H138.913C138.637 10.5
138.413 10.7239 138.413 11V43C138.413 62.0538 153.859 77.5 172.913
77.5H332C332.276 77.5 332.5 77.2761 332.5 77V45C332.5 25.9462 317.054 10.5
298 10.5Z" stroke-width="2" stroke="#9E8C9E"/>
            <path class="path-fill" d="M292 0.5H132.913C132.637 0.5
132.413 0.723861 132.413 1V33C132.413 52.0538 147.859 67.5 166.913
67.5H326C326.276 67.5 326.5 67.2761 326.5 67V35C326.5 15.9462 311.054 0.5 292
0.5Z" fill="#D1C5D1" stroke-width="2" stroke="#9E8C9E"/>
        </g>
        <g class="dialog-group-r">
            <path class="path-outline" d="M234 166.5H7.26953C6.99345
166.5 6.76953 166.724 6.76953 167V199C6.76953 218.054 22.2158 233.5 41.2695
233.5H268C268.276 233.5 268.5 233.276 268.5 233V201C268.5 181.946 253.054
166.5 234 166.5Z" stroke-width="2" stroke="#9E8C9E"/>
            <path class="path-fill" d="M228 156.5H1.26953C0.993446 156.5
0.769531 156.724 0.769531 157V189C0.769532 208.054 16.2158 223.5 35.2695
223.5H262C262.276 223.5 262.5 223.276 262.5 223V191C262.5 171.946 247.054
156.5 228 156.5Z" fill="#D1C5D1" stroke-width="2" stroke="#9E8C9E"/>
        </g>
        <g class="dialog-group-r">
            <path class="path-outline" d="M442 322.5H90.7666C90.4906
322.5 90.2666 322.724 90.2666 323V355C90.2666 374.054 105.713 389.5 124.767
389.5H476C476.276 389.5 476.5 389.276 476.5 389V357C476.5 337.946 461.054
322.5 442 322.5Z" stroke-width="2" stroke="#9E8C9E"/>
            <path class="path-fill" d="M436 312.5H84.7666C84.4906 312.5
```

```
84.2666 312.724 84.2666 313V345C84.2666 364.054 99.7129 379.5 118.767
379.5H470C470.276 379.5 470.5 379.276 470.5 379V347C470.5 327.946 455.054
312.5 436 312.5Z" fill="#D1C5D1" stroke-width="2" stroke="#9E8C9E"/>
```

```
</g>
```

```
</svg>
```

```
</div>
```

```
</div>
```

```
<!-- Feature sections with curved path connections -->
```

```
<div class="feature-container">
```

```
<svg id="triangle-1" xmlns="http://www.w3.org/2000/svg" width="188"
height="143" viewBox="0 0 188 143" fill="none">
```

```
<path d="M152.521 102.905L104.945 47.015L80.1997 115.423L152.521
102.905Z" fill="#D1C5D1"/>
```

```
<path d="M94.2181 81.8137L46.6427 25.9242L21.897 94.3321L94.2181
81.8137Z" fill="#D1C5D1"/>
```

```
<!-- stroke 包進 g -->
```

```
<g class="stroke-group">
```

```
<path d="M125.569 35.5694L101.994 100.739L170.893
88.8138L125.569 35.5694Z" stroke="#635C63" stroke-width="2"/>
```

```
<path d="M67.266 14.4791L43.6915 79.6489L112.59 67.7235L67.266
14.4791Z" stroke="#635C63" stroke-width="2"/>
```

```
</g>
```

```
</svg>
```

```
<svg id="animated-line" xmlns="http://www.w3.org/2000/svg"
width="1826" height="1736" viewBox="0 0 1826 1736" fill="none">
```

```
<path d="M182.717 1C182.717 1 788.061 316.164 570.5 336.5C-670.5
452.5 1231.5 612 1344 609C1404 603 1520 588 1533 545.5C1546.24 502.224
1488.91 477.05 1445 488C1393.78 500.772 1358 513.5 1344 609C1329 721.5 1461
1142.5 1736.5 1321.5C1840.79 1389.26 1881.45 1319.22 1696 1310.5C1451.5 1299
966.283 1193.5 793.783 1180C348.564 1145.16 -293.147 1268.99 151.5
1310.5C236.46 1318.43 438.783 1361 370 1310.5C345.197 1292.29 328.324 1283.72
298 1278.5C185.052 1259.07 306 1369.5 370 1467.5C655.429 1904.56 1508 1673
1508 1673" stroke="#5A355A" stroke-width="3"/>
```

```
</svg>
```



```
<div class="feature-box">
  <div class="feature-item">
    <div class="floating-slogan slogan-1">
      <div class="slogan-inner">資管系畢業要修滿幾學分？</div>
    </div>
    <div class="feature-title">
      <h3>校規查詢</h3>
    </div>
    
    <div class="feature-desc">
      <p>即問即答，透過關鍵字快速查詢校規，獲得清楚、精準的答
案。</p>
    </div>
  </div>
  <div class="feature-item">
    <div class="floating-slogan slogan-2">
      <div class="slogan-inner">
        要不要修多媒體製作導論勒<br>
        <span class="indent">不知道會不會跟不上進度...</span>
      </div>
    </div>
    <div class="feature-title">
      <h3>課程評論</h3>
    </div>
    
    <div class="feature-desc">
      <p>讓學生分享對於課程的看法和建議，並優化語意提升參考價
值。</p>
    </div>
  </div>
  <div class="feature-item">
    <div class="floating-slogan slogan-3">
      <div class="slogan-inner">有人也想修這門課嗎？</div>
    </div>
    <div class="feature-title">
      <h3>活動召集</h3>
    </div>
  </div>
```

```

<div class="feature-desc">
    <p>協助學生快速找到志同道合的夥伴，一起參與校內活動或課程。</p>
</div>
</div>
<div class="feature-item">
    <div class="floating-slogan slogan-4">
        <div class="slogan-inner">全新的原文書好貴歐，但直屬的書不見了:</div>
    </div>
    <div class="feature-title">
        <h3>二手書專區</h3>
    </div>
    
    <div class="feature-desc">
        <p>提供便捷的二手書管道，讓教材資源充分再利用。</p>
    </div>
</div>
</div>
```

```
<!-- Icon containers (獨立的 80x80 容器) -->
<!--<div class="icon-container">
</div>
<div class="icon-container">
    i
</div>
<div class="icon-container">
    m
</div>
<div class="icon-container">
    c
</div>
<div class="icon-container">
    b
</div>-->
```

```
<svg id="triangle-2" xmlns="http://www.w3.org/2000/svg" width="224"
height="197" viewBox="0 0 224 197" fill="none">
  <path d="M177.938 108.543L114.582 71.4881L113.801 144.23L177.938
108.543Z" fill="#D1C5D1"/>
  <path d="M115.941 107.877L52.5853 70.822L51.8043 143.564L115.941
107.877Z" fill="#D1C5D1"/>
  <g class="stroke-group">
    <path d="M130.272 53.8771L129.528 123.176L190.63 89.1785L130.272
53.8771Z" stroke="#635C63" stroke-width="2"/>
    <path d="M68.2753 53.2116L67.5312 122.51L128.633 88.513L68.2753
53.2116Z" stroke="#635C63" stroke-width="2"/>
  </g>
</svg>
</div>
```

```
</div>
{% endblock %}
```

```
{% block body_js %}
<script src="{% static 'js/index.js' %}"></script>
<script src="https://kit.fontawesome.com/9e4db15554.js"
crossorigin="anonymous"></script>
{% endblock %}
```

```
#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\templates\join_create.html
<!DOCTYPE html>
<html lang="zh-TW">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>智能校事專家 - 發起揪團</title>
  {% load static %}
```

```

<link rel="stylesheet" href="{% static 'css/base.css' %}">
<link rel="stylesheet" href="{% static 'css/join_create.css' %}">
{% block head_js %}{% endblock %}
</head>
<body>
  <!-- {% block header %}
  <header>
    <a href="index.html" class="logo-container">
      <div class="logo-image"></div>
      <div class="logo-text">北商 Rule</div>
    </a>
    <nav class="nav-menu">
      <a href="index.html">首頁</a>
      <a href="school-rules.html">校規查詢</a>
      <a href="group-activities.html" class="active">搵團區</a>
      <a href="discussion-forum.html">討論區</a>
      <a href="dashboard.html">個人儀表板</a>
    </nav>
  </header>
  {% endblock %} -->

  {% block content %}
  <div class="page-container">
    <div class="page-header">
      <div class="page-icon">✏️</div>
      <h1 class="page-title">發起揪團</h1>
    </div>

    <div class="form-container">
      <form id="create-group-form">
        <div class="form-group">
          <label for="activity-title" class="form-label">活動標題
</label>
          <input type="text" id="activity-title" class="form-input"
placeholder="請輸入活動標題（最多 30 字）" maxlength="30" required>
        </div>

        <div class="form-row">

```

```

<div class="form-col">
  <div class="form-group">
    <label for="activity-type" class="form-label">活動
    類型</label>

    <select id="activity-type" class="form-select"
    required>

      <option value="" disabled selected>請選擇活
      動類型</option>

      <option value="food">美食</option>
      <option value="sport">運動</option>
      <option value="study">讀書</option>
      <option value="travel">旅遊</option>
      <option value="movie">電影</option>
      <option value="other">其他</option>
    </select>
  </div>
</div>
<div class="form-col">
  <div class="form-group">
    <label for="activity-location" class="form-label">
    活動地點</label>

    <input type="text" id="activity-location"
    class="form-input" placeholder="請輸入活動地點" required>
  </div>
</div>
</div>

<div class="form-row">
  <div class="form-col">
    <div class="form-group">
      <label for="activity-date" class="form-label">活動
      日期</label>

      <input type="date" id="activity-date" class="form-
      input" required>
    </div>
  </div>
</div>
<div class="form-col">
  <div class="form-group">

```

```
<label for="activity-time" class="form-label">活動
時間</label>

<input type="time" id="activity-time" class="form-
input" required>

</div>
</div>
</div>

<div class="form-row">
  <div class="form-col">
    <div class="form-group">
      <label for="min-participants" class="form-label">
最少參加人數</label>

      <input type="number" id="min-participants"
class="form-input" min="2" value="2" required>
      <div class="help-text">若未達最少人數，活動將
被取消</div>
    </div>
  </div>
  <div class="form-col">
    <div class="form-group">
      <label for="max-participants" class="form-label">
最多參加人數</label>

      <input type="number" id="max-participants"
class="form-input" min="2" value="10" required>
    </div>
  </div>
</div>

<div class="form-group">
  <label for="activity-description" class="form-label">活動說
明</label>

  <textarea id="activity-description" class="form-textarea"
placeholder="請詳細描述活動內容、準備物品、費用說明等資訊..."
required></textarea>
</div>

<div class="form-group">
```

```

<label class="form-label">活動封面圖片</label>
<div class="image-upload-container" id="image-upload-
area">

    <div class="image-upload-icon">📷</div>
    <div class="image-upload-text">點擊上傳圖片或拖曳
圖片至此處</div>

</div>
<div class="help-text">建議尺寸：800x400 像素，檔案大
小不超過 2MB</div>
</div>

<div class="form-group">
    <label for="activity-deadline" class="form-label">報名截止
日期</label>

    <input type="date" id="activity-deadline" class="form-
input" required>

    <div class="help-text">報名截止日期必須早於活動日期
</div>
</div>

<div class="form-group">
    <label for="contact-info" class="form-label">聯絡方式（選
填）</label>

    <input type="text" id="contact-info" class="form-input"
placeholder="LINE ID、IG、電話等，方便參加者聯繫">
</div>

<div class="preview-section">
    <div class="preview-title">
        <span class="preview-icon">👁️</span>
        活動預覽
    </div>
    <div class="preview-card">
        <div class="preview-image">
            圖片預覽區域
            <div class="preview-tag" id="preview-tag">活動類
型</div>
        </div>
    </div>

```

```

        <div class="preview-content">
            <h3 class="preview-activity-title" id="preview-
title">活動標題</h3>

            <div class="preview-info">
                <div class="preview-location">
                    <span class="location-icon"> 📍 </span>
                    <span id="preview-location">活動地點
</span>

                </div>
                <div class="preview-time">
                    <span class="time-icon"> ⌚ </span>
                    <span id="preview-time">活動時間
</span>

                </div>
            </div>
            <p class="preview-description" id="preview-
description">活動說明將顯示在這裡...</p>
        </div>
    </div>

    <div class="buttons-container">
        <a href="group-activities.html" class="cancel-btn">取消
</a>

        <button type="submit" class="submit-btn">發布活動
</button>

    </div>
</form>
</div>
<div>
    {% endblock %}

    {% block footer %}{% endblock %}

    {% block body_js %}
    <script src="{% static 'js/join_create.js' %}"></script>
    {% endblock %}
</body>

```


</html>

```
#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\templates\join_detail.html
{% extends 'navbar.html' %}
{% load static %}
```

```
{% block lang %}zh-Hant{% endblock %}
```

```
{% block title %}智能校事專家 - 登入{% endblock %}
```

```
{% block css %}
<link rel="stylesheet" href="{% static 'css/join_detail.css' %}">
{% endblock %}
```

```
{% block content %}
```

```
<body>
```

```
<button class="fixed-cta">立即報名</button>
```

```
<div class="container">
```

```
<div class="back-button" onclick="history.back()">
```

```
<a href="#">返回</a>
```

```
</div>
```

```
<div class="hero">
```

```
<div class="event-details">
```

```
<div class="event-info-cards">
```

```
<div class="info-card">
```

```
<div class="info-icon-circle">
```

```
<span class="info-icon"><i class="fa-solid fa-
map-pin"></i></span>
```

```
</div>
```

```
<div class="info-content">
```

```
<h3 class="info-title">活動地點</h3>
```

```
<p class="info-value">大安森林公園</p>
```

```
</div>
```

</div>

<div class="info-card">

<div class="info-icon-circle">

<i class="fa-solid fa-clock"></i>

</div>

<div class="info-content">

<h3 class="info-title">活動時間</h3>

<p class="info-value">8/6（週六）下午
2:00-6:00</p>

</div>

</div>

<div class="info-card">

<div class="info-icon-circle">

<i class="fa-solid fa-person"></i>

</div>

<div class="info-content">

<h3 class="info-title">參加人數</h3>

<p class="info-value">8/15 人</p>

</div>

</div>

<div class="info-card">

<div class="info-icon-circle">

<i class="fa-solid fa-coins"></i>

</div>

<div class="info-content">

<h3 class="info-title">活動費用</h3>

<p class="info-value">每人 250 元（含食
材）</p>

</div>

</div>

</div>

</div>

</div>

<div class="section">

<h2 class="section-title">活動介紹</h2>

<div class="section-content">

<p>週末一起來烤肉放鬆！我們會準備各種食材，飲料自備。歡迎大家參加，認識新朋友！</p>

<p>這次烤肉活動地點選在大安森林公園，交通便利，附近有捷運站。我們會準備豐富的食材，包括：牛肉、豬肉、雞肉、香腸、蔬菜、玉米、海鮮等。現場有烤肉設備和桌椅，大家只需帶上好心情來參加！</p>

<p>希望透過這次活動，讓大家能在忙碌的學校生活中，找到放鬆的機會，也能認識更多志同道合的朋友。</p>

</div>

</div>

<div class="section">

<h2 class="section-title">注意事項</h2>

<div class="section-content">

請於 8/5 前繳交活動費用 250 元

飲料請自行攜帶

請自備餐具及碗筷

請穿著方便活動的服裝

活動當天若遇雨天，將改至室內場地，另行通知

取消參加請至少提前兩天告知，可退還 80%費用

</div>

</div>

<div class="section">

<h2 class="section-title">活動地點</h2>

<div class="map-container">

<div style="width: 100%; height: 100%;">

<iframe

src="https://www.google.com/maps/embed?pb=!1m18!1m12!1m3!1d3614.769413429175!2d121.52297827445207!3d25.041898237975207!2m3!1f0!2f0!3m2!1i1024!2i768!4f13.1!3m3!1m2!1s0x3442a97a0a4329a3%3A0x4c025e30ffa0d88f!2zMTAw5Y-w5YyX5biC5Lit5q2j5Y2A5r-f5Y2X6Lev5LiA5q61Mzlx6Jmf!5e0!3m2!1szh-TW!2stw!4v1693825814320!5m2!1szh-TW!2stw"

width="100%"

height="100%"

style="border:0;"

allowfullscreen=""

loading="lazy"

referrerpolicy="no-referrer-when-downgrade">

</iframe>

</div>

</div>

<div class="address">

 

台北市大安區新生南路二段 1 號（大安森林公園

烤肉區）

</div>

</div>

<div class="section">

<h2 class="section-title">參加者</h2>

<div class="participants">

<div class="participant">

<div class="avatar"></div>

<div class="name">烤肉達人</div>

</div>

<div class="participant">

<div class="avatar"></div>

<div class="name">小明</div>

</div>

<div class="participant">

<div class="avatar"></div>

<div class="name">阿華</div>

</div>

<div class="participant">

<div class="avatar"></div>

```

        <div class="name">小芳</div>
    </div>
    <div class="participant">
        <div class="avatar"></div>
        <div class="name">大雄</div>
    </div>
    <div class="participant">
        <div class="avatar"></div>
        <div class="name">靜香</div>
    </div>
    <div class="participant">
        <div class="avatar"></div>
        <div class="name">胖虎</div>
    </div>
    <div class="participant">
        <div class="avatar"></div>
        <div class="name">小夫</div>
    </div>
</div>

<div class="status">
    <div class="status-text">還有 7 個名額，趕快加入我們
吧！</div>
</div>
</div>

<div class="section">

    <h2 class="section-title">活動討論區 <span
class="comment-count" id="commentCount">(3 則評論)</span></h2>

    <div class="comments-section" id="commentsSection">
        <!-- 評論 1 -->
        <article class="comment-card">
            <div class="comment-header">
                <div class="user-info-container">
                    <div class="user-avatar">
                        
    </div>
    <div class="user-info">
        <span class="user-name">阿華
    </span>

        <div class="comment-meta">
            <div class="stars" data-
rating="4.5">

                <i class="fa-solid fa-
star"></i>

                <i class="fa-solid fa-
star"></i>

                <i class="fa-solid fa-
star"></i>

                <i class="fa-solid fa-
star"></i>

                <i class="fa-regular fa-
star"></i>

            </div>
            <span class="comment-
date">2024/04/10</span>

        </div>
    </div>
</div>
<button class="like-btn" data-comment-
id="1">

    <span class="like-icon"><i class="fa-solid
fa-thumbs-up"></i></span>

    <span class="like-count">12</span>
</button>
</div>
<div class="comment-content">
    <p>請問可以帶朋友一起參加嗎？我有一位
朋友也很想來，但他不是北商的學生。</p>
</div>
<div class="comment-actions">
    <button class="reply-btn" data-comment-
id="1">回覆</button>
```

```

</div>

<!-- 回覆表單 (預設隱藏) -->
<div class="reply-form" id="replyForm1"
style="display: none;">
    <div class="form-group">
        <textarea class="form-control reply-
textarea" rows="3" placeholder="撰寫回覆..."></textarea>
    </div>
    <div class="form-actions">
        <button class="cancel-reply-btn" data-
comment-id="1">取消</button>
        <button class="submit-reply-btn" data-
comment-id="1">發送</button>
    </div>
</div>

<!-- 回覆區塊 -->
<div class="replies-container" id="replies1">
    <div class="reply">
        <div class="user-avatar small">
            
        </div>
        <div class="reply-content">
            <div class="reply-header">
                <span class="user-name">烤肉
達人</span>
                <span class="reply-
date">2024/04/11</span>
            </div>
            <p>可以的！這次活動其實不限北
商學生，只要是你的朋友都歡迎參加，記得幫他報名和繳費就行了。</p>
            <div class="reply-actions">
                <button class="reply-to-reply"
data-reply-to="烤肉達人">回覆</button>
            </div>
        </div>
    </div>
</div>

```

```
        </div>
    </div>
</article>

<!-- 評論 2 -->
<article class="comment-card">
    <div class="comment-header">
        <div class="user-info-container">
            <div class="user-avatar">
                
            </div>
            <div class="user-info">
                <span class="user-name">小明
</span>

                <div class="comment-meta">
                    <div class="stars" data-
rating="5">

                        <i class="fa-solid fa-
star"></i>

                        <i class="fa-solid fa-
star"></i>

                        <i class="fa-solid fa-
star"></i>

                        <i class="fa-solid fa-
star"></i>

                        <i class="fa-solid fa-
star"></i>

                    </div>
                    <span class="comment-
date">2024/04/12</span>

                </div>
            </div>
            <div class="comment-content">
                <p>這是我第一次使用這個產品，
                感覺還不錯，希望以後能有更多
                功能。</p>
            </div>
            <div class="comment-action">
                <button class="like-btn" data-comment-
id="2">
                    <span class="like-icon"><i class="fa-solid
fa-thumbs-up"></i></span></div>
            </div>
        </div>
    </div>
</article>
```



```

        <span class="like-count">8</span>
      </button>
    </div>
    <div class="comment-content">
      <p>看起來很有趣！我已經報名了，期待週
六的烤肉活動～</p>
    </div>
    <div class="comment-actions">
      <button class="reply-btn" data-comment-
id="2">回覆</button>
    </div>

    <div class="reply-form" id="replyForm2"
style="display: none;">
      <div class="form-group">
        <textarea class="form-control reply-
textarea" rows="3" placeholder="撰寫回覆..."></textarea>
      </div>
      <div class="form-actions">
        <button class="cancel-reply-btn" data-
comment-id="2">取消</button>
        <button class="submit-reply-btn" data-
comment-id="2">發送</button>
      </div>
    </div>

    <div class="replies-container" id="replies2"></div>
  </article>

  <!-- 評論 3 -->
  <article class="comment-card">
    <div class="comment-header">
      <div class="user-info-container">
        <div class="user-avatar">
          
        </div>
        <div class="user-info">

```

```
</span>
rating="4">
star"></i>
star"></i>
star"></i>
star"></i>
star"></i>
star"></i>
date">2024/04/13</span>
</div>
</div>
</div>
<button class="like-btn" data-comment-
id="3">
<span class="like-icon"><i class="fa-solid
fa-thumbs-up"></i></span>
<span class="like-count">5</span>
</button>
</div>
<div class="comment-content">
<p>請問會提供素食選項嗎？我是吃素的，
想知道有沒有適合的食材。</p>
</div>
<div class="comment-actions">
<button class="reply-btn" data-comment-
id="3">回覆</button>
</div>
<div class="reply-form" id="replyForm3">
```

```
style="display: none;">
        <div class="form-group">
            <textarea class="form-control reply-
textarea" rows="3" placeholder="撰寫回覆..."></textarea>
        </div>
        <div class="form-actions">
            <button class="cancel-reply-btn" data-
comment-id="3">取消</button>
            <button class="submit-reply-btn" data-
comment-id="3">發送</button>
        </div>
    </div>

    <div class="replies-container" id="replies3"></div>
</article>
</div>

<!-- 新增留言表單 -->
<div class="add-comment-form">
    <h3>發表留言</h3>
    <div class="form-group">
        <textarea id="newCommentText" class="form-
control" rows="4" placeholder="分享你的想法..."></textarea>
    </div>
    <button id="submitComment" class="submit-
comment-btn">發表留言</button>
</div>

</div>

<div class="section">
    <h2 class="section-title">相關活動推薦</h2>
    <div class="related-grid">
        <a href="#" class="related-card">
            <div class="related-image">
                <div class="related-date">4/13 上午 11:00</div>
            </div>
            <div class="related-content">
```

```

        <h3 class="related-card-title">春季戶外野餐日</h3>
        <div class="related-info">
            <span>大安森林公園</span>
            <span>12/20 人</span>
        </div>
    </div>
</a>

<a href="#" class="related-card">
    <div class="related-image">
        <div class="related-date">4/20 下午 1:00</div>
    </div>
    <div class="related-content">
        <h3 class="related-card-title">校園美食節</h3>
        <div class="related-info">
            <span>北商大校園</span>
            <span>25/50 人</span>
        </div>
    </div>
</a>

<a href="#" class="related-card">
    <div class="related-image">
        <div class="related-date">4/15 晚上 6:00</div>
    </div>
    <div class="related-content">
        <h3 class="related-card-title">士林夜市美食團</h3>
        <div class="related-info">
            <span>士林夜市</span>
            <span>8/15 人</span>
        </div>
    </div>
</a>
</div>
</div>
</body>
{% endblock %}
```

```
{% block body_js %}  
<script src="{% static 'js/join_detail.js' %}"></script>  
{% endblock %}
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\templates\join.html  
{% extends 'base.html' %}  
{% load static %}
```

```
{% block title %}智能校事專家 - 活動召集{% endblock %}
```

```
{% block lang %}zh-Hant{% endblock %}
```

```
{% block extra_css %}  
<script src="https://kit.fontawesome.com/9e4db15554.js"  
crossorigin="anonymous"></script>  
{% endblock %}
```

```
{% block css %}  
<link rel="stylesheet" href="{% static 'css/join.css' %}">  
<link rel="stylesheet" href="{% static 'css/pop_window/join_pop.css' %}">  
{% endblock %}
```

```
{% block content %}  
<div class="page-container">  
    <!-- 背景的 ACTIVITY GROUP ACTIVITY GROUP -->  
    <div class="bg-text">ACTIVITY GROUP ACTIVITY GROUP</div>  
  
    <!-- 標題 -->  
    <header class="page-header">  
        <h1 class="page-title">活動召集</h1>  
        <p class="page-subtitle">（尋找同好・共享樂趣）</p>  
    </header>  
  
    <!-- 頂部搜尋與過濾區 -->  
    <div class="filter-section">
```

```
<select class="filter-item">
  <option>全部活動類型</option>
  <option>美食</option>
  <option>運動</option>
  <option>讀書</option>
  <option>旅遊</option>
  <option>電影</option>
  <option>其他</option>
</select>
```

```
<select class="filter-item">
  <option>全部地點</option>
  <option>校內</option>
  <option>校外</option>
</select>
```

```
<select class="filter-item">
  <option>全部時間</option>
  <option>今天</option>
  <option>本週</option>
  <option>本月</option>
</select>
```

```
<input type="text" class="search-box" placeholder="搜尋活動...">
</div>
```

```
<!-- 活動列表和分頁 -->
```

```
<section class="activities-container">
```

```
  <div class="activity-grid">
```

```
    <!-- 活動 到時候改迴圈 -->
```

```
    <div class="activity-card"
```

```
      onclick="window.location.href='/join_detail/?id=1'">
```

```
      <div class="activity-header">週末烤肉趴</div>
```

```
      <div class="activity-image">
```

```
        
```

```
        <div class="activity-tag food">美食</div>
```

```
      </div>
```

```
      <div class="activity-content">
```

```
<h3 class="activity-title">一起來同樂！</h3>
<p class="activity-description">週末一起來烤肉放鬆！我們會準備各種食材，飲料自備。歡迎大家參加，認識新朋友！</p>
```

```
<div class="activity-info">
  <div class="activity-location">
    <span class="icon"><i class="fa-solid fa-map-pin
iconMap"></i></span>
    <span>大安森林公園</span>
  </div>
  <div class="activity-time">
    <span class="icon"><i class="fa-solid fa-clock
iconTime"></i></span>
    <span>4/6 下午 2:00</span>
  </div>
</div>
```

```
<div class="activity-footer">
  <div class="participants">
    <div class="participant-avatars">
      <div class="participant-avatar"></div>
      <div class="participant-avatar"></div>
      <div class="participant-avatar"></div>
    </div>
    <div class="participant-count">8/15 人</div>
  </div>
  <a href="/join_detail/?id=1" class="join-btn"
onclick="event.stopPropagation();">我要參加</a>
</div>
</div>
</div>
```

```
<!-- Activity Card 2 -->
<div class="activity-card"
onclick="window.location.href='/join_detail/?id=2'">
  <div class="activity-header">會計學讀書會</div>
  <div class="activity-image">
    

<div class="activity-tag study">讀書</div>

</div>

<div class="activity-content">

<h3 class="activity-title">期中考準備</h3>

<p class="activity-description">期中考快到了，一起來複  
習會計學！我有整理好的重點筆記，可以一起討論難題。人數限制避免太吵  
雜，請有準備的同學參加。</p>

<div class="activity-info">

<div class="activity-location">

<span class="icon"><i class="fa-solid fa-map-pin  
iconMap"></i></span>

<span>圖書館 3 樓讀書室</span>

</div>

<div class="activity-time">

<span class="icon"><i class="fa-solid fa-clock  
iconTime"></i></span>

<span>4/5 晚上 7:00</span>

</div>

</div>

<div class="activity-footer">

<div class="participants">

<div class="participant-avatars">

<div class="participant-avatar"></div>

<div class="participant-avatar"></div>

<div class="participant-avatar"></div>

</div>

<div class="participant-count">5/8 人</div>

</div>

<a href="/join\_detail/?id=2" class="join-btn"  
onclick="event.stopPropagation();">我要參加</a>

</div>

</div>

</div>

<!-- Activity Card 3 -->



```

 <div class="activity-card"
onclick="window.location.href='/join_detail/?id=3'">
 <div class="activity-header">籃球練習</div>
 <div class="activity-image">

 <div class="activity-tag sports">運動</div>
 </div>
 <div class="activity-content">
 <h3 class="activity-title">週三球場見</h3>
 <p class="activity-description">固定每週三晚上的籃球練
習，歡迎對籃球有興趣的同學參加！不限男女，有經驗或新手都可以，一起來
動一動。</p>

 <div class="activity-info">
 <div class="activity-location">
 <i class="fa-solid fa-map-pin
iconMap"></i>

 校內籃球場
 </div>
 <div class="activity-time">
 <i class="fa-solid fa-clock
iconTime"></i>

 每週三晚上 6:00
 </div>
 </div>

 <div class="activity-footer">
 <div class="participants">
 <div class="participant-avatars">
 <div class="participant-avatar"></div>
 <div class="participant-avatar"></div>
 <div class="participant-avatar"></div>
 </div>
 <div class="participant-count">9/10 人</div>
 </div>
 <a href="/join_detail/?id=3" class="join-btn"
onclick="event.stopPropagation();">我要參加

```

```

 </div>
 </div>
</div>

<!-- Activity Card 4 -->
<div class="activity-card"
onclick="window.location.href='/join_detail/?id=4'">
 <div class="activity-header">漫威馬拉松</div>
 <div class="activity-image">

 <div class="activity-tag movie">電影</div>
 </div>
 <div class="activity-content">
 <h3 class="activity-title">超級英雄電影夜</h3>
 <p class="activity-description">一起來看漫威電影馬拉
松！連續播放三部復仇者系列電影，提供爆米花和飲料。喜歡漫威的朋友不要
錯過！</p>

 <div class="activity-info">
 <div class="activity-location">
 <i class="fa-solid fa-map-pin
iconMap"></i>

 市民大道電影院
 </div>
 <div class="activity-time">
 <i class="fa-solid fa-clock
iconTime"></i>

 4/10 下午 1:00
 </div>
 </div>

 <div class="activity-footer">
 <div class="participants">
 <div class="participant-avatars">
 <div class="participant-avatar"></div>
 <div class="participant-avatar"></div>
 <div class="participant-avatar"></div>

```

```

 </div>
 <div class="participant-count">12/20 人</div>
 </div>
 <a href="/join_detail/?id=4" class="join-btn"
onclick="event.stopPropagation();">我要參加
 </div>
</div>
</div>
</div>
</section>

<!-- 右下角的圓形 logo 和上傳按鈕 -->
<div class="floating-action-button">
 <div class="circular-logo">
 <div class="circular-text">
 <svg viewBox="0 0 100 100">
 <path id="curve" d="M 50 50 m -40 0 a 40 40 0 1 1 80 0 a 40
40 0 1 1 -80 0" fill="transparent"/>
 <text>
 <textPath href="#curve" textLength="250">
 join activity together •
 </textPath>
 </text>
 </svg>
 </div>
 <div class="upload-btn-center" id="uploadBtn">
 +
 </div>
 </div>
</div>

<div class="deco-line"></div>
</div>

<!-- 載入發起揪團彈跳視窗 -->
{% include 'pop_window/join_pop.html' %}

{% endblock %}

```

```
{% block body_js %}
<script src="{% static 'js/pop_window/join_pop.js' %}"></script>
<script src="{% static 'js/join.js' %}"></script>
{% endblock %}
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\templates\login.html
{% extends 'navbar.html' %}
{% load static %}
```

```
{% block lang %}zh-Hant{% endblock %}
```

```
{% block title %}智能校事專家 - 登入{% endblock %}
```

```
{% block css %}
<link rel="stylesheet" href="{% static 'css/reset.css' %}">
<link rel="stylesheet" href="{% static 'css/login.css' %}">
{% endblock %}
```

```
{% block content %}
<div class="background">
 <div class="wave"></div>
 <div class="wave"></div>
 <div class="wave"></div>
</div>

<main>
 <div class="login-container">
 <div class="frame"></div>
 <div class="login-sidebar">
 <h2>登入</h2>
 <div class="sidebar-text">
 請使用學校帳號進行登入
 </div>
 </div>
 <div class="login-form">
```

```

 <form id="loginForm">
 <a class="other-login-btn" href="{% url 'social:begin'
'google-oauth2' %}?prompt=select_account">

 </form>

 <form action="{% url 'logout' %}" method="post">
 {% csrf_token %}
 <button type="submit">登出</button>
 <div class="form-actions" onclick="history.back()">
 <button type="button" class="btn-cancel">取消</button>
 </div>
 </form>
 </div>
</div>
</main>
{% endblock %}

{% comment %} {% block body_js %}
<script src="{% static 'js/login.js' %}"></script>
{% endblock %} {% endcomment %}

```

```

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\templates\navbar.html
<!DOCTYPE html>
<html lang="{% block lang %}en{% endblock %}">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>{% block title %}智能校事專家{% endblock %}</title>
 {% load static %}
 {% block css %}{% endblock %}
 {% block head_js %}{% endblock %}
 <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.5.0/css/all.min.css">

```

```

<link rel="stylesheet" href="{% static 'css/navbar.css' %}">
<link rel="stylesheet" href="{% static 'css/pop_window/login_pop.css' %}">
{% block extra_css %}{% endblock %}
</head>

<body>
 {% block header %}
 <nav class="navbar navbar-initial" id="navbar">

 智能校事專家

 <ul class="nav-links">
 校規查詢
 課程評論區
 活動召集
 二手書專區

 <div class="user-menu">
 <div class="user-circle" id="userMenuButton">
 <i class="fa-solid fa-user"></i>
 </div>
 <div class="user-dropdown" id="userDropdown">
 {% if user.is_authenticated %}
 <a href="/personal/" class="dropdown-item"
id="personalButton">个人中心
 <form action="{% url 'logout' %}" method="post"
id="logoutForm" style="margin: 0;">
 {% csrf_token %}
 <a href="#"
onclick="document.getElementById('logoutForm').submit(); return false;"
class="dropdown-item" id="logoutButton">登出
 </form>
 {% else %}
 <a href="{% url 'social:begin' 'google-oauth2' %}"
class="dropdown-item" id="loginButton">登入
 {% endif %}
 </div>

```

```

</div>
<div class="phone-menu">
 <div class="phone-circle" id="phoneMenuButton">
 <i class="fa-solid fa-bars iconMenu"></i>
 </div>
</div>
</nav>

<!-- 手機菜單覆蓋層和面板 -->
<div class="phone-menu-overlay" id="phoneMenuOverlay"></div>
<div class="phone-dropdown" id="phoneDropdown">
 <button class="close-btn" id="phoneMenuClose">
 <i class="fa-solid fa-times"></i>
 </button>

 <div class="user-section">
 {% if user.is_authenticated %}

 <i class="fa-solid fa-user iconPhoneMenu"></i>
 個人中心

 {% else %}
 <a href="{% url 'social:begin' 'google-oauth2' %}" class="user-icon
dropdown-item" id="loginButton">
 <i class="fa-solid fa-user iconPhoneMenu"></i>
 請先登入學校帳號

 {% endif %}
 </div>

 <div class="nav-section">
 校規查詢
 課程評論區
 活動召集
 二手書專區

 </div>

```

```

<div class="footer-section">
 北商官網
 北商 blackboard 平台
 北商 Timetable 平台
 北商學生資訊系統

</div>

<div class="logout-section">
 {% if user.is_authenticated %}
 <form action="{% url 'logout' %}" method="post"
id="logoutForm" style="margin: 0;">
 {% csrf_token %}
 <a href="#"
onclick="document.getElementById('logoutForm').submit(); return false;"
class="dropdown-item" id="logoutButton">登出
 </form>
 {% else %}
 {% endif %}
</div>
</div>
</nav>
{% endblock %}

{% block content %}{% endblock %}

{% block footer %}{% endblock %}

<!-- 載入登入彈跳視窗 -->
{% include 'pop_window/login_pop.html' %}

{% block body_js %}{% endblock %}

<script src="{% static 'js/pop_window/login_pop.js' %}"></script>
<script src="{% static 'js/navbar.js' %}"></script>
</body>
</html>

```



```

#C:\Users\gaoxu\OneDrive\桌面
\11056030_SSAE\web_app\templates\personal.html
{% extends 'base.html' %}
{% load static %}

{% block title %}智能校事專家 - 個人中心{% endblock %}

{% block lang %}zh-Hant{% endblock %}

{% block extra_css %}
<link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">
{% endblock %}

{% block css %}
<link rel="stylesheet" href="{% static 'css/personal.css' %}">
{% endblock %}

{% block content %}

 <div class="page-container">
 <div class="bg-text">USER INFORMATION</div>

 <header>
 <div class="title">
 <i class="fas fa-chart-bar"></i>
 <h1>個人中心</h1>
 </div>
 </header>

 <div class="row">
 <!-- 左側課表區塊 -->
 <div class="card course-schedule">
 <h2>課表</h2>
 <div class="schedule-table">
 <table>

```

```

<thead>
 <tr>
 <th>時間</th>
 <th>星期一</th>
 <th>星期二</th>
 <th>星期三</th>
 <th>星期四</th>
 <th>星期五</th>
 </tr>
</thead>
<tbody>
 <tr>
 <td class="time">08:10
09:00</td>
 <td></td>
 <td class="has-class">
 <div class="class-item">
 <div class="class-name">統計學
 </div>
 <div class="class-room">電
703</div>
 </div>
 </td>
 <td></td>
 <td class="has-class">
 <div class="class-item">
 <div class="class-name">會計學
 </div>
 <div class="class-room">藝
406</div>
 </div>
 </td>
 <td></td>
 </tr>
 <tr>
 <td class="time">09:10
10:00</td>
 <td class="has-class">
 <div class="class-item">
 <div class="class-name">經濟學

```

</div>

<div class="class-room">藝

405</div>

</div>

</td>

<td></td>

<td></td>

<td></td>

<td class="has-class">

<div class="class-item">

<div class="class-name">行銷管理

</div>

<div class="class-room">藝

405</div>

</div>

</td>

</tr>

<tr>

<td class="time">10:10<br>11:00</td>

<td></td>

<td class="has-class">

<div class="class-item">

<div class="class-name">管理學

</div>

<div class="class-room">藝

405</div>

</div>

</td>

<td></td>

<td></td>

<td></td>

</tr>

<tr>

<td class="time">11:10<br>12:00</td>

<td></td>

<td></td>

<td></td>

<td></td>

```
<td></td>
</tr>
<tr>
 <td class="time">13:10
14:00</td>
 <td></td>
 <td></td>
 <td class="has-class">
 <div class="class-item">
 <div class="class-name">商用英文
</div>
 <div class="class-room">中正館
</div>
 </td>
 <td></td>
 <td class="has-class">
 <div class="class-item">
 <div class="class-name">體育
</div>
 <div class="class-room">體育館
</div>
 </td>
 <td></td>
</tr>
<tr>
 <td class="time">14:10
15:00</td>
 <td class="has-class">
 <div class="class-item">
 <div class="class-name">企業實務
</div>
 <div class="class-room">育
803</div>
 </div>
 </td>
 <td></td>
 <td></td>
 <td></td>
 <td></td>
```

```
</tr>
<tr>
 <td class="time">15:10
16:00</td>
 <td></td>
 <td></td>
 <td></td>
 <td></td>
 <td></td>
</tr>
<tr>
 <td class="time">16:15
17:10</td>
 <td></td>
 <td></td>
 <td></td>
 <td></td>
 <td></td>
</tr>
<tr>
 <td class="time">17:15
18:10</td>
 <td></td>
 <td></td>
 <td></td>
 <td></td>
 <td></td>
</tr>
</tbody>
</table>
</div>
</div>
```

```
<!-- 右側資料與活動區塊 -->
<div class="right-column">
 <!-- 個人資料卡片 -->
 <div class="card profile-card">
 <h2>我的資料</h2>
 <div class="profile-content">
 <div class="profile-image">

 <div class="user-
name">{{ user.last_name }}{{ user.first_name }}</div>
 <button class="btn-secondary">編輯資料
</button>

</div>
<div class="profile-details">
 <div class="profile-item">
 <div class="label">姓名</div>
 <div
class="value">{{ user.last_name }}{{ user.first_name }}</div>
 </div>
 <div class="profile-item">
 <div class="label">學號</div>
 <div class="value">{{ user.username }}</div>
 </div>
 <div class="profile-item">
 <div class="label">系所</div>
 <div class="value">資訊管理科</div>
 </div>
 <div class="profile-item">
 <div class="label">年級</div>
 <div class="value">五專四年級</div>
 </div>
 <div class="profile-item">
 <div class="label">學分</div>
 <div class="value-with-progress">
 <div class="value">已修 196 /220</div>
 <div class="progress-bar"
id="progressBar">
 <div class="progress-segment
required animate"
 style="--target-width: 37.73%;"
 data-tooltip="必修：83 學分"
"></div>
 <div class="progress-segment
elective animate"
 style="--target-width: 0%;"

```

```

data-tooltip="選修：0 學分
"></div>
major animate"
style="--target-width: 12.27%;"
data-tooltip="專選：27 /37 學
分"></div>
general animate"
style="--target-width: 30%;"
data-tooltip="通識：66 學分
"></div>
</div>
<div class="tooltip" id="tooltip"></div>
</div>
</div>
</div>
</div>
</div>
</div>
<!-- 活動卡片 -->
<div class="card activities-card">
 <div class="card-header">
 <h2>我的活動</h2>
 </div>
 <div class="activities-list">
 <div class="activity-item">
 <div class="activity-icon"><i class="fas fa-
running"></i></div>
 <div class="activity-content">
 <div class="activity-title">週末慢跑團，一起
來同樂！</div>
 <div class="activity-details">
 <i class="fas fa-map-marker-
alt"></i> 大安森林公園
 <i class="far fa-clock"></i> 4/6
下午 2:00

```

```

 </div>
 </div>
</div>
<div class="activity-item">
 <div class="activity-icon"><i class="fas fa-
utensils"></i></div>

 <div class="activity-content">
 <div class="activity-title">會計學期中考讀書
會</div>

 <div class="activity-details">
 <i class="fas fa-map-marker-
alt"></i> 圖書館 3 樓讀書室

 <i class="far fa-clock"></i> 4/5
晚上 7:00

 </div>
 </div>
</div>
<div class="activity-item">
 <div class="activity-icon"><i class="fas fa-
film"></i></div>

 <div class="activity-content">
 <div class="activity-title">漫威電影馬拉松
</div>

 <div class="activity-details">
 <i class="fas fa-map-marker-
alt"></i> 多媒體教室

 <i class="far fa-clock"></i> 4/8
上午 10:00

 </div>
 </div>
</div>
</div>
</div>
</div>
<div class="row">
```



```
<!-- 行事曆卡片 -->
<div class="card calendar-card">
 <h2>行事曆</h2>
 <div class="calendar-header">
 <button id="prevMonth" class="calendar-nav"><i class="fas
fa-chevron-left"></i></button>
 <h3 id="currentMonth">2025 年 4 月</h3>
 <button id="nextMonth" class="calendar-nav"><i class="fas
fa-chevron-right"></i></button>
 </div>
 <div class="calendar">
 <table>
 <thead>
 <tr class="calendar-header-full">
 <th>星期日</th>
 <th>星期一</th>
 <th>星期二</th>
 <th>星期三</th>
 <th>星期四</th>
 <th>星期五</th>
 <th>星期六</th>
 </tr>
 <tr class="calendar-header-short"
style="display:none;">
 <th>日</th>
 <th>一</th>
 <th>二</th>
 <th>三</th>
 <th>四</th>
 <th>五</th>
 <th>六</th>
 </tr>
 </thead>
 <tbody id="calendarBody">
 <tr>
 <td class="other-month">30</td>
 <td class="other-month">31</td>
 <td>1</td>
```

```
<td>2
 <div class="event">統計學測驗</div>
</td>
<td>3</td>
<td class="current-day">4
 <div class="event">展交所期貨日</div>
 <div class="event">讀書會</div>
</td>
<td>5</td>
</tr>
<tr>
 <td>6
 <div class="event">慢跑趣</div>
 </td>
 <td>7</td>
 <td>8
 <div class="event">電影馬拉松</div>
 </td>
 <td>9</td>
 <td>10</td>
 <td>11</td>
 <td>12</td>
</tr>
<tr>
 <td>13</td>
 <td>14</td>
 <td>15
 <div class="event">會計期中考</div>
 </td>
 <td>16</td>
 <td>17</td>
 <td>18
 <div class="event">經濟期中考</div>
 </td>
 <td>19</td>
</tr>
<tr>
 <td>20</td>
```

```

 <td>21
 <div class="event">統計期中考</div>
 </td>
 <td>22</td>
 <td>23</td>
 <td>24
 <div class="event">行銷期中考</div>
 </td>
 <td>25</td>
 <td>26</td>
 </tr>
 <tr>
 <td>27</td>
 <td>28</td>
 <td>29</td>
 <td>30</td>
 <td class="other-month">1</td>
 <td class="other-month">2</td>
 <td class="other-month">3</td>
 </tr>
</tbody>
</table>
</div>
</div>

```

```

<!-- 待辦事項卡片 -->
<div class="card todo-card">
 <div class="card-header">
 <h2>代辦事項</h2>
 </div>
 <div class="todo-content">
 <ul class="todo-list">
 <li class="todo-item completed">
 <input type="checkbox" id="task1" checked>
 <label for="task1">完成統計學作業</label>
 已完成

 <li class="todo-item">

```

```

 <input type="checkbox" id="task2">
 <label for="task2">準備行銷管理報告</label>
 今天

 <li class="todo-item">
 <input type="checkbox" id="task3">
 <label for="task3">預約圖書館讀書室</label>
 今天

 <li class="todo-item">
 <input type="checkbox" id="task4">
 <label for="task4">整理會計學筆記</label>
 明天

 <li class="todo-item">
 <input type="checkbox" id="task5">
 <label for="task5">複習經濟學第四章</label>
 4/6

</div>
</div>
</div>

```

```

<!-- 詳細資訊卡片（預設隱藏） -->
<div class="card detail-card" style="display:none;">
 <div class="card-header" style="display:flex;align-items:center;">
 <button id="backToTodo" style="margin-right:12px;
background:none; border:none; font-size:20px; cursor:pointer; color:#8a7788;">
 <i class="fas fa-arrow-left"></i> 返回
 </button>
 <h2 id="detailCardTitle" style="margin:0;">詳細資訊</h2>

 </div>

 <div class="detail-content">

```

```
<ul class="detail-todo-list">
 <!-- 這裡會由 JS 動態插入該天的事項 -->

<div class="add-todo-detail">
 <div class="todo-input-group">
 <!-- 標題輸入框：單行 -->
 <input
 type="text"
 id="newDetailTaskTitle"
 class="todo-title-input"
 placeholder="輸入待辦事項標題..."
 maxlength="50"
 autocomplete="off"
 >
 <!-- 詳細說明輸入框：多行 -->
 <textarea
 id="newDetailTaskDescription"
 class="todo-detail-input"
 placeholder="輸入詳細說明或備註... (選填)
例如：地點、時間、重要提醒等"
 rows="5"
 ></textarea>
 <div class="todo-actions">
 <button id="clearDetailForm" class="btn-secondary-detail">清除</button>
 <button id="addDetailTask" class="btn-primary-detail">新增事項</button>
 </div>
 </div>
</div>
</div>
</div>
</div>
{<% endblock %}</script>
<script src="{<% static 'js/personal.js' %}"></script>
```

{% endblock %}

#C:\Users\gaoxu\OneDrive\桌面

\11056030\_SSAE\web\_app\templates\welcome\_mo.html

{% load static %}

<!DOCTYPE html>

<html lang="zh-Hant">

<head>

<meta charset="UTF-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0">

<title>歡迎頁面 (Mobile)</title>

<link rel="stylesheet" type="text/css" href="{% static 'css/welcome\_mo.css' %}" />

</head>

<body>

<div class="transition-page">

<div class="spline-mask">

<spline-viewer class="spline-box"

url="https://prod.spline.design/NqIZdwsMRcqAJ2cW/scene.splinecode"></spline-viewer>

</div>

</div>

<script type="module"

src="https://unpkg.com/@spline-tool/viewer@1.9.93/build/spline-viewer.js"></script>

</body>

<script src="{% static 'js/welcome\_mo.js' %}"></script>

</html>

#C:\Users\gaoxu\OneDrive\桌面

```
\11056030_SSAE\web_app\templates\welcome.html
{% load static %}
<!DOCTYPE html>
<html lang="zh-Hant">
<head>
 <meta charset="UTF-8">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>歡迎頁面</title>

 <link
 rel="stylesheet"
 type="text/css"
 href="{% static 'css/welcome.css' %}"
 />

</head>
<body>
 <div class="transition-page">
 <div class="spline-mask">
 <spline-viewer class="spline-box"
url="https://prod.spline.design/GkbjjSNh32-DZhZJ/scene.splinecode"></spline-
viewer>
 </div>
 </div>

 <script type="module"
src="https://unpkg.com/@splinetool/viewer@1.9.93/build/spline-
viewer.js"></script>

 </body>
 <script src="{% static 'js/welcome.js' %}"></script>
</html>
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\admin.py
from django.contrib import admin
```

```
Register your models here.
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\apps.py
from django.apps import AppConfig
```

```
class WebAppConfig(AppConfig):
 default_auto_field = 'django.db.models.BigAutoField'
 name = 'web_app'
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\auth_views.py
from django.contrib.auth import get_user_model
from django.contrib.auth.models import User
from social_core.pipeline.user import get_username
import requests
```

```
def create_user(strategy, details, backend, user=None, *args, **kwargs):
 """Create user if it doesn't exist."""
 if user:
 # 如果使用者存在，更新所有相關資訊
 user.first_name = details.get('first_name', '')
 user.last_name = details.get('last_name', '')
 user.email = details.get('email')
 user.username = details.get('username') or details.get('email').split('@')[0]

 user.save()
 return {'is_new': False, 'user': user}

 # 取得使用者詳細資料
 email = details.get('email')
 first_name = details.get('first_name', '')
 last_name = details.get('last_name', '')
```



```
username = details.get('username') or email.split('@')[0]
```

```
檢查是否已有使用者
```

```
try:
```

```
 # 先嘗試用電子郵件查找
```

```
 existing_user = User.objects.get(email=email)
```

```
 # 更新現有使用者的資訊
```

```
 existing_user.first_name = first_name
```

```
 existing_user.last_name = last_name
```

```
 existing_user.username = username
```

```
 existing_user.save()
```

```
 return {'is_new': False, 'user': existing_user}
```

```
except User.DoesNotExist:
```

```
 pass
```

```
創建新使用者（不給予後台權限）
```

```
user = User.objects.create_user(
```

```
 username=username,
```

```
 email=email,
```

```
 first_name=first_name,
```

```
 last_name=last_name,
```

```
 password=generate_random_password(),
```

```
 is_active=True,
```

```
 is_staff=False, # 確保沒有後台訪問權限
```

```
 is_superuser=False # 確保沒有超級用戶權限
```

```
)
```

```
獲取 Google 帳號照片
```

```
if backend.name == 'google-oauth2':
```

```
 social = kwargs.get('social')
```

```
 if social:
```

```
 try:
```

```
 # Google OAuth2 的照片 URL
```

```
 photo_url = social.extra_data.get('picture')
```

```
 if photo_url:
```

```
 # 創建或更新 Profile
```

```
 profile, created = Profile.objects.get_or_create(user=user)
```

```
 profile.profile_photo = photo_url
```

```

 profile.save()
 except Exception as e:
 print(f"Error getting Google photo: {str(e)}")
 return {'is_new': True, 'user': user}

import string
import random

def generate_random_password(length=12):
 characters = string.ascii_letters + string.digits + string.punctuation
 return ''.join(random.choices(characters, k=length))

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\models.py
from django.db import models

Create your models here.

#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\mongo.py
web_app/mongo.py
from pymongo import MongoClient
from bson.objectid import ObjectId
from datetime import datetime
import os

MONGO_URI = os.getenv("MONGO_URI")
client = MongoClient(MONGO_URI)
db = client["chatbot_db"]
col = db["conversations"]

def create_conversation(user_id, title="新對話"):
 doc = {
 "user_id": user_id,
 "title": title,
 "messages": [],
 "created_at": datetime.utcnow()
 }

```

```

 result = col.insert_one(doc)
 return str(result.inserted_id)

def add_message(conversation_id, question, answer, sources=None):
 message_data = {
 "question": question,
 "answer": answer,
 "timestamp": datetime.utcnow(),
 }
 if sources:
 message_data["sources"] = sources

 col.update_one(
 {"_id": ObjectId(conversation_id)},
 {"$push": {"messages": message_data}}
)

def get_conversations(user_id):
 docs = col.find({"user_id": user_id}).sort("created_at", -1)
 return [
 {"id": str(d["_id"]), "title": d["title"]}
 for d in docs
]

def get_messages(conversation_id):
 doc = col.find_one({"_id": ObjectId(conversation_id)})
 if not doc: return []
 # sort by timestamp in ascending
 return sorted(doc["messages"], key=lambda m: m["timestamp"])

def update_conversation_title(conversation_id, new_title):
 col.update_one(
 {"_id": ObjectId(conversation_id)},
 {"$set": {"title": new_title}}
)

```

```
def delete_conversation(conversation_id):
 col.delete_one({"_id": ObjectId(conversation_id)})
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\tests.py
from django.test import TestCase
```

```
Create your tests here.
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\views_chat_history.py
from pymongo import MongoClient
from datetime import datetime
```

```
client = MongoClient(MONGO_URI)
db = client.get_database()
```

```
def save_chat(user_id, question, answer):
 chat_collection = db.chat_history
```

```
 chat_data = {
 "user_id": user_id,
 "question": question,
 "answer": answer,
 "timestamp": datetime.utcnow()
 }
```

```
儲存對話到 MongoDB
chat_collection.insert_one(chat_data)
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\views_rag.py
```

```
import os
import re
import markdown
from dotenv import load_dotenv
from pymongo import MongoClient
```

```
from pymongo.errors import ConnectionFailure
from langchain_core.messages import HumanMessage, SystemMessage
from langchain_community.document_loaders import PyPDFLoader
from langchain_text_splitters import RecursiveCharacterTextSplitter
from langchain.vectorstores import Chroma
from langchain_openai import AzureOpenAIEmbeddings
from langchain_core.prompts import ChatPromptTemplate
from langchain.chat_models import AzureChatOpenAI
from langchain.chains.combine_documents import create_stuff_documents_chain
from langchain.chains import create_retrieval_chain
```

```
載入 .env
load_dotenv()
```

```
def test_mongo_connection():
 MONGO_URI = os.getenv("MONGO_URI")
 if not MONGO_URI:
 print("❌ 找不到 MONGODB_URI 環境變數")
 return
 try:
 client = MongoClient(MONGO_URI, serverSelectionTimeoutMS=3000)
 client.admin.command('ping')
 print("✅ MongoDB 連線成功。")
 except ConnectionFailure:
 print("❌ MongoDB 連線失敗")
 except Exception as e:
 print(f"❌ MongoDB 連線錯誤: {e}")
```

```
初始化 LLM
```

```
llm = AzureChatOpenAI(
 api_key=os.getenv("AZURE_OPENAI_API_KEY"),
 api_version=os.getenv("AZURE_OPENAI_API_VERSION"),
 azure_endpoint=os.getenv("AZURE_OPENAI_ENDPOINT"),
 azure_deployment=os.getenv("AZURE_OPENAI_DEPLOYMENT_NAME")
)
```

```
初始化 Embedding 模型
```

```
embeddings = AzureOpenAIEmbeddings(
```

```
api_key=os.getenv("AZURE_OPENAI_API_KEY"),
api_version=os.getenv("AZURE_OPENAI_API_VERSION"),
azure_endpoint=os.getenv("AZURE_OPENAI_ENDPOINT"),

azure_deployment=os.getenv("AZURE_OPENAI_EMBEDDING_DEPLOYMENT_NAME"
)
)
```

# 讀取 PDF 文件

```
def load_pdf_documents():
 current_dir = os.path.dirname(__file__)
 parent_dir = os.path.dirname(current_dir)
 pdf_dir = os.path.join(parent_dir, "uploaded_files")
 all_docs = []
 if not os.path.exists(pdf_dir):
 print(f"⚠️ 找不到資料夾：{pdf_dir}")
 return []
 for filename in os.listdir(pdf_dir):
 if filename.endswith(".pdf"):
 full_path = os.path.join(pdf_dir, filename)
 print(f"📄 載入：{filename}")
 loader = PyPDFLoader(full_path)
 docs = loader.load()
 all_docs.extend(docs)
 return all_docs
```

# 分割文件

```
def split_documents(documents):
 splitter = RecursiveCharacterTextSplitter(chunk_size=500, chunk_overlap=100,
add_start_index=True)
 return splitter.split_documents(documents)
```

# 建立向量資料庫

```
def create_vector_store(splits):
 return Chroma.from_documents(documents=splits, embedding=embeddings)
```

# 建立進階 RAG 鏈

```
def create_advanced_rag_chain(retriever):
```

```

system_prompt = (
 "You are a helpful assistant for answering questions about National Taipei University of Business (NTUB). "
 "Use the following retrieved context to answer the question. "
 "If you don't know the answer, just say you don't know, and do not make up anything. "
 "You must answer only in Traditional Chinese, never use Simplified Chinese. "
 "Your tone should be friendly and professional (like a knowledgeable NTUB student helper), "
 "but your information must be accurate and based on the context. "
 "Always clearly mention that the information is from NTUB regulations, by saying things like '根據國立臺北商業大學的校規顯示'. "
 "Use bold (**) or headers (like # or ##) to highlight key points and make the answer easier to read. "
 "When listing items, use proper numbering (1. 2. 3.) or bullet points (•) with consistent spacing. "
 "Organize your response with clear structure and consistent formatting.\n\n{context}"
)

```

```

prompt = ChatPromptTemplate.from_messages([
 ("system", system_prompt),
 ("human", "{input}"),
])
qa_chain = create_stuff_documents_chain(llm, prompt)
return create_retrieval_chain(retriever, qa_chain)

```

```

def format_text_with_proper_alignment(text):
 """改進的文字格式化，保持原本緊湊但讓編號對齊"""
 if not text:
 return ""

 # 統一換行符
 text = re.sub(r'\r\n|\r', '\n', text)

 # 處理粗體
 text = re.sub(r'*(.+?)*', r'\1', text)

```

```

處理編號列表，確保對齊
def replace_numbered_item(match):
 num = match.group(1)
 content = match.group(2).strip()
 return f'<div style="display:flex;margin:4px 0;">{num}{content}</div>'

text = re.sub(r'^(\d+)\.\s*(.+)$', replace_numbered_item, text,
flags=re.MULTILINE)

簡單的段落處理
lines = text.split('\n')
result = []

for line in lines:
 line = line.strip()
 if not line:
 continue

 # 如果是 HTML 標籤，直接加入
 if line.startswith('<div') or line.startswith('<strong'):
 result.append(line)
 else:
 result.append(f'<p style="margin:4px 0;line-height:1.5;">{line}</p>')

return ''.join(result)

先測試 MongoDB 連線
print("🚀 測試 MongoDB 連線...")
test_mongo_connection()

初始化 RAG 系統
print("🚀 初始化進階 RAG 系統...")
docs = load_pdf_documents()
splits = split_documents(docs)
vectorstore = create_vector_store(splits)

```



```

retriever = vectorstore.as_retriever(search_type="similarity", search_kwargs={"k":
2})
advanced_rag_chain = create_advanced_rag_chain(retriever)
print("☑ 進階 RAG 系統初始化完成。")

```

# 修正後的查詢函式

# 只需要替換您原本的 ask\_question 函式即可：

```

def ask_question(question: str, conversation_history: list = None) -> str:

```

```

 try:

```

```

 # 🔥 如果有歷史對話，就加入到當前問題中

```

```

 if conversation_history:

```

```

 # 只取最近幾輪對話，避免太長

```

```

 recent_history = conversation_history[-8:] if len(conversation_history)

```

```

 > 8 else conversation_history

```

```

 history_context = "之前的對話內容：\n"

```

```

 for msg in recent_history:

```

```

 history_context += f"Q: {msg['question']}\nA:

```

```

{msg['answer']}\n\n"

```

```

 # 將歷史對話和新問題結合

```

```

 full_question = f"{history_context}現在的新問題：{question}"

```

```

 else:

```

```

 full_question = question

```

```

 response = advanced_rag_chain.invoke({"input": full_question})

```

```

 raw_answer = response["answer"].strip()

```

```

 # 獲取使用的文檔來源

```

```

 source_documents = response.get("context", [])

```

```

 pdf_sources = []

```

```

 for doc in source_documents:

```

```

 if hasattr(doc, 'metadata') and 'source' in doc.metadata:

```

```

 pdf_path = doc.metadata['source']

```

```

 pdf_name = os.path.basename(pdf_path)

```

```

 if pdf_name not in pdf_sources:

```

```

 pdf_sources.append(pdf_name)

```

```

先處理所有粗體標記，避免後續處理時被破壞
raw_answer = re.sub(r'**([^\n]+?)**', r'<strong style="color:#4A5B73;
font-weight:700;">\1', raw_answer)

逐行處理
lines = raw_answer.split('\n')
formatted_lines = []

for line in lines:
 line = line.strip()

 # 跳過空行
 if not line:
 continue

 # 處理 ### 標題
 if line.startswith('###'):
 title = line.replace('###', '').strip()
 formatted_line = f'<h3 style="color:#5B7296; margin:12px 0 6px
0; font-weight:650; font-size:1.2em;">{title}</h3>'
 formatted_lines.append(formatted_line)
 continue

 # 處理 ## 標題
 elif line.startswith('##'):
 title = line.replace('##', '').strip()
 formatted_line = f'<h2 style="color:#4A668A; margin:15px 0 8px
0; font-weight:650; font-size:1.4em;">{title}</h2>'
 formatted_lines.append(formatted_line)
 continue

 # 處理 # 標題
 elif line.startswith('#'):
 title = line.replace('#', '').strip()
 formatted_line = f'<h1 style="color:#365073; margin:18px 0 10px
0; font-weight:650; font-size:1.6em;">{title}</h1>'
 formatted_lines.append(formatted_line)

```

```

 continue

 # 處理編號列表
 numbered_match = re.match(r'^(\d+)\.\s*(.+)$', line)
 if numbered_match:
 num = numbered_match.group(1)
 content = numbered_match.group(2)
 formatted_line = f'<div style="display:flex; margin:6px 0; align-
items:flex-start;"><span style="min-width:28px; font-weight:650; color:#6B5B8A;
flex-shrink:0;">{num}<span style="flex:1; line-
height:1.5;">{content}</div>'
 formatted_lines.append(formatted_line)
 continue

 # 處理以破折號或點開頭的列表項
 elif line.startswith('- ') or line.startswith('• '):
 content = line[2:].strip()
 formatted_line = f'<div style="margin:4px 0 4px 20px; line-
height:1.5;">• {content}</div>'
 formatted_lines.append(formatted_line)
 continue

 # 處理普通段落
 else:
 formatted_lines.append(f'<p style="margin:6px 0; line-
height:1.6; color:#334455;">{line}</p>')

 # 合併所有格式化的行
 result = ''.join(formatted_lines)

 return {
 "answer": result,
 "has_sources": len(pdf_sources) > 0,
 "sources": pdf_sources
 }

except Exception as e:
 error_msg = f"處理問題時發生錯誤: {str(e)}"

```

```
print(f"❌ RAG 錯誤: {error_msg}")
return {
 "answer": f"<p style='color:#8B6B6B;'>抱歉，我在處理您的問題時
遇到了一些困難。請稍後再試或換個方式提問。</p>",
 "has_sources": False,
 "sources": []
}
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\web_app\views.py
import os
import json
import zipfile
from django.shortcuts import render
from django.http import JsonResponse
from django.views.decorators.csrf import csrf_exempt
from .views_rag import ask_question, create_vector_store, load_pdf_documents,
split_documents
from django.contrib.auth.decorators import login_required

def base(request):
 return render(request, 'base.html')

def welcome(request):
 return render(request, 'welcome.html')

def welcome_mo(request):
 return render(request, 'welcome_mo.html')

def index(request):
 return render(request, 'index.html')

def mobile(request):
return render(request, 'mobile.html')

def login(request):
 return render(request, 'login.html')
```

```
def personal(request):
 return render(request, 'personal.html')

def chat(request):
 return render(request, 'chat.html')

def navbar2(request):
 return render(request, 'navbar(2).html')

def join(request):
 return render(request, 'join.html')

def join_create(request):
 return render(request, 'join_create.html')

def join_detail(request):
 return render(request, 'join_detail.html')

def book(request):
 return render(request, 'book.html')

def book_detail(request):
 return render(request, 'book_detail.html')

def upload_book(request):
 if request.method == 'POST':
 # 處理表單提交
 try:
 book_title = request.POST.get('bookTitle')
 department = request.POST.get('department')
 grade = request.POST.get('grade')
 book_type = request.POST.get('bookType')
 price = request.POST.get('price')
 condition = request.POST.get('condition')
 description = request.POST.get('bookDescription')
 transaction_methods = request.POST.getlist('transactionMethod')
 book_image = request.FILES.get('bookImage')
```

```

 # 這裡可以添加保存到數據庫的邏輯
 # ...

 # 返回成功響應
 return JsonResponse({'status': 'success', 'message': '書籍上傳成功！'})
 })

 except Exception as e:
 # 返回錯誤響應
 return JsonResponse({'status': 'error', 'message': f'上傳失敗: {str(e)}'})
 else:
 # GET 請求，顯示表單頁面
 return render(request, 'book.html')

def ask_page(request):
 return render(request, "ask.html")

def comment(request):
 return render(request, "comment.html")

def comment_detail(request):
 return render(request, "comment_detail.html")

def add_comment(request):
 return render(request, "add_comment.html")

def personal(request):
 return render(request, "personal.html")

web_app/views.py
import json
from django.shortcuts import render
from django.http import JsonResponse, HttpResponseNotAllowed
from django.views.decorators.csrf import csrf_exempt
from .mongo import (
 create_conversation,
 add_message,
 get_conversations,

```

```

 get_messages
)
from .views_rag import ask_question

USER_ID = "guest" # 可改為 session 或 request.user.id

def chat_page(request):
 # 首次載入時不帶任何對話，前端會自動建立
 return render(request, "ask.html")

@csrf_exempt
def api_conversations(request):
 if request.method == "GET":
 convos = get_conversations(USER_ID)
 return JsonResponse({"conversations": convos})
 if request.method == "POST":
 data = json.loads(request.body)
 title = data.get("title", "新對話")
 convo_id = create_conversation(USER_ID, title)
 return JsonResponse({"id": convo_id, "title": title})
 return HttpResponseNotAllowed(["GET", "POST"])

@csrf_exempt
def api_messages(request, convo_id):
 if request.method == "GET":
 msgs = get_messages(convo_id)
 # format timestamp
 out = []
 for m in msgs:
 out.append({
 "question": m["question"],
 "answer": m["answer"],
 "timestamp": m["timestamp"].strftime("%Y-%m-%d
%H:%M:%S"),
 "sources": m.get("sources", [])
 })
 return JsonResponse({"messages": out})
 return HttpResponseNotAllowed(["GET"])

```

```

@csrf_exempt
def api_ask(request):
 if request.method != "POST":
 return HttpResponseNotAllowed(["POST"])
 data = json.loads(request.body)
 question = data.get("question", "").strip()
 convo_id = data.get("conversation_id")
 if not question or not convo_id:
 return JsonResponse({"error": "缺少 question 或 conversation_id"},
status=400)

 # 🔥 關鍵：獲取「這個對話」的歷史記錄
 conversation_history = get_messages(convo_id)

 # 🔥 關鍵：將歷史記錄傳給 RAG 系統
 result = ask_question(question, conversation_history)
 answer = result["answer"]

 # 存入 MongoDB
 add_message(convo_id, question, answer, result.get("sources", []))

 return JsonResponse({
 "answer": answer,
 "has_sources": result["has_sources"],
 "sources": result["sources"]
 })

@csrf_exempt
def upload_files(request):
 """統一處理 PDF 和 ZIP 檔案上傳"""
 if request.method == "POST":
 uploaded_file = request.FILES.get("file")
 if not uploaded_file:
 return JsonResponse({"error": "請選擇檔案"}, status=400)

 # 檢查檔案類型
 file_name = uploaded_file.name.lower()

```



```

if not (file_name.endswith(".pdf") or file_name.endswith(".zip")):
 return JsonResponse({"error": "只支援 PDF 和 ZIP 檔案"},
status=400)

try:
 current_dir = os.path.dirname(os.path.abspath(__file__))
 upload_dir = os.path.abspath(os.path.join(current_dir, "..",
"uploaded_files"))
 os.makedirs(upload_dir, exist_ok=True)

 if file_name.endswith(".pdf"):
 # 處理 PDF 檔案
 pdf_path = os.path.join(upload_dir, uploaded_file.name)
 with open(pdf_path, "wb") as f:
 for chunk in uploaded_file.chunks():
 f.write(chunk)
 message = f"☑ PDF 檔案 '{uploaded_file.name}' 上傳成功"

 elif file_name.endswith(".zip"):
 # 處理 ZIP 檔案
 temp_zip_path = os.path.join(upload_dir, "temp_upload.zip")

 # 保存上傳的 ZIP 檔案
 with open(temp_zip_path, "wb") as f:
 for chunk in uploaded_file.chunks():
 f.write(chunk)

 # 解壓縮 ZIP 檔案中的 PDF 檔案
 extracted_count = 0
 with zipfile.ZipFile(temp_zip_path, "r") as zip_ref:
 for member in zip_ref.infolist():
 if member.filename.lower().endswith(".pdf") and not
member.is_dir():

 filename = os.path.basename(member.filename)
 if filename: # 確保檔名不為空
 data = zip_ref.read(member.filename)
 pdf_path = os.path.join(upload_dir, filename)
 with open(pdf_path, "wb") as out_file:

```

```

 out_file.write(data)
 extracted_count += 1

 # 刪除臨時 ZIP 檔案
 os.remove(temp_zip_path)

 if extracted_count == 0:
 return JsonResponse({"error": "ZIP 檔案中沒有找到 PDF
檔案"}, status=400)

 message = f"☑ ZIP 檔案解壓縮完成，提取了
{extracted_count} 個 PDF 檔案"

 except zipfile.BadZipFile:
 return JsonResponse({"error": "ZIP 檔案格式錯誤或損壞"},
status=400)
 except Exception as e:
 return JsonResponse({"error": f"檔案處理失敗：{str(e)}"},
status=500)

 # 重新建立向量資料庫
 try:
 docs = load_pdf_documents()
 if not docs:
 return JsonResponse({"error": "未找到可處理的 PDF 檔案"},
status=400)

 splits = split_documents(docs)
 create_vector_store(splits)

 return JsonResponse({
 "message": message + "，向量資料庫已更新",
 "status": "success"
 })

 except Exception as e:
 return JsonResponse({
 "error": f"建立向量資料庫失敗：{str(e)}",

```

```

 "status": "error"
 }, status=500)

 return JsonResponse({"error": "僅支援 POST 請求"}, status=405)

保留原來的 upload_zip 函數以向後相容（可選）
@csrf_exempt
def upload_zip(request):
 """向後相容的 ZIP 上傳函數，重導向到新的統一上傳函數"""
 if request.method == "POST":
 # 將 zip_file 重新命名為 file 以符合新函數的參數名稱
 if 'zip_file' in request.FILES:
 request.FILES['file'] = request.FILES['zip_file']
 return upload_files(request)
 return JsonResponse({"error": "僅支援 POST 請求"}, status=405)

web_app/views.py
from django.views.decorators.csrf import csrf_exempt
from django.http import JsonResponse, HttpResponseNotAllowed
from .mongo import delete_conversation, update_conversation_title

@csrf_exempt
def api_conversation_detail(request, convo_id):
 if request.method == "PATCH":
 data = json.loads(request.body)
 new_title = data.get("title")
 if not new_title:
 return JsonResponse({"error": "缺少 title"}, status=400)
 update_conversation_title(convo_id, new_title)
 return JsonResponse({"message": "更新成功"})
 elif request.method == "DELETE":
 delete_conversation(convo_id)
 return JsonResponse({"message": "刪除成功"})
 else:
 return HttpResponseNotAllowed(["PATCH", "DELETE"])

from django.views.decorators.csrf import csrf_exempt
from django.http import HttpResponse

```

```

import openpyxl
from io import BytesIO
from .mongo import get_messages

@csrf_exempt
def api_export_conversation(request, convo_id):
 if request.method != "GET":
 return HttpResponse(status=405)
 msgs = get_messages(convo_id)
 wb = openpyxl.Workbook()
 ws = wb.active
 ws.title = "對話紀錄"
 ws.append(["問題", "回答"])
 for m in msgs:
 ws.append([m["question"], m["answer"]])
 out = BytesIO()
 wb.save(out)
 out.seek(0)
 resp = HttpResponse(
 out.read(),
 content_type="application/vnd.openxmlformats-
officedocument.spreadsheetml.sheet"
)
 resp["Content-Disposition"] = f'attachment;
filename="conversation_{convo_id}.xlsx"'
 return resp

```

```

from django.http import FileResponse
from django.shortcuts import get_object_or_404
import mimetypes

```

```

def view_pdf(request, filename):
 """顯示 PDF 檔案"""
 current_dir = os.path.dirname(os.path.abspath(__file__))
 pdf_dir = os.path.join(current_dir, "..", "uploaded_files")
 pdf_path = os.path.join(pdf_dir, filename)

 if not os.path.exists(pdf_path) or not filename.endswith('.pdf'):

```

```

 return JsonResponse({"error": "檔案不存在"}, status=404)

 return FileResponse(
 open(pdf_path, 'rb'),
 content_type='application/pdf',
 filename=filename
)

import os
import mimetypes
from django.http import FileResponse, JsonResponse, HttpResponse
from django.views.decorators.csrf import csrf_exempt
from django.views.decorators.clickjacking import xframe_options_exempt
from django.utils.encoding import smart_str
from urllib.parse import unquote
import logging

logger = logging.getLogger(__name__)

@csrf_exempt
@xframe_options_exempt # 允許在 iframe 中顯示
def view_pdf(request, filename):
 """顯示 PDF 檔案"""
 try:
 # URL 解碼檔案名稱
 filename = unquote(filename)

 # 取得當前檔案的目錄
 current_dir = os.path.dirname(os.path.abspath(__file__))
 pdf_dir = os.path.abspath(os.path.join(current_dir, "..", "uploaded_files"))

 # 安全檢查：防止路徑遍歷攻擊
 filename = os.path.basename(filename)
 pdf_path = os.path.join(pdf_dir, filename)

 logger.info(f"📁 PDF 目錄: {pdf_dir}")
 logger.info(f"📄 請求檔案: {filename}")
 logger.info(f"🔗 完整路徑: {pdf_path}")

```

```

logger.info(f"✅ 檔案存在: {os.path.exists(pdf_path)}")

檢查檔案是否存在
if not os.path.exists(pdf_path):
 logger.error(f"❌ 檔案不存在: {pdf_path}")
 return JsonResponse({"error": "檔案不存在"}, status=404)

檢查是否為 PDF 檔案
if not filename.lower().endswith('.pdf'):
 logger.error(f"❌ 非 PDF 檔案: {filename}")
 return JsonResponse({"error": "不是有效的 PDF 檔案"}, status=400)

檢查檔案是否可讀
if not os.access(pdf_path, os.R_OK):
 logger.error(f"❌ 檔案無法讀取: {pdf_path}")
 return JsonResponse({"error": "檔案無法讀取"}, status=403)

取得檔案大小
file_size = os.path.getsize(pdf_path)
logger.info(f"📄 檔案大小: {file_size} bytes")

try:
 # 開啟檔案並創建回應
 response = FileResponse(
 open(pdf_path, 'rb'),
 content_type='application/pdf',
 as_attachment=False, # 在瀏覽器中直接顯示
 filename=smart_str(filename)
)

 # 設定重要的 HTTP 標頭
 response['Content-Length'] = str(file_size)
 response['Content-Disposition'] = f'inline;
filename="{smart_str(filename)}"'

 # 設定 CORS 標頭（如果需要）
 response['Access-Control-Allow-Origin'] = '*'
 response['Access-Control-Allow-Methods'] = 'GET, HEAD, OPTIONS'

```

```
response['Access-Control-Allow-Headers'] = 'Content-Type,
Authorization'
```

```
設定快取標頭
```

```
response['Cache-Control'] = 'public, max-age=3600' # 快取 1 小時
```

```
設定 X-Frame-Options 允許在 iframe 中顯示
```

```
response['X-Frame-Options'] = 'SAMEORIGIN'
```

```
設定 Content-Security-Policy
```

```
response['Content-Security-Policy'] = "frame-ancestors 'self'"
```

```
logger.info(f"☑ PDF 檔案成功返回: {filename}")
```

```
return response
```

```
except Exception as e:
```

```
logger.error(f"✗ 開啟檔案失敗: {e}")
```

```
return JsonResponse({"error": f"開啟檔案失敗: {str(e)}"}, status=500)
```

```
except Exception as e:
```

```
logger.error(f"✗ view_pdf 函數發生錯誤: {e}")
```

```
return JsonResponse({"error": f"伺服器錯誤: {str(e)}"}, status=500)
```

```
@csrf_exempt
```

```
@xframe_options_exempt
```

```
def view_pdf_streaming(request, filename):
```

```
 """使用 streaming 方式顯示 PDF 檔案"""
```

```
 try:
```

```
 # URL 解碼檔案名稱
```

```
 filename = unquote(filename)
```

```
 current_dir = os.path.dirname(os.path.abspath(__file__))
```

```
 pdf_dir = os.path.abspath(os.path.join(current_dir, "..", "uploaded_files"))
```

```
 filename = os.path.basename(filename)
```

```
 pdf_path = os.path.join(pdf_dir, filename)
```

```
 if not os.path.exists(pdf_path) or not filename.lower().endswith('.pdf'):
```

```
 return JsonResponse({"error": "檔案不存在或不是 PDF 檔案"},
```

status=404)

```
def file_iterator(file_path, chunk_size=8192):
 with open(file_path, 'rb') as f:
 while True:
 chunk = f.read(chunk_size)
 if not chunk:
 break
 yield chunk

response = HttpResponse(
 file_iterator(pdf_path),
 content_type='application/pdf'
)

設定標頭
response['Content-Disposition'] = f'inline;
filename="{smart_str(filename)}"'
response['Content-Length'] = str(os.path.getsize(pdf_path))
response['X-Frame-Options'] = 'SAMEORIGIN'
response['Content-Security-Policy'] = "frame-ancestors 'self'"
response['Cache-Control'] = 'public, max-age=3600'

return response

except Exception as e:
 logger.error(f"✗ streaming PDF 錯誤: {e}")
 return JsonResponse({"error": f"伺服器錯誤: {str(e)}"}, status=500)

如果需要處理 OPTIONS 請求（CORS 預檢）
@csrf_exempt
def pdf_options(request, filename):
 """處理 PDF 檔案的 OPTIONS 請求"""
 if request.method == 'OPTIONS':
 response = HttpResponse()
 response['Access-Control-Allow-Origin'] = '*'
 response['Access-Control-Allow-Methods'] = 'GET, HEAD, OPTIONS'
 response['Access-Control-Allow-Headers'] = 'Content-Type, Authorization'
```



```
 response['Access-Control-Max-Age'] = '86400' # 24 小時
 return response
else:
 return view_pdf(request, filename)
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\.env
#.env
AZURE_OPENAI_API_KEY=E0ckDUhdn30BTJoqBL85AqlZCDxJ4kiU6gXD9PLFwDRKaUo
QVuWMJQQJ99BBACHYHv6XJ3w3AAABACOGC8W6
AZURE_OPENAI_ENDPOINT=https://apis.openai.azure.com/
AZURE_OPENAI_API_VERSION=2023-10-01-preview
AZURE_OPENAI_DEPLOYMENT_NAME=gpt-4-turbo-0409
AZURE_OPENAI_EMBEDDING_DEPLOYMENT_NAME=text-embedding-ada-002

MONGO_URI=mongodb+srv://11056030:114510ntubimd114510@cluster0.uubkpqj.
mongodb.net/NTUB_114510?retryWrites=true&w=majority
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\.gitattributes
法規/法規.zip filter=lfs diff=lfs merge=lfs -text
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\.gitignore
*.pyc
__pycache__/
.env
db.sqlite3
```

```
#C:\Users\gaoxu\OneDrive\桌面\11056030_SSAE\manage.py
#!/usr/bin/env python
"""Django's command-line utility for administrative tasks."""
import os
import sys

def main():
```

```

"""Run administrative tasks."""
os.environ.setdefault('DJANGO_SETTINGS_MODULE', 'django_system.settings')
try:
 from django.core.management import execute_from_command_line
except ImportError as exc:
 raise ImportError(
 "Couldn't import Django. Are you sure it's installed and "
 "available on your PYTHONPATH environment variable? Did you "
 "forget to activate a virtual environment?"
) from exc
execute_from_command_line(sys.argv)

if __name__ == '__main__':
 main()

#C:\Users\gaoux\OneDrive\桌面\11056030_SSAE\requirements.txt
asgiref==3.8.1
Django==5.2
mysqlclient==2.2.7
PyMySQL==1.1.1
sqlparse==0.5.3
tzdata==2025.2

#C:\Users\gaoux\OneDrive\桌面\11056030_SSAE\server.py
import http.server
import socketserver
import os
import urllib.parse

PORT = 8080

class MyHttpRequestHandler(http.server.SimpleHTTPRequestHandler):
 def do_GET(self):
 # Parse the URL path
 parsed_path = urllib.parse.urlparse(self.path)

```

```

path = parsed_path.path

Serve static files
if path.startswith('/static/'):
 self.path = path
 return http.server.SimpleHTTPRequestHandler.do_GET(self)

Default to serving chat.html
elif path == '/' or path == '/chat':
 self.path = '/web_app/templates/chat.html'
 return http.server.SimpleHTTPRequestHandler.do_GET(self)

Serve other template files
elif path.endswith('.html'):
 self.path = f'/web_app/templates{path}'
 return http.server.SimpleHTTPRequestHandler.do_GET(self)

Handle other paths
else:
 return http.server.SimpleHTTPRequestHandler.do_GET(self)

handler = MyHttpRequestHandler
handler.extensions_map.update({
 '.css': 'text/css',
 '.js': 'application/javascript',
})

with socketserver.TCPServer(("", PORT), handler) as httpd:
 print(f"Serving at http://localhost:{PORT}")
 httpd.serve_forever()

```