
Event 1 / 100 | Chunk 0000 | Ev 2
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev2.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 2 / 100 | Chunk 0000 | Ev 8
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev8.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 3 / 100 | Chunk 0000 | Ev 14
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev14.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 4 / 100 | Chunk 0000 | Ev 20
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev20.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 5 / 100 | Chunk 0000 | Ev 21
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev21.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 6 / 100 | Chunk 0000 | Ev 22
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev22.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 7 / 100 | Chunk 0000 | Ev 23
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev23.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 8 / 100 | Chunk 0000 | Ev 33
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev33.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 9 / 100 | Chunk 0000 | Ev 38
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev38.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 10 / 100 | Chunk 0000 | Ev 47
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev47.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 11 / 100 | Chunk 0000 | Ev 49
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev49.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 12 / 100 | Chunk 0000 | Ev 51
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev51.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 13 / 100 | Chunk 0000 | Ev 59
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev59.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 14 / 100 | Chunk 0000 | Ev 61
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev61.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 15 / 100 | Chunk 0000 | Ev 66
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev66.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 16 / 100 | Chunk 0000 | Ev 71
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev71.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 17 / 100 | Chunk 0000 | Ev 73
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev73.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 18 / 100 | Chunk 0000 | Ev 78
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev78.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 19 / 100 | Chunk 0000 | Ev 79
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev79.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 20 / 100 | Chunk 0000 | Ev 80
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev80.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 21 / 100 | Chunk 0000 | Ev 86
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev86.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 22 / 100 | Chunk 0000 | Ev 93
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev93.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 23 / 100 | Chunk 0000 | Ev 94
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev94.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 24 / 100 | Chunk 0000 | Ev 97
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev97.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 25 / 100 | Chunk 0000 | Ev 98
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev98.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 26 / 100 | Chunk 0000 | Ev 100
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev100.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 27 / 100 | Chunk 0000 | Ev 104
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev104.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 28 / 100 | Chunk 0000 | Ev 112
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev112.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 29 / 100 | Chunk 0000 | Ev 115
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev115.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 30 / 100 | Chunk 0000 | Ev 117
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev117.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 31 / 100 | Chunk 0000 | Ev 118
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev118.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 32 / 100 | Chunk 0000 | Ev 121
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev121.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 33 / 100 | Chunk 0000 | Ev 123
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev123.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 34 / 100 | Chunk 0000 | Ev 129
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev129.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 35 / 100 | Chunk 0000 | Ev 137
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev137.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 36 / 100 | Chunk 0000 | Ev 155
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev155.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 37 / 100 | Chunk 0000 | Ev 158
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev158.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 38 / 100 | Chunk 0000 | Ev 169
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev169.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 39 / 100 | Chunk 0000 | Ev 170
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev170.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 40 / 100 | Chunk 0000 | Ev 181
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev181.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 41 / 100 | Chunk 0000 | Ev 191
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev191.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 42 / 100 | Chunk 0000 | Ev 192
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev192.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 43 / 100 | Chunk 0000 | Ev 193
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev193.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 44 / 100 | Chunk 0000 | Ev 194
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev194.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 45 / 100 | Chunk 0000 | Ev 195
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev195.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 46 / 100 | Chunk 0000 | Ev 196
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev196.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 47 / 100 | Chunk 0000 | Ev 223
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev223.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 48 / 100 | Chunk 0000 | Ev 226
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev226.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 49 / 100 | Chunk 0000 | Ev 229
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev229.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 50 / 100 | Chunk 0000 | Ev 237
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev237.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 51 / 100 | Chunk 0000 | Ev 239
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev239.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 52 / 100 | Chunk 0000 | Ev 247
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev247.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 53 / 100 | Chunk 0000 | Ev 248
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev248.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 54 / 100 | Chunk 0000 | Ev 261
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev261.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 55 / 100 | Chunk 0000 | Ev 274
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev274.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 56 / 100 | Chunk 0000 | Ev 276
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev276.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 57 / 100 | Chunk 0000 | Ev 278
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev278.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 58 / 100 | Chunk 0000 | Ev 289
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev289.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 59 / 100 | Chunk 0000 | Ev 291
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev291.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 60 / 100 | Chunk 0000 | Ev 300
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev300.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 61 / 100 | Chunk 0000 | Ev 301
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev301.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)

Event 62 / 100 | Chunk 0000 | Ev 304
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev304.npy




Event 63 / 100 | Chunk 0000 | Ev 310
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev310.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 64 / 100 | Chunk 0000 | Ev 313
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev313.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 65 / 100 | Chunk 0000 | Ev 328
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev328.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 66 / 100 | Chunk 0000 | Ev 330
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev330.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 67 / 100 | Chunk 0000 | Ev 335
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev335.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)

Event 68 / 100 | Chunk 0000 | Ev 339
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev339.npy




Event 69 / 100 | Chunk 0000 | Ev 350
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev350.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 70 / 100 | Chunk 0000 | Ev 355
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev355.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 71 / 100 | Chunk 0000 | Ev 356
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev356.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 72 / 100 | Chunk 0000 | Ev 357
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev357.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 73 / 100 | Chunk 0000 | Ev 365
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev365.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 74 / 100 | Chunk 0000 | Ev 367
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev367.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 75 / 100 | Chunk 0000 | Ev 370
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev370.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 76 / 100 | Chunk 0000 | Ev 371
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev371.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 77 / 100 | Chunk 0000 | Ev 372
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev372.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 78 / 100 | Chunk 0000 | Ev 373
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev373.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 79 / 100 | Chunk 0000 | Ev 376
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev376.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 80 / 100 | Chunk 0000 | Ev 378
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev378.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 81 / 100 | Chunk 0000 | Ev 382
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev382.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 82 / 100 | Chunk 0000 | Ev 385
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev385.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 83 / 100 | Chunk 0000 | Ev 387
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev387.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 84 / 100 | Chunk 0000 | Ev 389
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev389.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 85 / 100 | Chunk 0000 | Ev 391
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev391.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 86 / 100 | Chunk 0000 | Ev 397
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev397.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 87 / 100 | Chunk 0000 | Ev 399
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev399.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 88 / 100 | Chunk 0000 | Ev 401
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev401.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 89 / 100 | Chunk 0000 | Ev 404
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev404.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 90 / 100 | Chunk 0000 | Ev 408
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev408.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 91 / 100 | Chunk 0000 | Ev 409
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev409.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 92 / 100 | Chunk 0000 | Ev 413
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev413.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 93 / 100 | Chunk 0000 | Ev 415
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev415.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 94 / 100 | Chunk 0000 | Ev 422
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev422.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 95 / 100 | Chunk 0000 | Ev 424
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev424.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 96 / 100 | Chunk 0000 | Ev 428
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev428.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 97 / 100 | Chunk 0000 | Ev 431
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev431.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 98 / 100 | Chunk 0000 | Ev 437
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev437.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)


Event 99 / 100 | Chunk 0000 | Ev 445
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev445.npy
Coinc Gate Active
Ch 0 (σ)
Ch 1 (σ)
Ch 2 (σ)
Ch 3 (σ)
BIN_THR = 2
Multiplicity
Sample Index (Vertical blue lines = 32-sample batch boundaries)

Event 100 / 100 | Chunk 0000 | Ev 454
RTL Boolean Emulation & Trigger Analysis
File: trigger_capture_snr3.0bin1_thermal_chunk_0000.npy_ev454.npy