

Mod Events (Vanilla; requires default vanilla parameter setup)

ReporterLOSGain

This mod event is sent whenever an LPO Reporter—any proximity NPC tagged for LOS—sees the player. LPO catches OnGainLOS for SingleUpdate, but this event may nonetheless fire in quick succession.

```
RegisterForModEvent("BM-LPO_ReporterLOSGain",  
"LPO_OnReporterLOSGain")  
Event LPO_OnReporterLOSGain(string eventName, string strArg,  
float numArg, Form sender)
```

ViolationCheck

This mod event is sent when LPO conducts a violation check.

```
RegisterForModEvent("BM-LPO_ViolationCheck",  
"LPO_OnViolationCheck")  
Event LPO_OnViolationCheck(string eventName, string strArg,  
float numArg, Form sender)
```

ViolationFound

This mod event is sent when LPO finds a license violation and attempts to start the bounty quest. This event only fires after detected violations are collected for processing, not immediately when any one violation is detected.

```
RegisterForModEvent("BM-LPO_ViolationFound",  
"LPO_OnViolationFound")  
Event LPO_OnViolationFound(string eventName, string strArg,  
float numArg, Form sender)
```

BountyStart

This mod event is sent when LPO's bounty quest successfully starts with LPO Enforcers filling its aliases.

```
RegisterForModEvent("BM-LPO_BountyStart", "LPO_OnBountyStart")
```

```
Event LPO_OnBountyStart(string eventName, string strArg, float  
numArg, Form sender)
```

BountyEnd

This mod event is sent under two scenarios: when the quest loses all valid aliases, and after LPO processes its post-confrontation sequence. This event always fires immediately before a quest Stop() call and only ever after LPO_ConfrontationEnd if Enforcer engaged dialogue with the player.

```
RegisterForModEvent("BM-LPO_BountyEnd", "LPO_OnBountyEnd")  
Event LPO_OnBountyEnd(string eventName, string strArg, float  
numArg, Form sender)
```

Mod Events (Custom)

BM-LPO_ConfrontationStart

This mod event is sent when an LPO enforcer forcegreet the player.

```
RegisterForModEvent("BM-LPO_ConfrontationStart",  
"LPO_OnConfrontationStart")  
Event LPO_OnConfrontationStart(Form akForm1)
```

BM-LPO_ConfrontationWalkaway

This mod event is sent when the player runs through the confrontation branch's walkaway topic.

```
RegisterForModEvent("BM-LPO_ConfrontationWalkaway",  
"LPO_OnConfrontationWalkaway")  
Event LPO_OnConfrontationWalkaway(Form akForm1)
```

BM-LPO_ConfrontationEnd

*This mod event is sent when LPO finishes its enforcer-player confrontation scene. End types:
walkaway = -1, arrest = 0, normal = 1, lenient = 2*

```
RegisterForModEvent("BM-LPO_ConfrontationEnd",  
"LPO_OnConfrontationEnd")  
Event LPO_OnConfrontationEnd(int aiArg1)
```

BM-LPO_LicenseAdded

This mod event is sent when the player is given a license that passes an inventory event filter for OnItemAdded.

```
RegisterForModEvent("BM-LPO_LicenseAdded", "LPO_OnLicenseAdded")  
Event LPO_OnLicenseAdded(int aiArg1)
```

BM-LPO_LicenseRemoved

This mod event is sent when the player loses a license that passes an inventory event filter for OnItemRemoved.

```
RegisterForModEvent("BM-LPO_LicenseRemoved",  
"LPO_OnLicenseRemoved")  
Event LPO_OnLicenseRemoved(int aiArg1)
```

BM-LPO_LicensePurchased

This mod event is sent when the player purchases a license and adds the corresponding book item to the moderator's inventory event filter.

```
RegisterForModEvent("BM-LPO_LicenseRemoved",  
"LPO_OnLicenseRemoved")  
Event LPO_OnLicenseRemoved(int aiArg1)
```

BM-LPO_LicenseExpired

This mod event is sent when a license expires and removes its corresponding book item from the moderator's inventory event filter.

```
RegisterForModEvent("BM-LPO_LicenseExpired", "LPO_On  
LicenseExpired")  
Event LPO_OnLicenseExpired(int aiArg1)
```

Functions

GetModVersion - String

Returns a string in a semantic (x.x.x) format.

```
Function GetModVersion()
```

GetConfigVersion - Int

Returns an integer indicating the version of the MCM config script. This value is primarily for SkyUI.

```
Function GetConfigVersion()
```

GetVersion - Int

Returns a hexadecimal value read in this format: 0x01020304.

```
Function GetVersion()
```

GetModName - String

Returns the string value currently used by the MCM script.

```
Function GetModName(bool cache = true)
```

GetModState - Float

Returns a float value denoting the current state of the mod. 1 = active; 0 = inactive; -1 = mid-state.

```
Function GetModState()
```

GetUtility - BM_Licenses_Utility

Returns the corresponding custom property.

```
Function GetUtility()
```

GetMCM - BM_Licenses_MCM

Returns the corresponding custom property.

```
Function GetMCM()
```

GetLPO - BM_Licenses

Returns the corresponding custom property.

```
Function GetLPO()
```

GetLicenseID - Int

Returns an integer corresponding to a given license prefix. API prefixes are intended to maintain consistent API calls by associating Strings to Integers.

```
Function GetLicenseID(string LicensePrefix)
```

GetLicenseSID - String

Finds a corresponding String ID from either a License Prefix or a given string's integer representation.

```
Function GetLicenseSID(string inputID = "")
```

GetLicenseTimeLeft - Float

Returns a remaining time per in-game hours.

```
Function GetLicenseTimeLeft(int LicenseType)
```

FlagViolation - Bool

Marks a corresponding violation boolean as TRUE, and then pushes to assess active violations.

```
Function FlagViolation(int ViolationType, bool Push = true, bool  
CheckSafety = true)
```

ClearViolations - Bool

Removes any active and valid violations, optionally removing persistent violations as well.

```
Function ClearViolations(bool ClearPersistent = false, bool  
CheckSafety = true)
```

PurchaseLicense - Bool

Activates a corresponding license cycle.

```
Function PurchaseLicense(int LicenseType, bool SubtractGold =  
true, bool CheckSafety = true)
```

ExpireLicense - Bool

Terminates a corresponding license cycle.

```
Function ExpireLicense(int LicenseType, bool Push = true)
```

RemoveLicense - Bool

Removes a corresponding license Book Item from the player's inventory, optionally moving it to another container.

```
Function RemoveLicense(int LicenseType, int LicenseCount = 0,  
ObjectReference DestinationContainer = None, bool CheckSafety =  
true)
```

ToggleLicenseFeature - Bool

Enables or disables a license feature based on a given license type and Boolean flag, thereafter refreshing variables where necessary.

```
Function ToggleLicenseFeature(int LicenseType, bool FeatureFlag,  
bool Push = true)
```

License/Violation Type Integer Map

Integer Map	License Prefix	License Suffix	Violation Prefix
1	Armor	License	Armor
2	Bikini1	License	Bikini
3	Bikini2	Exemption	Bikini
4	Clothing	License	Clothing
5	Magic	License	Magic
6	Weapon	License	Weapon
7	Crafting	License	Crafting
8	Travel	Permit	Travel
9	Collar	Exemption	Collar
10	Insurance	N/A*	Uninsured
11	Curfew	Exemption	Curfew
12	Trading	License	Trading
13	Whore	License	Whore

*The Life Insurance feature uses "Life" as an aesthetic prefix and the `IsInsured` boolean as an intermediary value between related License and Violation script properties.

Items above are sorted by order of significance, secondarily by order of introduction via ID.

Definitions

Reporter

- Any actor tagged by the quest BM_Licenses_Detection.

Enforcer

- Any actor tagged by the quest BM_Licenses_Bounty. These actors are typically classified as "Guard" by vanilla faction and keyword conditions.

License

- A basic type of permissive document that emphasizes the primacy of a *use* of a privilege.

Permit

- A type of license that emphasizes *ephemerality* over *use*. Typically includes additional functionality to support the temporary nature of the related license feature.

Exemption

- A type of license that emphasizes *exclusion* over *use*.