OPERATIONS API

Build against the same operational picture used by Outpost Gamma.

A clearance-aware operations API for station status, crew readiness, cargo, convoys, trade contracts, and classified fleet workflows.

WHAT PARTNERS CAN AUTOMATE

Monitor station health, detect cargo risk, coordinate convoys, review trade obligations, and route sensitive records through the right clearance tier.

PRIMARY ONBOARDING CALL
`/v1/whoami`

AUTH MODEL
Bearer clearance token

REFERENCE DOCS
`/docs` and `/redoc`

Capability Map

Station
Read operational status, alert level, subsystem health, and engineering notes.

Crew
Review crew roster, duty status, certifications, and readiness for assignments.

Cargo
Discover cargo IDs, inspect mass and hazard data, and update inspection state.

Shipments
Create convoys, track ETAs, record delays, update cargo, and cancel when authorized.

Trade
Review contracts, counterparties, values, cargo references, and settlement status.

Fleet
Access Admiral-only orders, missions, classified objectives, and command notes.

Clearance Model

LEVEL	ROLE	TYPICAL ACCESS
1	**Deckhand**	Station status and systems, crew roster, cargo manifest.
2	**Logistics Officer**	Crew details, cargo details, shipments, trade manifests, and most write workflows.
3	**Sector Admiral**	Classified records, fleet orders, active missions, and destructive deletes.

START HERE Call `GET /v1/whoami` to confirm which role and clearance level your token maps to before running workflow tests.

USE CASES

Operational scenarios partners can build on.

DASHBOARD	**Operations dashboard**	Combine station status, subsystem health, active convoys, and delayed shipments into a single readiness view for operators or AI agents.
CARGO	**Cargo risk review**	List cargo, inspect item details, identify high-risk hazards, and update inspection states before the cargo is loaded or cleared.
CONVOY	**Convoy coordination**	Create new supply runs, update ETA or route status, capture delay reasons, and keep cargo references attached to the shipment record.
TRADE	**Trade operations**	Review active and pending contracts, understand counterparty exposure, and update contract status as agreements are settled.
COMMAND	**Command workflow**	Route fleet orders, mission briefings, and Admiral-classified cargo or shipment records only to callers with Level 3 clearance.

Sample Workflow

1. **Check station status**
   Use Level 1 access to confirm alert level and operating conditions.
2. **Review cargo manifest**
   Discover cargo IDs before requesting detail records.
3. **Inspect risky cargo**
   Use Level 2 detail endpoints to review hazards, mass, and destination.
4. **Create or update convoy**
   Dispatch cargo, record ETA, and keep delay notes current.
5. **Escalate classified records**
   Send blocked or hidden records to an Admiral-cleared workflow.

Design pattern for integrations

Use list endpoints to discover stable IDs, then call detail endpoints only when the user, workflow, or agent needs richer operational context.

Classification behavior

Some Admiral-classified records are hidden from lower-level list responses and return `403` when directly requested without Level 3 clearance.

Workflow to Endpoint Examples

NEED	USEFUL ENDPOINTS	MINIMUM LEVEL
Read station readiness	`GET /v1/station/status`, `GET /v1/station/systems`	Deckhand
Investigate cargo	`GET /v1/cargo/manifest`, `GET /v1/cargo/{cargo_id}`	Deckhand to Logistics Officer
Coordinate convoys	`GET /v1/shipments`, `POST /v1/shipments`, `PATCH /v1/shipments/{shipment_id}`	Logistics Officer
Operate command layer	`GET /v1/fleet/orders`, `GET /v1/fleet/missions`	Sector Admiral

Try the API with a partner clearance token.

Authentication

All documented API calls except `/v1/whoami` use a Bearer clearance token supplied out-of-band by Galactic Logistics.

```
Authorization: Bearer <clearance-token>
```

Confirm station status

A Level 1 token is enough for operational status and basic station visibility.

```
curl -H "Authorization: Bearer <deckhand-token>" \
  https://<your-api-host>/v1/station/status
```

Create a shipment

A Logistics Officer token can dispatch a new convoy. The API returns a server-assigned shipment ID in the format `SH-NNN`.

```
curl -X POST https://<your-api-host>/v1/shipments \
  -H "Authorization: Bearer <logistics-token>" \
  -H "Content-Type: application/json" \
  -d '{
    "convoy_name": "Convoy Vega",
    "origin": "Outpost Gamma",
    "destination": "Waystation Delta",
    "cargo_ids": ["C-098"]
  }'
```

Error Handling

401

Missing, malformed, or unrecognized Bearer token.

403

Token is valid, but its clearance level is too low for the endpoint or record.

404

The requested crew, cargo, shipment, trade manifest, or mission ID was not found.

Integration Tips

- Use list endpoints first to discover IDs before requesting details.
- Expect classified records to be hidden or blocked below Level 3.
- Treat writes as session-persistent demo data because storage is in-memory.
- Use Swagger UI or ReDoc for exact request and response schemas.

Helpful Links

- `/docs` for interactive Swagger UI testing.
- `/redoc` for structured reference reading.
- `/openapi.json` for generated clients and MCP tooling.
- `/v1/whoami` for token role verification.

Security note

This guide intentionally uses placeholder tokens. Real partner tokens and operational secrets are distributed through separate secure channels.