

OPERATIONS API

# Build against the same operational picture used by Outpost Gamma.

A clearance-aware operations API for station status, crew readiness, cargo, convoys, trade contracts, and classified fleet workflows.

## WHAT PARTNERS CAN AUTOMATE

Monitor station health, detect cargo risk, coordinate convoys, review trade obligations, and route sensitive records through the right clearance tier.

PRIMARY ONBOARDING CALL

**/v1/whoami**

AUTH MODEL

**Bearer clearance token**

REFERENCE DOCS

**/docs and /redoc**

## Capability Map

### Station

Read operational status, alert level, subsystem health, and engineering notes.

### Crew

Review crew roster, duty status, certifications, and readiness for assignments.

### Cargo

Discover cargo IDs, inspect mass and hazard data, and update inspection state.

### Shipments

Create convoys, track ETAs, record delays, update cargo, and cancel when authorized.

### Trade

Review contracts, counterparties, values, cargo references, and settlement status.

### Fleet

Access Admiral-only orders, missions, classified objectives, and command notes.

## Clearance Model

| LEVEL | ROLE                     | TYPICAL ACCESS                                                                     |
|-------|--------------------------|------------------------------------------------------------------------------------|
| 1     | <b>Deckhand</b>          | Station status and systems, crew roster, cargo manifest.                           |
| 2     | <b>Logistics Officer</b> | Crew details, cargo details, shipments, trade manifests, and most write workflows. |
| 3     | <b>Sector Admiral</b>    | Classified records, fleet orders, active missions, and destructive deletes.        |

### START HERE

Call `GET /v1/whoami` to confirm which role and clearance level your token maps to before running workflow tests.

# Operational scenarios partners can build on.

|           |                                                                                                                                                                         |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| DASHBOARD | <b>Operations dashboard</b><br>Combine station status, subsystem health, active convoys, and delayed shipments into a single readiness view for operators or AI agents. |
| CARGO     | <b>Cargo risk review</b><br>List cargo, inspect item details, identify high-risk hazards, and update inspection states before the cargo is loaded or cleared.           |
| CONVOY    | <b>Convoy coordination</b><br>Create new supply runs, update ETA or route status, capture delay reasons, and keep cargo references attached to the shipment record.     |
| TRADE     | <b>Trade operations</b><br>Review active and pending contracts, understand counterparty exposure, and update contract status as agreements are settled.                 |
| COMMAND   | <b>Command workflow</b><br>Route fleet orders, mission briefings, and Admiral-classified cargo or shipment records only to callers with Level 3 clearance.              |

## Sample Workflow



**Check station status**  
Use Level 1 access to confirm alert level and operating conditions.



**Review cargo manifest**  
Discover cargo IDs before requesting detail records.



**Inspect risky cargo**  
Use Level 2 detail endpoints to review hazards, mass, and destination.



**Create or update convoy**  
Dispatch cargo, record ETA, and keep delay notes current.



**Escalate classified records**  
Send blocked or hidden records to an Admiral-cleared workflow.

**Design pattern for integrations**  
Use list endpoints to discover stable IDs, then call detail endpoints only when the user, workflow, or agent needs richer operational context.

**Classification behavior**  
Some Admiral-classified records are hidden from lower-level list responses and return 403 when directly requested without Level 3 clearance.

## Workflow to Endpoint Examples

| NEED                   | USEFUL ENDPOINTS                                                         | MINIMUM LEVEL                 |
|------------------------|--------------------------------------------------------------------------|-------------------------------|
| Read station readiness | GET /v1/station/status, GET /v1/station/systems                          | Deckhand                      |
| Investigate cargo      | GET /v1/cargo/manifest, GET /v1/cargo/{cargo_id}                         | Deckhand to Logistics Officer |
| Coordinate convoys     | GET /v1/shipments, POST /v1/shipments, PATCH /v1/shipments/{shipment_id} | Logistics Officer             |
| Operate command layer  | GET /v1/fleet/orders, GET /v1/fleet/missions                             | Sector Admiral                |

## Try the API with a partner clearance token.

### Authentication

All documented API calls except `/v1/whoami` use a Bearer clearance token supplied out-of-band by Galactic Logistics.

```
Authorization: Bearer <clearance-token>
```

### Confirm station status

A Level 1 token is enough for operational status and basic station visibility.

```
curl -H "Authorization: Bearer <deckhand-token>" \
https://<your-api-host>/v1/station/status
```

### Create a shipment

A Logistics Officer token can dispatch a new convoy. The API returns a server-assigned shipment ID in the format SH-NNN.

```
curl -X POST https://<your-api-host>/v1/shipments \
-H "Authorization: Bearer <logistics-token>" \
-H "Content-Type: application/json" \
-d '{
  "convoy_name": "Convoy Vega",
  "origin": "Outpost Gamma",
  "destination": "Waystation Delta",
  "cargo_ids": ["C-098"]
}'
```

## Error Handling

### 401

Missing, malformed, or unrecognized Bearer token.

### 403

Token is valid, but its clearance level is too low for the endpoint or record.

### 404

The requested crew, cargo, shipment, trade manifest, or mission ID was not found.

### Integration Tips

- Use list endpoints first to discover IDs before requesting details.
- Expect classified records to be hidden or blocked below Level 3.
- Use Swagger UI or ReDoc for exact request and response schemas.

### Helpful Links

- `/docs` for interactive Swagger UI testing.
- `/redoc` for structured reference reading.
- `/openapi.json` for generated clients and MCP tooling.
- `/v1/whoami` for token role verification.

### Security note

This guide intentionally uses placeholder tokens. Real partner tokens and operational secrets are distributed through separate secure channels.