Response to Phase 1 Feedback

We addressed the ten comments as follows. (1) The repository is public at https://github.com/Nuha-Alodan/inshallah-phase1, with the run steps in the README. (2) Each example has its own source line. (3) All files use 530,662 occurrences; the old figures came from an older script. (4) RQ1 uses the random 100-row check. (5) RQ4 names the five Phase 2 columns. (6) One rule is given for each label pair. (7) Warnings and threats are labelled OTHER, and UNCLEAR is used only when the context is not enough to decide. (8) The SKEPTIC example is now Saudi, and 885 Gulf occurrences remain after cleaning. (9) Each NLP study has its size, labels, dialects and a specific gap, followed by the research gap. (10) Examples are in Arabic with English translations, and all citations use IEEE.

1- Phenomenon and Project Scope

In Arabic speech and writing, إن شاء الله (inshallah, "God willing") is not only a religious phrase about the future. People also use it to promise, to hope, to avoid a clear answer, to be sarcastic, or to end a topic [15], [1], [2], [3], [4], [5]. Since the words do not change, context alone tells us which use is meant.

We label every إن شاء الله in our Saudi texts as COMMIT, WISH, DEFER, HEDGE, SKEPTIC or CLOSE. If the use is clear but fits none of these, it gets OTHER. Quranic quotations get QUOTE and are left out. UNCLEAR is kept for cases where even the context does not help. We read each occurrence with the sentence before it. We do not include other expressions such as ما شاء الله and عزّ الله.

2- Linguistic Review and Consolidation

The six studies agree that inshallah has moved beyond its literal meaning and that context decides its function [15, p. 268], [1, p. 863]. They differ in data and method: Farghal analyses example utterances as speech acts and uses intonation to separate functions [15]; Clift and Helani apply conversation analysis to telephone calls [2]; Al-Rojaie and Abu Qub'a et al. record natural interactions with fieldworkers [3], [4]; Al-Abdullah combines recordings with interviews [1]; and Al-Ghamdi relies on interviews only [5]. Only [3] and [5] study Saudi speakers. Table 1 summarises each study and Table 2 maps the reported functions to our labels.

Table 1: Study data and relevance to the project

Study	Variety	Data and method	Use in this project
Farghal [15]	Mainly Jordanian; some Saudi, Iraqi and Libyan examples	Example utterances analysed as speech acts. Iraqi and Libyan examples were elicited from two students [15], p. 269.	COMMIT, WISH, DEFER and OTHER; a conditional HEDGE mapping.
Clift and Helani [2]	Levantine, mainly Syrian	Conversation analysis of 12 hours of recorded telephone conversations [2], p. 359.	CLOSE; distinguishing topic closing from expressing hope.
Al-Rojaie [3]	Najdi (Saudi)	1,385 examples of religious expressions from natural interactions. The author and five fieldworkers used observation and field notes in 2016–2017 [3], p. 6.	CLOSE, WISH and DEFER.
Al-Ghamdi [5]	Hijazi and Ghamdi (Saudi)	Semi-structured interviews with 20 speakers, analysed thematically [5], p. 54.	DEFER and OTHER; distinguishing inshallah from mashallah.
Al-Abdullah [1]	Kuwaiti	8 h 24 min of recorded conversations involving 31 speakers, followed by interviews with 12 of them [1], p. 856.	COMMIT, WISH, SKEPTIC and OTHER.
Abu Qub'a et al. [4]	Jordanian	Real-life conversations documented by the researchers and six fieldworkers: 36 speakers, July–October 2024. The analysis reports 123 expressions and 37 functions [4], pp. 835–836.	WISH; SKEPTIC and OTHER (admiration) from the function names only, without examples.

Studies [3], [5] and [4] cover more than one religious expression. We use only evidence about inshallah; for example, Al-Ghamdi's sarcasm examples concern mashallah [5], p. 56.
In Table 2, we put each function from the six studies next to the label we give it. The rows start with COMMIT, WISH, DEFER, HEDGE, SKEPTIC and CLOSE, then OTHER, and last the functions we do not label. English follows the source unless marked "our translation"; transcription symbols are omitted.

Table 2: Consolidation of reported functions and project labels

Reported function and source	Example and location	Project label	Decision
Promising; promise mitigation [15], [1]	«إن شاء الله بشوفك بكرة» (R) "I'll see you tomorrow" [15] ex. 29b, p. 261 «إن شاء الله، أنا ما أبي أروح بس مو مشكلة» (R) "inshallah I don't want to go there but fine" [1], ex. 5, p. 861 «…إن شاء الله بيكون عندج باچر…» (R) "… inshallah you'll have it tomorrow…" [1], ex. 6, pp. 861–862	COMMIT	The speaker commits to a future action. In Al-Abdullah's extract (5) the speaker is reluctant but still agrees to act.
Offering; offer mitigation [15]	«إن شاء الله بنتعشّى سوا الليلة» (R) "We'll have dinner together tonight" [15], ex. 30b, p. 261	COMMIT	An offer also commits the speaker to a future action.
Confirmation of a future action [15]	«إن شاء الله الأمر انتهى» (R) "Be assured that it will be taken care of" [15], ex. 8, p. 256	COMMIT	Farghal: confirms that the action will be carried out [15], p. 256. COMMIT only when the speaker commits to acting; responsibility for the action alone does not show commitment.
Hope; anticipation; softening statements about the future [15], [2], [4]	«إن شاء الله أخوك ينجح بالفحص» (R) "I hope [your] brother will pass the test" [15] ex. 39a, p. 264 «إن شاء الله …قريبًا» (R) "inshallah… soon" [2], ex. 1, lines 6–8, p. 359 «إن شاء الله ستحصلين على منحة للالتحاق بالجامعة الأردنية» (T) "Insha Allah, you will get a scholarship to enter the University of Jordan" [4], p. 837	WISH	Hope for an outcome outside the speaker's control.
Expressive mitigation; thanking; gratitude; congratulating; wishing [15], [1]	«إن شاء الله بعرسك» (R) "Thank you" [15] ex. 49a, p. 266 «إن شاء الله مبروك» (R) "Congratulations!" [15] ex. 50a, p. 266 «إن شاء الله رحلة موفقة» (R) "Have a good trip!" [15] ex. 51a, p. 266 «إن شاء الله، الله يبارك فيچ ويحميچ» (R) "inshallah god bless you and protect you" [1], ex. 1, p. 858	WISH	Farghal notes that these keep the hope meaning [15] p. 267; the same holds for Al-Abdullah's blessing.
Persuading [3]	«الله يبي يهديك إن شاء الله ونطلع لبيت جديد» (R) "Allah will guide you, inshallah, so that we move to a new house" [3], ex. 5, p. 8	WISH	Inshallah adds hope to the persuasive utterance [3], p. 9.
Pejorative use; skepticism and ambiguity [15], [3]	«إن شاء الله بكرة» (R) "tomorrow, maybe!" [15] ex. 4 (Saudi), p. 255 «بصير خير إن شاء الله» (R) "Things will be better if God permits" [3], ex. 39, p. 18	DEFER	Evasive replies about the speaker's own action. Al-Rojaie calls (39) an evasiveness strategy [3], p. 18.
Polite avoidance and deferral; softened refusal [5]	«إذا لم أرد أن أقول لا مباشرةً، أستخدم إن شاء الله وأترك الأمر عند ذلك» (T) "If I don't want to say no directly, I use 'Insha'Allah' and let it go" [5], Ghamdi participant 6, p. 55 «… أقول إن شاء الله لأنني لا أريد شرح التأخير» (T) "… I say 'Insha'Allah' because I don't want to explain the delay" [5], Hijazi participant 5, p. 55	DEFER	Interview statements, not usage examples; speakers describe avoiding a refusal or an explanation.

Reported function and source	Example and location	Project label	Decision
Tag-question marker [15]	«إن شاء الله)إنت (رسبت بالفحص(R)» “You didn’t fail the test, did you?” [15] ex. 13a, p. 257	HEDGE	Our interpretation: Farghal classifies these as directives [15] pp. 257–260. HEDGE because the question seeks confirmation of a present or past state (HEDGE rule below); a question that only exclaims is in the OTHER row.
Sarcasm; doubt [1], [4]	«والله بنشوف إن شاء الله، أراهنك بيخيب ظنك(R)…» “oh yeh, we’ll see; inshallah I bet you’ll be disappointed…” [1], ex. 2, p. 858 Sarcasm is mentioned in [4], p. 837; sarcasm and doubt are listed in [4], Table A7, p. 848 without examples.	SKEPTIC	Example from [1]; [4] lists the function names without examples.
Topic closure; topic transition; ending a conversation [2], [3]	«إن شاء الله والله(R)» “God willing, by God” (our translation), followed by silence and a new topic [2] ex. 2, line 32, p. 360 «زين على خير إن شاء الله(R)» “Okay, things will be okay, inshallah,” followed by leave-taking [3] ex. 3, p. 8	CLOSE	Topic closing [2] and conversation ending [3] are merged. Al-Rojaie finds topic transition rare in Najdi data, where invocations close the whole conversation [3] p. 7.
Reciprocal invocation; acknowledgement and endorsement of hope [2]	«خير إن شاء الله على خير(R)» “(All will be) good inshaalla ending well” [2], ex. 5, line 13, p. 366	CLOSE	No new outcome is named, and the next turn opens a new topic (“What other news do you have?”, line 15), so the WISH vs. CLOSE rule gives CLOSE.
Exclamation-bearer (with a tag question) [15]	«إن شاء الله بدها تروح عالحفلة(R)» “She doesn’t want to go to the party, does she?!” [15] ex. 24, pp. 259–260	OTHER	A question with an exclamation that does not seek confirmation; a tag question that seeks confirmation is HEDGE (HEDGE rule below).
Surprise [1]	«وليش إن شاء الله مو شغله(R)» “and why is that inshallah it’s none of his business” [1], ex. 3, pp. 859–860	OTHER	The question expresses surprise, not a request for information [1], p. 860.
Directive/order mitigation, also expressing hope [15]	«إن شاء الله)إنك (تنفّذ أوامرنا بالحرف(R)» “We would like you to carry out our orders to the letter” [15] ex. 27a, pp. 260–261	OTHER	The main act is an order to the addressee, not the speaker’s commitment; Farghal notes that inshallah is a hope expresser and order mitigator at the same time [15] p. 261.
Prohibition; threatening/daring [15]	«إن شاء الله بشوفك هون مرة ثانية(R)» “I dare you to come back again!” [15] ex. 11, p. 256 «إن شاء الله بتيجي هون مرة ثانية(R)» “I dare you to come back again!” [15] ex. 33, p. 262	OTHER	Both discourage the addressee from returning; two examples because the wording differs.
Warning [1]	«إن شاء الله ما شوفچ لابسة ذيك التنورة، أكسر رقبتچ(R)…» “inshallah I don’t see you again wearing that skirt I’ll break your neck…” [1], ex. 4, p. 860	OTHER	Outside the six labels.
Challenge [1]	«إن شاء الله إن شاء الله بنشوف(R)…» “inshallah inshallah we’ll see…” [1], ex. 2, p. 858	OTHER	Repetition strengthens the challenge [1], p. 858; not automatically sarcasm.
Disapproval [1]	«بس إنتي ليش إن شاء الله ما خذيتي رأي ريلچ(R)…» “but why didn’t you inshallah take the opinion of your husband…” [1], ex. 3, p. 860.	OTHER	Overlaps with surprise [1], p. 860.
Respect [1]	«إن شاء الله القصّة اليديدة ترضيچ(R)…» “… inshallah his new haircut satisfies you” [1], ex. 1, p. 858	OTHER	The speaker’s interview names respect as the purpose [1], pp. 857–858.
Indifference [15]	«إن شاء الله أخوك بنجح بالفحص وأنا مانّي(R)» “I don’t care if your brother passes the test” [15] ex. 43, p. 265	OTHER	Arises from inshallah with wa-na mānni together [15], p. 265.
Soothing marker; apology; soothing query [15]	«إن شاء الله ما تكونش زعلان مني(R)» “I hope you’re not angry with me” [15], ex. 10 (Libyan), p. 256	OTHER	In (55) the same words are an apology from the driver or a soothing question from a passer-by [15], p. 267.

Reported function and source	Example and location	Project label	Decision
	«إن شاء الله بسيطة(R)» “I am sorry for that” [15, ex. 55, p. 267]		
Religious framing and identity [5]	«لا أستطيع الرد على خبر سار دون قول إن شاء الله أو ما شاء الله؛ فهذا جزء من ديننا(T)» “I can’t respond to good news without saying ‘Insha’Allah’ or ‘Masha’Allah’. It’s part of our religion” [5], Ghamdi participant 2 , p. 56	OTHER	Interview statement about both expressions; no usage example. Showing religious identity is a clear function outside the six labels.
Admiration and hope [4]	Listed for Insha Allah in [4], Table A7, p. 848. Hope has the scholarship example [4], p. 837; admiration has no example.	WISH (hope); OTHER (admiration)	Hope has the scholarship example and is counted in the WISH row above; admiration is listed without an example.
Canonical religious meaning [15], [1]	«إن شاء الله(R)» “if God permitted” [15] ex. 1, p. 255	By context; UNCLEAR only if the context is missing	The literal meaning is present in every use [15] pp. 254–255, and Al-Abdullah leaves it aside [1], p. 857. The label is the function in context.
Politeness and facework; solidarity and social bonding; intensification [5]–[4]	See the quoted deferral, promise, gratitude, respect and challenge examples above [5], p. 55, [1], pp. 858–862. Hope is also discussed as a politeness strategy in [4], p. 837.	Label of the main function	These describe an effect that comes with another function, so the occurrence gets that function’s label [1].
Mitigating and hedging; agreement and approval; emphasis; emotions; protection from the evil eye; humour and sarcasm; respect and honour [3]	Shown only with other expressions, such as mashallah, la ilah illa Allah and Allah akbar [3], pp. 9–22; no inshallah example.	One of the six labels, or OTHER	Al-Rojaie shows these only with other expressions [3], pp. 9–22; if one appears with inshallah in our data, the rules in “Distinguishing similar labels” decide.

Note. (R): we wrote the Arabic from the source’s Latin transcription. (T): the source gives the example only in English, so the Arabic is our translation. These are therefore not word-for-word Arabic quotations. [ ] = correction; … = part of the extract removed.

Merged functions and functions outside the six labels. We merged functions that do the same job for the speaker. Promising, offering, and confirming a future action are merged into COMMIT, because in all three the speaker says that he or she will act [15], [1]. Hope, wishing, thanking, congratulating and persuading are merged into WISH, because inshallah keeps its hope meaning in each of them [15], p. 267, [3], p. 9. Pejorative use and polite avoidance are merged into DEFER, because in both the speaker avoids a clear answer about his or her own action [3], p. 18, [5], p. 55. Topic closing and ending a conversation are merged into CLOSE, because both end the talk [2], [3].
We did not give separate labels to warning, threat, challenge, surprise, disapproval, respect, indifference, and apology. Each has only one or two examples in the six studies, so a separate label would be too small to annotate or test. They are labelled OTHER, so they are kept but not mixed with the six labels. Tag questions go to HEDGE only when they ask for confirmation; otherwise they are OTHER. Politeness and solidarity are not separate labels, because they come together with another function [1]. We did not drop any function. Functions that the studies give without an inshallah example (religious identity, admiration, and the functions Al-Rojaie shows only with other expressions [3] are not counted for inshallah; if one appears in our data, it gets one of the six labels by the rules in “Distinguishing similar labels”, or OTHER. UNCLEAR is used only for an occurrence whose context is not enough to decide, not for a known function.

3- Distinguishing similar labels

- COMMIT vs. DEFER: if the reply names the act or confirms that it will be done, inshallah works as a commissive mitigator and the label is COMMIT [15] p. 261, even when the speaker is reluctant [1], p. 861 or the act is phrased with "we" or "you" [15, p. 261], [1], p. 862; if the reply to a request or question leaves the act, its time, or the speaker's intention open, it is an evasive reply, and the label is DEFER [3], p. 18, [5], p. 55.
- DEFER vs. SKEPTIC: if inshallah answers a request for the speaker's own action and leaves it unsettled without irony, the label is DEFER; if it doubts or mocks a claim, plan, or expectation, whether someone else's or the speaker's own when explicitly undercut (e.g., تحلم "dream on"), as in sarcasm and mock politeness [1], pp. 858–859, the label is SKEPTIC. The function in context decides, not the name the source gives it.
- WISH vs. CLOSE: if inshallah attaches to a specific outcome outside the speaker's control, it is a hope expresser, and the label is WISH [15] p. 267; if it follows a possible sequence close and adds no new outcome, so that the next turn is a reciprocal invocation, a topic shift, or leave-taking, the label is CLOSE [2], pp. 362–363, [3], p. 8. The formula may occur alone or within a longer utterance.
- HEDGE: the statement concerns a present or past state and inshallah lowers the speaker's certainty about it. A statement about the future is not HEDGE. A tag question qualifies only when it also seeks confirmation; a question that only asks for information, or only exclaims, is OTHER.
- OTHER vs. UNCLEAR: OTHER is a clear function outside the six labels, such as a warning or a threat. UNCLEAR means the context is not enough to decide. The context_needed flag records whether the preceding context was needed.
- QUOTE: Quranic quotations are excluded. A religious invocation on its own is not a quotation.

4- NLP Related Work

The NLP work falls into three groups: speech-act and politeness resources, dialect and culture benchmarks, and commitment detection.

1. Speech acts and politeness

ArSAS [6] labels 21,064 Arabic tweets on 20 mostly political topics with six speech acts and four sentiment classes, using crowd annotators; the dialects are not named. Expression (56%) and assertion (39%) dominate, and the class that holds promises and offers has only 60 tweets. Labels apply to whole tweets, so they cannot separate the functions of a single inshallah occurrence.
ADAB [7] labels 10,000 texts from YouTube comments, product and app reviews, and ArSAS tweets as polite, impolite, or neutral, in MSA and Gulf, Egyptian, Levantine, and Maghrebi Arabic. Two expert annotators reached $\kappa = 0.703$, and fine-tuned MARBERT performed best (macro-F1 = 0.858), ahead of zero- and few-shot LLMs [7], pp. 3131–3133. Its error analysis reports religious expressions whose meaning depends on context, such as Subhan'Allah used as criticism [7], p. 3134, which supports our use of preceding context. A politeness label, however, cannot tell a promise from an evasive reply.
TyDiP [8] collects 500 Wikipedia talk-page requests in each of nine languages (4,500 in total), each scored for politeness by three native annotators. A multilingual model trained on English data transfers well but stays below human agreement [8], pp. 5726–5727. Arabic is not included, and the paper gives no reason; languages were chosen for low-resource coverage, active Wikipedia discussion, and annotators available on Prolific [8], p. 5724. It therefore offers no Arabic data and no inshallah labels.

2. Dialect and cultural understanding

AraDiCE [9] builds seven benchmarks in MSA, Egyptian and Levantine Arabic by machine translation and human post-editing (about 45,000 items), and adds 180 cultural questions for Gulf, Egyptian and Levantine countries. In zero-shot tests, LLMs struggled with dialect identification and generation, and Arabic-centric models did better than multilingual ones [9], pp. 4186–4192. The items are translated and scored against answer keys; none label the function of an expression in natural text.

ArabCulture [10] has 3,482 MSA sentence-completion questions written and checked by native speakers from 13 countries, 261 of them Saudi. Models found country-specific questions harder than questions shared across countries [10], pp. 7697–7702. It tests cultural knowledge in MSA, not the pragmatic function of a dialect expression.

PalmX [11] is a shared task with 4,500 Arabic-culture and 1,900 Islamic-culture multiple-choice questions in MSA covering 22 countries; the best fine-tuned systems reached 72.15% and 84.22% accuracy [11], pp. 774–778. Like ArabCulture, it scores knowledge against an answer key and does not cover dialect use.

Absher [12] turns 3,094 Saudi words, phrases and proverbs from five regions into 18,564 multiple-choice questions generated with GPT-4o and checked on a 600-question sample. Six open LLMs reached 39–50% overall accuracy, with weaker results on Southern and Eastern items [12], pp. 6–15. It is the closest Saudi resource, but its items come from a dictionary website rather than natural messages, and it tests meaning, not function in context.

3. Commitment and promise detection

Azarbonyad et al. [13] label 65,398 Enron and 13,021 Avocado email sentences as commitment or not (Krippendorff's $\alpha = 0.73$). Annotators saw the whole email, but models used only the sentence; logistic regression reached F1 = 0.78–0.81 within a corpus and dropped when tested on the other corpus [13], pp. 674–678. The most informative features were first-person future forms such as "I will" and "I'll" [13], p. 674, which parallel our verb_cue and future_marker columns. The task is binary and English-only, so it cannot separate a commitment from a wish or an evasive reply.

ML-Promise [14] annotates 3,010 passages from corporate ESG reports in English, French, Chinese, Japanese, and Korean for promise presence, actionable evidence, evidence clarity, and verification timing ($\kappa = 0.60–0.96$). GPT-4o with retrieved examples improved most tasks [14], pp. 20355–20359. It shows that a promise can be graded rather than only detected, but its data are formal company reports with no Arabic.

5- Research Gap and Questions

The linguistic studies describe the functions of inshallah from spoken data, interviews, or the authors' own examples [15], [1], [2], [3], [4], [5]. None use written text, give function frequencies for Saudi Arabic, or report annotator agreement. The NLP resources either label whole texts for speech act or politeness [6]–[8], test dialect or cultural knowledge against answer keys [9]– [12], or detect commitments in English and corporate text [13], [14]. No resource labels individual occurrences of inshallah in Saudi text by function, with the original spelling and the preceding sentence. This project builds such a resource and asks four questions.

Preceding context is the previous sentence in the same post, or the previous SADA segment. RQ1 is answered from the random 100-row check, because the 1,000-row annotation sample over-represents rare functions; RQ2–RQ4 use the annotation sample. The original_text column keeps the source spelling unchanged.

RQ1. How are inshallah functions distributed in the cleaned Saudi Arabic collection?
RQ2. How well do two independent annotators agree, and which labels do they confuse?
RQ3. How well do rule-based, classical, encoder-based, and LLM classifiers perform with and without preceding context?
RQ4. Is the label related to variant and position, and how well can position, verb_cue, future_marker, and second_person predict the label in a rule-based baseline?

Plan for Phase 2

We will search SFC-mini, Gulf tweets, and SADA for inshallah and its spelling variants, aiming for a master collection of about 3,000 occurrences or more. Each occurrence will have a separate row. A normalised copy will support matching and duplicate detection, while original_text and variant will preserve the source wording and spelling. Preceding context will come from the same post or the previous SADA segment.
Before sampling, we will remove exact and near-duplicates, exclude hashtag-only posts, and remove links and usernames from the text used for processing. Host sentences will contain 4–80 words. Quranic quotations and fixed prayers will be marked with quote_flag, retained in the master collection, and excluded from the annotation sample.
We will fill the 11 required columns and manually check 50 rows, including the spelling match, context, quotation flag, and linguistic cues. Repeated errors will be used to revise the rules, and error counts will be reported. A random 100-row check will estimate which functions need more examples; these preliminary labels will not replace formal annotation.
The annotation sample will contain 1,000 rows: 300 from SFC-mini, 350 from Gulf tweets, and 350 from SADA. After duplicate removal and length filtering, 885 Gulf occurrences remain, which is enough for the 350 required. We will increase likely rare functions until each main label is expected to have at least 50 examples, record stratum, and shuffle the rows. The label and context_needed columns will remain empty for Phase 3.
We will submit both data files, a 4–6-page corpus report, and reproducible code with a README. The report will document licences, filtering counts (the same numbers as in the data access log and the README), spelling frequencies, context availability, manual checks and sampling bias, with a short datasheet. The README will give the required inputs, execution order, and expected outputs.

References

[1] S. Al-Abdullah, 'Pragmatic Functions Underlying the Use of Inshallah "God Willing" in Kuwaiti Arabic', *Forum Linguist. Stud.*, vol. 7, no. 11, Oct. 2025, doi: 10.30564/fls.v7i11.11642.
[2] R. Clift and F. Helani, '*Inshallah* : Religious invocations in Arabic topic transition', *Lang. Soc.*, vol. 39, no. 3, pp. 357–382, Jun. 2010, doi: 10.1017/S0047404510000199.
[3] Y. I. al-Rojaie, 'The pragmatic functions of religious expressions in Najdi Arabic', *Saudi J. Lang. Stud.*, vol. 1, p. 293, May 2021, doi: 10.1108/SJLS-03-2021-0006.
[4] A. Abu Qub'a, O. A. Al-HajEid, M. N. Abu-Guba, and A. R. Altakhaineh, 'The Pragmatic Functions of Allah-Centred Expressions in Jordanian Spoken Arabic', *Forum Linguist. Stud.*, Apr. 2025, doi: 10.30564/fls.v7i4.8812.
[5] M. A. Al-Ghamdi, 'Pragmatic Functions of Insha'Allah and Masha'Allah in Saudi Arabian Dialects: A Comparative Study of Hijazi and Ghamdi Varieties', no. 2, 2025.
[6] A. A. Elmadany, H. Mubarak, and W. Magdy, 'ArSAS: An Arabic Speech-Act and Sentiment Corpus of Tweets'.
[7] H. Al-Khalifa *et al.*, 'ADAB: Arabic Dataset for Automated Politeness Benchmarking - a Large-Scale Resource for Computational Sociopragmatics'.
[8] A. Srinivasan and E. Choi, 'TyDiP: A Dataset for Politeness Classification in Nine Typologically Diverse Languages', in *Findings of the Association for Computational Linguistics: EMNLP 2022*, Abu Dhabi, United Arab Emirates: Association for Computational Linguistics, 2022, pp. 5723–5738. doi: 10.18653/v1/2022.findings-emnlp.420.
[9] B. Mousi *et al.*, 'AraDiCE: Benchmarks for Dialectal and Cultural Capabilities in LLMs'.

[10] A. Sadallah and K. Almubarak, ‘Commonsense Reasoning in Arab Culture’.
[11] F. Alwajih, A. E. Mekki, H. Mubarak, M. Hawasly, A. Mohamed, and M. Abdul-Mageed, ‘PalmX 2025: The First Shared Task on Benchmarking LLMs on Arabic and Islamic Culture’.
[12] R. Al-Monef, H. Alhuzali, N. Alturayeif, and A. Alasmari, ‘From Words to Proverbs: Evaluating LLMs Linguistic and Cultural Competence in Saudi Dialects with Absher’, Dec. 21, 2025, *arXiv*: arXiv:2507.10216. doi: 10.48550/arXiv.2507.10216.
[13] H. Azarbonyad, R. Sim, and R. W. White, ‘Domain Adaptation for Commitment Detection in Email’, in *Proceedings of the Twelfth ACM International Conference on Web Search and Data Mining*, Melbourne VIC Australia: ACM, Jan. 2019, pp. 672–680. doi: 10.1145/3289600.3290984.
[14] Y. Seki *et al.*, ‘ML-Promise: A Multilingual Dataset for Corporate Promise Verification’.
[15] M. Farghal, “The pragmatics of ’inšāllah in Jordanian Arabic,” Multilingua, vol. 14, no. 3, pp. 253–270, 1995, doi: 10.1515/mult.1995.14.3.253.