Pizza Sales Analysis – SQL Query Documentation

Total Revenue

SELECT SUM(total_price) AS Total_Revenue FROM pizza_sales;

Result Grid | Filter Rows:

Total_Revenue
817860.049999993

Average Order Value

SELECT (SUM(total_price) / COUNT(DISTINCT order_id)) AS Avg_order_Value FROM pizza_sales

Result Grid | Filter Rows:

Avg_order_Value
38.307262295081635

Total Pizzas Sold

SELECT SUM(quantity) AS Total_pizza_sold FROM pizza_sales

Result Grid | Filter Rows:

Total_pizza_sold
49574

Total Orders

SELECT COUNT(DISTINCT order_id) AS Total_Orders FROM pizza_sales

Result Grid | Filter Rows:

Total_Orders
21350

Average Pizzas Per Order

```
SELECT CAST(CAST(SUM(quantity) AS DECIMAL(10,2)) /
CAST(COUNT(DISTINCT order_id) AS DECIMAL(10,2)) AS DECIMAL(10,2))
AS Avg_Pizzas_per_order
FROM pizza_sales;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Avg_Pizzas_per_order
2.32

Hourly Trend For Orders

```
SELECT HOUR(order_time) AS order_hour,
COUNT(DISTINCT order_id) AS total_orders
FROM pizza_sales
GROUP BY HOUR(order_time)
ORDER BY order_hour;
```

Result Grid | Filter Rows: | Export: | Wrap

order_hour	total_orders
9	1
10	8
11	1231
12	2520
13	2455
14	1472
15	1468
16	1920
17	2336
18	2399
19	2009
20	1642
21	1198
22	663
23	28

% of Sales by Pizza Category

```
SELECT pizza_category, CAST(SUM(total_price) AS DECIMAL(10,2)) as
total_revenue,CAST(SUM(total_price) * 100 / (SELECT SUM(total_price) from pizza_sales)
AS DECIMAL(10,2)) AS PCT
FROM pizza_sales
GROUP BY pizza_category
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

pizza_category	total_revenue	PCT
Classic	220053.10	26.91
Veggie	193690.45	23.68
Supreme	208197.00	25.46
Chicken	195919.50	23.96

%of Sales by Pizza Size

```
SELECT pizza_size, CAST(SUM(total_price) AS DECIMAL(10,2)) as
total_revenue,CAST(SUM(total_price) * 100 / (SELECT SUM(total_price) from pizza_sales)
AS DECIMAL(10,2)) AS PCT FROM pizza_sales
GROUP BY pizza_size
ORDER BY pizza_size
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

pizza_size	total_revenue	PCT
L	375318.70	45.89
M	249382.25	30.49
S	178076.50	21.77
XL	14076.00	1.72
XXL	1006.60	0.12

Total Pizzas Sold by Pizza Category

```
SELECT pizza_category, SUM(quantity) as Total_Quantity_Sold
FROM pizza_sales
GROUP BY pizza_category
ORDER BY Total_Quantity_Sold DESC
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

pizza_category	Total_Quantity_Sold
Classic	14888
Supreme	11987
Veggie	11649
Chicken	11050

Top 5 Best Sellers by Total Pizzas Sold

```sql
SELECT pizza_name, SUM(quantity) AS Total_Pizza_Sold
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Pizza_Sold DESC
limit 5;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

pizza_name	Total_Pizza_Sold
The Classic Deluxe Pizza	2453
The Barbecue Chicken Pizza	2432
The Hawaiian Pizza	2422
The Pepperoni Pizza	2418
The Thai Chicken Pizza	2371

Bottom 5 Best Sellers by Total Pizzas Sold

```sql
SELECT pizza_name, SUM(quantity) AS Total_Pizza_Sold
FROM pizza_sales
GROUP BY pizza_name
ORDER BY Total_Pizza_Sold ASC
limit 5;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

pizza_name	Total_Pizza_Sold
The Brie Carre Pizza	490
The Mediterranean Pizza	934
The Calabrese Pizza	937
The Spinach Supreme Pizza	950
The Soppressata Pizza	961

Weekend vs Weekday Revenue

```
SELECT
CASE
    WHEN DAYNAME(order_date) IN ('Saturday','Sunday')
    THEN 'Weekend'
    ELSE 'Weekday'
END AS day_type,SUM(total_price) AS revenue
FROM pizza_sales GROUP BY day_type;
```

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

day_type	revenue
Weekday	595474.1500000053
Weekend	222385.9000000007

Peak Order Hours

```
SELECT
HOUR(order_time) AS order_hour,
COUNT(DISTINCT order_id) AS total_orders
FROM pizza_sales
GROUP BY HOUR(order_time)
ORDER BY total_orders DESC
LIMIT 3;
```

Result Grid | Filter Rows: | Export: | Wrap Cell

order_hour	total_orders
12	2520
13	2455
18	2399