



Universität Hamburg

DER FORSCHUNG | DER LEHRE | DER BILDUNG

Bachelor thesis

## **Privacy implications of exposing Git meta data**

presented by

Arne Beer

born on the 21th of December 1992 in Hadamar

Matriculation number: 6489196

Department of Computer science

submitted on December 11, 2017

Supervisor: Dipl.-Inf. Christian Burkert

Primary Referee: Prof. Dr.-Ing. Hannes Federrath

Secondary Referee: Prof. Dr. Dominik Herrmann

# Abstract

*Even if you're not doing anything wrong, you are being watched and recorded.*

*Edward Snowden*

# Contents

<b>1</b>	<b>Introduction</b>	<b>6</b>
1.1	Motivation . . . . .	6
1.2	Leading Questions and Goals . . . . .	7

# Acronyms

**ROFL** Rolling on the floor laughing

# CHAPTER 1

## Introduction

### 1.1 Motivation

Git is a code version control system which is used by most programmers on a daily basis these days. According to the Eclipse Community Survey about 42.9% of professional software developers used git in 2014 with an upward tendency <sup>1</sup>. It is deployed in many if not most commercial and private projects and generally valued by its users. It allows quick jumps between different versions of a project's code base and to manage and merge code from different sources to one upstream.

Several million users send new commits to their Git repositories every day. On Github alone, the currently biggest open source platform, there exist about 25 million active repositories, a total of 67 million repositories and about 24 million users <sup>2</sup>.

Some well known projects and organizations use Git, for example Linux<sup>3</sup>, Google<sup>4</sup>, Adobe<sup>5</sup> and Paypal<sup>6</sup>. Every repository contains the complete contribution history of every contributing user. Each commit contains the full directory structure, a link to a blob for every file, a timestamp, a commit message from the author and more additional metadata.

This raises the question how much information is hidden in the metadata of a Git repository and which attack vectors could be introduced by mining this information, regarding a contributor or the owner of the repository.

The newly gained knowledge could be utilized by employers to spy on their employees. It could be used by an unknown attacker who aims to obtain sensitive information about a company and its employees through their open-source projects. It is even possible that a private person wants to monitor another person that regularly contributes to open-source repositories.

As there have not been any papers published about this specific topic or at least no public paper and Git plays such a crucial role in today's information technology, I want to investigate and evaluate this potential threat.

---

<sup>1</sup>Ian Skerrett. Eclipse Community Survey 2014 Results. <https://ianskerrett.wordpress.com/2014/06/23/eclipse-community-survey-2014-results/> Retrieved Oct. 25, 2017

<sup>2</sup>The State of the Octoverse 2017, Retrieved Oct. 25 2017, <https://octoverse.github.com/>

<sup>3</sup><https://github.com/torvalds/linux>, Retrieved Nov. 24 2017

<sup>4</sup><https://github.com/google>, Retrieved Nov. 24 2017

<sup>5</sup><https://github.com/adobe>, Retrieved Nov. 24 2017

<sup>6</sup><https://github.com/paypal>, Retrieved Nov. 24 2017

## 1.2 Leading Questions and Goals

The ambition of this thesis is to find possible attack vectors for knowledge extracted from git metadata of a single or multiple git repositories and analyze the possible damage potential. For that purpose I will look at three realistic attacker models and try to get as much compromising and harmful knowledge for the objective of each specific model.

In the following three different attacker models with potential goals are listed. Some goals will probably be extended, changed, added or removed during the research process.

**Employer** The employer tries to get as much information about its employees with the intention of spying on them:

- Direct comparison of productivity between employees
- Compliance of working hours
- Check if employees work on external projects during working hours
- Code quality between employees

**Industrial Espionage** The attacker tries to get as much information from the public open-source projects of a company:

- Company members
- History of all employees
- Overall status of a project
- A project's Code quality
- Internal team structures

**Individual** Somebody tries to get as much information about the personal life of a contributing individual:

- Sleeping rythm and daily routine
- Interests
- Programming languages and skills
- Personal relationships between various programmers
- Sick leave and holiday

# List of Figures



# List of Tables

# Eidesstattliche Erklärung

„Hiermit versichere ich an Eides statt, dass ich die vorliegende Arbeit im Studiengang Informatik selbstständig verfasst und keine anderen als die angegebenen Hilfsmittel – insbesondere keine im Quellenverzeichnis nicht benannten Internet-Quellen – benutzt habe. Alle Stellen, die wörtlich oder sinngemäß aus Veröffentlichungen entnommen wurden, sind als solche kenntlich gemacht. Ich versichere weiterhin, dass ich die Arbeit vorher nicht in einem anderen Prüfungsverfahren eingereicht habe und die eingereichte schriftliche Fassung der auf dem elektronischen Speichermedium entspricht.“

---

Ort, Datum

---

Unterschrift