

Privacy Implications of Exposing Git Meta Data

Arne Beer

Matriculation number: 6489196

9. Juli 2018

Table of Contents

1. Aggregation

2. Research

3. Conclusion and Outlook

Topic

Main topic of the thesis

Can Git metadata be used maliciously?

Motivation



Used in most projects for source control

Motivation



- Used in most projects for source control
- No obvious leak of personal information

Motivation



- Used in most projects for source control
- No obvious leak of personal information
- Leaked information could be used maliciously

Leading Question and Goals

- Feasibility of scanning repositories on different scales
- Possible extraction of interesting information
- Analyse possible attack goals

Git Metadata

tree cd7d001b696db430b898b75c633686067e6f0b76
parent c19b969705e5eae0ccca2cde1d8a98be1a1eab4d
author Arne Beer <contact@arne.beer> 1513434723 +0100
committer Arne Beer <contact@arne.beer> 1513434723 +0100

Chapter 2, acronyms

- Parent commit file reference
- Tree file reference
- Name and email
- · Commit timestamp with UTC offset


Largest accumulation of open-source Git repositories

- Largest accumulation of open-source Git repositories
- Great API


- Largest accumulation of open-source Git repositories
- Great API
- Organizations

- Largest accumulation of open-source Git repositories
- Great API
- Organizations
- Allows exploration for collecting user repositories.
 - Stars
 - Following

Github Data Structure



Gitalizer



- Gathers data from Github
- Uses user or organization as entry point
- Highly optimized

Three Chosen Attacks

Holiday and sick leave detection

Three Chosen Attacks

- Holiday and sick leave detection
- Sleep rhythm and working hours

Three Chosen Attacks

- Holiday and sick leave detection
- Sleep rhythm and working hours
- Geographic location

Holiday and Sick Leave: Goals

Automatic detection

Holiday and Sick Leave: Goals

- Automatic detection
- Accurate detection

Example




Abbildung: Holiday and Sick leave visualization

Tested in a small company

- Tested in a small company
- Quite accurate

- Tested in a small company
- Quite accurate
- Needs interpretation

Sleep Rhythm and Working Hours: Goals

Detection

Sleep Rhythm and Working Hours: Goals

- Detection
- Good visualization

Sleep Rhythm and Working Hours: Goals

- Detection
- Good visualization
- Further implications of rhythm

Example




Abbildung: Regular working hour cluster

Example




Abbildung: Person without a sleep rhythm

• Shows general tendency

- Shows general tendency
- Unsuitable for direct personal mapping

- Shows general tendency
- Unsuitable for direct personal mapping
- Allows to guess further information

Geographic Location: Goals

Detect holiday destinations

Geographic Location: Goals

- Detect holiday destinations
- Detect home country

Geographic Location: Goals

- Detect holiday destinations
- Detect home country
- Detect time periods

Methodology

Periodically check commits

Methodology

- Periodically check commits
- Daylight Savings Time

Example




Abbildung: Home location analysis

Good detection of home country

- Good detection of home country
- Holiday not checked

- Good detection of home country
- Holiday not checked
- Needs better libraries

Conclusion

• Recall the goal: Is it possible to extract personal information

Conclusion

- Recall the goal: Is it possible to extract personal information
- Scanning on small to middle scale

Outlook

• It can become a problem

Outlook

- It can become a problem
- Many more complex and promising attack vectors

Outlook

- It can become a problem
- Many more complex and promising attack vectors
- Methodologies to obfuscate data

Fin

Thank you for your attention.