Algorithm Analysis Notes

Class 10

Big-Theta vs Big-Oh and Big-Omega


- an analysis depends only on arbitrary cases
- a special case is not a best case

Big-Theta vs Big-Oh and Big-Omega


- an analysis depends only on arbitrary cases
- a special case is not a best case
- an empty list: size is zero, a constant number of basic operations
- recursion's base case: reached the end of recursing, a constant number of basic operations
- these are not best cases, these are special cases

Big-Theta vs Big-Oh and Big-Omega


- an analysis depends only on arbitrary cases
- a special case is not a best case
- an empty list: size is zero, a constant number of basic operations
- recursion's base case: reached the end of recursing, a constant number of basic operations
- these are not best cases, these are special cases
- for an input of arbitrary size, does the algorithm execute different numbers of operations depending on different inputs of the same size?



does the green line appear to be an upper bound of the algorithm?



does the green line appear to be an upper bound of the algorithm? does the blue line appear to be an upper bound of the algorithm?



does the green line appear to be an upper bound of the algorithm? does the blue line appear to be an upper bound of the algorithm? the yellow line?

are these true statements?

$$2n^2 - 3n + 4 \in O(n^4)$$
$$\in \Omega(1)$$

are these true statements?

$$2n^2 - 3n + 4 \in O(n^4)$$
$$\in \Omega(1)$$

these, also true, give much more useful information:

$$2n^2 - 3n + 4 \in O(n^3)$$
$$\in \Omega(n)$$

are these true statements?

$$2n^2 - 3n + 4 \in O(n^4)$$
$$\in \Omega(1)$$

these, also true, give much more useful information:

$$2n^2 - 3n + 4 \in O(n^3)$$
$$\in \Omega(n)$$

 $2n^2 - 3n + 4 \in O(n^2)$

and this gives the most useful information of all:

$$\in \Omega(n^2)$$
 $\in \Theta(n^2)$