


screenshots

01-Terminal con Terraform Init y Plan



```
PS C:\[redacted]\Desktop\parte2> terraform plan

Terraform used the selected providers to generate the following execution plan. Resource actions are indicated with the following symbols:
+ create

Terraform will perform the following actions:

# aws_internet_gateway.igw will be created
+ resource "aws_internet_gateway" "igw" {
  + arn          = (known after apply)
  + id           = (known after apply)
  + owner_id     = (known after apply)
  + region       = "us-east-1"
  + tags         = {
    + "Name" = "fastsolutions-igw"
  }
  + tags_all     = {
    + "Name" = "fastsolutions-igw"
  }
  + vpc_id       = (known after apply)
}

# aws_route_table.private_rt will be created
+ resource "aws_route_table" "private_rt" {
  + arn          = (known after apply)
  + id           = (known after apply)
  + owner_id     = (known after apply)
  + propagating_vgws = (known after apply)
  + region       = "us-east-1"
  + route        = (known after apply)
  + tags         = {
    + "Name" = "private-route-table"
  }
  + tags_all     = {
    + "Name" = "private-route-table"
  }
  + vpc_id       = (known after apply)
}

# aws_route_table.public_rt will be created
+ resource "aws_route_table" "public_rt" {
  + arn          = (known after apply)
  + id           = (known after apply)
  + owner_id     = (known after apply)
  + propagating_vgws = (known after apply)
  + region       = "us-east-1"
  + route        = [
    + {
      + cidr_block      = "0.0.0.0/0"
      + gateway_id      = (known after apply)
      # (12 unchanged attributes hidden)
    },
  ]
  + tags         = {

```

File Edit Selection View ... parte2

EXPLORER

- PARTE2
 - .terraform
 - .terraform.lock.hcl
 - main.tf

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

powershell

```
}
+ vpc_id          = (known after apply)
}

# aws_route_table_association.priv_assoc_a will be created
+ resource "aws_route_table_association" "priv_assoc_a" {
+   id            = (known after apply)
+   region        = "us-east-1"
+   route_table_id = (known after apply)
+   subnet_id     = (known after apply)
}

# aws_route_table_association.priv_assoc_b will be created
+ resource "aws_route_table_association" "priv_assoc_b" {
+   id            = (known after apply)
+   region        = "us-east-1"
+   route_table_id = (known after apply)
+   subnet_id     = (known after apply)
}

# aws_route_table_association.pub_assoc_a will be created
+ resource "aws_route_table_association" "pub_assoc_a" {
+   id            = (known after apply)
+   region        = "us-east-1"
+   route_table_id = (known after apply)
+   subnet_id     = (known after apply)
}

# aws_route_table_association.pub_assoc_b will be created
+ resource "aws_route_table_association" "pub_assoc_b" {
+   id            = (known after apply)
+   region        = "us-east-1"
+   route_table_id = (known after apply)
+   subnet_id     = (known after apply)
}

# aws_security_group.web_sg will be created
+ resource "aws_security_group" "web_sg" {
+   arn            = (known after apply)
+   description    = "Security group preparado para futura aplicacion web"
+   egress         = [
+     + {
+       + cidr_blocks = [
+         + "0.0.0.0/0",
+       ]
+       + from_port   = 0
+       + ipv6_cidr_blocks = []
+       + prefix_list_ids = []
+       + protocol     = "-1"
+       + security_groups = []
+       + self         = false
+       + to_port      = 0
+     }
+   ]
+   # (1 unchanged attribute hidden)
+ },
]
```

OUTLINE

TIMELINE

Ln 117, Col 1 Spaces: 4 UTF-8 CRLF {} Plain Text Go Live

File Edit Selection View ... Search: parte2

EXPLORER

- PARTE2
 - .terraform
 - .terraform.lock.hcl
 - main.tf
- OUTLINE
- TIMELINE

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

powershell

```
+ vpc_id = (known after apply)
}

# aws_subnet.private_a will be created
+ resource "aws_subnet" "private_a" {
  + arn = (known after apply)
  + assign_ipv6_address_on_creation = false
  + availability_zone = "us-east-1a"
  + availability_zone_id = (known after apply)
  + cidr_block = "10.20.10.0/24"
  + enable_dns64 = false
  + enable_resource_name_dns_a_record_on_launch = false
  + enable_resource_name_dns_aaaa_record_on_launch = false
  + id = (known after apply)
  + ipv6_cidr_block = (known after apply)
  + ipv6_cidr_block_association_id = (known after apply)
  + ipv6_native = false
  + map_public_ip_on_launch = false
  + owner_id = (known after apply)
  + private_dns_hostname_type_on_launch = (known after apply)
  + region = "us-east-1"
  + tags = {
    + "Name" = "private-subnet-a"
  }
  + tags_all = {
    + "Name" = "private-subnet-a"
  }
  + vpc_id = (known after apply)
}

# aws_subnet.private_b will be created
+ resource "aws_subnet" "private_b" {
  + arn = (known after apply)
  + assign_ipv6_address_on_creation = false
  + availability_zone = "us-east-1b"
  + availability_zone_id = (known after apply)
  + cidr_block = "10.20.20.0/24"
  + enable_dns64 = false
  + enable_resource_name_dns_a_record_on_launch = false
  + enable_resource_name_dns_aaaa_record_on_launch = false
  + id = (known after apply)
  + ipv6_cidr_block = (known after apply)
  + ipv6_cidr_block_association_id = (known after apply)
  + ipv6_native = false
  + map_public_ip_on_launch = false
  + owner_id = (known after apply)
  + private_dns_hostname_type_on_launch = (known after apply)
  + region = "us-east-1"
  + tags = {
    + "Name" = "private-subnet-b"
  }
  + tags_all = {
    + "Name" = "private-subnet-b"
  }
  + vpc_id = (known after apply)
}
```

Ln 117, Col 1 Spaces: 4 UTF-8 CRLF {} Plain Text Go Live

```
File Edit Selection View ... parte2
EXPLORER
  PART2
    .terraform
    .terraform.lock.hcl
    main.tf
  OUTLINE
  TIMELINE
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
+ vpc_id = (known after apply)
}
# aws_subnet.public_a will be created
+ resource "aws_subnet" "public_a" {
  + arn = (known after apply)
  + assign_ipv6_address_on_creation = false
  + availability_zone = "us-east-1a"
  + availability_zone_id = (known after apply)
  + cidr_block = "10.20.1.0/24"
  + enable_dns64 = false
  + enable_resource_name_dns_a_record_on_launch = false
  + enable_resource_name_dns_aaaa_record_on_launch = false
  + id = (known after apply)
  + ipv6_cidr_block = (known after apply)
  + ipv6_cidr_block_association_id = (known after apply)
  + ipv6_native = false
  + map_public_ip_on_launch = false
  + owner_id = (known after apply)
  + private_dns_hostname_type_on_launch = (known after apply)
  + region = "us-east-1"
  + tags = {
    + "Name" = "public-subnet-a"
  }
  + tags_all = {
    + "Name" = "public-subnet-a"
  }
  + vpc_id = (known after apply)
}
# aws_subnet.public_b will be created
+ resource "aws_subnet" "public_b" {
  + arn = (known after apply)
  + assign_ipv6_address_on_creation = false
  + availability_zone = "us-east-1b"
  + availability_zone_id = (known after apply)
  + cidr_block = "10.20.2.0/24"
  + enable_dns64 = false
  + enable_resource_name_dns_a_record_on_launch = false
  + enable_resource_name_dns_aaaa_record_on_launch = false
  + id = (known after apply)
  + ipv6_cidr_block = (known after apply)
  + ipv6_cidr_block_association_id = (known after apply)
  + ipv6_native = false
  + map_public_ip_on_launch = false
  + owner_id = (known after apply)
  + private_dns_hostname_type_on_launch = (known after apply)
  + region = "us-east-1"
  + tags = {
    + "Name" = "public-subnet-b"
  }
  + tags_all = {
    + "Name" = "public-subnet-b"
  }
}
```

File Edit Selection View ... parte2

EXPLORER

- PARTE2
 - .terraform
 - .terraform.lock.hcl
 - main.tf

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS powershell

```
+ cidr_block = "10.20.2.0/24"
+ enable_dns64 = false
+ enable_resource_name_dns_a_record_on_launch = false
+ enable_resource_name_dns_aaaa_record_on_launch = false
+ id = (known after apply)
+ ipv6_cidr_block = (known after apply)
+ ipv6_cidr_block_association_id = (known after apply)
+ ipv6_native = false
+ map_public_ip_on_launch = false
+ owner_id = (known after apply)
+ private_dns_hostname_type_on_launch = (known after apply)
+ region = "us-east-1"
+ tags = {
  + "Name" = "public-subnet-b"
}
+ tags_all = {
  + "Name" = "public-subnet-b"
}
+ vpc_id = (known after apply)
}

# aws_vpc.main_vpc will be created
+ resource "aws_vpc" "main_vpc" {
  + arn = (known after apply)
  + cidr_block = "10.20.0.0/16"
  + default_network_acl_id = (known after apply)
  + default_route_table_id = (known after apply)
  + default_security_group_id = (known after apply)
  + dhcp_options_id = (known after apply)
  + enable_dns_hostnames = true
  + enable_dns_support = true
  + enable_network_address_usage_metrics = (known after apply)
  + id = (known after apply)
  + instance_tenancy = "default"
  + ipv6_association_id = (known after apply)
  + ipv6_cidr_block = (known after apply)
  + ipv6_cidr_block_network_border_group = (known after apply)
  + main_route_table_id = (known after apply)
  + owner_id = (known after apply)
  + region = "us-east-1"
  + tags = {
    + "Name" = "fastsolutions-vpc"
  }
  + tags_all = {
    + "Name" = "fastsolutions-vpc"
  }
}

Plan: 13 to add, 0 to change, 0 to destroy.
```

Note: You didn't use the -out option to save this plan, so Terraform can't guarantee to take exactly these actions if you run "terraform apply" now.

PS C:\Desktop\parte2>

OUTLINE

TIMELINE

Ln 117, Col 1 Spaces: 4 UTF-8 CRLF () Plain Text Go Live

File Edit Selection View ... parte2

EXPLORER

- PARTE2
 - .terraform
 - .terraform.lock.hcl
 - main.tf
 - terraform.tfstate

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
+ enable_dns_support = true
+ enable_network_address_usage_metrics = (known after apply)
+ id = (known after apply)
+ instance_tenancy = "default"
+ ipv6_association_id = (known after apply)
+ ipv6_cidr_block = (known after apply)
+ ipv6_cidr_block_network_border_group = (known after apply)
+ main_route_table_id = (known after apply)
+ owner_id = (known after apply)
+ region = "us-east-1"
+ tags = {
  + "Name" = "fastsolutions-vpc"
}
+ tags_all = {
  + "Name" = "fastsolutions-vpc"
}
}
```

Plan: 13 to add, 0 to change, 0 to destroy.

Do you want to perform these actions?
Terraform will perform the actions described above.
Only 'yes' will be accepted to approve.

Enter a value: yes

aws_vpc.main_vpc: Creating...
aws_vpc.main_vpc: Creation complete after 4s [id=vpc-092a044bef82f5b32]
aws_subnet.public_a: Creating...
aws_security_group.web_sg: Creating...
aws_subnet.public_b: Creating...
aws_internet_gateway.igw: Creating...
aws_route_table.private_rt: Creating...
aws_subnet.private_b: Creating...
aws_subnet.private_a: Creating...
aws_subnet.public_a: Creation complete after 1s [id=subnet-013be245056d32e96]
aws_subnet.public_b: Creation complete after 1s [id=subnet-05c824e13a4d09a75]
aws_subnet.private_a: Creation complete after 1s [id=subnet-062ac159f4db1bd91]
aws_subnet.private_b: Creation complete after 1s [id=subnet-0e66a4c28c275c2db]
aws_internet_gateway.igw: Creation complete after 1s [id=igw-0342739194ed2208c]
aws_route_table.private_rt: Creation complete after 1s [id=rtb-09275fec6cd141456]
aws_route_table.public_rt: Creating...
aws_route_table_association.priv_assoc_a: Creating...
aws_route_table_association.priv_assoc_b: Creating...
aws_route_table_association.priv_assoc_b: Creation complete after 1s [id=rthassoc-0b8a4a671524a76e8]
aws_route_table_association.priv_assoc_a: Creation complete after 1s [id=rthassoc-0880b09f6f16ad525]
aws_route_table.public_rt: Creation complete after 2s [id=rtb-04ff25d6b5a986f70]
aws_route_table_association.pub_assoc_b: Creating...
aws_route_table_association.pub_assoc_a: Creating...
aws_route_table_association.pub_assoc_b: Creation complete after 1s [id=rthassoc-08840e688eec7eefe]
aws_route_table_association.pub_assoc_a: Creation complete after 1s [id=rthassoc-0c8794b8f773d3e]
aws_security_group.web_sg: Creation complete after 4s [id=sg-09e48e5377fe4a41a]

Apply complete! Resources: 13 added, 0 changed, 0 destroyed.

PS C:\... \Desktop\parte2>

Ln 117, Col 1 Spaces: 4 UTF-8 CRLF {} Plain Text Go Live

02-VPC

VPC

VPC > Sus VPC

Panel de VPC

Filtrar por VPC

AWS Global View

Nube virtual privada

Sus VPC

Subredes

Tablas de enrutamiento

Puertas de enlace de Internet

Puerta de enlace de Internet de solo salida

Gateways de operador

Conjuntos de opciones de DHCP

Direcciones IP elásticas

Listas de prefijos administradas

Gateways NAT

Interconexiones

Servidores de ruta

Seguridad

ACL de red

Grupos de seguridad

PrivateLink y Lattice

Introducción

Puntos de conexión

Sus VPC

VPC

Controles de cifrado de VPC

Sus VPC (1/2)

Información

Buscar VPC por atributo o etiqueta

Table with 10 columns: Name, ID de la VPC, Estado, ID de contro..., Modo de control de ..., Bloquear el ..., CIDR IPv4, CIDR IPv6

vpc-092a044bef82f5b32 / fastsolutions-vpc

Detalles, Mapa de recursos, CIDR, Registros de flujo, Etiquetas, Recursos relacionados, Integraciones

Mapa de recursos

Información

Mostrar todos los detalles

VPC

Su red virtual de AWS

fastsolutions-vpc

Subredes (4)

Subredes dentro de esta VPC

us-east-1a

public-subnet-a

private-subnet-a

us-east-1b

public-subnet-b

private-subnet-b

Tablas de enrutamiento (3)

Dirigir el tráfico de red a los recursos

private-route-table

public-route-table

rtb-0a94d6c12d11b613c

Conexiones de red (1)

Conexiones a otras redes

fastsolutions-igw

CloudShell

Kit de herramientas de agentes para AWS

Comentarios

© 2026, Amazon Web Services, Inc. o sus filiales.

Privacidad

Términos

Preferencias de cookies

03-Grupos de Seguridad

VPC

VPC > Grupos de seguridad

Panel de VPC

Filtrar por VPC

AWS Global View

Nube virtual privada

Sus VPC

Subredes

Tablas de enrutamiento

Puertas de enlace de Internet

Puerta de enlace de Internet de solo salida

Gateways de operador

Conjuntos de opciones de DHCP

Direcciones IP elásticas

Listas de prefijos administradas

Gateways NAT

Interconexiones

Servidores de ruta

Seguridad

ACL de red

Grupos de seguridad

PrivateLink y Lattice

Introducción

Puntos de conexión

Grupos de seguridad (1/3)

Información

Buscar grupos de seguridad por atributo o etiqueta

Table with 7 columns: Name, ID de grupo de seguridad, Nombre del grupo de seguridad, ID de la VPC, Descripción, Propietario

sg-09e48e5377fe4a41a - web-app-sg

Detalles, Reglas de entrada, Reglas de salida, Compartiendo, Asociaciones de VPC, Recursos relacionados : novedad, Etiquetas

Detalles

Nombre del grupo de seguridad

web-app-sg

ID del grupo de seguridad

sg-09e48e5377fe4a41a

Descripción

Security group preparado para futura aplicacion web

ID de la VPC

vpc-092a044bef82f5b32

Propietario

067046775066

Número de reglas de entrada

1 Entrada de permiso

Número de reglas de salida

1 Entrada de permiso

CloudShell

Kit de herramientas de agentes para AWS

Comentarios

© 2026, Amazon Web Services, Inc. o sus filiales.

Privacidad

Términos

Preferencias de cookies