

Python - Basics & Beyond

-Session 3

**Branching (Conditionals), Loops,
Inputs, Functions, Dictionary and
Set, Some Programs**



Taking Inputs

How to take inputs from end user.

```
username = input("Enter username:")  
print("Username is: " + username)
```



LOOPS

while: loop until a condition is true

```
i = 1
while i < 6:
    print(i)
    i += 1
```

for: loop over a sequence of items

```
fruits = ["apple", "banana", "cherry"]
for x in fruits:
    print(x)
```

Can use: **continue, break**



SET

A set is a collection which is both unordered and unindexed. It does not allow duplicates.

Built-in Functions:

```
z = {3,7,4,2}
```

You cannot access items in a set by referring to an index or a key.

```
z.add()
```

```
z.remove(), z.discard() # remove raises error, not discard
```

```
z.clear()
```

```
z.union(y) # set union operation
```

```
z.intersection(y) # set intersection operation
```

```
z.isdisjoint()
```

```
z.issubset()
```

```
z.issuperset()
```



DICTIONARY

Dictionaries are used to store data values in key:value pairs.

A dictionary is a collection which is ordered, changeable and does not allow duplicates.

Examples:

```
person = {"name": "Nauman Arif", "company": "NullStack Technologies", "designation": "Developer"}
```

```
person["name"]
```

```
person["color"] = "red"
```

```
person.pop("color")
```

```
person_2 = person.copy()
```

```
person.keys(), person.values()
```



EXERCISE 1

FIBONACCI SEQUENCE

0,1,2,3,5,8.....



EXERCISE 2

PRIME NUMBERS

Is this number Prime?



EXERCISE 4

Calculate nCr

Use Factorial Formula to find nCr

Example $\rightarrow 3C2 = 3$



EXERCISE 3

Print All Integers That Aren't Divisible by Either 2 or 3 and Lie between 1 and 50.

Take an input from a user and do it in the minimum lines of code.



FUNCTION

A function is a block of code which only runs when it is called.

You can pass data, known as parameters, into a function.

A function can return data as a result.

Examples:

```
def my_function():  
    print("Hello from a function")
```

```
def my_function(fname, lname):  
    print(fname + " " + lname)
```

```
def my_function(x):  
    return 5 * x, 5 + x
```



NullStack Technologies Pvt. Ltd.

Resonate Ideas, Overreach Limits



<https://www.facebook.com/nullstacktechnologies>



<https://www.instagram.com/nullstacks/>



<https://www.linkedin.com/company/nullstack-technologies-pvt-ltd/>



NullStack Technologies Pvt. Ltd.