



DESN2000 SENG

Part 2 Group Report

LaTeX Framework

Project title	<i>[Insert project title]</i>
Team members	<i>[Insert team member names and zIDs]</i>
Submission date	<i>[Insert submission date]</i>

Contents

1	Introduction and Part 2 Scope	1
2	Problem Statement and Research Justification	1
2.1	Problem Statement	1
2.2	Research Justification	1
3	Solution Ideation	1
3.1	Ideation Method	1
3.2	Alternative Solution Concepts	2
4	Concept Selection and Prioritisation	2
4.1	Selection Method	2
4.2	Decision Matrix or Prioritisation Table	3
4.3	Selected Concept and Rationale	3
5	Product Backlog Structure	3
5.1	Epic Overview	3
5.2	User Stories	3
6	Acceptance Criteria	4
6.1	Acceptance Criteria Template for Each Story	4
7	Functional and Non-Functional Requirements	4
7.1	Functional Requirements	4
7.2	Non-Functional Requirements	5
8	User Story Dependencies	5
8.1	Dependency Table	6
8.2	Dependency Graph	6
9	First-Pass User Story Map	6
9.1	Sprint 1 Scope and Rationale	6
10	Preliminary Prototype	7
10.1	Prototype Scope	7
10.2	Prototype Flow	7
10.3	Prototype Screens	7
11	Prototype-to-User-Story Traceability	8

12 Jira Product Backlog	8
13 Conclusion	9
14 References	10
A Complete Acceptance Criteria	10
B Full User Story and Use Case Mapping	10
C Complete Dependency Analysis	10
D Prototype Frames and Links	10
E Jira Evidence	10

1 Introduction and Part 2 Scope

Section purpose

Briefly explain that Part 2 continues from the previous user research, personas and problem definition. State that this report covers solution ideation, concept selection, backlog structure, dependencies, Sprint 1 planning, prototype traceability and Jira preparation.

[Insert a short introduction. Do not repeat the complete Interim Report.]

2 Problem Statement and Research Justification

2.1 Problem Statement

Required content

Insert the defined problem in a short and direct form. The statement should identify the target users, the problem they experience and the point in the journey where the problem occurs.

[Insert the approved problem statement.]

2.2 Research Justification

Required content

Briefly show how the proposed solution follows from the earlier user research, personas and problem definition. Summarise only the evidence needed to justify the design direction. Do not rewrite the complete Interim Report.

Table 1. Research-to-solution traceability template.

Research evidence	Persona or user need	Problem implication	Solution implication
<i>[Evidence 1]</i>	<i>[Persona or need]</i>	<i>[Implication]</i>	<i>[Design response]</i>
<i>[Evidence 2]</i>	<i>[Persona or need]</i>	<i>[Implication]</i>	<i>[Design response]</i>
<i>[Evidence 3]</i>	<i>[Persona or need]</i>	<i>[Implication]</i>	<i>[Design response]</i>

3 Solution Ideation

3.1 Ideation Method

Required content

Name and explain the ideation method used by the team. Show how the method started from the problem definition and produced multiple ideas. Include evidence from the actual ideation activity.

Table 2. Ideation method template.

Ideation stage	Method used	Team activity	Output
<i>[Stage 1]</i>	<i>[Method]</i>	<i>[What the team did]</i>	<i>[Produced artefact]</i>
<i>[Stage 2]</i>	<i>[Method]</i>	<i>[What the team did]</i>	<i>[Produced artefact]</i>
<i>[Stage 3]</i>	<i>[Method]</i>	<i>[What the team did]</i>	<i>[Produced artefact]</i>




Figure 1. Ideation process and evidence.

3.2 Alternative Solution Concepts

Required content

Present several different concepts before showing the final solution. Each concept should respond to the problem definition in a different way. Do not present only the chosen concept.

Table 3. Alternative solution concepts.

Concept ID	Concept name	Main idea and user value	Limitation or risk
Concept A	<i>[Name]</i>	<i>[Describe the concept]</i>	<i>[Limitation]</i>
Concept B	<i>[Name]</i>	<i>[Describe the concept]</i>	<i>[Limitation]</i>
Concept C	<i>[Name]</i>	<i>[Describe the concept]</i>	<i>[Limitation]</i>

4 Concept Selection and Prioritisation

4.1 Selection Method

Required content

Explain the systematic method used to screen and prioritise the ideas. A weighted decision matrix, MoSCoW method or another justified method may be used. Define the criteria, weights or priority rules before presenting the result.

[Describe the selected prioritisation method and scoring scale.]

4.2 Decision Matrix or Prioritisation Table

Table 4. Concept selection template.

Selection criterion	Weight	Concept A	Concept B	Concept C
<i>[Criterion 1]</i>	<i>[Weight]</i>	<i>[Score]</i>	<i>[Score]</i>	<i>[Score]</i>
<i>[Criterion 2]</i>	<i>[Weight]</i>	<i>[Score]</i>	<i>[Score]</i>	<i>[Score]</i>
<i>[Criterion 3]</i>	<i>[Weight]</i>	<i>[Score]</i>	<i>[Score]</i>	<i>[Score]</i>
<i>[Criterion 4]</i>	<i>[Weight]</i>	<i>[Score]</i>	<i>[Score]</i>	<i>[Score]</i>
Weighted total	100%	<i>[Total]</i>	<i>[Total]</i>	<i>[Total]</i>

4.3 Selected Concept and Rationale

Required content

Identify the selected concept and explain why it was chosen. Link the decision to the prioritisation result, user value, research evidence, feasibility and prototype scope.

[Insert the final concept and selection rationale.]

5 Product Backlog Structure

5.1 Epic Overview

Minimum requirement

Define at least two Epics. Every Epic must contain multiple user stories, and each story must add value to its Epic and the selected problem solution.

Table 5. Epic structure template.

Epic ID	Epic name	Epic goal and value	Linked user stories
EP-01	<i>[Epic name]</i>	<i>[Epic goal]</i>	<i>[US IDs]</i>
EP-02	<i>[Epic name]</i>	<i>[Epic goal]</i>	<i>[US IDs]</i>
<i>[EP-03]</i>	<i>[Optional Epic]</i>	<i>[Epic goal]</i>	<i>[US IDs]</i>

5.2 User Stories

Required format

Write every story in the form: “As a [user], I want [goal], so that [value].” Every story must directly support the problem solution and add value to its Epic.

Table 6. User story template.

Story ID	Epic ID	User story	Priority or sprint
US-01	EP-01	As a <i>[user]</i> , I want <i>[goal]</i> , so that <i>[value]</i> .	<i>[Priority]</i>
US-02	EP-01	As a <i>[user]</i> , I want <i>[goal]</i> , so that <i>[value]</i> .	<i>[Priority]</i>
US-03	EP-02	As a <i>[user]</i> , I want <i>[goal]</i> , so that <i>[value]</i> .	<i>[Priority]</i>
US-04	EP-02	As a <i>[user]</i> , I want <i>[goal]</i> , so that <i>[value]</i> .	<i>[Priority]</i>

6 Acceptance Criteria

Required content

Every user story must have measurable and testable acceptance criteria. The criteria should cover the successful path and relevant validation, error, permission, privacy or edge cases. They must be suitable for later prototype or system testing.

6.1 Acceptance Criteria Template for Each Story

Table 7. Given-When-Then acceptance criteria template.

Acceptance ID	Scenario type	Given	When	Then
AC-US01-01	Success	<i>[Initial state]</i>	<i>[User action]</i>	<i>[Measurable result]</i>
AC-US01-02	Validation or error	<i>[Invalid state]</i>	<i>[User action]</i>	<i>[Expected response]</i>
AC-US01-03	Edge, privacy or accessibility	<i>[Special condition]</i>	<i>[User action]</i>	<i>[Expected response]</i>

Coverage check

Repeat the acceptance-criteria table for every user story. Link each criterion to the relevant functional requirement, non-functional requirement and prototype screen where possible.

7 Functional and Non-Functional Requirements

7.1 Functional Requirements

Required content

Define what the system must do. Link every requirement to one or more user stories and state how the requirement will be verified.

Table 8. Functional requirements template.

Requirement ID	Functional requirement	Related stories	Verification method
FR-01	The system shall <i>[required behaviour]</i> .	<i>[US IDs]</i>	<i>[Test or prototype evidence]</i>
FR-02	The system shall <i>[required behaviour]</i> .	<i>[US IDs]</i>	<i>[Test or prototype evidence]</i>
FR-03	The system shall <i>[required behaviour]</i> .	<i>[US IDs]</i>	<i>[Test or prototype evidence]</i>

7.2 Non-Functional Requirements

Required content

Include measurable requirements for privacy, security, accessibility, performance and usability. Add other categories where they are relevant to the solution.

Table 9. Non-functional requirements template.

Requirement ID	Category	Measurable requirement	Verification method
NFR-01	Privacy	<i>[Privacy target]</i>	<i>[Verification method]</i>
NFR-02	Security	<i>[Security target]</i>	<i>[Verification method]</i>
NFR-03	Accessibility	<i>[Accessibility target]</i>	<i>[Verification method]</i>
NFR-04	Performance	<i>[Performance target]</i>	<i>[Verification method]</i>
NFR-05	Usability	<i>[Usability target]</i>	<i>[Verification method]</i>

8 User Story Dependencies

Required content

Identify which stories must be completed before other stories can start. Distinguish hard dependencies from optional, supporting or data relationships. The rubric checks whether these dependencies are clear.

8.1 Dependency Table

Table 10. User story dependency template.

Dependent story	Depends on	Dependency type	Reason
[US ID]	[US ID or supporting requirement]	[Hard, data, optional]	[Explain the dependency]
[US ID]	[US ID or supporting requirement]	[Hard, data, optional]	[Explain the dependency]
[US ID]	[US ID or supporting requirement]	[Hard, data, optional]	[Explain the dependency]

8.2 Dependency Graph

Illustrative sequence supplied in the brief

Profile → Verification → Matching → Chat → Agreement. Replace this illustration with the validated story IDs and correct hard or optional relationships.



Figure 2. First-pass user story dependency graph template.

9 First-Pass User Story Map

Required content

Show the user activities, user tasks and release slices. Clearly identify which stories belong to Sprint 1 and which stories are scheduled for later sprints or the backlog.

Table 11. First-pass user story map template.

Release slice	[Activity 1]	[Activity 2]	[Activity 3]	[Activity 4]	[Activity 5]
User task	[Task]	[Task]	[Task]	[Task]	[Task]
Sprint 1	[US IDs]	[US IDs]	[US IDs]	[US IDs]	[US IDs]
Later sprint	[US IDs]	[US IDs]	[US IDs]	[US IDs]	[US IDs]
Backlog	[US IDs]	[US IDs]	[US IDs]	[US IDs]	[US IDs]

9.1 Sprint 1 Scope and Rationale

Required content

List the Sprint 1 stories and explain why they form a coherent, testable path through the selected concept.

[Insert the approved Sprint 1 story IDs and rationale.]

10 Preliminary Prototype

10.1 Prototype Scope

Required content

The preliminary prototype must correspond to the selected user stories. It must demonstrate the main Sprint 1 path and allow the related features to be tested.

[Describe the prototype scope, target users and main task flow.]

10.2 Prototype Flow




Figure 3. Sprint 1 prototype flow.

10.3 Prototype Screens




Figure 4. Preliminary Figma prototype screens.

11 Prototype-to-User-Story Traceability

Required content

Map each Figma screen to the user story and acceptance criterion that it demonstrates. Add direct frame links where available.

Table 12. Prototype-to-user-story traceability template.

Screen ID	Figma screen or frame	Story ID	Acceptance ID	Testable interaction	Figma link
F-01	<i>[Frame name]</i>	<i>[US ID]</i>	<i>[AC ID]</i>	<i>[Interaction]</i>	<i>[Frame link]</i>
F-02	<i>[Frame name]</i>	<i>[US ID]</i>	<i>[AC ID]</i>	<i>[Interaction]</i>	<i>[Frame link]</i>
F-03	<i>[Frame name]</i>	<i>[US ID]</i>	<i>[AC ID]</i>	<i>[Interaction]</i>	<i>[Frame link]</i>

12 Jira Product Backlog

Required content

Create the final Epics, user stories and acceptance criteria in Jira. Use the Confluence report to explain the ideation, prioritisation, mapping and prototype evidence.

Table 13. Jira backlog traceability template.

Epic ID	Story ID	Jira key or link	Sprint or status	Evidence and prototype link
EP-01	US-01	<i>[Jira key]</i>	<i>[Sprint or status]</i>	<i>[Acceptance criteria and Figma link]</i>
EP-01	US-02	<i>[Jira key]</i>	<i>[Sprint or status]</i>	<i>[Acceptance criteria and Figma link]</i>
EP-02	US-03	<i>[Jira key]</i>	<i>[Sprint or status]</i>	<i>[Acceptance criteria and Figma link]</i>

Jira product backlog evidence

[Insert the final artefact here.]

Figure 5. Jira product backlog evidence.

13 Conclusion

Section purpose

Summarise the selected concept, the Sprint 1 scope, the preliminary prototype and the next validation step. Do not introduce new evidence in the conclusion.

[Insert the conclusion after the report content is complete.]

14 References

- *[Insert references reused from Part 1 and any new sources used in Part 2.]*

A Complete Acceptance Criteria

Appendix content

Insert the complete measurable acceptance criteria for every user story.

B Full User Story and Use Case Mapping

Appendix content

Insert the final mapping between Epic IDs, user story IDs, use case IDs and requirements.

C Complete Dependency Analysis

Appendix content

Insert the final dependency table and the validated full dependency graph.

D Prototype Frames and Links

Appendix content

Insert full-size prototype frames, direct Figma links and any interaction notes needed for assessment.

E Jira Evidence

Appendix content

Insert Jira backlog exports, screenshots or links showing Epics, user stories, acceptance criteria and sprint assignment.