Supplement: Corrected Matched-Static Follow-up

Nuonan Ouyang et al.

Working revision, 14 November 2026

1 Evidence and timing boundary

The main follow-up consists of 60 accepted runs in ten six-method blocks, two invalid attempts, and 25 frozen training artifacts. Blocks 1 and 5 span recovery periods. Historical V1/P0/P1/R1/R2 remain distinct. Original author validation is not independent acceptance: full external ZIP/raw-log review is incomplete. This supplement is an editing draft, not a final release certificate.

2 Immediate pairwise preference lemma

For $U_a(s) = w_D D_a(s) - C_a$, $w_D > 0$ and support-fixed C_a, let $\delta(s) = D_a(s) - D_b(s)$ and $\tau = (C_a - C_b)/w_D$. Then $U_a - U_b = w_D(\delta - \tau)$, so strict reversals over attainable support require and, when extrema are attained, are implied by $\min \delta < \tau < \max \delta$. Equality gives a tie, not a strict reversal. If extrema are not attained, state the condition in terms of existence of values on both sides rather than silently assuming attainment. Load/state-dependent costs require state-dependent thresholds. This statement does not involve transition probabilities, discounting or long-horizon value and proves no global optimality or necessary learned collapse.

3 Reward audit procedure

Freeze the objective, cost provenance and training/validation artifact hashes; compute immediate action-pair differences only on the declared validation support; record the attainable range and any ties/reversals; retain every pair including TinyDT-favouring cases. Do not inspect test to choose weights/support or call a retrospective audit pre-test. Freeze policy/checkpoint selection using validation only, then describe previously viewed historical test honestly. The code and cache bindings, not this pseudocode alone, establish what was executed.

4 Information and training coverage

Q/DQN use current arrivals, pre-append FIFO carryover, prior selected-detector mean probability and prior action. DeadlineGuard uses current work count and calibrated fixed MedRF p95. Cascade receives current-row confidence only after LightLR inference. Static controls ignore observations. No online truth, cell identity or future arrival is a feature. Queue is constant in the training surrogate; queue ablation is not identifiable and was not executed. Temperature is safety-only. Training uses historical TON power proxies and warm-input latency, not contemporaneous energy. Exact 25-run configuration/seed/checkpoint/hash registry, transition coverage, selected-policy support and physical action maps are provided as JSON.

5 Recovery and instrumentation

Block 1 keeps five accepted runs and a new-numbered Static-LightLR replacement after external-load rejection. Block 5 keeps its accepted runs and new-numbered Cascade idle/workload after gap rejection. Full timelines and replacement/recovery links remain. The second implementation changes only sample-relative waiting and rejected-gap logging; 5% CPU and 1.5-second gap limits stay fixed. The old rejected right snapshot is absent, so exact failed-gap duration is unknown. Raw guards and ADC logs remain the evidence, not an inferred clean environment.

6 All paired results

Set A includes blocks 1–10 ($n = 10$, df=9); B excludes block 1 ($n = 9$, df=8); C excludes 1 and 5 ($n = 8$, df=7). Registration epochs distinguish original rules, campaign-time sensitivities and later all-pair enumeration.

Report every set, raw and adjusted outcomes, without favourable selection. Below, C means Cascade, LR means Static-LightLR, RF means Static-MedRF, Q means Tabular-Q and DG means DeadlineGuard. Differences are first minus second. CI is paired Student-t 95%, nominal and not multiplicity-adjusted. No equivalence margin is specified. F1/recall/FPR/BA differences use the raw unit fraction, not percentage points. Energy is J, power W, and count outcomes are rows/windows.

Set	Pair	Metric	n	Mean	SD	95% CI
A	C–DQN	energy_joules	10	39.9974	7.17087	[34.8676, 45.1271]
B	C–DQN	energy_joules	9	39.041	6.89631	[33.74, 44.342]
C	C–DQN	energy_joules	8	38.0048	6.58107	[32.5029, 43.5068]
A	C–DQN	mean_watts	10	0.079983	0.0143217	[0.0697378, 0.0902281]
B	C–DQN	mean_watts	9	0.0780709	0.0137703	[0.0674861, 0.0886557]
C	C–DQN	mean_watts	8	0.076	0.0131378	[0.0650166, 0.0869835]
A	C–DQN	idle_adjusted_energy_joules	10	33.7015	11.6238	[25.3863, 42.0166]
B	C–DQN	idle_adjusted_energy_joules	9	31.975	10.8844	[23.6085, 40.3415]
C	C–DQN	idle_adjusted_energy_joules	8	32.2536	11.6015	[22.5545, 41.9527]
A	C–DQN	idle_adjusted_mean_watts	10	0.067403	0.0232477	[0.0507726, 0.0840334]
B	C–DQN	idle_adjusted_mean_watts	9	0.0639501	0.0217689	[0.0472171, 0.0806831]
C	C–DQN	idle_adjusted_mean_watts	8	0.0645072	0.0232032	[0.0451089, 0.0839056]
A	C–DQN	f1	10	0.0138428	0.000104769	[0.0137678, 0.0139177]
B	C–DQN	f1	9	0.0138376	0.000109767	[0.0137532, 0.013922]
C	C–DQN	f1	8	0.0138294	0.000114369	[0.0137338, 0.013925]
A	C–DQN	recall	10	0.0272744	0.000219194	[0.0271176, 0.0274312]
B	C–DQN	recall	9	0.0272594	0.000226951	[0.0270849, 0.0274338]
C	C–DQN	recall	8	0.0272318	0.00022587	[0.0270429, 0.0274206]
A	C–DQN	fpr	10	0.000126683	5.57419e-05	$[8.68071e-05, 0.000166558]$
B	C–DQN	fpr	9	0.000121756	5.67671e-05	$[7.81209e-05, 0.000165391]$
C	C–DQN	fpr	8	0.000109264	4.55818e-05	$[7.11563e-05, 0.000147371]$
A	C–DQN	balanced_accuracy	10	0.0135739	9.99504e-05	[0.0135024, 0.0136454]
B	C–DQN	balanced_accuracy	9	0.0135688	0.000104648	[0.0134884, 0.0136493]
C	C–DQN	balanced_accuracy	8	0.0135612	0.000109211	[0.0134699, 0.0136525]
A	C–DQN	deadline_miss_windows	10	0	0	[0, 0]
B	C–DQN	deadline_miss_windows	9	0	0	[0, 0]
C	C–DQN	deadline_miss_windows	8	0	0	[0, 0]
A	C–DQN	late_completed_rows	10	0	0	[0, 0]
B	C–DQN	late_completed_rows	9	0	0	[0, 0]
C	C–DQN	late_completed_rows	8	0	0	[0, 0]
A	C–DQN	completed_rows	10	0	0	[0, 0]
B	C–DQN	completed_rows	9	0	0	[0, 0]
C	C–DQN	completed_rows	8	0	0	[0, 0]
A	C–DQN	final_backlog_rows	10	0	0	[0, 0]
B	C–DQN	final_backlog_rows	9	0	0	[0, 0]
C	C–DQN	final_backlog_rows	8	0	0	[0, 0]
A	C–DG	energy_joules	10	-11.5475	8.54815	[−17.6625, −5.43254]
B	C–DG	energy_joules	9	-12.4424	8.55542	[−19.0187, −5.86614]
C	C–DG	energy_joules	8	-13.2527	8.76914	[−20.5839, −5.92156]
A	C–DG	mean_watts	10	-0.0230957	0.017114	[−0.0353384, −0.0108531]
B	C–DG	mean_watts	9	-0.0248854	0.0171309	[−0.0380534, −0.0117175]
C	C–DG	mean_watts	8	-0.0265069	0.0175598	[−0.0411873, −0.0118266]
A	C–DG	idle_adjusted_energy_joules	10	-19.1842	9.62229	[−26.0676, −12.3009]
B	C–DG	idle_adjusted_energy_joules	9	-20.4683	9.25272	[−27.5806, −13.356]
C	C–DG	idle_adjusted_energy_joules	8	-21.4199	9.40901	[−29.286, −13.5538]
A	C–DG	idle_adjusted_mean_watts	10	-0.0383686	0.0192451	[−0.0521357, −0.0246015]
B	C–DG	idle_adjusted_mean_watts	9	-0.0409367	0.018506	[−0.0551617, −0.0267118]
C	C–DG	idle_adjusted_mean_watts	8	-0.0428399	0.0188186	[−0.0585727, −0.0271072]
A	C–DG	f1	10	-0.000445714	4.5391e-05	[−0.000478185, −0.000413244]
B	C–DG	f1	9	-0.000438937	4.244e-05	[−0.000471559, −0.000406315]
C	C–DG	f1	8	-0.000433932	4.2436e-05	[−0.00046941, −0.000398455]
A	C–DG	recall	10	-0.00241123	4.4268e-05	[−0.00244289, −0.00237956]
B	C–DG	recall	9	-0.00241005	4.67873e-05	[−0.00244601, −0.00237409]
C	C–DG	recall	8	-0.00240136	4.15389e-05	[−0.00243609, −0.00236664]
A	C–DG	fpr	10	-0.00153381	7.35209e-05	[−0.0015864, −0.00148121]
B	C–DG	fpr	9	-0.00154623	6.59171e-05	[−0.0015969, −0.00149556]
C	C–DG	fpr	8	-0.00154751	7.03495e-05	[−0.00160632, −0.00148869]
A	C–DG	balanced_accuracy	10	-0.000438709	4.53095e-05	[−0.000471122, −0.000406297]

Set	Pair	Metric	n	Mean	SD	95% CI
B	C–DG	balanced_accuracy	9	-0.00043191	4.23026e-05	$[-0.000464427, -0.000399394]$
C	C–DG	balanced_accuracy	8	-0.000426929	4.23073e-05	$[-0.000462298, -0.000391559]$
A	C–DG	deadline_miss_windows	10	0	0	$[0, 0]$
B	C–DG	deadline_miss_windows	9	0	0	$[0, 0]$
C	C–DG	deadline_miss_windows	8	0	0	$[0, 0]$
A	C–DG	late_completed_rows	10	0	0	$[0, 0]$
B	C–DG	late_completed_rows	9	0	0	$[0, 0]$
C	C–DG	late_completed_rows	8	0	0	$[0, 0]$
A	C–DG	completed_rows	10	0	0	$[0, 0]$
B	C–DG	completed_rows	9	0	0	$[0, 0]$
C	C–DG	completed_rows	8	0	0	$[0, 0]$
A	C–DG	final_backlog_rows	10	0	0	$[0, 0]$
B	C–DG	final_backlog_rows	9	0	0	$[0, 0]$
C	C–DG	final_backlog_rows	8	0	0	$[0, 0]$
A	C–LR	energy_joules	10	40.5968	3.9497	$[37.7713, 43.4222]$
B	C–LR	energy_joules	9	40.0863	3.82347	$[37.1474, 43.0253]$
C	C–LR	energy_joules	8	40.3811	3.97665	$[37.0565, 43.7057]$
A	C–LR	mean_watts	10	0.081208	0.0078962	$[0.0755594, 0.0868566]$
B	C–LR	mean_watts	9	0.0801884	0.00764511	$[0.0743118, 0.0860649]$
C	C–LR	mean_watts	8	0.0807796	0.00794994	$[0.0741333, 0.087426]$
A	C–LR	idle_adjusted_energy_joules	10	34.6757	15.2879	$[23.7394, 45.612]$
B	C–LR	idle_adjusted_energy_joules	9	34.0921	16.0967	$[21.7191, 46.4652]$
C	C–LR	idle_adjusted_energy_joules	8	36.0286	16.0484	$[22.6118, 49.4453]$
A	C–LR	idle_adjusted_mean_watts	10	0.0693515	0.0305756	$[0.047479, 0.0912239]$
B	C–LR	idle_adjusted_mean_watts	9	0.0681844	0.0321932	$[0.0434386, 0.0929303]$
C	C–LR	idle_adjusted_mean_watts	8	0.0720573	0.0320965	$[0.045224, 0.0988906]$
A	C–LR	f1	10	0.0138428	0.000104769	$[0.0137678, 0.0139177]$
B	C–LR	f1	9	0.0138376	0.000109767	$[0.0137532, 0.013922]$
C	C–LR	f1	8	0.0138294	0.000114369	$[0.0137338, 0.013925]$
A	C–LR	recall	10	0.0272744	0.000219194	$[0.0271176, 0.0274312]$
B	C–LR	recall	9	0.0272594	0.000226951	$[0.0270849, 0.0274338]$
C	C–LR	recall	8	0.0272318	0.00022587	$[0.0270429, 0.0274206]$
A	C–LR	fpr	10	0.000126683	5.57419e-05	$[8.68071e-05, 0.000166558]$
B	C–LR	fpr	9	0.000121756	5.67671e-05	$[7.81209e-05, 0.000165391]$
C	C–LR	fpr	8	0.000109264	4.55818e-05	$[7.11563e-05, 0.000147371]$
A	C–LR	balanced_accuracy	10	0.0135739	9.99504e-05	$[0.0135024, 0.0136454]$
B	C–LR	balanced_accuracy	9	0.0135688	0.000104648	$[0.0134884, 0.0136493]$
C	C–LR	balanced_accuracy	8	0.0135612	0.000109211	$[0.0134699, 0.0136525]$
A	C–LR	deadline_miss_windows	10	0	0	$[0, 0]$
B	C–LR	deadline_miss_windows	9	0	0	$[0, 0]$
C	C–LR	deadline_miss_windows	8	0	0	$[0, 0]$
A	C–LR	late_completed_rows	10	0	0	$[0, 0]$
B	C–LR	late_completed_rows	9	0	0	$[0, 0]$
C	C–LR	late_completed_rows	8	0	0	$[0, 0]$
A	C–LR	completed_rows	10	0	0	$[0, 0]$
B	C–LR	completed_rows	9	0	0	$[0, 0]$
C	C–LR	completed_rows	8	0	0	$[0, 0]$
A	C–LR	final_backlog_rows	10	0	0	$[0, 0]$
B	C–LR	final_backlog_rows	9	0	0	$[0, 0]$
C	C–LR	final_backlog_rows	8	0	0	$[0, 0]$
A	C–RF	energy_joules	10	-12.0638	6.26772	$[-16.5475, -7.58019]$
B	C–RF	energy_joules	9	-11.7172	6.54544	$[-16.7484, -6.68589]$
C	C–RF	energy_joules	8	-11.3588	6.90233	$[-17.1293, -5.5883]$
A	C–RF	mean_watts	10	-0.0241086	0.0125317	$[-0.0330732, -0.015144]$
B	C–RF	mean_watts	9	-0.0234111	0.0130843	$[-0.0334686, -0.0133536]$
C	C–RF	mean_watts	8	-0.0226939	0.0137974	$[-0.0342288, -0.0111591]$
A	C–RF	idle_adjusted_energy_joules	10	-16.0895	14.8594	$[-26.7192, -5.45972]$
B	C–RF	idle_adjusted_energy_joules	9	-16.4119	15.7236	$[-28.4981, -4.32563]$
C	C–RF	idle_adjusted_energy_joules	8	-14.8621	16.0576	$[-28.2865, -1.43759]$
A	C–RF	idle_adjusted_mean_watts	10	-0.0321783	0.0297183	$[-0.0534374, -0.0109191]$
B	C–RF	idle_adjusted_mean_watts	9	-0.0328229	0.0314468	$[-0.056995, -0.00865076]$
C	C–RF	idle_adjusted_mean_watts	8	-0.0297233	0.0321146	$[-0.0565717, -0.00287477]$
A	C–RF	f1	10	-0.000445714	4.5391e-05	$[-0.000478185, -0.000413244]$
B	C–RF	f1	9	-0.000438937	4.244e-05	$[-0.000471559, -0.000406315]$

Set	Pair	Metric	n	Mean	SD	95% CI
C	C–RF	f1	8	-0.000433932	4.2436e-05	$[-0.00046941, -0.000398455]$
A	C–RF	recall	10	-0.00241123	4.4268e-05	$[-0.00244289, -0.00237956]$
B	C–RF	recall	9	-0.00241005	4.67873e-05	$[-0.00244601, -0.00237409]$
C	C–RF	recall	8	-0.00240136	4.15389e-05	$[-0.00243609, -0.00236664]$
A	C–RF	fpr	10	-0.00153381	7.35209e-05	$[-0.0015864, -0.00148121]$
B	C–RF	fpr	9	-0.00154623	6.59171e-05	$[-0.0015969, -0.00149556]$
C	C–RF	fpr	8	-0.00154751	7.03495e-05	$[-0.00160632, -0.00148869]$
A	C–RF	balanced_accuracy	10	-0.000438709	4.53095e-05	$[-0.000471122, -0.000406297]$
B	C–RF	balanced_accuracy	9	-0.00043191	4.23026e-05	$[-0.000464427, -0.000399394]$
C	C–RF	balanced_accuracy	8	-0.000426929	4.23073e-05	$[-0.000462298, -0.000391559]$
A	C–RF	deadline_miss_windows	10	0	0	$[0, 0]$
B	C–RF	deadline_miss_windows	9	0	0	$[0, 0]$
C	C–RF	deadline_miss_windows	8	0	0	$[0, 0]$
A	C–RF	late_completed_rows	10	0	0	$[0, 0]$
B	C–RF	late_completed_rows	9	0	0	$[0, 0]$
C	C–RF	late_completed_rows	8	0	0	$[0, 0]$
A	C–RF	completed_rows	10	0	0	$[0, 0]$
B	C–RF	completed_rows	9	0	0	$[0, 0]$
C	C–RF	completed_rows	8	0	0	$[0, 0]$
A	C–RF	final_backlog_rows	10	0	0	$[0, 0]$
B	C–RF	final_backlog_rows	9	0	0	$[0, 0]$
C	C–RF	final_backlog_rows	8	0	0	$[0, 0]$
A	C–Q	energy_joules	10	40.3507	7.34194	$[35.0986, 45.6028]$
B	C–Q	energy_joules	9	39.597	7.36555	$[33.9353, 45.2587]$
C	C–Q	energy_joules	8	38.1462	6.35241	$[32.8355, 43.457]$
A	C–Q	mean_watts	10	0.0807026	0.014666	$[0.0702111, 0.091194]$
B	C–Q	mean_watts	9	0.079199	0.0147155	$[0.0678877, 0.0905103]$
C	C–Q	mean_watts	8	0.0762989	0.0126875	$[0.0656919, 0.0869059]$
A	C–Q	idle_adjusted_energy_joules	10	39.4682	19.7095	$[25.3688, 53.5675]$
B	C–Q	idle_adjusted_energy_joules	9	36.7858	18.87	$[22.281, 51.2905]$
C	C–Q	idle_adjusted_energy_joules	8	34.4357	18.712	$[18.7921, 50.0793]$
A	C–Q	idle_adjusted_mean_watts	10	0.0789366	0.0394189	$[0.050738, 0.107135]$
B	C–Q	idle_adjusted_mean_watts	9	0.0735717	0.0377397	$[0.0445624, 0.102581]$
C	C–Q	idle_adjusted_mean_watts	8	0.0688715	0.0374236	$[0.0375846, 0.100158]$
A	C–Q	f1	10	0.0138428	0.000104769	$[0.0137678, 0.0139177]$
B	C–Q	f1	9	0.0138376	0.000109767	$[0.0137532, 0.013922]$
C	C–Q	f1	8	0.0138294	0.000114369	$[0.0137338, 0.013925]$
A	C–Q	recall	10	0.0272744	0.000219194	$[0.0271176, 0.0274312]$
B	C–Q	recall	9	0.0272594	0.000226951	$[0.0270849, 0.0274338]$
C	C–Q	recall	8	0.0272318	0.00022587	$[0.0270429, 0.0274206]$
A	C–Q	fpr	10	0.000126683	5.57419e-05	$[8.68071e-05, 0.000166558]$
B	C–Q	fpr	9	0.000121756	5.67671e-05	$[7.81209e-05, 0.000165391]$
C	C–Q	fpr	8	0.000109264	4.55818e-05	$[7.11563e-05, 0.000147371]$
A	C–Q	balanced_accuracy	10	0.0135739	9.99504e-05	$[0.0135024, 0.0136454]$
B	C–Q	balanced_accuracy	9	0.0135688	0.000104648	$[0.0134884, 0.0136493]$
C	C–Q	balanced_accuracy	8	0.0135612	0.000109211	$[0.0134699, 0.0136525]$
A	C–Q	deadline_miss_windows	10	0	0	$[0, 0]$
B	C–Q	deadline_miss_windows	9	0	0	$[0, 0]$
C	C–Q	deadline_miss_windows	8	0	0	$[0, 0]$
A	C–Q	late_completed_rows	10	0	0	$[0, 0]$
B	C–Q	late_completed_rows	9	0	0	$[0, 0]$
C	C–Q	late_completed_rows	8	0	0	$[0, 0]$
A	C–Q	completed_rows	10	0	0	$[0, 0]$
B	C–Q	completed_rows	9	0	0	$[0, 0]$
C	C–Q	completed_rows	8	0	0	$[0, 0]$
A	C–Q	final_backlog_rows	10	0	0	$[0, 0]$
B	C–Q	final_backlog_rows	9	0	0	$[0, 0]$
C	C–Q	final_backlog_rows	8	0	0	$[0, 0]$
A	DQN–DG	energy_joules	10	-51.5449	6.68714	$[-56.3286, -46.7612]$
B	DQN–DG	energy_joules	9	-51.4834	7.08978	$[-56.9331, -46.0337]$
C	DQN–DG	energy_joules	8	-51.2576	7.54461	$[-57.565, -44.9501]$
A	DQN–DG	mean_watts	10	-0.103079	0.0133845	$[-0.112653, -0.093504]$
B	DQN–DG	mean_watts	9	-0.102956	0.0141905	$[-0.113864, -0.0920485]$
C	DQN–DG	mean_watts	8	-0.102507	0.0151017	$[-0.115132, -0.0898817]$

Set	Pair	Metric	n	Mean	SD	95% CI
A	DQN–DG	idle_adjusted_energy_joules	10	-52.8857	5.6848	[−56.9524, −48.819]
B	DQN–DG	idle_adjusted_energy_joules	9	-52.4433	5.84422	[−56.9356, −47.951]
C	DQN–DG	idle_adjusted_energy_joules	8	-53.6735	4.84449	[−57.7236, −49.6234]
A	DQN–DG	idle_adjusted_mean_watts	10	-0.105772	0.0113692	[−0.113905, −0.0976385]
B	DQN–DG	idle_adjusted_mean_watts	9	-0.104887	0.011688	[−0.113871, −0.0959026]
C	DQN–DG	idle_adjusted_mean_watts	8	-0.107347	0.00968831	[−0.115447, −0.0992475]
A	DQN–DG	f1	10	-0.0142885	0.000131371	[−0.0143825, −0.0141945]
B	DQN–DG	f1	9	-0.0142766	0.000133462	[−0.0143791, −0.014174]
C	DQN–DG	f1	8	-0.0142634	0.000136257	[−0.0143773, −0.0141494]
A	DQN–DG	recall	10	-0.0296856	0.000254434	[−0.0298677, −0.0295036]
B	DQN–DG	recall	9	-0.0296694	0.000264329	[−0.0298726, −0.0294662]
C	DQN–DG	recall	8	-0.0296331	0.00025747	[−0.0298484, −0.0294179]
A	DQN–DG	fpr	10	-0.00166049	7.73474e-05	[−0.00171582, −0.00160516]
B	DQN–DG	fpr	9	-0.00166799	7.80923e-05	[−0.00172801, −0.00160796]
C	DQN–DG	fpr	8	-0.00165677	7.53361e-05	[−0.00171975, −0.00159379]
A	DQN–DG	balanced_accuracy	10	-0.0140126	0.000126178	[−0.0141028, −0.0139223]
B	DQN–DG	balanced_accuracy	9	-0.0140007	0.000127787	[−0.0140989, −0.0139025]
C	DQN–DG	balanced_accuracy	8	-0.0139882	0.00013055	[−0.0140973, −0.013879]
A	DQN–DG	deadline_miss_windows	10	0	0	[0, 0]
B	DQN–DG	deadline_miss_windows	9	0	0	[0, 0]
C	DQN–DG	deadline_miss_windows	8	0	0	[0, 0]
A	DQN–DG	late_completed_rows	10	0	0	[0, 0]
B	DQN–DG	late_completed_rows	9	0	0	[0, 0]
C	DQN–DG	late_completed_rows	8	0	0	[0, 0]
A	DQN–DG	completed_rows	10	0	0	[0, 0]
B	DQN–DG	completed_rows	9	0	0	[0, 0]
C	DQN–DG	completed_rows	8	0	0	[0, 0]
A	DQN–DG	final_backlog_rows	10	0	0	[0, 0]
B	DQN–DG	final_backlog_rows	9	0	0	[0, 0]
C	DQN–DG	final_backlog_rows	8	0	0	[0, 0]
A	DQN–LR	energy_joules	10	0.599413	6.59529	[−4.11857, 5.3174]
B	DQN–LR	energy_joules	9	1.04535	6.83358	[−4.20741, 6.29811]
C	DQN–LR	energy_joules	8	2.37625	5.92873	[−2.58029, 7.3328]
A	DQN–LR	mean_watts	10	0.00122507	0.0131687	[−0.00819528, 0.0106454]
B	DQN–LR	mean_watts	9	0.0021175	0.013643	[−0.00836947, 0.0126045]
C	DQN–LR	mean_watts	8	0.0047796	0.011825	[−0.00510633, 0.0146655]
A	DQN–LR	idle_adjusted_energy_joules	10	0.974191	14.8755	[−9.66707, 11.6155]
B	DQN–LR	idle_adjusted_energy_joules	9	2.11712	15.305	[−9.64735, 13.8816]
C	DQN–LR	idle_adjusted_energy_joules	8	3.77498	15.4737	[−9.16139, 16.7114]
A	DQN–LR	idle_adjusted_mean_watts	10	0.00194848	0.0297508	[−0.019334, 0.0232309]
B	DQN–LR	idle_adjusted_mean_watts	9	0.00423435	0.0306099	[−0.0192945, 0.0277632]
C	DQN–LR	idle_adjusted_mean_watts	8	0.00755006	0.0309473	[−0.0183226, 0.0334227]
A	DQN–LR	f1	10	0	0	[0, 0]
B	DQN–LR	f1	9	0	0	[0, 0]
C	DQN–LR	f1	8	0	0	[0, 0]
A	DQN–LR	recall	10	0	0	[0, 0]
B	DQN–LR	recall	9	0	0	[0, 0]
C	DQN–LR	recall	8	0	0	[0, 0]
A	DQN–LR	fpr	10	0	0	[0, 0]
B	DQN–LR	fpr	9	0	0	[0, 0]
C	DQN–LR	fpr	8	0	0	[0, 0]
A	DQN–LR	balanced_accuracy	10	0	0	[0, 0]
B	DQN–LR	balanced_accuracy	9	0	0	[0, 0]
C	DQN–LR	balanced_accuracy	8	0	0	[0, 0]
A	DQN–LR	deadline_miss_windows	10	0	0	[0, 0]
B	DQN–LR	deadline_miss_windows	9	0	0	[0, 0]
C	DQN–LR	deadline_miss_windows	8	0	0	[0, 0]
A	DQN–LR	late_completed_rows	10	0	0	[0, 0]
B	DQN–LR	late_completed_rows	9	0	0	[0, 0]
C	DQN–LR	late_completed_rows	8	0	0	[0, 0]
A	DQN–LR	completed_rows	10	0	0	[0, 0]
B	DQN–LR	completed_rows	9	0	0	[0, 0]
C	DQN–LR	completed_rows	8	0	0	[0, 0]
A	DQN–LR	final_backlog_rows	10	0	0	[0, 0]

Set	Pair	Metric	n	Mean	SD	95% CI
B	DQN–LR	final_backlog_rows	9	0	0	[0, 0]
C	DQN–LR	final_backlog_rows	8	0	0	[0, 0]
A	DQN–RF	energy_joules	10	-52.0612	8.35704	[−58.0395, −46.083]
B	DQN–RF	energy_joules	9	-50.7582	7.71152	[−56.6858, −44.8306]
C	DQN–RF	energy_joules	8	-49.3636	6.92536	[−55.1534, −43.5739]
A	DQN–RF	mean_watts	10	-0.104092	0.0167098	[−0.116045, −0.0921381]
B	DQN–RF	mean_watts	9	-0.101482	0.0154113	[−0.113328, −0.0896358]
C	DQN–RF	mean_watts	8	-0.098694	0.0138379	[−0.110263, −0.0871252]
A	DQN–RF	idle_adjusted_energy_joules	10	-49.791	11.2372	[−57.8296, −41.7524]
B	DQN–RF	idle_adjusted_energy_joules	9	-48.3869	10.949	[−56.803, −39.9707]
C	DQN–RF	idle_adjusted_energy_joules	8	-47.1156	10.972	[−56.2884, −37.9429]
A	DQN–RF	idle_adjusted_mean_watts	10	-0.0995813	0.0224744	[−0.115659, −0.083504]
B	DQN–RF	idle_adjusted_mean_watts	9	-0.096773	0.0218978	[−0.113605, −0.0799408]
C	DQN–RF	idle_adjusted_mean_watts	8	-0.0942305	0.0219437	[−0.112576, −0.0758851]
A	DQN–RF	f1	10	-0.0142885	0.000131371	[−0.0143825, −0.0141945]
B	DQN–RF	f1	9	-0.0142766	0.000133462	[−0.0143791, −0.014174]
C	DQN–RF	f1	8	-0.0142634	0.000136257	[−0.0143773, −0.0141494]
A	DQN–RF	recall	10	-0.0296856	0.000254434	[−0.0298677, −0.0295036]
B	DQN–RF	recall	9	-0.0296694	0.000264329	[−0.0298726, −0.0294662]
C	DQN–RF	recall	8	-0.0296331	0.00025747	[−0.0298484, −0.0294179]
A	DQN–RF	fpr	10	-0.00166049	7.73474e-05	[−0.00171582, −0.00160516]
B	DQN–RF	fpr	9	-0.00166799	7.80923e-05	[−0.00172801, −0.00160796]
C	DQN–RF	fpr	8	-0.00165677	7.53361e-05	[−0.00171975, −0.00159379]
A	DQN–RF	balanced_accuracy	10	-0.0140126	0.000126178	[−0.0141028, −0.0139223]
B	DQN–RF	balanced_accuracy	9	-0.0140007	0.000127787	[−0.0140989, −0.0139025]
C	DQN–RF	balanced_accuracy	8	-0.0139882	0.00013055	[−0.0140973, −0.013879]
A	DQN–RF	deadline_miss_windows	10	0	0	[0, 0]
B	DQN–RF	deadline_miss_windows	9	0	0	[0, 0]
C	DQN–RF	deadline_miss_windows	8	0	0	[0, 0]
A	DQN–RF	late_completed_rows	10	0	0	[0, 0]
B	DQN–RF	late_completed_rows	9	0	0	[0, 0]
C	DQN–RF	late_completed_rows	8	0	0	[0, 0]
A	DQN–RF	completed_rows	10	0	0	[0, 0]
B	DQN–RF	completed_rows	9	0	0	[0, 0]
C	DQN–RF	completed_rows	8	0	0	[0, 0]
A	DQN–RF	final_backlog_rows	10	0	0	[0, 0]
B	DQN–RF	final_backlog_rows	9	0	0	[0, 0]
C	DQN–RF	final_backlog_rows	8	0	0	[0, 0]
A	DQN–Q	energy_joules	10	0.353329	5.48329	[−3.56918, 4.27584]
B	DQN–Q	energy_joules	9	0.556003	5.77604	[−3.88385, 4.99586]
C	DQN–Q	energy_joules	8	0.141396	6.02998	[−4.89979, 5.18258]
A	DQN–Q	mean_watts	10	0.000719624	0.0109468	[−0.00711124, 0.00855049]
B	DQN–Q	mean_watts	9	0.00112808	0.0115297	[−0.00773445, 0.0099906]
C	DQN–Q	mean_watts	8	0.000298841	0.0120355	[−0.00976305, 0.0103607]
A	DQN–Q	idle_adjusted_energy_joules	10	5.76671	18.9237	[−7.77048, 19.3039]
B	DQN–Q	idle_adjusted_energy_joules	9	4.81075	19.8138	[−10.4195, 20.041]
C	DQN–Q	idle_adjusted_energy_joules	8	2.1821	19.4319	[−14.0634, 18.4276]
A	DQN–Q	idle_adjusted_mean_watts	10	0.0115336	0.0378473	[−0.0155408, 0.0386079]
B	DQN–Q	idle_adjusted_mean_watts	9	0.00962163	0.0396276	[−0.0208388, 0.0400821]
C	DQN–Q	idle_adjusted_mean_watts	8	0.0043643	0.0388637	[−0.0281266, 0.0368552]
A	DQN–Q	f1	10	0	0	[0, 0]
B	DQN–Q	f1	9	0	0	[0, 0]
C	DQN–Q	f1	8	0	0	[0, 0]
A	DQN–Q	recall	10	0	0	[0, 0]
B	DQN–Q	recall	9	0	0	[0, 0]
C	DQN–Q	recall	8	0	0	[0, 0]
A	DQN–Q	fpr	10	0	0	[0, 0]
B	DQN–Q	fpr	9	0	0	[0, 0]
C	DQN–Q	fpr	8	0	0	[0, 0]
A	DQN–Q	balanced_accuracy	10	0	0	[0, 0]
B	DQN–Q	balanced_accuracy	9	0	0	[0, 0]
C	DQN–Q	balanced_accuracy	8	0	0	[0, 0]
A	DQN–Q	deadline_miss_windows	10	0	0	[0, 0]
B	DQN–Q	deadline_miss_windows	9	0	0	[0, 0]

Set	Pair	Metric	n	Mean	SD	95% CI
C	DQN–Q	deadline_miss_windows	8	0	0	[0, 0]
A	DQN–Q	late_completed_rows	10	0	0	[0, 0]
B	DQN–Q	late_completed_rows	9	0	0	[0, 0]
C	DQN–Q	late_completed_rows	8	0	0	[0, 0]
A	DQN–Q	completed_rows	10	0	0	[0, 0]
B	DQN–Q	completed_rows	9	0	0	[0, 0]
C	DQN–Q	completed_rows	8	0	0	[0, 0]
A	DQN–Q	final_backlog_rows	10	0	0	[0, 0]
B	DQN–Q	final_backlog_rows	9	0	0	[0, 0]
C	DQN–Q	final_backlog_rows	8	0	0	[0, 0]
A	DG–LR	energy_joules	10	52.1443	8.46241	[46.0907, 58.198]
B	DG–LR	energy_joules	9	52.5288	8.88263	[45.701, 59.3566]
C	DG–LR	energy_joules	8	53.6338	8.80976	[46.2687, 60.999]
A	DG–LR	mean_watts	10	0.104304	0.01694	[0.0921856, 0.116422]
B	DG–LR	mean_watts	9	0.105074	0.017781	[0.0914061, 0.118742]
C	DG–LR	mean_watts	8	0.107287	0.0176343	[0.0925439, 0.122029]
A	DG–LR	idle_adjusted_energy_joules	10	53.8599	14.2849	[43.6411, 64.0787]
B	DG–LR	idle_adjusted_energy_joules	9	54.5604	14.9681	[43.0549, 66.066]
C	DG–LR	idle_adjusted_energy_joules	8	57.4484	13.0485	[46.5397, 68.3572]
A	DG–LR	idle_adjusted_mean_watts	10	0.10772	0.0285705	[0.087282, 0.128158]
B	DG–LR	idle_adjusted_mean_watts	9	0.109121	0.029937	[0.0861096, 0.132133]
C	DG–LR	idle_adjusted_mean_watts	8	0.114897	0.0260977	[0.093079, 0.136715]
A	DG–LR	f1	10	0.0142885	0.000131371	[0.0141945, 0.0143825]
B	DG–LR	f1	9	0.0142766	0.000133462	[0.014174, 0.0143791]
C	DG–LR	f1	8	0.0142634	0.000136257	[0.0141494, 0.0143773]
A	DG–LR	recall	10	0.0296856	0.000254434	[0.0295036, 0.0298677]
B	DG–LR	recall	9	0.0296694	0.000264329	[0.0294662, 0.0298726]
C	DG–LR	recall	8	0.0296331	0.00025747	[0.0294179, 0.0298484]
A	DG–LR	fpr	10	0.00166049	7.73474e-05	[0.00160516, 0.00171582]
B	DG–LR	fpr	9	0.00166799	7.80923e-05	[0.00160796, 0.00172801]
C	DG–LR	fpr	8	0.00165677	7.53361e-05	[0.00159379, 0.00171975]
A	DG–LR	balanced_accuracy	10	0.0140126	0.000126178	[0.0139223, 0.0141028]
B	DG–LR	balanced_accuracy	9	0.0140007	0.000127787	[0.0139025, 0.0140989]
C	DG–LR	balanced_accuracy	8	0.0139882	0.00013055	[0.013879, 0.0140973]
A	DG–LR	deadline_miss_windows	10	0	0	[0, 0]
B	DG–LR	deadline_miss_windows	9	0	0	[0, 0]
C	DG–LR	deadline_miss_windows	8	0	0	[0, 0]
A	DG–LR	late_completed_rows	10	0	0	[0, 0]
B	DG–LR	late_completed_rows	9	0	0	[0, 0]
C	DG–LR	late_completed_rows	8	0	0	[0, 0]
A	DG–LR	completed_rows	10	0	0	[0, 0]
B	DG–LR	completed_rows	9	0	0	[0, 0]
C	DG–LR	completed_rows	8	0	0	[0, 0]
A	DG–LR	final_backlog_rows	10	0	0	[0, 0]
B	DG–LR	final_backlog_rows	9	0	0	[0, 0]
C	DG–LR	final_backlog_rows	8	0	0	[0, 0]
A	DG–RF	energy_joules	10	-0.516329	6.5679	[−5.21473, 4.18207]
B	DG–RF	energy_joules	9	0.725264	5.58454	[−3.56739, 5.01792]
C	DG–RF	energy_joules	8	1.89395	4.64692	[−1.99097, 5.77887]
A	DG–RF	mean_watts	10	-0.00101288	0.013169	[−0.0104334, 0.00840764]
B	DG–RF	mean_watts	9	0.00147433	0.0112029	[−0.00713698, 0.0100856]
C	DG–RF	mean_watts	8	0.003813	0.00933691	[−0.00399285, 0.0116188]
A	DG–RF	idle_adjusted_energy_joules	10	3.09474	11.1926	[−4.91194, 11.1014]
B	DG–RF	idle_adjusted_energy_joules	9	4.05642	11.4249	[−4.72554, 12.8384]
C	DG–RF	idle_adjusted_energy_joules	8	6.55782	9.20967	[−1.14166, 14.2573]
A	DG–RF	idle_adjusted_mean_watts	10	0.00619032	0.0223851	[−0.00982305, 0.0222037]
B	DG–RF	idle_adjusted_mean_watts	9	0.00811385	0.0228497	[−0.00944996, 0.0256776]
C	DG–RF	idle_adjusted_mean_watts	8	0.0131167	0.018419	[−0.00228197, 0.0285153]
A	DG–RF	f1	10	0	0	[0, 0]
B	DG–RF	f1	9	0	0	[0, 0]
C	DG–RF	f1	8	0	0	[0, 0]
A	DG–RF	recall	10	0	0	[0, 0]
B	DG–RF	recall	9	0	0	[0, 0]
C	DG–RF	recall	8	0	0	[0, 0]

Set	Pair	Metric	n	Mean	SD	95% CI
A	DG–RF	fpr	10	0	0	[0, 0]
B	DG–RF	fpr	9	0	0	[0, 0]
C	DG–RF	fpr	8	0	0	[0, 0]
A	DG–RF	balanced_accuracy	10	0	0	[0, 0]
B	DG–RF	balanced_accuracy	9	0	0	[0, 0]
C	DG–RF	balanced_accuracy	8	0	0	[0, 0]
A	DG–RF	deadline_miss_windows	10	0	0	[0, 0]
B	DG–RF	deadline_miss_windows	9	0	0	[0, 0]
C	DG–RF	deadline_miss_windows	8	0	0	[0, 0]
A	DG–RF	late_completed_rows	10	0	0	[0, 0]
B	DG–RF	late_completed_rows	9	0	0	[0, 0]
C	DG–RF	late_completed_rows	8	0	0	[0, 0]
A	DG–RF	completed_rows	10	0	0	[0, 0]
B	DG–RF	completed_rows	9	0	0	[0, 0]
C	DG–RF	completed_rows	8	0	0	[0, 0]
A	DG–RF	final_backlog_rows	10	0	0	[0, 0]
B	DG–RF	final_backlog_rows	9	0	0	[0, 0]
C	DG–RF	final_backlog_rows	8	0	0	[0, 0]
A	DG–Q	energy_joules	10	51.8982	8.11235	[46.095, 57.7014]
B	DG–Q	energy_joules	9	52.0394	8.5914	[45.4355, 58.6434]
C	DG–Q	energy_joules	8	51.399	8.95198	[43.9149, 58.883]
A	DG–Q	mean_watts	10	0.103798	0.0162291	[0.0921887, 0.115408]
B	DG–Q	mean_watts	9	0.104084	0.0171868	[0.0908735, 0.117295]
C	DG–Q	mean_watts	8	0.102806	0.01791	[0.0878327, 0.117779]
A	DG–Q	idle_adjusted_energy_joules	10	58.6524	15.6676	[47.4445, 69.8603]
B	DG–Q	idle_adjusted_energy_joules	9	57.2541	15.9424	[44.9997, 69.5084]
C	DG–Q	idle_adjusted_energy_joules	8	55.8556	16.4423	[42.1094, 69.6017]
A	DG–Q	idle_adjusted_mean_watts	10	0.117305	0.0313357	[0.0948889, 0.139721]
B	DG–Q	idle_adjusted_mean_watts	9	0.114508	0.0318853	[0.0899992, 0.139018]
C	DG–Q	idle_adjusted_mean_watts	8	0.111711	0.0328854	[0.0842186, 0.139204]
A	DG–Q	f1	10	0.0142885	0.000131371	[0.0141945, 0.0143825]
B	DG–Q	f1	9	0.0142766	0.000133462	[0.014174, 0.0143791]
C	DG–Q	f1	8	0.0142634	0.000136257	[0.0141494, 0.0143773]
A	DG–Q	recall	10	0.0296856	0.000254434	[0.0295036, 0.0298677]
B	DG–Q	recall	9	0.0296694	0.000264329	[0.0294662, 0.0298726]
C	DG–Q	recall	8	0.0296331	0.00025747	[0.0294179, 0.0298484]
A	DG–Q	fpr	10	0.00166049	7.73474e-05	[0.00160516, 0.00171582]
B	DG–Q	fpr	9	0.00166799	7.80923e-05	[0.00160796, 0.00172801]
C	DG–Q	fpr	8	0.00165677	7.53361e-05	[0.00159379, 0.00171975]
A	DG–Q	balanced_accuracy	10	0.0140126	0.000126178	[0.0139223, 0.0141028]
B	DG–Q	balanced_accuracy	9	0.0140007	0.000127787	[0.0139025, 0.0140989]
C	DG–Q	balanced_accuracy	8	0.0139882	0.00013055	[0.013879, 0.0140973]
A	DG–Q	deadline_miss_windows	10	0	0	[0, 0]
B	DG–Q	deadline_miss_windows	9	0	0	[0, 0]
C	DG–Q	deadline_miss_windows	8	0	0	[0, 0]
A	DG–Q	late_completed_rows	10	0	0	[0, 0]
B	DG–Q	late_completed_rows	9	0	0	[0, 0]
C	DG–Q	late_completed_rows	8	0	0	[0, 0]
A	DG–Q	completed_rows	10	0	0	[0, 0]
B	DG–Q	completed_rows	9	0	0	[0, 0]
C	DG–Q	completed_rows	8	0	0	[0, 0]
A	DG–Q	final_backlog_rows	10	0	0	[0, 0]
B	DG–Q	final_backlog_rows	9	0	0	[0, 0]
C	DG–Q	final_backlog_rows	8	0	0	[0, 0]
A	LR–RF	energy_joules	10	-52.6606	5.95801	[−56.9227, −48.3985]
B	LR–RF	energy_joules	9	-51.8035	5.6276	[−56.1293, −47.4777]
C	LR–RF	energy_joules	8	-51.7399	6.0127	[−56.7666, −46.7132]
A	LR–RF	mean_watts	10	-0.105317	0.0119002	[−0.11383, −0.0968037]
B	LR–RF	mean_watts	9	-0.103599	0.0112315	[−0.112233, −0.0949662]
C	LR–RF	mean_watts	8	-0.103474	0.0120002	[−0.113506, −0.0934412]
A	LR–RF	idle_adjusted_energy_joules	10	-50.7651	12.761	[−59.8938, −41.6365]
B	LR–RF	idle_adjusted_energy_joules	9	-50.504	13.5067	[−60.8862, −40.1218]
C	LR–RF	idle_adjusted_energy_joules	8	-50.8906	14.386	[−62.9176, −38.8636]
A	LR–RF	idle_adjusted_mean_watts	10	-0.10153	0.0255213	[−0.119787, −0.0832729]

Set	Pair	Metric	n	Mean	SD	95% CI
B	LR–RF	idle_adjusted_mean_watts	9	-0.101007	0.0270127	[−0.121771, −0.0802435]
C	LR–RF	idle_adjusted_mean_watts	8	-0.101781	0.0287711	[−0.125834, −0.0777273]
A	LR–RF	f1	10	-0.0142885	0.000131371	[−0.0143825, −0.0141945]
B	LR–RF	f1	9	-0.0142766	0.000133462	[−0.0143791, −0.014174]
C	LR–RF	f1	8	-0.0142634	0.000136257	[−0.0143773, −0.0141494]
A	LR–RF	recall	10	-0.0296856	0.000254434	[−0.0298677, −0.0295036]
B	LR–RF	recall	9	-0.0296694	0.000264329	[−0.0298726, −0.0294662]
C	LR–RF	recall	8	-0.0296331	0.00025747	[−0.0298484, −0.0294179]
A	LR–RF	fpr	10	-0.00166049	7.73474e-05	[−0.00171582, −0.00160516]
B	LR–RF	fpr	9	-0.00166799	7.80923e-05	[−0.00172801, −0.00160796]
C	LR–RF	fpr	8	-0.00165677	7.53361e-05	[−0.00171975, −0.00159379]
A	LR–RF	balanced_accuracy	10	-0.0140126	0.000126178	[−0.0141028, −0.0139223]
B	LR–RF	balanced_accuracy	9	-0.0140007	0.000127787	[−0.0140989, −0.0139025]
C	LR–RF	balanced_accuracy	8	-0.0139882	0.00013055	[−0.0140973, −0.013879]
A	LR–RF	deadline_miss_windows	10	0	0	[0, 0]
B	LR–RF	deadline_miss_windows	9	0	0	[0, 0]
C	LR–RF	deadline_miss_windows	8	0	0	[0, 0]
A	LR–RF	late_completed_rows	10	0	0	[0, 0]
B	LR–RF	late_completed_rows	9	0	0	[0, 0]
C	LR–RF	late_completed_rows	8	0	0	[0, 0]
A	LR–RF	completed_rows	10	0	0	[0, 0]
B	LR–RF	completed_rows	9	0	0	[0, 0]
C	LR–RF	completed_rows	8	0	0	[0, 0]
A	LR–RF	final_backlog_rows	10	0	0	[0, 0]
B	LR–RF	final_backlog_rows	9	0	0	[0, 0]
C	LR–RF	final_backlog_rows	8	0	0	[0, 0]
A	LR–Q	energy_joules	10	-0.246084	6.01185	[−4.5467, 4.05454]
B	LR–Q	energy_joules	9	-0.489344	6.32411	[−5.35049, 4.3718]
C	LR–Q	energy_joules	8	-2.23486	3.79069	[−5.40395, 0.934238]
A	LR–Q	mean_watts	10	-0.000505442	0.0120157	[−0.00910096, 0.00809007]
B	LR–Q	mean_watts	9	-0.000989422	0.0126408	[−0.010706, 0.00872713]
C	LR–Q	mean_watts	8	-0.00448076	0.00756563	[−0.0108058, 0.00184426]
A	LR–Q	idle_adjusted_energy_joules	10	4.79252	17.271	[−7.5624, 17.1474]
B	LR–Q	idle_adjusted_energy_joules	9	2.69362	16.9119	[−10.306, 15.6933]
C	LR–Q	idle_adjusted_energy_joules	8	-1.59289	11.7422	[−11.4096, 8.22386]
A	LR–Q	idle_adjusted_mean_watts	10	0.0095851	0.034542	[−0.0151248, 0.034295]
B	LR–Q	idle_adjusted_mean_watts	9	0.00538728	0.0338239	[−0.020612, 0.0313866]
C	LR–Q	idle_adjusted_mean_watts	8	-0.00318576	0.0234845	[−0.0228193, 0.0164477]
A	LR–Q	f1	10	0	0	[0, 0]
B	LR–Q	f1	9	0	0	[0, 0]
C	LR–Q	f1	8	0	0	[0, 0]
A	LR–Q	recall	10	0	0	[0, 0]
B	LR–Q	recall	9	0	0	[0, 0]
C	LR–Q	recall	8	0	0	[0, 0]
A	LR–Q	fpr	10	0	0	[0, 0]
B	LR–Q	fpr	9	0	0	[0, 0]
C	LR–Q	fpr	8	0	0	[0, 0]
A	LR–Q	balanced_accuracy	10	0	0	[0, 0]
B	LR–Q	balanced_accuracy	9	0	0	[0, 0]
C	LR–Q	balanced_accuracy	8	0	0	[0, 0]
A	LR–Q	deadline_miss_windows	10	0	0	[0, 0]
B	LR–Q	deadline_miss_windows	9	0	0	[0, 0]
C	LR–Q	deadline_miss_windows	8	0	0	[0, 0]
A	LR–Q	late_completed_rows	10	0	0	[0, 0]
B	LR–Q	late_completed_rows	9	0	0	[0, 0]
C	LR–Q	late_completed_rows	8	0	0	[0, 0]
A	LR–Q	completed_rows	10	0	0	[0, 0]
B	LR–Q	completed_rows	9	0	0	[0, 0]
C	LR–Q	completed_rows	8	0	0	[0, 0]
A	LR–Q	final_backlog_rows	10	0	0	[0, 0]
B	LR–Q	final_backlog_rows	9	0	0	[0, 0]
C	LR–Q	final_backlog_rows	8	0	0	[0, 0]
A	RF–Q	energy_joules	10	52.4146	8.64864	[46.2277, 58.6014]
B	RF–Q	energy_joules	9	51.3142	8.398	[44.8589, 57.7694]

Set	Pair	Metric	n	Mean	SD	95% CI
C	RF–Q	energy_joules	8	49.505	6.85109	[43.7774, 55.2327]
A	RF–Q	mean_watts	10	0.104811	0.0172807	[0.0924493, 0.117173]
B	RF–Q	mean_watts	9	0.10261	0.0167764	[0.0897146, 0.115506]
C	RF–Q	mean_watts	8	0.0989928	0.0136774	[0.0875582, 0.110427]
A	RF–Q	idle_adjusted_energy_joules	10	55.5577	18.5251	[42.3056, 68.8097]
B	RF–Q	idle_adjusted_energy_joules	9	53.1976	17.9839	[39.374, 67.0213]
C	RF–Q	idle_adjusted_energy_joules	8	49.2977	14.6008	[37.0911, 61.5043]
A	RF–Q	idle_adjusted_mean_watts	10	0.111115	0.0370501	[0.0846108, 0.137619]
B	RF–Q	idle_adjusted_mean_watts	9	0.106395	0.0359672	[0.0787478, 0.134041]
C	RF–Q	idle_adjusted_mean_watts	8	0.0985948	0.0292009	[0.0741822, 0.123007]
A	RF–Q	f1	10	0.0142885	0.000131371	[0.0141945, 0.0143825]
B	RF–Q	f1	9	0.0142766	0.000133462	[0.014174, 0.0143791]
C	RF–Q	f1	8	0.0142634	0.000136257	[0.0141494, 0.0143773]
A	RF–Q	recall	10	0.0296856	0.000254434	[0.0295036, 0.0298677]
B	RF–Q	recall	9	0.0296694	0.000264329	[0.0294662, 0.0298726]
C	RF–Q	recall	8	0.0296331	0.00025747	[0.0294179, 0.0298484]
A	RF–Q	fpr	10	0.00166049	7.73474e-05	[0.00160516, 0.00171582]
B	RF–Q	fpr	9	0.00166799	7.80923e-05	[0.00160796, 0.00172801]
C	RF–Q	fpr	8	0.00165677	7.53361e-05	[0.00159379, 0.00171975]
A	RF–Q	balanced_accuracy	10	0.0140126	0.000126178	[0.0139223, 0.0141028]
B	RF–Q	balanced_accuracy	9	0.0140007	0.000127787	[0.0139025, 0.0140989]
C	RF–Q	balanced_accuracy	8	0.0139882	0.00013055	[0.013879, 0.0140973]
A	RF–Q	deadline_miss_windows	10	0	0	[0, 0]
B	RF–Q	deadline_miss_windows	9	0	0	[0, 0]
C	RF–Q	deadline_miss_windows	8	0	0	[0, 0]
A	RF–Q	late_completed_rows	10	0	0	[0, 0]
B	RF–Q	late_completed_rows	9	0	0	[0, 0]
C	RF–Q	late_completed_rows	8	0	0	[0, 0]
A	RF–Q	completed_rows	10	0	0	[0, 0]
B	RF–Q	completed_rows	9	0	0	[0, 0]
C	RF–Q	completed_rows	8	0	0	[0, 0]
A	RF–Q	final_backlog_rows	10	0	0	[0, 0]
B	RF–Q	final_backlog_rows	9	0	0	[0, 0]
C	RF–Q	final_backlog_rows	8	0	0	[0, 0]