

Index

- 2-D graphs, 197–206
 - axis limits, 200–202
 - graphical input, 203
 - labels, 198–199
 - line styles, markers and color, 200
 - logarithmic plots, 203–204
 - multiple plots, on same axes, 199–200
 - multiple plots, on figures (subplot), 202–203
 - plotting changing mathematical functions, 205–206
 - polar plots, 204–205
- 3-D plots
 - animated, with comet3, 207
 - contour plots, 210–211
 - cropping with Nans, 211
 - mesh surfaces, 207–210
 - plot3, 206–207
 - rotation, 214
 - visualization of matrices, 213–214
 - visualizing vector fields, 211–213

A

- Air resistance
 - in free fall, 266, 272–281
- Algebra, Symbolics Toolbox in, 358–365
 - matrices, 362–365
 - polynomials, 359–361
 - vectors, 361–362
- Animation, 223–226
 - with handle graphics, 223–226
- Arithmetic, in MATLAB, 6–7
 - command lines, 6
 - creating and editing command lines, 7
- Arrays, 36–42
 - arithmetic operators, 48–49
 - see also* Vector

B

- Bacteria division, 290
- Basic for construct, 60–61
- Bouncing ball dynamic system, 349–351
 - hybrid dynamic system, 349–350
 - integrators, 350
 - modification, 349
- Bug, 257
 - see also* Syntax errors, Logic errors, Rounding errors

C

- Calculus, Symbolics Toolbox in, 365–368
- Camel caps*, 34
- Cantilever beam, 267–269
- Capturing output, 40–41
- Cell arrays, 251–255
 - accessing data, 253
 - assigning data, 251–253
 - comma-separated variable lists, 253–254
 - display, s0085, 254
 - visualization, s0085, 254
- cla, 203
- clc (clear command window) command, 9
- clear pi values, 8–9
- clear test, 166
- clf, 203
- Coloring, 226–229
 - colormaps, 226–227
 - surface plots, 227–229
 - truecolor, 229
- Colormaps, 226–227
- Command Bar
 - differentiation and integration, 21–22
- Command Window, 5
- Commands, 50–51
- Complex numbers, 72–74
- Control Systems Toolbox, 267

D

- Debugging M-files, 172–174
 - script, 172–174
- Debugging, 257
- Decisions, 64–72
 - elseif, 68–69
 - if-else construct, 66–68
 - logical operators, 69–70
 - multiple ifs versus elseif, 70–71
 - nested ifs, 71–72
 - one-line if statement, 65–66
 - one-line if-else statement, 68
 - switch statement, 72
 - vectorizing ifs, 72
- Desktop
 - APPS toolbar, 20
 - Editor, 15
 - Help environment, 16–17
 - New Script, 14
 - PUBLISH, 17
 - VIEW, 18–19
- det (determinant), 145
- Duffing oscillator, 352–354
 - nonlinear dynamics, 352–353
- Dynamical systems
 - cantilever beam, 267–269
 - electrical current, 269–272
 - extension of projectile, 266
 - flow in simple closed-loop electrical circuit, 266
 - free fall, 266, 272–281
 - projectile with friction, 281–284
 - structural element, 266

E

- Editing plots
 - plot edit mode, 221
 - Property Editor, 221–223
- eig (eigenvalue decomposition), 145
- Elementary matrices, 136–137
- elseif, 68–69
- Errors, *see* Syntax errors, Logic errors, Rounding errors
- exp (x) (*ex*), 8
- expm (matrix exponential), 145
- Exporting binary data, 108
- Exporting text (ASCII) data, 107
- Expressions
 - arithmetic operators, 46
 - colon operator, 47
 - data types, 45–46
 - in numbers, 45
 - operator precedence, 46–47
 - transpose operator, 47–48

F

- Factorials!, 59
- Fast Fourier Transform (FFT), 334
 - time interval, 335
- figure, 203
- First-order differential equations
 - alternative subscript notation, 312–314
 - bacteria growth, 311–312
 - Euler's method, 310–311
 - predictor-corrector method, 314–315
- for in single line, 61–62
- Formula vectorization, 51–54
- Fourier series, 329
- fplot, 205–206
- Free fall, 266, 272–281
 - friction (air resistance), 272
 - linear-friction case, 278
 - structure plan, 273–275
 - terminal speeds, 273
- Frequencies, 244–246
 - histograms, 246
 - randoming, 244–246
 - sorting, 246–249
- Function M-file
 - basic rule, 163–169
 - checking function arguments, 167–168
 - command/function duality, 171
 - debugging, 172–174
 - function handles, 169–171
 - function Keyword, 164
 - function name resolution, 171–172
 - general form, 163–164
 - global variables, 165
 - help text, 164–165
 - input and output arguments, 164
 - local variables, 165
 - with MATLAB profiler, 169
 - multiple output arguments, 164
 - naming convention, 164
 - Newton's method, 161–163
 - passing function arguments, 167
 - P-code files, 168–169
 - persistent variables, 165–166
 - private functions, 168
 - recursion, 174–175
 - return values, 166
 - simulated pass by reference, 167
 - subfunctions, 168
 - variable number of arguments, 168
 - vector arguments, 166–167
- Functions, 50–51

G

Garbage in, Garbage out, 4
 Gaussian random numbers, 295
 global PLINK PLONK, 165

H

Handle graphics, 214–220
 getting handles, 215–216
 graphic object properties, 216–218
 graphics object creation functions, 219
 parenting, 219
 positioning figures, 219–220
 vecto of handles, 218–219
 Heat conduction, 321–324
 help command, 9
 help *directory_name*, 165

I

if-else construct, 66–68
 Importing binary data, 108
 Importing text (ASCII) data, 107–108
 Integration, 306–308
 quad, 308
 Simpson's rule, 308
 Trapezoidal rule, 306–308
 inv (inverse), 145

L

Laplace, 368–369
 Leslie matrices
 population growth, 145–149
 Limit, of sequence, 59–60
 Linear equations, 11–12, 152–156
 ill conditioning, 155
 MATLAB's solution, 152–153
 matrix division, 155–156
 over-determined systems, 154
 residual, 153–154
 under-determined systems, 154–155
 Linear ordinary differential equations
 (LODEs), 315
 passing additional parameters, 319–321
 Load and save commands, 107
 Logic errors, 258–259
 Logical function, 121–122
 using any and all, 122
 Logical operators, 117–120
 danger, 118–119
 operator precedence, 118
 and vectors, 119–120
 Logical vectors
 avoiding infinity, 114–115
 counting random numbers, 116
 discontinuous graphs, 112–113

Divide by zero warning, 113
 and elseif ladders, 122–125
 logical expressions, 111–112
 logical operators, 117–120
 rolling dice, 116–117
 subscription, 120–121

Loops

 binomial coefficient, 179–180
 determinate repetition with series for,
 179–182
 indeterminate repetition with series
 while, 179–182
 nested fors, 182
 update processes, 180–182
 lu (LU factorization), 145

M

magic (10), 22–23
 Manipulating matrices, 138–139
 Markov process, 149–152
 random walk simulation, 149–150
 state vector, 150
 transition probability matrix, 150
 Mass-spring-damper dynamic system,
 347–349
 Mathematical functions, 8–9
 MATLAB desktop, 6
 MATLAB functions, 101–106
 exporting binary data, 108
 exporting text (ASCII) data, 107
 importing and exporting data, 106–108
 importing binary data, 108
 importing text (ASCII) data, 107–108
 load and save commands, 107
 MATLAB fundamentals
 capturing output, 40–41
 case sensitive, 34
 decisions, 64–72
 expression, 44–54
 matrix, 36
 output, 54–57
 repeating with for, 57–64
 structure plan, 41–42
 variable, 33–34
 vector, 36
 vertical motion, in gravity,
 42–44
 workspace, 34–36
 MATLAB graphics
 in 2-D, 197–206
 animation, 223–226
 axis limits, 200–202
 coloring, 226–229
 exporting, 230–231

- graphical input, 203
 - labels, 198–199
 - lighting and camera, 229–230
 - line styles, markers and color, 200
 - logarithmic plots, 203–204
 - multiple plots, on same axes, 199–200
 - multiple plots, on figures (subplot), 202–203
 - plotting changing mathematical functions, 205–206
 - polar plots, 204–205
 - printing, 230
 - saving and opening figure files, 230–231
 - MATLAB R2012b, 12
 - MATLAB, 3
 - computer programming systems, 4
 - cut and paste editing, 26–28
 - essential requirements, 4
 - functions and commands, 9
 - handling, 7
 - help documentation, 13
 - in arithmetic, 6–7
 - in Desktop, 12–26
 - in matrices, 138
 - interactive, 4
 - learning basic rules, 4
 - linear equations, 11–12
 - mathematical functions in, 8–9
 - memory location, 30
 - naming of user-defined variables, 8
 - pi value, 8
 - save file, 28–30
 - script file, 28
 - tutorials and demonstrations, 12
 - usage in Windows, 5
 - values in, 7
 - variables in, 7–8
 - vectors, 9–11
 - MATLAB's sort, 248–249
 - Matrices, 40, 129–143
 - array (element-by-element) operations, 139
 - colon operator, 132–135
 - creation, 131
 - deleting rows and columns, 135–136
 - duplicating rows and columns, 135
 - elementary matrices, 136–137
 - and for statement, 139–140
 - manipulating matrices, 138–139
 - multi-dimensional arrays, 142–143
 - ready-mix concrete company, 129–130
 - specialized matrices, 137–138
 - subscripts, 131–132
 - transpose, 132
 - using MATLAB functions, 138
 - vectorizing nested for (loan repayment tables), 140–142
 - visualization of, 140
 - Matrix
 - m rows and n columns, 3
 - Matrix exponentiation, 145
 - Matrix multiplication, 143–145
 - Matrix operations, 143–145
 - exponentiation, 145
 - multiplication, 143–145
 - Multi-dimensional arrays, 142–143
 - Multiple ifs versus elseif, 70–71
 - mupad, 373
 - MuPAD Notebook APP, 19, 20
 - mupad Notebook, 373–374
- ## N
- NaN, 7
 - Natural logarithm, 8–9
 - Nested ifs, 71–72
 - Newton's method, 301–304
 - bisection method, 304–305
 - complex roots, 303–304
 - fzero, 305–306
 - roots, 306
 - square root in, 58–59
 - Normal random numbers, 295
 - Numerical methods
 - diff, 310
 - equations, 301–306
 - first-order differential equations, 310–315
 - linear ordinary differential equations (LODEs), 315
 - partial differential equation, 321–324
 - quad, 308
 - Simpson's rule, 308
 - Trapezoidal rule, 306–308
- ## O
- One-line if statement, 65–66
 - One-line if-else statement, 68
 - Output, 54–57
 - disp statement, 54–56
 - format, 56–57
 - scale factors, 57
- ## P
- P-code files, 168–169
 - pi value, 8

Program design process, 84–94
 algorithm, 87
 application, 87
 evaluated and tested code, 89–91
 evaluation, 87
 mathematical formulas, 88
 problem algorithm, 87
 problem analysis, 86
 problem statement, 87
 processing scheme, 87
 projectile problem, 87–94
 required inputs, 89
 Programming MATLAB functions, 94–98
 function $y = f(x)$, 95–98
 harmonic oscillators, 94–95
 Projectile with friction, 281–284
 Property Editor, 206

Q

qr (orthogonal factorization), 145
 quad, 308

R

Random Bank program, 70
 Random number generation, 287–288
 seeding rand, 288
 Random walk, 290–292
 Recursion, 174–175
 Repeating with for, 57–64
 basic construct, 60–61
 by vectorizing, 62–64
 Factorials!, 59
 general form, 62
 limit, of sequence, 59–60
 in single line, 62
 Rolling dice, 289–290
 Rounding errors, 259–260
 Runge-Kutta methods, 315–321
 chaos, differential equation, 316–319
 single differential equation, 316

S

Scalars, 9–10
 Script files
 context menu, 29–30
 directory, 29
 Seeding rand, 288
 series for, determinate repetition with,
 179–182
 series while, indeterminate repetition with
 179–182
 break and continue, 189
 doubling time, of investment, 184–185

guessing game, 182–183
 menus, 189–190
 prime numbers, 185–186
 projectile trajectory, 186–189
 while statement, 183–184
 Signal processing
 Fast Fourier Transform (FFT),
 334
 Fourier series, 329
 harmonic analysis, 330
 Simpson's rule, 308
 Simulation
 bacteria division, 290
 normal (Gaussian) random numbers,
 295
 random number generation, 287–288
 random walk, 290–292
 of real-time events, 287
 rolling dice, 289–290
 spinning coins, 288–289
 traffic flow, 292–295
 simulink, 342
 time simulation, 344–346
 Simulink Library Browser, 343
 with Simulink untitled coding window,
 343
 Simulink window
 in MATLAB desktop, 342
 SIMULINK® Toolbox
 bouncing ball dynamic system, 349–351
 definition, 341–342
 Duffing oscillator, 352–354
 mass-spring-damper dynamic system,
 347–349
 simulink command, 342
 Van Der Pol oscillator, 351–352
 Sorting, 246–249
 bubble sort, 246–248
 MATLAB's sort, 248–249
 Sparse matrices, 156–159
 Specialized matrices, 137–138
 Spinning coins, 288–289
 Statements, 49–50, 50–51
 Structure plan, 41–42
 Structures, 249–251
 svd (singular value decomposition), 145
 Switch statement, 72
 Symbolic Math Toolbox, 19
 Symbolics Toolbox
 in algebra, 358–365
 in calculus, 365–368
 differential equations, 371–372
 differentiation function, 357–358

- funtool, 372–373
- generalized functions, 369–371
- help documents, 374
- Laplace, 368–369
- mupad Notebook, 373–374
- quadratic equation, finding solutions, 358
- symbolic help, 373–374
- Z transforms, 368
- Syntax errors, 257–258
 - incompatible vector size, 258
 - name hiding, 258

T

- Tiling, 135
- Traffic flow, 292–295
- Trapezoidal rule, 306–308
- Trigonometric functions, 8
- Truecolor, 229

V

- Van Der Pol oscillator, 351–352
- Variable, 33–34
- Variables, 7–8
 - assigning values, 7–8
 - to do arithmetic operation
 - in MATLAB, 7

- entering statement, 7–8

Vector, 36

- colon operator, 38
- explicit lists, 36
- linespace and logspace function, 38–39
- subscripts, 39–40
- transposing vector, 39

Vectors, 9–11

- in arrays, 237
- cell arrays, 251–255
- exact solution, 243–244
- frequencies, 244–246
- functions, 242–243
- histograms, 246
- non-unit time steps, 240–242
- object-oriented programming, 255
- randoming, 244–246
- sorting, 246–249
- structures, 249–251
- unit time steps, 238–240
- update processes, 237–244

Vertical motion, in gravity, 42–44

Z

Z transforms, 368