
CMS Simulation √s = 8 TeV
RPCb
particle type:
e
π
μ
K
p
Nuclei
neutron background
prompt and decay
250 ns
1 ms
1 MeV
10log TOF (ns)
10log E kin (MeV)
8
7
6
5
4
3
2
1
-4
-3
-2
-1
0
1
2
3
4
5


CMS Simulation √s = 8 TeV
RPCf
particle type:
e
π
μ
K
p
Nuclei
neutron background
prompt and decay
1 ms
250 ns
1 MeV
10log TOF (ns)
10log E kin (MeV)
8
7
6
5
4
3
2
1
-4
-3
-2
-1
0
1
2
3
4
5


CMS Simulation √s = 8 TeV
CSC
particle type:
e
π
μ
K
p
Nuclei
neutron background
prompt and decay
10log TOF (ns)
1 ms
250 ns
1 MeV
10log E kin (MeV)
8
7
6
5
4
3
2
1
-4
-3
-2
-1
0
1
2
3
4
5


CMS Simulation √s = 8 TeV
DT
particle type:
e
π
μ
K
p
Nuclei
neutron background
prompt and decay
1 ms
250 ns
1 MeV
10log TOF (ns)
10log E kin (MeV)
8
7
6
5
4
3
2
1
-4
-3
-2
-1
0
1
2
3
4
5


CMS Simulation √s = 8 TeV
RPCb
particle type:
e
π
μ
K
p
Nuclei
neutron background
prompt and decay
1 ms
250 ns
1 keV
10log TOF (ns)
10log E deposit (keV)
8
7
6
5
4
3
2
1
-3
-2
-1
0
1
2
3
4
5
6


CMS Simulation √s = 8 TeV
RPCf
particle type:
e
π
μ
K
p
Nuclei
neutron background
prompt and decay
1 ms
250 ns
1 keV
10log TOF (ns)
10log E deposit (keV)
8
7
6
5
4
3
2
1
-3
-2
-1
0
1
2
3
4
5
6


CMS Simulation √s = 8 TeV
CSC
particle type:
e
π
μ
K
p
Nuclei
neutron background
prompt and decay
1 ms
250 ns
10log TOF (ns)
10log E deposit (keV)
8
7
6
5
4
3
2
1
-3
-2
-1
0
1
2
3
4
5
6


CMS Simulation √s = 8 TeV
DT
particle type:
e
π
μ
K
p
Nuclei
neutron background
prompt and decay
1 ms
250 ns
1 keV
10log TOF (ns)
10log E deposit (keV)
8
7
6
5
4
3
2
1
-3
-2
-1
0
1
2
3
4
5
6


CMS Simulation √s = 8 TeV
Hits
RPCb
e
μ
had
0
1
2
3
4
5
6
7
8
-3
-2
-1
0
1
2
3
4
5
6
10log E deposit (keV)
1 keV


CMS Simulation √s = 8 TeV
Hits
RPCf
e
μ
had
0
1
2
3
4
5
6
7
8
9
-3
-2
-1
0
1
2
3
4
5
6
10log E deposit (keV)
1 keV


CMS Simulation √s = 8 TeV
Hits
CSC
e
μ
had
800
700
600
500
400
300
200
100
0
-3
-2
-1
0
1
2
3
4
5
6
1 keV
10log E deposit (keV)


CMS Simulation √s = 8 TeV
Hits
DT
e
μ
had
0
10
20
30
40
50
60
70
80
90
-3
-2
-1
0
1
2
3
4
5
6
1 keV
10log E deposit (keV)


CMS Simulation √s = 8 TeV
R (cm)
Z (cm)
0
100
200
300
400
500
600
700
800
0
200
400
600
800
1000
0
20
40
60
80
100


CMS Simulation √s = 8 TeV
R (cm)
Z (cm)
0
100
200
300
400
500
600
700
800
0
200
400
600
800
1000
0
20
40
60
80
100


CMS Simulation √s = 8 TeV
R (cm)
Z (cm)
0
100
200
300
400
500
600
700
800
0
200
400
600
800
1000
0
2
4
6
8
10
12
14
16


CMS Simulation √s = 8 TeV
R (cm)
Z (cm)
e
μ
had
0
100
200
300
400
500
600
700
800
0
200
400
600
800
1000


CMS Simulation √s = 8 TeV
R (cm)
Z (cm)
e
μ
had
0
100
200
300
400
500
600
700
800
0
200
400
600
800
1000


CMS Simulation √s = 8 TeV
R (cm)
Z (cm)
e
μ
had
0
100
200
300
400
500
600
700
800
0
200
400
600
800
1000


CMS Simulation √s = 8 TeV
R (cm)
Z (cm)
e
μ
had
0
100
200
300
400
500
600
700
800
0
200
400
600
800
1000


CMS Simulation √s = 8 TeV
Events
1
0.8
0.6
0.4
0.2
0
e
μ
had
2
4
6
8
10
12
Number of Layers hit in RPCb system


CMS Simulation √s = 8 TeV
Events
1
0.8
0.6
0.4
0.2
0
e
μ
had
2
4
6
8
10
12
Number of Layers hit in RPCf system


CMS Simulation √s = 8 TeV
Events
1
0.8
0.6
0.4
0.2
0
2
4
6
8
10
12
Number of Layers hit in CSC system
e
μ
had


CMS Simulation √s = 8 TeV
Events
1
0.8
0.6
0.4
0.2
0
e
μ
had
2
4
6
8
10
12
Number of Layers hit in DT system


CMS Simulation √s = 8 TeV
Endcap
Barrel + Endcap
Barrel
Rate (Hz/cm²)
Instantaneous Luminosity × 10³⁴ (cm⁻²s⁻¹)
0
1
2
3
4
5
6
0
0.1
0.2
0.3
0.4
0.5
0.6


CMS Simulation √s = 8 TeV
RE1/2
RE1/3
Rate (Hz/cm²)
Instantaneous Luminosity × 10³⁴ (cm⁻²s⁻¹)
0
0.5
1
1.5
2
2.5
3
3.5
4
0.1
0.2
0.3
0.4
0.5
0.6


CMS Simulation √s = 8 TeV
RE2/2
RE2/3
Rate (Hz/cm²)
0
2
4
6
8
10
12
14
0
0.1
0.2
0.3
0.4
0.5
0.6
Instantaneous Luminosity × 10³⁴ (cm⁻²s⁻¹)


CMS Simulation √s = 8 TeV
RE3/2
RE3/3
Rate (Hz/cm²)
0
2
4
6
8
10
0
0.1
0.2
0.3
0.4
0.5
0.6
Instantaneous Luminosity × 10³⁴ (cm⁻²s⁻¹)


CMS Simulation √s = 8 TeV
RE4/2
RE4/3
Rate (Hz/cm²)
0
2
4
6
8
10
12
14
0
0.1
0.2
0.3
0.4
0.5
0.6
Instantaneous Luminosity × 10³⁴ (cm⁻²s⁻¹)