

DRIFTLens

Incident to guard

Find the configuration gap that caused a failure.
Repair it once. Keep the release gate green.

A developer workflow prototype built with IBM Bob IDE

One missing key can escape a local test

INCIDENT LOG

KeyError: 'PAYMENT_API_KEY'

The application reads the key.

Developer setup omits it. Deployment omits it.

The cost is manual cross-file investigation after the service fails.

From an incident to a release decision

01 / TRIAGE

Paste a failure log

Match the missing key to source and contract.

02 / TRACE

Show the broken path

Locate setup and deployment gaps.

03 / REPAIR

Preview two file edits

Confirm changes and scan again.

04 / GUARD

Check the next release

Use the same analyzer from CLI and CI.

Two blockers become zero after repair

BEFORE

2

missing entries

HOLD RELEASE

AFTER

0

static blockers

READY TO PROCEED


Bob contributed across the workflow

01 CLI release gate

02 Incident correlation

03 Repair preview

04 CI checks



Four real task summaries supplied by the team

What the prototype proves

DEMONSTRATED

- A reproducible failure case
- A trace to two file locations
- A reviewed repair
- A release gate for CI

BOUNDARY

Static consistency only.
Runtime secret values and
service health still require
deployment checks.

The result: less manual file comparison and a decision the team can rerun.