



PT. CITRA MARINE SERVICES INTERNATIONAL

- Fire Extinguisher - Life Boat - Rental Water Bags
- Inflatable Lifteraft - Service Station - Marine Safety Equipment

Batam Office : Komp. Pasar SP Blok D No. 3 Batu Aji - Batam Telp.: (0778) 395 063, Fax. (0778) 395 058
Jakarta Workshop : Komp. Green Sedayu Bizpark Blok GS 8 No.15 - Jakarta Timur Telp. 021-2287 4402
Belawan Workshop : Jl. Jawa No.11 Kelurahan Belawan II, kecamatan Medan Belawan - Kota Medan
Website : www.citramarine.com, Email : cs@citramarine.com

Approval By:



SERVICING CERTIFICATE FOR INFLATABLE LIFERAFT

Cert. No : CMSI-LSA/4803/07/21

Name of Ship : TB. MITRA ANUGERAH 32 Port Of Registry : SAMARINDA
Manufacturer : SHANGHAI YOULONG RUBBER Type : KHA-15
Serial No : 7140 Date of Manufacture : APRIL 2013
Carrying Capacity (Pers): 15 Emergency Pack Type: SOLAS 96 'A' PACK

THIS IS TO CERTIFY that

1. The above - mentioned inflatable liferaft has been inspected, repaired and tested and found to be in compliance with the under - mentioned requirements, the liferaft in serviceable condition.
INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA (I C S) and INTERNATIONAL LIFE - SAVING APPLIANCE (LSA) CODE
2. The technical condition of the gas cylinders, equipment and appliances has been found to satisfaction, and the tested data report attached.
3. The technical condition of the above - mentioned inflatable liferaft has been found to satisfaction, end the log card has been endorsed accordingly.

Date of issue

: 16 JULY 2021

Date of next inspection :

1 JULY 2022



Service Station

PT.CMSI

SURVEYOR

MICHAEL L

HENDRIK KURNIA ADI M.MTr.
NIP. 19760401 200604 1001

INFLATABLE LIFERAFT INSPECTION AND TEST REPORT

Cert No : **4803**

Manufacturer	SHANGHAI YOULONG RUBBER				Type	KHA-15		Serial No.	7140			
Date of Manufacture	'APR 2013		Date Last Insp	AUG 2020		Date This Insp		JULY 2021				
Emergency Pack Type	SOLAS (96) 'A' PACK				Relative Humidity (%)		75 %					
Over Pressure Test / NAP Test								Es Test				
Test Items	Time On	Temp On (°C)	Press On (Kpa)	Time Off	Temp Off (°C)	Press Off (Kpa)	- GOOD					
Upper Chamber	09.20	24.00	20.00	09.50	24.00	20.00	G1 Test					
Lower Chamber	09.20	24.00	20.00	09.50	24.00	20.00	_ GOOD					
W.P. Test								Safety Valve Test				
Test Items	Time On	Temp On (°C)	Temp On (Kpa)	Temp On	Temp Off (°C)	Press Off (Kpa)	Open	Close				
Upper Chamber	10.20	24.00	13.30	11.20	24.00	13.30	18.00	13.80				
Lower Chamber	10.20	24.00	13.40	11.20	24.00	13.30	18.50	14.00				
Canopy Tube	11.30	24.00	13.30	11.45	24.00	13.30	GOOD	GOOD				
Floor	09.30	24.00	2.70	10.30	24.00	2.70	B R Valve	Open	10.00			
								Close	6.00			
10% Overload Suspension Test		n/a		The Seams Between Floor and Bouyancy Tube Checked		X		Repaired Part :		Overhauled : MICHAEL L		
Gas Cylind SERIAL No	774504	Date of Water Pro.	'SEP 2018	Date of filling	'SEP 2018	(Kg) Total Wt. (Kg)	18,524 kg	Co2 Wt (Kg)	2.80	N2 Wt (Kg)	0.20	
						11.82	2.80	0.20				
Gas Cylind Der	Renew	X	Refill	- X	Weight	Repair Of Renew Part		Overhauled MICHAEL L				
Equipment	Origin	Renew	Expire	Equipment	Origin	Renew	Equipment	Origin	Renew	Equipment	Origin	Renew
Food Relation	15	RN	01.2024	Water Proof Torch	1	OK	Whistle	1	OK	Rescue Quoit line	1	OK
Fresh Water	45	RN	01.2024	Drink Vessel	1	OK	Bellows	1	OK	Seicoors	1	OK
Hand Red Flair	6	OK	07.2023	Fishing Tickle	1	OK	Bailer	2	OK	R.R. Matenal(set)	1	OK
Parachute Rocket	4	OK	07.2023	Survivors Manual	1	OK	Seasickness Bag	15	OK	Canopy Light	1	OK
Buoyant Smoke Sing	2	OK	07.2023	Life Saving Sig	1	OK	Painter Plug	1	OK	Interior Light	1	OK
First Aid Out Fit	1	RN	08.2022	Tin Opener	3	OK	Painter Board	1	OK	Safety Valve	2	OK
Light Cell	1	OK		Signal Mirror	1	OK	Rain Catchment	2	OK	Container	1	OK
Spare Bat Blub	4/1	OK		Radar Reflector	1	OK	Log Card	1	OK	Noo - Return Valve	4	OK
Thermal Protective	2	OK		Equipment Bag	1	OK	Laun Manual	1	OK	EPIRB	-	-
Repair Ou Fit (set)	1	OK		Sea Anchor (set)	2	OK	Immed Act Card	1	OK			
Safety Knife	2	OK		Painter Spare	1/1	OK	Sponge	2	OK			
Sea Sick Med	90	RN	07.2022	Raft Manual	1	OK	Padle Bag	2/1	OK	Overhauled	MICHAEL L	
WT Packing	X	Seal	X	Drop Test	-	Remark : Normal x Repair o Renew v Inapplicable —						
Others : RAFT IN GOOD CONDITION												

PT.CITRA MARINE SERVICES INTL - JAKARTA INDONESIA

Inspector : MICHAEL L

An. K.A. KANTOR KESYAHBANDARAN UTAMA TG. PRIOK

KABID. STATUS WUKOM DAN SERTIFIKASI KAPAL

KANTOR KESYAHBANDARAN UTAMA TG. PRIOK

Capt. HENDRIK KURNIA ADI M.MTr.

NIP. 19760401 200604 1004

MARINE SERVICES INTERNATIONAL



PT. CITRA MARINE SERVICES INTERNATIONAL

- Fire Extinguisher - Life Boat - Rental Water Bags
- Inflatable Liferaft - Service Station - Marine Safety Equipment

Batam Office : Komp. Pasar SP Blok D No. 3 Batu Aji - Batam Telp.: (0778) 395 063, Fax. (0778) 395 058
Jakarta Workshop : Komp. Green Sedayu Bizpark Blok G5 8 No.15 - Jakarta Timur Telp. 021-2287 4402
Belawan Workshop : Jl. Jawa No.11 Kelurahan Belawan II, kecamatan Medan Belawan - Kota Medan
Website : www.citramarine.com, Email : cs@citramarine.com

Approval By:



Lloyd's
Register



ISO 9001 - 2016

SERVICING CERTIFICATE FOR INFLATABLE LIFERAFT

Cert. No : CMSI-LSA/4802/07/21

Name of Ship : TB. MITRA ANUGERAH 32 Port Of Registry : SAMARINDA
Manufacturer : SHANGHAI YOULONG RUBBER Type : KHA-15
Serial No : 7139 Date of Manufacture : APRIL 2013
Carrying Capacity (Pers): 15 Emergency Pack Type: SOLAS 96 'A' PACK

THIS IS TO CERTIFY that

1. The above - mentioned inflatable liferaft has been inspected, repaired and tested and found to be in compliance with the under - mentioned requirements, the liferaft in serviceable condition.
INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA (I C S) and INTERNATIONAL LIFE - SAVING APPLIANCE (LSA) CODE
2. The technical condition of the gas cylinders, equipment and appliances has been found to satisfaction, and the tested data report attached.
3. The technical condition of the above - mentioned inflatable liferaft has been found to satisfaction, and the log card has been endorsed accordingly.

Date of issue

: 16 JULY 2021

KANTOR KESYAHBANDARAN UTAMA TG. PRIOK
KABID. STAFUS HUKUM DAN SERTIFIKASI KAPAL

Service Station

PT. CMSI

Date of next inspection

:

JULY 2022

Capt. HENDRIK KURNIA ADI M.MTr.
NIP. 19760401 200604 1001

SURVEYOR

MICHAEL L

INFLATABLE LIFERAFT INSPECTION AND TEST REPORT

Cert No : **4802**

Manufacturer	SHANGHAI YOULONG RUBBER				Type	KHA-15		Serial No.	7139			
Date of Manufacture	'APR 2013		Date Last Insp	AUG 2020		Date This Insp	JULY 2021					
Emergency Pack Type	SOLAS (96) 'A' PACK				Relative Humidity (%)	75 %						
Over Pressure Test / NAP Test										Es Test		
Test Items	Time On	Temp On (°C)	Press On (Kpa)	Time Off	Temp Off (°C)	Press Off (Kpa)	- GOOD					
Upper Chamber	09.20	24.00	20.00	09.50	24.00	20.00	OI Test					
Lower Chamber	09.20	24.00	20.00	09.50	24.00	20.00	- GOOD					
WP Test										Safety Valve Test		
Test Items	Time On	Temp On (°C)	Temp On (Kpa)	Temp On	Temp Off (°C)	Press Off (Kpa)	Open	Close				
Upper Chamber	10.20	24.00	13.30	11.20	24.00	13.30	18.00	13.80				
Lower Chamber	10.20	24.00	13.40	11.20	24.00	13.30	18.50	14.00				
Canopy Tube	11.30	24.00	13.30	11.45	24.00	13.30	GOOD	GOOD				
Floor	09.30	24.00	2.70	10.30	24.00	2.70	B.R Valve	Open	10.00			
							Close	6.00				
10% Overload Suspension Test		n/a		The Seams Between Floor and Bouyancy Tube Checked		X		Repaired Part :		Overhauled : MICHAEL L		
Gas Cylider SERIAL No.	774503	Date of Water Pro	SEP 2018	Date of filling	SEP 2018	(Kg) Total Wt. (Kg)	18,520 kg	Co2 Wt. (Kg)	2.80	N2 Wt (Kg) 0.20		
							11.82	2.80	0.20			
Gas Cylider Der	Renew	X	Refill	- X	- Weight			Repair Of Renew Part		Overhauled MICHAEL L		
Equipment	Origin	Renew	Expire	Equipment	Origin	Renew	Equipment	Origin	Renew	Equipment	Origin	Renew
Food Relation	15	RN	01.2024	Water Proof Torch	1	OK	Whistle	1	OK	Rescue Quoit line	1	OK
Fresh Water	45	RN	01.2024	Drink Vessel	1	OK	Bellows	1	OK	Scissors	1	OK
Hand Red Flair	6	OK	07.2023	Fishing Tackle	1	OK	Bailer	2	OK	R.R.Material (set)	1	OK
Parachute Rocket	4	OK	07.2023	Survivors Manual	1	OK	Seasickness Bag	15	OK	Canopy Light	1	OK
Buoyant Smoke Sing	2	OK	07.2023	Life Saving Sig.	1	OK	Painter Plug	1	OK	Interior Light	1	OK
First Aid Out Fit	1	RN	08.2022	Tin Opener	3	OK	Painter Board	1	OK	Safety Valve	2	OK
Light Cell	1	OK		Signal Miror	1	OK	Rain Catchment	2	OK	Container	1	OK
Spare Bat Blub	4/1	OK		Radar Reflector	1	OK	Log Card	1	OK	Non - Return Valve	4	OK
Thermal Protective	2	OK		Equipment Bag	1	OK	Laun Manual	1	OK	EPIRB	-	-
Repair Ou Fit (set)	1	OK		Sea Anchor (set)	2	OK	Immed Act Card	1	OK			
Safety Knife	2	OK		Painter Spare	1/1	OK	Sponge	2	OK			
Sea Sick Med	90	RN	07.2022	Raft Manual	1	OK	Paddle Bag	2/1	OK	Overhauled	MICHAEL L	
WT Packing	X	Seal	X	Drop Test	-	Remark : Normal x Repair o Renew v Inapplicable —						
Others : RAFT IN GOOD CONDITION												

PT.CITRA MARINE SERVICES INTL - JAKARTA INDONESIA

Inspector : MICHAEL L

