




PT. CITRA MARINE SERVICES INTERNATIONAL

- Fire Extinguisher - Life Boat - Rental Water Bags
- Inflatable Lifteraft - Service Station - Marine Safety Equipment

Batam Office : Komp. Pasar SP Blok D No. 3 Batu Aji - Batam Telp.: (0778) 395 063, Fax. (0778) 395 058
Jakarta Workshop : Komp. Green Sedayu Bizpark Blok GS 8 No.15 - Jakarta Timur Telp. 021-2287 4402
Belawan Workshop : Jl. Jawa No.11 Kelurahan Belawan II, Kecamatan Medan Belawan - Kota Medan
Website : www.citramarine.com, Email : cs@citramarine.com

Approval By:



SERVICING CERTIFICATE FOR INFLATABLE LIFERAFT

Cert. No : CMSI/LSA/4410/10/20

Name of Ship : ENC RHAYDEN Port Of Registry : INDONESIA
Manufacturer : YOULONG RUBBER Type : KHA - 10
Serial No : 1250 Date of Manufacture : APRIL 2002
Carrying Capacity (Pers): 10 PERSON Emergency Pack Type: SOLAS 'A' PACK

THIS IS TO CERTIFY that

1. The above - mentioned inflatable liferaft has been inspected, repaired and tested and found to be in compliance with the under - mentioned requirements, the liferaft in serviceable condition.
INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA (I C S) and INTERNATIONAL LIFE - SAVING APPLIANCE (LSA) CODE
2. The technical condition of the gas cylinders, equipment and appliances has been found to satisfaction, and the tested data report attached.
3. The technical condition of the above - mentioned inflatable liferaft has been found to satisfaction, end the log card has been endorsed accordingly.

Date of issue : 10 OKTOBER 2020

Service Station : PT. CMSI

Date of next inspection : 09 OKTOBER 2021

SURVEYOR : AZLI ISHAK

Batam, 10 OKT 2020
An. KEPALA KANTOR KESYAHBANDARAN DAN
OTORITAS PELABUHAN KHUSUS BATAM
DAN KEMENTERIAN PERHUBUNGAN
REPUBLIK INDONESIA



Capt. FIRDAUS AFWINDRA, S.Tr, M. Mar

Penata (III/c)

NIP. 19810925 200712 1 002

INFLATABLE LIFERAFT INSPECTION AND TEST REPORT

Cert No : 4410

| | | | | | | | | | | | | |
|--|------------------|--------------------|---|-------------------|-----------------------|---|----------------------|--------------|-------------------|--------------------|--------|-------|
| Manufacturer | YOULONG RUBBER | | | | Type | KHA - 10 | | Serial No. | 1250 | | | |
| Date of Manufacture | APR 2002 | | Date Last Insp | OKT 2020 | | Date This Insp | OKT 2020 | | | | | |
| Emergency Pack Type | SOLAS A PACK | | | | Relative Humidity (%) | 70% | | | | | | |
| Over Pressure Test / NAP Test | | | | | | | | | | Es Test | | |
| Test Items | Time On | Temp. On (°C) | Press On (Kpa) | Time Off | Temp. Off (°C) | Press Off (Kpa) | GOOD | | | | | |
| Upper Chamber | 09.20 | 24.00 | 20.00 | 09.50 | 24.00 | 20.00 | GI Test | | | | | |
| Lower Chamber | 09.20 | 24.00 | 20.00 | 09.50 | 24.00 | 20.00 | GOOD | | | | | |
| W.P. Test | | | | | | | | | | Safety Valve Test | | |
| Test Items | Time On | Temp. On (°C) | Temp. On (Kpa) | Temp. On | Temp. Off (°C) | Press Off (Kpa) | Open | Close | | | | |
| Upper Chamber | 10.20 | 24.00 | 13.30 | 11.20 | 24.00 | 13.30 | 18.00 | 13.80 | | | | |
| Lower Chamber | 10.20 | 24.00 | 13.40 | 11.20 | 24.00 | 13.30 | 18.50 | 14.00 | | | | |
| Canopy Tube | 11.30 | 24.00 | 13.30 | 11.45 | 24.00 | 13.30 | GOOD | GOOD | | | | |
| Floor | 09.30 | 24.00 | 2.70 | 10.30 | 24.00 | 2.70 | B.R Valve | Open | 10.00 | | | |
| | | | | | | | Close | 6.00 | | | | |
| 10% Overload Suspension Test | | NA | The Seams Between Floor and Bouyancy Tube Checked | | | X | Repaired Part : GOOD | | Overhauled : AZLI | | | |
| Gas Cylider SERIAL No. | 198259 | Date of Water Pro. | 07.2007 | Date of filling | 07.2007 | (Kg) | 11.35 | Co2 Wt. (Kg) | 2.80 | N2 Wt (Kg) 0.20 | | |
| | 037339 | | 07.2007 | | 07.2007 | Total Wt. (Kg) | 11.82 | | 2.80 | 0.20 | | |
| Gas Cylider Der | Renew | X | Refill | X | Weight | 26.885 kg | Repair Of Renew Part | | | Overhauled : AZLI | | |
| Equipment | Origin | Renew | Expire | Equipment | Origin | Renew | Equipment | Origin | Renew | Equipment | Origin | Renew |
| Food Relation | 10 | ok | 01.2021 | Water Proof Torch | 1 | ok | Whistle | 1 | -ok | RescueQuoit line | 1 | ok |
| Fresh Water | 30 | ok | 10.021 | Drink Vessel | 1 | ok | Bel lows | 1 | -ok | Scissors | 1 | ok |
| Hand Red Flair | 6 | RN | 02.2023 | Fishing Tickle | 1 | ok | Bailer | 2 | -ok | R.R.Matena(set) | 1 | ok |
| Parachute Rocket | 4 | RN | 08.2023 | Survivors Manual | 1 | ok | Seasickness Bag | 15 | -ok | Canopy Light | 1 | ok |
| Buoyant Smoke Sing | 2 | RN | 12.2022 | Life Saving Sig | 1 | ok | Painter Plug | 1 | -ok | Interior Light | 1 | ok |
| First Aid Out Fit | 1 | RN | 12.2022 | Tin Opener | 3 | ok | Painter Board | 1 | -ok | Safety Valve | 2 | ok |
| Light Cell | 1 | ok | 09.2022 | Signal Miror | 1 | ok | Rain Catchment | 2 | -ok | Container | 1 | ok |
| Spare Bat Blub | 4/1 | ok | | Radar Reflector | 1 | ok | Log Card | 1 | -ok | Non - Return Valve | 4 | ok |
| Thermal Protective | 2 | ok | | Equipment Bag | 1 | ok | Laun Manual | 1 | -ok | EPIRB | - | - |
| Repair Ou Fit (set) | 1 | ok | | Sea Anchor (set) | 2 | ok | Immed. Act Card | 1 | -ok | | | |
| Safety Knife | 2 | -ok | | Painter Spare | 1/1 | ok | Sponge | 2 | -ok | | | |
| Sea Sick Med | 60 ⁹⁰ | RN ⁹⁰ | 10.2024 | Raft Manual | 1 | ok | Padle Bag | 2/1 | -ok | Overhauled | | |
| W.T.Packing | X | Seal | X | Drop Test | X | Remark : Normal x Repair o Renew v Inapplicable ----- | | | | | | |
| Others : LIFERAFT IN GOOD WORKING ORDER. | | | | | | | | | | | | |

Service Station : PT.CITRA MARINE SERVICES INTERNATIONAL

Inspector :



Capt. FIRDAUS AFWINDRA, S.Tr, M. Mar

Penata (III/c)

NIP. 19810925 200712 1 002



PT. CITRA MARINE SERVICES INTERNATIONAL

- Fire Extinguisher - Life Boat - Rental Water Bags
- Inflatable Lifteraft - Service Station - Marine Safety Equipment

Batam Office : Komp. Pasar SP Blok D No. 3 Batu Aji - Batam Telp.: (0778) 395 063, Fax. (0778) 395 058
Jakarta Workshop : Komp. Green Sedayu Bizpark Blok GS 8 No.15 - Jakarta Timur Telp. 021-2287 4402
Belawan Workshop : Jl. Jawa No.11 Kelurahan Belawan II, kecamatan Medan Belawan - Kota Medan
Website : www.citramarine.com, Email : cs@citramarine.com

Approval By:



Lloyd's
Register



SERVICING CERTIFICATE FOR INFLATABLE LIFERAFT

Cert. No : CMSI/LSA/4411/10/20

Name of Ship : ENC RHAYDEN Port Of Registry : INDONESIA
Manufacturer : YOULONG RUBBER Type : KHA - 10
Serial No : 1249 Date of Manufacture : APRIL 2002
Carrying Capacity (Pers): 10 PERSON Emergency Pack Type : SOLAS 'A' PACK

THIS IS TO CERTIFY that

1. The above - mentioned inflatable liferaft has been inspected, repaired and tested and found to be in compliance with the under - mentioned requirements, the liferaft in serviceable condition.
INTERNATIONAL CONVENTION FOR THE SAFETY OF LIFE AT SEA (I C S) and INTERNATIONAL LIFE - SAVING APPLIANCE (LSA) CODE
2. The technical condition of the gas cylinders, equipment and appliances has been found to satisfaction, and the tested data report attached.
3. The technical condition of the above - mentioned inflatable liferaft has been found to satisfaction, end the log card has been endorsed accordingly.

Date of issue : 10 OKTOBER 2020

Service Station : PT.CMSI



Date of next inspection : 09 OKTOBER 2021

SURVEYOR : AZLI ISHAK



Batam,
KEPALA KANTOR KESYAHBANDARAN DAN
OTORITAS PELABUHAN KHUSUS BATAM

.....
KEMENTERIAN PERHUBUNGAN

KANTOR KESYAHBANDARAN
DAN OTORITAS PELABUHAN
KHUSUS BATAM

Capt. FIRDAUS AFWINDRA, S.Tr, M.Mar

Penata (III/c)
NIP. 19810925 200712 1 002

INFLATABLE LIFERAFT INSPECTION AND TEST REPORT

Cert No : 4411

| | | | | | | | | | | | | |
|--|------------------|--------------------|-----------------|-------------------|-----------------------|---|----------------------|---|----------|--------------------|----------------------|-------|
| Manufacturer | YOULONG RUBBER | | | | Type | KHA - 10 | | Serial No. | 1249 | | | |
| Date of Manufacture | APR 2002 | | Date Last Inspt | | OKT 2020 | | Date This Inspt | | OKT 2020 | | | |
| Emergency Pack Type | SOLAS A PACK | | | | Relative Humidity (%) | | 70% | | | | | |
| Over Presure Test / NAP Test | | | | | | | | | | Es Test | | |
| Test Items | Time On | Temp. On (°C) | Press On (Kpa) | Time Off | Temp. Off (°C) | Press Off (Kpa) | GOOD | | | | | |
| Upper Chamber | 09.20 | 24.00 | 20.00 | 09.50 | 24.00 | 20.00 | GI Test | | | | | |
| Lower Chamber | 09.20 | 24.00 | 20.00 | 09.50 | 24.00 | 20.00 | GOOD | | | | | |
| W.P. Test | | | | | | | | | | Safety Valve Test | | |
| Test Items | Time On | Temp. On (°C) | Temp. On (Kpa) | Temp. On | Temp. Off (°C) | Press Off (Kpa) | Open | Close | | | | |
| Upper Chamber | 10.20 | 24.00 | 13.30 | 11.20 | 24.00 | 13.30 | 18.00 | 13.80 | | | | |
| Lower Chamber | 10.20 | 24.00 | 13.40 | 11.20 | 24.00 | 13.30 | 18.50 | 14.00 | | | | |
| Canopy Tube | 11.30 | 24.00 | 13.30 | 11.45 | 24.00 | 13.30 | GOOD | GOOD | | | | |
| Floor | 09.30 | 24.00 | 2.70 | 10.30 | 24.00 | 2.70 | B.R Valve | Open | 10.00 | | | |
| 10% Overload Suspension Test | | | | | | | NA | The Seams Between Floor and Bouyancy Tube Checked | | X | Repaired Part : GOOD | |
| Gas Cylier SERIAL No. | 198292 | Date of Water Pro. | 07.2007 | Date of filling | 07.2007 | (Kg) Total Wt. (Kg) | 11.35 | Co2 Wt. (Kg) | 2.80 | N2 Wt (Kg) 0.20 | | |
| | 198300 | | 07.2007 | | 07.2007 | | 11.82 | | 2.80 | 0.20 | | |
| Gas Cylier Der | Renew | X | Refill | X | Weight | 26.885 kg | Repair Of Renew Part | | | Overhauled : AZLI | | |
| Equipment | Origin | Renew | Expire | Equipment | Origin | Renew | Equipment | Origin | Renew | Equipment | Origin | Renew |
| Food Relation | 10 | ok | 01.2021 | Water Proof Torch | 1 | ok | Whistle | 1 | -ok | RescueQuoit line | 1 | ok |
| Fresh Water | 30 | ok | 10.021 | Drink Vessel | 1 | ok | Bellows | 1 | -ok | Seiccoors | 1 | ok |
| Hand Red Flair | 6 | RN | 02.2023 | Fishing Tickle | 1 | ok | Bailer | 2 | -ok | R.R. Matenal(set) | 1 | ok |
| Parachute Rocket | 4 | RN | 08.2023 | Survivors Manual | 1 | ok | Seasickness Bag | 15 | -ok | Canopy Light | 1 | ok |
| Buoyant Smoke Sing | 2 | RN | 12.2022 | Life Saving Sig | 1 | ok | Painter Plug | 1 | -ok | Interior Light | 1 | ok |
| First Aid Out Fit | 1 | RN | 12.2022 | Tin Opener | 3 | ok | Painter Board | 1 | -ok | Safety Valve | 2 | ok |
| Light Cell | 1 | ok | 09.2022 | Signal Miror | 1 | ok | Rain Catchment | 2 | -ok | Container | 1 | ok |
| Spare Bat Blub | 4/1 | ok | | Radar Reflector | 1 | ok | Log Card | 1 | -ok | Non - Return Valve | 4 | ok |
| Thermal Protective | 2 | ok | | Equipment Bag | 1 | ok | Laun Manual | 1 | -ok | EPIRB | - | - |
| Repair Ou Fit (set) | 1 | ok | | Sea Anchor (set) | 2 | ok | Immed. Act Card | 1 | -ok | | | |
| Safety Knife | 2 | -ok | | Painter Spare | 1/1 | ok | Sponge | 2 | -ok | | | |
| Sea Sick Med | 60 ⁹⁰ | RN ⁹⁰ | 10.2024 | Raft Manual | 1 | ok | Padle Bag | 2/1 | -ok | Overhauled | | |
| W.T. Packing | X | Seal | X | Drop Test | X | Remark : Normal x Repair o Renew v Inapplicable ----- | | | | | | |
| Others : LIFERAFT IN GOOD WORKING ORDER. | | | | | | | | | | | | |

17 0 OCT 2020

Service Station : PT. CITRA MARINE SERVICES INTERNATIONAL

Inspector :

AZLI ISHAK



Capt. FIRDAUS AFWINDRA, S.Tr, M.Mar

Penata (Ili/c)

NIP. 19810925 200712 1 002

