

CERTIFICATE of Inspection

Year : 2021	Month : 07	Day : 09	Type and name of ship/unit : GAS NURI ARIZONA	Flag : INDONESIA	IMO No. : 9113927	Certificate No. : SS-210704.2.3
Place of service : KALBUT - INDONESIA			Classification Society : KOREAN REGISTER		Enclosed :	

We hereby certify that the systems and equipment specified below have been inspected, serviced, repaired, and tested according to requirement from IMO regulation, SOLAS and manufacturer.
 The quantity of equipment and working code enclosed in Service Report back of this page.

<input type="checkbox"/> Fixed CO2 System	<input type="checkbox"/> Medical Oxygen
<input type="checkbox"/> Fixed Foam System	<input checked="" type="checkbox"/> Breathing Apparatus
<input type="checkbox"/> Foam Test Analyst	<input type="checkbox"/> Escape Sets
<input type="checkbox"/> Fixed Halon System	<input type="checkbox"/> Rubber Boat
<input type="checkbox"/> Fixed Dry Powder System	<input type="checkbox"/> Life Jacket
<input type="checkbox"/> Portable Fire Extinguisher	<input type="checkbox"/> Summary of Actions

APPROVED BY :



NERIN WYANTO, S.Sos
 Penata (III/c)
 NIP. 19770325 200312 1 001

PT. SURYA SEGARA


**SURYA
SEGARA**
SUBARI
 NAME IN PRINTED NAME

BREATHING APPARATUS SERVICE REPORT

Vessel Name : GAS NURI ARIZONA
Certificate No. : SS-210704.2.3
Date : 09 - 07 - 2021

Page : 1 of 7

No.	1	2	3	4
Type of Set	LIFEGEM	LIFEGEM	LIFEGEM	LIFEGEM
Make of Set	KS-8A	KS-4E	KS-8C	KS-4E
Seri Number	J-4034	J-0922	J-0689	J-0765
Date Manufacture	08 - 1981	10 - 1994	10 - 1994	10 - 1994

Face Mask / Hood	OK	OK	OK	OK
Air Hose / Tube	OK	OK	OK	OK
Demand Valve	OK	OK	OK	OK
Reducing Valve	OK	OK	OK	OK
Height Pressure Hose	OK	OK	OK	OK
Pressure Gauge	OK	OK	OK	OK
Test Gauge	OK	OK	OK	OK
Whistle Unit	OK	OK	OK	OK
Harness / Frame	OK	OK	OK	OK

Description of Work :

1 : Inspection 4 : Repaired 7 : Serviced 10 : Check Contents
2 : Refilling 5 : Repainted 8 : Rejected
3 : Hydrotest 6 : New 9 : Check Weight

NO	Cylinder Number	Date of Manufacture	Latest Hydrotest	Tested Pressure	Refilled Pressure	Workdone
1	40998	04 - 1995	04 - 2015	250 BAR	150 BAR	1, 10
2	74436	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
3	74445	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
4	74324	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
5	74544	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
6	74319	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
7	74548	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10

This SCBA requires service 12 month from the latest inspection.

BREATHING APPARATUS SERVICE REPORT

Vessel Name : GAS NURI ARIZONA

Certificate No. : SS-210704.2.3

Date : 09 - 07 - 2021

Page : 2 of 7

No.	5	6	7	8
Type of Set	LIFEGEM	LIFEGEM	LIFEGEM	LIFEGEM
Make of Set	KS-4E	KS-4E	KS-4E	KS-4E
Seri Number	J-0983	J-0963	J-0942	J-0759
Date Manufacture	10 - 1994	10 - 1994	10 - 1994	10 - 1994

Face Mask / Hood	OK	OK	OK	OK
Air Hose / Tube	OK	OK	OK	OK
Demand Valve	OK	OK	OK	OK
Reducing Valve	OK	OK	OK	OK
Height Pressure Hose	OK	OK	OK	OK
Pressure Gauge	OK	OK	OK	OK
Test Gauge	OK	OK	OK	OK
Whistle Unit	OK	OK	OK	OK
Harness / Frame	OK	OK	OK	OK

Description of Work :

1 : Inspection	4 : Repaired	7 : Serviced	10 : Check Contents
2 : Refilling	5 : Repainted	8 : Rejected	
3 : Hydrotest	6 : New	9 : Check Weight	

NO	Cylinder Number	Date of Manufacture	Latest Hydrotest	Tested Pressure	Refilled Pressure	Workdone
8	74522	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
9	74306	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
10	74300	04 - 1995	04 - 2015	250 BAR	150 BAR	1, 10
11	74484	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
12	74550	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
13	74507	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
14	74492	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10

This SCBA requires service 12 month from the latest inspection.

BREATHING APPARATUS SERVICE REPORT

Vessel Name : GAS NURI ARIZONA

Certificate No. : SS-210704.2.3

Date : 09 - 07 - 2021

Page : 3 of 7

No.	9	10	11	12
Type of Set	LIFEGEM	LIFEGEM	LIFEGEM	LIFEGEM
Make of Set	KS-4E	KS-4E	KS-4E	KS-4E
Seri Number	J-0799	J-0981	J-0912	J-0935
Date Manufacture	10 - 1994	10 - 1994	10 - 1994	10 - 1994

Face Mask / Hood	OK	OK	OK	OK
Air Hose / Tube	OK	OK	OK	OK
Demand Valve	OK	OK	OK	OK
Reducing Valve	OK	OK	OK	OK
Height Pressure Hose	OK	OK	OK	OK
Pressure Gauge	OK	OK	OK	OK
Test Gauge	OK	OK	OK	OK
Whistle Unit	OK	OK	OK	OK
Harness / Frame	OK	OK	OK	OK

Description of Work :

1 : Inspection

2 : Refilling

3 : Hydrotest

4 : Repaired

5 : Repainted

6 : New

7 : Serviced

8 : Rejected

9 : Check Weight

10 : Check Contents

NO	Cylinder Number	Date of Manufacture	Latest Hydrotest	Tested Pressure	Refilled Pressure	Workdone
15	74316	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
16	74532	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
17	74594	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
18	74526	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
19	31992	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
20	74503	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
21	74551	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10

This SCBA requires service 12 month from the latest inspection.

BREATHING APPARATUS SERVICE REPORT

Vessel Name : GAS NURI ARIZONA

Certificate No. : SS-210704.2.3

Date : 09 - 07 - 2021

Page : 4 of 7

No.	13	14	15	16
Type of Set	LIFEGEM	LIFEGEM	LIFEGEM	LIFEGEM
Make of Set	KS-4E	KS-4E	KS-4E	KS-4E
Seri Number	J-0945	J-0762	J-0790	J-0944
Date Manufacture	10 - 1994	10 - 1994	10 - 1994	10 - 1994

Face Mask / Hood	OK	OK	OK	OK
Air Hose / Tube	OK	OK	OK	OK
Demand Valve	OK	OK	OK	OK
Reducing Valve	OK	OK	OK	OK
Height Pressure Hose	OK	OK	OK	OK
Pressure Gauge	OK	OK	OK	OK
Test Gauge	OK	OK	OK	OK
Whistle Unit	OK	OK	OK	OK
Harness / Frame	OK	OK	OK	OK

Description of Work :

1 : Inspection	4 : Repaired	7 : Serviced	10 : Check Contents
2 : Refilling	5 : Repainted	8 : Rejected	
3 : Hydrotest	6 : New	9 : Check Weight	

NO	Cylinder Number	Date of Manufacture	Latest Hydrotest	Tested Pressure	Refilled Pressure	Workdone
22	74438	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
23	28478	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
24	28491	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
25	28482	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
26	28848	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
27	28495	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
28	28494	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10

This SCBA requires service 12 month from the latest inspection.



PT. SURYA SEGARA safety marine

• AUTHORIZED SERVICE STATION ILR, LIFEBOAT, DAVIT LAUNCHING APPLIANCE

• Fire Extinguisher, CO2 Fix System Service and Safety Equipment Supply

Head Office : Jl. Perak Timur 358 Surabaya - Indonesia, Telp. +62 31 3292021, 3292022 Fax. +62 31 3291423

APPROVAL : SAI GLOBAL ISO 9001, ABS, LLOYD'S REGISTER, DNV-GL, NKK, BTKP, BKI | www.suryasegara.com

BREATHING APPARATUS SERVICE REPORT

Vessel Name : GAS NURI ARIZONA

Certificate No. : SS-210704.2.3

Date : 09 - 07 - 2021

Page : 5 of 7

No.	17	18	19	20
Type of Set	LIFEGEM	LIFEGEM	LIFEGEM	LIFEGEM
Make of Set	KS-4E	KS-4E	KS-4E	KS-4E
Seri Number	J-0971	J-0980	J-0767	J-1324
Date Manufacture	10 - 1994	10 - 1994	10 - 1994	10 - 1994

Face Mask / Hood	OK	OK	OK	OK
Air Hose / Tube	OK	OK	OK	OK
Demand Valve	OK	OK	OK	OK
Reducing Valve	OK	OK	OK	OK
Height Pressure Hose	OK	OK	OK	OK
Pressure Gauge	OK	OK	OK	OK
Test Gauge	OK	OK	OK	OK
Whistle Unit	OK	OK	OK	OK
Harness / Frame	OK	OK	OK	OK

Description of Work :

1 : Inspection	4 : Repaired	7 : Serviced	10 : Check Contents
2 : Refilling	5 : Repainted	8 : Rejected	
3 : Hydrotest	6 : New	9 : Check Weight	

NO	Cylinder Number	Date of Manufacture	Latest Hydrotest	Tested Pressure	Refilled Pressure	Workdone
29	28226	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
30	28845	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
31	28493	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
32	28498	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
33	31949	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
34	31938	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
35	31969	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10

This SCBA requires service 12 month from the latest inspection.

BREATHING APPARATUS SERVICE REPORT

Vessel Name : GAS NURI ARIZONA

Certificate No. : SS-210704.2.3

Date : 09 - 07 - 2021

Page : 6 of 7

No.	21	22	23	24
Type of Set	LIFEGEM	LIFEGEM	LIFEGEM	LIFEGEM
Make of Set	KS-4E	KS-4E	KS-4E	KS-8A
Seri Number	J-0825	J-0761	J-0968	J-0847
Date Manufacture	10 - 1994	10 - 1994	10 - 1994	10 - 1994

Face Mask / Hood	OK	OK	OK	OK
Air Hose / Tube	OK	OK	OK	OK
Demand Valve	OK	OK	OK	OK
Reducing Valve	OK	OK	OK	OK
Height Pressure Hose	OK	OK	OK	OK
Pressure Gauge	OK	OK	OK	OK
Test Gauge	OK	OK	OK	OK
Whistle Unit	OK	OK	OK	OK
Harness / Frame	OK	OK	OK	OK

Description of Work :

1 : Inspection

2 : Refilling

3 : Hydrotest

4 : Repaired

5 : Repainted

6 : New

7 : Serviced

8 : Rejected

9 : Check Weight

10 : Check Contents

NO	Cylinder Number	Date of Manufacture	Latest Hydrotest	Tested Pressure	Refilled Pressure	Workdone
36	31933	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
37	31937	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
38	31935	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
39	31942	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
40	31834	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
41	27930	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
42	62142	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10

This SCBA requires service 12 month from the latest inspection.

BREATHING APPARATUS SERVICE REPORT

Vessel Name : GAS NURI ARIZONA

Certificate No. : SS-210704.2.3

Date : 09 - 07 - 2021

Page : 7 of 7

No.	25	26	27	28
Type of Set	LIFEGEM	LIFEGEM	LIFEGEM	-
Make of Set	KS-4E	KS-8C	KS-8C	-
Seri Number	J-0133	J-0648	J-0926	-
Date Manufacture	10 - 1994	09 - 1994	09 - 1994	-

Face Mask / Hood	OK	OK	OK	-
Air Hose / Tube	OK	OK	OK	-
Demand Valve	OK	OK	OK	-
Reducing Valve	OK	OK	OK	-
Height Pressure Hose	OK	OK	OK	-
Pressure Gauge	OK	OK	OK	-
Test Gauge	OK	OK	OK	-
Whistle Unit	OK	OK	OK	-
Harness / Frame	OK	OK	OK	-

Description of Work :

1 : Inspection	4 : Repaired	7 : Serviced	10 : Check Contents
2 : Refilling	5 : Repainted	8 : Rejected	
3 : Hydrotest	6 : New	9 : Check Weight	

NO	Cylinder Number	Date of Manufacture	Latest Hydrotest	Tested Pressure	Refilled Pressure	Workdone
43	28482	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
44	31929	09 - 1994	04 - 2015	250 BAR	150 BAR	1, 10
45	28490	09 - 1994	04 - 2015	250 BAR	150 BAR	2, 7, 10
46	74378	09 - 1994	04 - 2015	250 BAR	150 BAR	2, 7, 10
47	62152	09 - 1994	04 - 2015	250 BAR	150 BAR	2, 7, 10

This SCBA requires service 12 month from the latest inspection.