



```
import React, {Component} from "react";
import { Button } from 'reactstrap';
import "bootstrap/dist/css/bootstrap.min.css";

class App extends Component {
  constructor(props) {
    super(props);
    this.state = {
      // INSERTE AQUÍ EL ESTADO NECESARIO. AQUÍ SE GUARDARÁ TODA LA
      INFORMACIÓN

      colores:["danger","secondary","secondary","secondary","secondary","seconda
      ry","secondary","secondary","secondary","secondary","secondary","secondary
      ","secondary","secondary","secondary"],
      posicion:0,
    };
  }

  Alante(){
    let r = this.state.posicion;
    let c = Array(15).fill("secondary")
    if (r<this.state.colores.length-1)r++
    c[r]="danger"
    this.setState({posicion:r,colores:c})
  }

  Atras(){
    let r = this.state.posicion;
    let c = Array(15).fill("secondary")
    if (r>0)r--
    c[r]="danger"
    this.setState({posicion:r,colores:c})
  }

  render() {
```

```

return (
  <div className="App">
    <Button color={this.state.colores[0]}></Button>
    <Button color={this.state.colores[1]}></Button>
    <Button color={this.state.colores[2]}></Button>
    <Button color={this.state.colores[3]}></Button>
    <Button color={this.state.colores[4]}></Button>
    <Button color={this.state.colores[5]}></Button>
    <Button color={this.state.colores[6]}></Button>
    <Button color={this.state.colores[7]}></Button>
    <Button color={this.state.colores[8]}></Button>
    <Button color={this.state.colores[9]}></Button>
    <Button color={this.state.colores[10]}></Button>
    <Button color={this.state.colores[11]}></Button>
    <Button color={this.state.colores[12]}></Button>
    <Button color={this.state.colores[13]}></Button>
    <Button color={this.state.colores[14]}></Button>
    <br />
    <Button onClick={() => { this.Atras() }}
color="primary">Anterior</Button>&nbsp;
    <Button onClick={() => { this.Alante() }}
color="primary">Posterior</Button>

  </div>
);
}
}
export default App;

```