



Nama : Asep Suhendar
Nim : 2310614003

Dokumentasi challenge SBD

1. Tampilan Forntend toko



2. Sudah ada validasi



Nama : Asep Suhendar
Nim : 2310614003

Daftar Barang

Barang tidak bisa dihapus karena sudah pernah dijual!

Nama Barang	Stok	Harga	Aksi
Sabun Mandi	100	Rp 5.000	Hapus
Shampo Botol	46	Rp 12.000	Hapus
sabun cuci piring	300	Rp 3.000	Hapus

Tambah Penjualan

3. Form Penjualan

Form Penjualan

Barang:

Sabun Mandi (Stok: 98)

Jumlah:


2

Simpan Penjualan


← Kembali ke Daftar Barang

Nama : Asep Suhendar
Nim : 2310614003

4. Database



5. Tabel barang



Nama : Asep Suhendar
Nim : 2310614003

6. Tabel barang_arsip

The screenshot shows the phpMyAdmin interface for the 'trigger' database. The 'barang_arsip' table is selected, displaying its structure and data. The table has columns: id, nama_barang, stok, harga, created_at, and updated_at. The data shows four rows of archived items.

	id	nama_barang	stok	harga	created_at	updated_at
☐ Ubah ☐ Salin ☐ Hapus	3	Pasta Gigi	75	9000	2025-05-29 06:43:04	2025-05-29 06:43:04
☐ Ubah ☐ Salin ☐ Hapus	4	susu jahe SUHE	100	2000	2025-05-29 07:47:14	2025-05-29 07:47:14
☐ Ubah ☐ Salin ☐ Hapus	5	susu jahe SUHE	100	2000	2025-05-29 07:47:20	2025-05-29 07:47:20
☐ Ubah ☐ Salin ☐ Hapus	6	sampo kuda	250	10000	2025-05-29 07:52:56	2025-05-29 07:52:56

7. Tabel log_penjualan

The screenshot shows the phpMyAdmin interface for the 'trigger' database. The 'log_penjualan' table is selected, displaying its structure and data. The table has columns: id, aksi, deskripsi, and waktu. The data shows four rows of sales logs.

	id	aksi	deskripsi	waktu
☐ Ubah ☐ Salin ☐ Hapus	1	Penjualan	Barang Shampo Botol terjual sebanyak 4	2025-05-29 07:20:04
☐ Ubah ☐ Salin ☐ Hapus	2	Penjualan	Barang Sabun Mandi terjual sebanyak 100	2025-05-29 07:20:21
☐ Ubah ☐ Salin ☐ Hapus	3	Penjualan	Barang Sabun Mandi terjual sebanyak 100	2025-05-29 07:33:24
☐ Ubah ☐ Salin ☐ Hapus	4	Penjualan	Barang Sabun Mandi terjual sebanyak 2	2025-05-29 08:04:26

Nama : Asep Suhendar
Nim : 2310614003

8. Tabel penjualan

The screenshot shows the phpMyAdmin interface for the 'trigger' database. The 'penjualan' table is selected, and the 'Table' tab is active. The table structure is displayed with columns: id, barang_id, jumlah, and tanggal. The table contains 4 records. The 'Extra options' section is expanded, showing the table's SQL structure and the 'Operasi hasil kueri' (Query Results Operations) section.

	id	barang_id	jumlah	tanggal
☐ Ubah ☐ Salin ☐ Hapus	1	2	4	2025-05-29 07:20:04
☐ Ubah ☐ Salin ☐ Hapus	2	1	100	2025-05-29 07:20:21
☐ Ubah ☐ Salin ☐ Hapus	3	1	100	2025-05-29 07:33:24
☐ Ubah ☐ Salin ☐ Hapus	4	1	2	2025-05-29 08:04:26

9. Tabel trigger

The screenshot shows the phpMyAdmin interface for the 'trigger' database. The 'trigger' table is selected, and the 'Table' tab is active. The table structure is displayed with columns: Nama, Waktu, and Kejadian. The table contains 3 records. The 'Extra options' section is expanded, showing the table's SQL structure and the 'Operasi hasil kueri' (Query Results Operations) section.

	Nama	Waktu	Kejadian
☐ cek_stok	BEFORE	INSERT	☐ Ubah ☐ Ekspor ☐ Hapus
☐ kurang_stok	AFTER	INSERT	☐ Ubah ☐ Ekspor ☐ Hapus
☐ log_penjualan	AFTER	INSERT	☐ Ubah ☐ Ekspor ☐ Hapus