























Istrip()	Returns a left trim version of the string			
maketrans()	Returns a translation table to be used in translations			
partition()	Returns a tuple where the string is parted into three parts			
replace()	Returns a string where a specified value is replaced with a specified value			
rfind()	find() Searches the string for a specified value and returns the last position of where it was found			
<u>rindex()</u>	Searches the string for a specified value and returns the last position of where it was found			
<u>rjust()</u>	Returns a right justified version of the string			
<u>rpartition()</u>	Returns a tuple where the string is parted into three parts			
<u>rsplit()</u>	Splits the string at the specified separator, and returns a list			
rstrip()	Returns a right trim version of the string			
split()	Splits the string at the specified separator, and returns a list			
<u>splitlines()</u>	Splits the string at line breaks and returns a list			
startswith()	Returns true if the string starts with the specified value			
strip()	Returns a trimmed version of the string			
swapcase()	Swaps cases, lower case becomes upper case and vice versa	Активация Winc		
title()	Converts the first character of each word to upper case	Чтобы активировать V "Параметры".		
translate()	Returns a translated string			

rsplit()	Splits the string at the specified separator, and returns a list
rstrip()	Returns a right trim version of the string
split()	Splits the string at the specified separator, and returns a list
splitlines()	Splits the string at line breaks and returns a list
startswith()	Returns true if the string starts with the specified value
strip()	Returns a trimmed version of the string
swapcase()	Swaps cases, lower case becomes upper case and vice versa
title()	Converts the first character of each word to upper case
translate()	Returns a translated string
<u>upper()</u>	Converts a string into upper case
zfill()	Fills the string with a specified number of 0 values at the beginning

	<u>index()</u>	Searches the string for a specified value and returns the position of where it was found	
	<u>isalnum()</u>	Returns True if all characters in the string are alphanumeric	
	isalpha()	Returns True if all characters in the string are in the alphabet	
	<u>isascii()</u>	Returns True if all characters in the string are ascii characters	
	isdecimal()	Returns True if all characters in the string are decimals	
	<u>isdigit()</u>	Returns True if all characters in the string are digits	
	<u>isidentifier()</u>	Returns True if the string is an identifier	
	islower()	Returns True if all characters in the string are lower case	
	isnumeric()	Returns True if all characters in the string are numeric	
	<u>isprintable()</u>	Returns True if all characters in the string are printable	
	isspace()	Returns True if all characters in the string are whitespaces	
	<u>istitle()</u>	Returns True if the string follows the rules of a title	
	<u>isupper()</u>	Returns True if all characters in the string are upper case	
	j <u>oin()</u>	Joins the elements of an iterable to the end of the string	
	<u>ljust()</u>	Returns a left justified version of the string	Активация Wir Чтобы активироват "Параметры".
	lower()	Converts a string into lower case	
	<u>lstrip()</u>	Returns a left trim version of the string	