

Sultanate of Oman
Ministry of Health
Royal Hospital



سلطنة عمان
وزارة الصحة
المستشفى السلطاني

Document Management System



Sultanate of Oman
Ministry of Health
The Royal Hospital
Department of Child Health

Code: CH-PICU-GUD-8-Vers.1.0

Effective Date: 12/10/2023

Target Review Date: 10/10/2026

Title: Accidental Tracheostomy Dislodgement Algorithm

Accidental Tracheostomy Dislodgement Algorithm

Desaturation in child with tracheostomy
Think : DOFE

Tracheostomy
tube visibly
out or
suspected out

Is Child Breathing?

**YES
Breathing**

- ☐ Apply Oxygen to mouth and Stoma.
- ☐ Replace with new tracheostomy if able and if the stoma is mature
- ☐ Continue monitoring ABCDE

No Breathing or Gasping

- ☐ Start CPR
- ☐ Activate Arrest Code
- ☐ Call PICU, Anaesthesia, Pediatric surgical on call
- ☐ Anticipate difficult airway

- ☐ Check Patency of tracheostomy
- ☐ Remove HME (Heat moisture exchange) and other attachments.

Able to Pass Suction Catheter through Tracheostomy?

- ☐ Yes, able to pass suction catheter (Partially Blocked Tracheostomy)
- ☐ Co2 detector Present
- ☐ Chest Rise present on bagging
- ☐ Continue monitoring ABCDE

- ☐ NO, Not able to Pass suction catheter/ Or Tracheostomy visibly out
- ☐ No End Tidal Co2 Trace on Co2 detector
- ☐ No Chest Rise on Bagging

- ☐ Bag with 2 persons technique and close Stoma with gauze
- ☐ Replace Tracheostomy if stoma is mature > 7 days and if competent
OR
- ☐ Intubate orally if unable to replace tracheostomy

Causes of Desaturation in a child with tracheostomy * THINK DOFE *

- D: Displacement of tracheostomy tube
- O: Obstruction of tracheostomy tube
- F: Pneumothorax
- E: Equipment failure

Risk Factors for Tracheostomy Dislodgement.

- ☐ Loose tapes
- ☐ Short neck
- ☐ Altered mental status (agitation , inadequate sedation)
- ☐ Incorrect Tube length
- ☐ Tension on the tracheostomy tube

If Child desaturates ,Think DOPE

- ☐ Displacement of tube (Check with Co2 detector)
- ☐ Obstruction of tube : (Check if able to Pass Suction catheter)
- ☐ Patient : pneumothorax, pulmonary edema, atelectasis, bronchospasm (Obtain CXR)
- ☐ Equipment failure (Hand bag with 100% oxygen)

Required equipment at the Bed side

- ☐ Self Inflating Bag (Ambu bag) and face mask with O2 connection
- ☐ Tracheostomy tube same size and size smaller
- ☐ End-Tidal Co2 detector
- ☐ Tracheal Dilator
- ☐ Suction catheter
- ☐ Tracheostomy tie and scissor

Written By: Dr.Khuloud Al Mukhaini

Checked By: PICU Team

Authorized by: KHOULA JULENDA AL SAID

[Back](#)