

Sultanate of Oman
Ministry of Health
Royal Hospital



سلطنة عمان
وزارة الصحة
المستشفى السلطاني

Document Management System



Sultanate of Oman
Ministry of Health
The Royal Hospital
Department of Child Health

Code: CH-PUL-PRT-1-Vers.1.0


Effective Date: 12/10/2023

Target Review Date: 10/10/2026


Title: Eradication of Pseudomonas Aeruginosa Infection in Children with Cystic Fibrosis

Eradication of Pseudomonas Aeruginosa Infection in children with Cystic Fibrosis

Section 1 : Children with CF and > 4 years of age



Section 2 : Children with CF and age < 4 years



- TIS: Tobramycin inhaled solution (300 mg/5 ml twice daily)
- A respiratory culture (sputum or throat swab) is obtained 1 week after cessation of inhaled TIS therapy.
- intravenous (IV) antibiotics (Tazocin 80 mg/kg/dose QID + Gentamycin 10 mg/kg/dose OD) for 14 days
- For newly diagnosed CF below 6 years of age if they cannot expectorate, flexible bronchoscopy for bronchoalveolar lavage should be performed as soon as possible

Written By: Dr.Khoula Said Al Shidhani

Checked By: Paediatric Pulmonology Team

Authorized by: KHOULA JULENDA AL SAID

[Back](#)



© Copyright 2018 reserved 'Royal Hospital- Information Technology Department'