

ACETAMINOPFEN OVER DOSE IN CHILDREN

PRESENTED BY

SINDHU MOHAN



PARACETAMOL(ACETAMINOPHEN)

- Paracetamol is absolutely 100% safest medicine to treat fever , pain especially mild to moderate , (if you take right time and right dose)

• **PEAK BLOOD CONCENTRATION**

IN 30 – 60 MIN

PARACETAMOL USES

- ❖ **FEVER:** It is widely prescribed to relieve fever in person of all ages, Paracetamol in children if temperature is greater than 38 °C
- ❖ **PAIN:** It can be prescribed to alleviate mild to moderate pain.
- ❖ **OSTEOARTHRITIS:** Some studies reveal that paracetamol can be used for osteoarthritis

AVAILABLE FORMS

Mainly used in our department


100mg/1ml (drops)

120mg/5ml(syrup)

Inj paracetamol (1000mg/ 100ml)

Suppositories (available 120mg)

10 -15mg/kg with interval of 4 to 6 hours



MAXIMUM DOSE PER DAY

ACETAMINOPHEN POISONING



Paracetamol poisoning also known as acetaminophen poisoning , is caused by excessive use of the medication .



::Main cause::

- Accidental ingestion

- Exceeds the recommended dose

SIGNS & SYMPTOMS

- ❖ Asymptomatic first 24hours
- ❖ Nausea/vomiting
- ❖ Abdominal pain (right side under the ribs)
- ❖ Loss of appetite , tiredness.
- ❖ Oliguria , dark coloured urine
- ❖ Jaundiced skin
- ❖ Shortness of breathing
- ❖ Blurry vision

DIAGNOSTIC EVALUATION

- ❖ HISTORY COLLECTION (From parents /primary care givers)
- ❖ Proceed with blood test for acetaminophen level.
- ❖ Liver function test
- ❖ Coagulation profile
- ❖ Kidney function test




TREATMENTS

- ❖ Pumping the stomach, if less than 30min
- ❖ Activated charcoal(with in 4hours).
- ❖ N-ACETYL CYSTINE (NAC)-Given through oral /IV .It is most effective with in 8 hours of the paracetamol over dose , this medicine can cause nausea and vomiting .Child need to give several doses of NAC over hours, dosage depend on the level of acetaminophen in your child's blood.
- ❖ Liver transplant.

PREVENTION

- Keep the medicine out of reach children(in the home)
- Follow 10 rights of medication administration

RIGHTS OF MEDICATION ADMINISTRATION

- 
1. RIGHT PATIENT
 2. RIGHT MEDICATION
 3. RIGHT DOSE
 4. RIGHT ROUTE
 5. RIGHT TIME
 6. RIGHT PATIENT EDUCATION
 7. RIGHT DOCUMENTATION
 8. RIGHT TO REFUSE
 9. RIGHT ASSESMENT
 10. RIGHT EVALUATION

NURSING RESPONSIBILITIES

- ❖ Asses for an allergy to acetaminophen.
- ❖ Routinely monitor the effectiveness of the drug (during and after the administration).
- ❖ In case of drug error , inform the high authorities and act immediate against the situation.
- ❖ Educate the parents /care give medication uses and storage.



Thank You

