SAFETY DATA SHEET

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: ALCOHOL
GENERAL USE: nail polish cleaning
PRODUCT CODE: A Alcohol

MANUFACTURER
TS Cosmetic Labs, Inc.
10540 Ashdale St
Stanton, CA 90680
Emergency Contact: INFOTRAC
Emergency Phone: 800-535-5053
Customer Service: 714-252-1185

2. HAZARDS IDENTIFICATION

GHS CLASSIFICATIONS

Flammable liquids (Category 2), H225

Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

GHS LABEL

SIGNAL WORD: DANGER

Hazard statement(s)

H225 Highly flammable liquid and vapour

H319 Causes serious eye irritation.

H336 may cause drowsiness or dizziness

Precautionary statement(s)

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

Prevention:

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical Name	Vol. %	CAS
Isopropyl alcohol	70	67-63-0

4. FIRST AID MEASURES

4.1 Description of first aid measures
General advice
Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
If inhaled
If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
In case of skin contact
Wash off with soap and plenty of water. Consult a physician.
In case of eye contact
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.
If swallowed
Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Rinse mouth with water. Consult a physician.
4.2 Most important symptoms and effects, both acute and delayed
The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
4.3 Indication of any immediate medical attention and special treatment needed
no data available

5. FIRE FIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

Exposure limits

Component	CAS-No.	Value	Control parameters	Basis
Isopropyl alcohol	67-63-0	TWA	200 ppm	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Eye & Upper Respiratory Tract irritation Central Nervous System impairment		
		STEL	400 ppm	USA. ACGIH Threshold Limit Values (TLV)
		Eye & Upper Respiratory Tract irritation Central Nervous System impairment Not classifiable as a human carcinogen		
		TWA	400 ppm 980 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000
		STEL		
		TWA	400 ppm 980 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
		The value in mg/m3 is approximate.		
		TWA	400 ppm 980 mg/m3	USA. NIOSH Recommended Exposure Limits
		ST	500 ppm 1,225 mg/m3	USA. NIOSH Recommended Exposure Limits

Biological occupational exposure limits

Component	CAS-No.	Parameters	Value	Biological specimen	Basis
Isopropyl alcohol	67-63-0	Acetone	40 mg/l	Urine	ACGIH - Biological Exposure Indices (BEI)
	remarks	End of shift at end of workweek			

Exposure controls

Appropriate engineering controls

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-prof ventilation equipment.

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Personal protective equipment.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN14287) respirator cartridges as a backup to engineering controls if the respirator is the sole means of protection, use a full0face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH or CEN

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: liquid
Odor: alcohol-like
Odor threshold: no data available
pH: no data available
Melting point/freezing point: freezing point: -89°C
Initial boiling point and boiling range: 82°C
Flash point: 12°C (closed cup)
Evaporation rate: 2.9
Flammability: no data available
Upper/lower flammability or explosive limits: lower: 2.0 %(V), Upper: 12%(V)
Vapor pressure: 33.000 mmHg @ 20 °C
Vapor density: no data available
Relative density: 2.1
Solubility: completely water soluable
Partition coefficient: n-octanol/water: 0.2
Auto-ignition temperature: no data available
Decomposition temperature: no data available
Viscosity: no data available

10. STABILITY AND REACTIVITY

Reactivity
No data available
10.2 Chemical stability
Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions
Vapors may form explosive mixture with air.
10.4 Conditions to avoid
Heat, flames and sparks. Extremes of temperature and direct sunlight.
10.5 Incompatible materials
Oxidizing agents, Strong acids, Acid chlorides, Acid anhydrides, halogenated compounds
10.6 Hazardous decomposition products
Carbon dioxide and carbon monoxide
In the event of fire: see section 5

11. TOXICOLOGICAL INFORMATION

Acute toxicity:

Substance/Ingredient	Test results	Species
Isopropyl Alcohol	LD50 Oral - 5,500 mg/kg LC50 Inhalation – 6h – >10,000 mg/l	Rat Rat

Substance/Ingredient	Skin corrosion/irritation	Eye damage/irritation	Respiration sensitization	Skin sensitization
Isopropyl Alcohol	Mild skin irritation – rabbit	Eye irritation – 24h – rabbit	No data available	No data available

Description of the delayed, immediate, or chronic effects from short and long term exposure

Specific target organ toxicity – single exposure

Inhalation, oral - May cause drowsiness or dizziness.

Specific target organ toxicity – repeated exposure

No data available

Chronic health effects

Substance/Ingredient	Germ Cell mutagenicity	Carcinogenicity	Reproductive toxicity
Isopropyl Alcohol	no data available	No known significant effects	Not available

Aspiration hazard

no data available

Additional Information

Kidney - Irregularities - Based on Human Evidence

Central nervous system depression, prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting, narcosis, Drowsiness, Overexposure may cause mild, reversible liver effects., Aspiration may lead to:, Lung oedema,

Pneumonia

12. ECOLOGICAL INFORMATION

Toxicity

Substance/Ingredient	Test	Species	Exposure
	LC50 – 9640 mg/l	Pimephales promelas	96h
	EC50 – 5102 mg/l	Daphnia magna	24h
	EC50 – 2000 mg/l	Desmodesmus subspicatus	72h
Isopropyl Alcohol	EC50 – 1000 mg/l	Algae	24h

Persistence and degradability

Substance/Ingredient	Persistence/degradable
Isopropyl Alcohol	Primary biodegradation 53%

Bioaccumulative potential
No bioaccumulation is to be expected
Mobility in soil
n/a
PBT and vPVB assessment
n/a
Other adverse effects
n/a

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME: Isopropanol

PRIMARY HAZARD CLASS/DIVISION: 3

UN/NA NUMBER: 1219

PACKING GROUP: II

REPORTABLE QUANTITY (RQ) UNDER CERCLA:

LABEL: Flammable

15. REGULATORY INFORMATION

SARA 302 Components
SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313 Components
2-Propanol
SARA 311/312 Hazards
Fire Hazard, Acute Health Hazard, Chronic Health Hazard
Massachusetts Right To Know Components

2-Propanol
Pennsylvania Right To Know Components
2-Propanol
New Jersey Right To Know Components
2-Propanol
California Prop. 65 Components
This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

MANUFACTURER DISCLAIMER: The information presented herein is believed to be accurate. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.

HMIS Rating
Health hazard: 2
Chronic Health Hazard:*
Flammability: 3
Physical Hazard 0
NFPA Rating
Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0