# SAFETY DATA SHEET

## 1. PRODUCT AND COMPANY IDENTIFICATION

**PRODUCT NAME:** ALCOHOL
**GENERAL USE:** nail polish cleaning
**PRODUCT CODE:** A Alcohol

**MANUFACTURER**
TS Cosmetic Labs, Inc.
10540 Ashdale St
Stanton, CA 90680
**Emergency Contact:** INFOTRAC
**Emergency Phone:** 800-535-5053
**Customer Service:** 714-252-1185

## 2. HAZARDS IDENTIFICATION

**GHS CLASSIFICATIONS**

Flammable liquids (Category 2), H225

Eye irritation (Category 2A), H319

Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

**GHS LABEL**

**SIGNAL WORD:** DANGER

**Hazard statement(s)**

H225 Highly flammable liquid and vapour

H319 Causes serious eye irritation.

H336 may cause drowsiness or dizziness

**Precautionary statement(s)**

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ ventilating/ lighting/ equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ eye protection/ face protection.

P303 + P361 + P353 IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304 + P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER or doctor/ physician if you feel unwell.

P337 + P313 If eye irritation persists: Get medical advice/ attention.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/ container to an approved waste disposal plant.

**Prevention:**

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | Vol. % | CAS |
|---|---|---|
| Isopropyl alcohol | 70 | 67-63-0 |

## 4. FIRST AID MEASURES

**4.1 Description of first aid measures**
**General advice**
Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.
**If inhaled**
If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.
**In case of skin contact**
Wash off with soap and plenty of water. Consult a physician.
**In case of eye contact**
Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital.
**If swallowed**
Never give anything by mouth to an unconscious person. Do NOT induce vomiting. Rinse mouth with water. Consult a physician.
**4.2 Most important symptoms and effects, both acute and delayed**
The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11
**4.3 Indication of any immediate medical attention and special treatment needed**
no data available

## 5. FIRE FIGHTING MEASURES

**5.1 Extinguishing media**

**Suitable extinguishing media**

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

**5.2 Special hazards arising from the substance or mixture**

Carbon oxides

**5.3 Advice for firefighters**

Wear self-contained breathing apparatus for firefighting if necessary.

**5.4 Further information**

Use water spray to cool unopened containers.

## 6. ACCIDENTAL RELEASE MEASURES

**6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

**6.2 Environmental precautions**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

**6.3 Methods and materials for containment and cleaning up**

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## 7. HANDLING AND STORAGE

**7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Take measures to prevent the buildup of electrostatic charge.

**7.2 Conditions for safe storage, including any incompatibilities**

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Control parameters**

**Exposure limits**

| Component | CAS-No. | Value | Control parameters | Basis |
|---|---|---|---|---|
| Isopropyl alcohol | 67-63-0 | TWA | 200 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | Remarks | Eye & Upper Respiratory Tract irritation<br>Central Nervous System impairment | | |
| | | STEL | 400 ppm | USA. ACGIH Threshold Limit Values (TLV) |
| | | Eye & Upper Respiratory Tract irritation<br>Central Nervous System impairment<br>Not classifiable as a human carcinogen | | |
| | | TWA | 400 ppm<br>980 mg/m3 | USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000 |
| | | STEL | | |
| | | TWA | 400 ppm<br>980 mg/m3 | USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants |
| | | The value in mg/m3 is approximate. | | |
| | | TWA | 400 ppm<br>980 mg/m3 | USA. NIOSH Recommended Exposure Limits |
| | | ST | 500 ppm<br>1,225 mg/m3 | USA. NIOSH Recommended Exposure Limits |

**Biological occupational exposure limits**

| Component | CAS-No. | Parameters | Value | Biological specimen | Basis |
|---|---|---|---|---|---|
| Isopropyl alcohol | 67-63-0 | Acetone | 40 mg/l | Urine | ACGIH - Biological Exposure Indices (BEI) |
| | remarks | End of shift at end of workweek | | | |

**Exposure controls**

**Appropriate engineering controls**

Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-prof ventilation equipment.

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product.

**Personal protective equipment**

**Eye/face protection**

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

**Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

**Body Protection**

Complete suit protecting against chemicals, the type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Personal protective equipment.

**Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multipurpose combination (US) or type ABEK (EN14287) respirator cartridges as a backup to engineering controls if the respirator is the sole means of protection, use a full0face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH or CEN

**Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** liquid
**Odor:** alcohol-like
**Odor threshold:** no data available
**pH:** no data available
**Melting point/freezing point:** freezing point: -89°C
**Initial boiling point and boiling range:** 82°C
**Flash point:** 12°C (closed cup)
**Evaporation rate:** 2.9
**Flammability:** no data available
**Upper/lower flammability or explosive limits:** lower: 2.0 %(V), Upper: 12%(V)
**Vapor pressure:** 33.000 mmHg @ 20 °C
**Vapor density:** no data available
**Relative density:** 2.1
**Solubility:** completely water soluable
**Partition coefficient: n-octanol/water:** 0.2
**Auto-ignition temperature:** no data available
**Decomposition temperature:** no data available
**Viscosity:** no data available

## 10. STABILITY AND REACTIVITY

**Reactivity**
No data available
**10.2 Chemical stability**
Stable under recommended storage conditions.
**10.3 Possibility of hazardous reactions**
Vapors may form explosive mixture with air.
**10.4 Conditions to avoid**
Heat, flames and sparks. Extremes of temperature and direct sunlight.
**10.5 Incompatible materials**
Oxidizing agents, Strong acids, Acid chlorides, Acid anhydrides, halogenated compounds
**10.6 Hazardous decomposition products**
Carbon dioxide and carbon monoxide
In the event of fire: see section 5

## 11. TOXICOLOGICAL INFORMATION

**Acute toxicity:**

| Substance/Ingredient | Test results | Species |
|---|---|---|
| Isopropyl Alcohol | LD50 Oral - 5,500 mg/kg<br>LC50 Inhalation – 6h – >10,000 mg/l | Rat<br>Rat |

| Substance/Ingredient | Skin corrosion/irritation | Eye damage/irritation | Respiration sensitization | Skin sensitization |
|---|---|---|---|---|
| Isopropyl Alcohol | Mild skin irritation – rabbit | Eye irritation – 24h – rabbit | No data available | No data available |

**Description of the delayed, immediate, or chronic effects from short and long term exposure**

**Specific target organ toxicity – single exposure**

Inhalation, oral - May cause drowsiness or dizziness.

**Specific target organ toxicity – repeated exposure**

No data available

**Chronic health effects**

| Substance/Ingredient | Germ Cell mutagenicity | Carcinogenicity | Reproductive toxicity |
|---|---|---|---|
| Isopropyl Alcohol | no data available | No known significant effects | Not available |

**Aspiration hazard**

no data available

**Additional Information**

Kidney - Irregularities - Based on Human Evidence

Central nervous system depression, prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting, narcosis, Drowsiness, Overexposure may cause mild, reversible liver effects., Aspiration may lead to:, Lung oedema,

Pneumonia

## 12. ECOLOGICAL INFORMATION

**Toxicity**

| Substance/Ingredient | Test | Species | Exposure |
|---|---|---|---|
| | LC50 – 9640 mg/l | Pimephales promelas | 96h |
| | EC50 – 5102 mg/l | Daphnia magna | 24h |
| | EC50 – 2000 mg/l | Desmodesmus subspicatus | 72h |
| Isopropyl Alcohol | EC50 – 1000 mg/l | Algae | 24h |

**Persistence and degradability**

| Substance/Ingredient | Persistence/degradable |
|---|---|
| Isopropyl Alcohol | Primary biodegradation 53% |

**Bioaccumulative potential**
No bioaccumulation is to be expected
**Mobility in soil**
n/a
**PBT and vPVB assessment**
n/a
**Other adverse effects**
n/a

## 13. DISPOSAL CONSIDERATIONS

**DISPOSAL METHOD:** Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material.

## 14. TRANSPORT INFORMATION

**DOT (DEPARTMENT OF TRANSPORTATION)**

**PROPER SHIPPING NAME:** Isopropanol

**PRIMARY HAZARD CLASS/DIVISION:** 3

**UN/NA NUMBER:** 1219

**PACKING GROUP:** II

**REPORTABLE QUANTITY (RQ) UNDER CERCLA:**

**LABEL:** Flammable

## 15. REGULATORY INFORMATION

**SARA 302 Components**
SARA 302: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
**SARA 313 Components**
2-Propanol
**SARA 311/312 Hazards**
Fire Hazard, Acute Health Hazard, Chronic Health Hazard
**Massachusetts Right To Know Components**

2-Propanol
**Pennsylvania Right To Know Components**
2-Propanol
**New Jersey Right To Know Components**
2-Propanol
**California Prop. 65 Components**
This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

## 16. OTHER INFORMATION

**MANUFACTURER DISCLAIMER:** The information presented herein is believed to be accurate. Recipients are advised to confirm in advance that the information is current, applicable and suitable to their circumstances. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes. In no event shall the company be liable for any claims, losses, or damages of any third party or for lost profits or any special, indirect, incidental, consequential, or exemplary damages howsoever arising, even if the company has been advised of the possibility of such damages.

**HMIS Rating**
Health hazard: 2
Chronic Health Hazard:*
Flammability: 3
Physical Hazard 0
**NFPA Rating**
Health hazard: 2
Fire Hazard: 3
Reactivity Hazard: 0