Safety Data Sheet

according to the federal final rule of hazard communication revised on 2012 (HazCom 2012)

Date of issue: 05/06/2020 Revision date: 05/19/2020 Printed: 05/19/2020 Version: 2.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name : PRO SANITIZE ALCOHOL WIPES

Product size : 1.74 lb (789g)

Product code : Fresh scent

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Sanitizing

Use advised against : None identified

1.3. Details of the supplier of the safety data sheet

Valley of the Sun Cosmetics, LLC
535 Patrice Place
Gardena, CA 90248
Tel: 310-327-9062

cleanbeautyconcepts.com

1.4. Emergency telephone number

Emergency number : For Emergency only, Call CHEMTREC (24 HOURS)
1-800-424-9300 (US and Canada)
1-703-527-3887 (International)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification

Flammable Liquid, Category 2
Eye Damage/Irritation, Category 2A
Sensitization-skin, Category 1

2.2. Label elements

Labeling

Hazard pictograms :

Signal word : Danger

Hazard statements : Highly flammable liquid and vapour
May cause an allergic skin reaction
Causes serious eye irritation

Precautionary statements : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Keep container tightly closed.
Ground and bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting/equipment.
Use non-sparking tools.
Take action to prevent static discharges.
Avoid breathing mist/vapors/spray.
Wash hands and exposed skin thoroughly after handling.
Wear protective gloves/eye protection.
Contaminated work clothing must not be allowed out of the workplace.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.
If on skin: Wash with plenty of water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.
If skin irritation or rash occurs: Get medical advice/attention.
In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.
Store in a well-ventilated place. Keep cool.
Dispose of contents in accordance with local, state or national legislation.

2.3. Other hazards

Other hazards which do not result in : Spills of this product present a serious slipping hazard.

2.4. Unknown acute toxicity

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixture

Name	Product identifier (CAS No.)	% w/w
Isopropyl alcohol	67-63-0	75
Water	7732-18	22.825
Glycerin	56-81-5	1.45
Aloe barbadensis (aloe vera) leaf extract	85507-69-3	0.30
Hydrogen peroxide	7722-84-1	0.125
Fragrance (parfum)	N/A	0.3
		100%

The specific chemical\ component identities and/or the exact component percentages of this material may be withheld as trade secrets.
This information is made available to health professionals, employees, and designated representatives in accordance with the applicable provisions of 29 CFR 1910.1200 (I)(1).
Trace ingredients (if any) are present in < 1% concentration, (< 0.1% for potential carcinogens, mutagen, and reproductive toxicant, respiratory tract and skin sensitizers in addition to oral/ inhalation acute toxicant in category 1 and 2). None of the trace ingredients contribute significant additional hazards at the concentrations that may be present in this product. All pertinent hazard information has been provided in this document, per the requirements of the Federal Occupational Safety and Health Administration Standard (29 CFR 1910.1200), U.S. State equivalents.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: get medical advice/attention.

First-aid measures after ingestion : If swallowed, rinse mouth with water (only if the person is conscious). Do not induce vomiting. Obtain emergency medical attention. Call a POISON CENTER or doctor/physician

4.2. Most important symptoms and effects, both acute and delayed

Contact to eyes causes serious eye irritation. Symptoms include stinging, watering, redness, and swelling. May cause irritation, allergic contact dermatitis.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Water jet spray

5.2. Special hazards arising from the substance or mixture

Highly flammable liquid and vapour. May decompose in a fire, giving off toxic and irritant vapours.

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.

Protective equipment for firefighters : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Most vapors are heavier than air. They will spread along ground and collect in low or confined areas (sewers, basements, tanks).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Provide adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Wear suitable protective clothing, gloves and eye/face protection.

6.2. Environmental precautions

This material and its container must be disposed of in a safe way.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Adsorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Containers must not be punctured or destroyed by burning, even when empty.

6.4. Reference to other sections

Refer to section 8 and 13 for additional information on personal protection equipment and waste disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Handle empty containers with care because residual vapours are flammable.

Precautions for safe handling : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ ventilating/ lighting/ equipment. Use non-sparking tools. Take action to prevent static discharges. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands and exposed skin thoroughly after handling.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : Ambient.

Storage life : Stable under normal conditions.

Incompatible materials : None known.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note
Isopropyl Alcohol	67-63-0	1000	1900			OSHA PEL Z-1
Glycerin (mist) (Total dust)	56-81-5		15			OSHA PEL Z-1
Glycerin (mist) (Respirable fraction)	56-81-5		5			OSHA PEL Z-1
Glycerin (mist) (Total dust)	56-81-5		15			Comp,OSHA PEL Z-1
Hydrogen peroxide	7722-84-1	1	1.4			OSHA PEL Z-1
Hydrogen peroxide, as H2O2	7722-84-1	1	1.4			OSHA PEL
Hydrogen peroxide	7722-84-1	1				NIOSH REL Z-1
Hydrogen peroxide	7722-84-1	1	1.4			ACGIH TLV

OSHA PEL Z-1	Occupational Safety and Health Administration (OSHA) Permissible Exposure Limit (PEL) from 29 CFR 1910.1000 Z-1 Table
OSHA PEL	Occupational Safety and Health (OSHA) Permissible Exposure Limits (PELs).
NIOSH REL Z-1	National Institute for Occupational Safety and Health (NIOSH) Recommended Exposure Limits (RELs) from the NIOSH Pocket Guide to Chemical Hazards table Z-1: Up to 10-hour time weighted average (TWA) during a 40-hour work week
ACGIH TLV	The American Conference of Governmental Industrial Hygienists (ACGIH®) Threshold Limit Values (TLVs®) 2018

8.2. Exposure controls

Appropriate engineering controls	: Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.
Personal protective equipment	: Handle in accordance with good industrial hygiene and safety practices. Avoid all unnecessary exposure. For certain operations, additional Personal Protection Equipment (PPE) may be required.
Hand protection	: Wear protective clothing and gloves: Impervious gloves
Eye protection	: Wear eye protection with side protection
Skin and body protection	: In case of repeated or prolonged exposure : Personal protective clothing should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling.
Respiratory protection	: Normally no personal respiratory protection is necessary.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Nonwoven fabric (solid) impregnated with liquid (solution)
Appearance	: Moist
Color	: Colorless
Odor	: Fresh scent
Odor threshold	: No data available
Ph	: 5-7
Density	: 0.8978 g/cm3
Relative evaporation rate (butyl acetate=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: 74.0 C°
Flash point	: 23.8 C°
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: Not applicable
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: No data available
Solubility	: Soluble
Log Pow	: No data available
Log Kow	: No data available
Viscosity, kinematic	: No data available
Viscosity	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

None anticipated

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No hazardous reactions known if used for its intended purpose.

10.4. Conditions to avoid

Avoid friction, sparks, or other means of ignition.

10.5. Incompatible materials

Not known.

10.6. Hazardous decomposition products

No hazardous decomposition products known.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - Ingestion	: Not classified. Calculated acute toxicity estimate (ATE) Calc ATE - 400000.00000
Acute oral toxicity - Ethyl alcohol	: LD50(RAT); >5,0000 mg/kg
Acute toxicity - Inhalation	: LC50 (RAT); 124.7 mg/kg Exposure time: 4-5 h Test atmosphere: Vapor
Acute oral toxicity - Isopropyl alcohol	: LD50(RAT); >5,0000 mg/kg
Acute toxicity - Inhalation	: LC50 (RAT); 72.6mg/l Exposure time: 4-5 h Test atmosphere: Vapor
Skin corrosion/irritation	: Not classified
Serious eye damage/irritation	: Calculation method : Causes serious eye irritation
Respiratory or skin sensitization	: Calculation method : May cause an allergic skin reaction
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (No carcinogen substances in IARC, NTP or OSHA cited.)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity (single exposure)	: Not classified (Based on available data, the classification criteria are not met)
Specific target organ toxicity (repeated exposure)	: Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified
(Based on available data, the classification criteria are not met)

11.2 Other information

: Not known

SECTION 12: Ecological information

12.1. Toxicity

Ecology – Aquatic invertebrates : Low toxicity to invertebrates.
Toxicity - Fish : Low toxicity to fish.
Toxicity - Algae : Low toxicity to algae.
Toxicity - Sediment Compartment : Not classified.
Toxicity - Terrestrial Compartment : Not classified.

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Effect on ozone layer : No additional information available

Effect on the global warming : No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with DOT

Transport document description : UN1987 Alcohols, n.o.s. 3, II
UN-No.(DOT) : UN1987
Proper Shipping Name (DOT) : Alcohols, n.o.s. (ETHANOL)
Transport hazard class(es) (DOT) : 3 - Class 3 - Flammable and combustible liquid 49 CFR 173.120
Hazard labels (DOT) : 3 - Flammable liquid

Packing group (DOT)	: II - Medium Danger
DOT Special Provisions (49 CFR 172.102)	: 172 - This entry includes alcohol mixtures containing up to 5% petroleum products. IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T7 - 4 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = 97 / (1 + a (tr - tf)) Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP8 - A portable tank having a minimum test pressure of 1.5 bar (150 kPa) may be used when the flash point of the hazardous material transported is greater than 0 °C (32 °F). TP28 - A portable tank having a minimum test pressure of 2.65 bar (265 kPa) may be used provided the calculated test pressure is 2.65 bar or less based on the MAWP of the hazardous material, as defined in §178.275 of this subchapter, where the test pressure is 1.5 times the MAWP.
DOT Packaging Exceptions (49 CFR 173.xxx)	: 4b;150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 5 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - means : (i) The material may be stowed “on deck” or “under deck” on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) “On deck only” on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.

Additional information

Other information	: No supplementary information available.

Transport by sea

UN-No. (IMDG)	: 1987
Proper Shipping Name (IMDG)	: ALCOHOLS, N.O.S. (ETHANOL)
Class (IMDG)	: 3 - Flammable liquids
Packing group (IMDG)	: II - substances presenting medium danger

Air transport

UN-No. (IATA)	: 1987
Proper Shipping Name (IATA)	: Alcohols, n.o.s. (ETHANOL)
Class (IATA)	: 3 - Flammable Liquids
Packing group (IATA)	: II - Medium Danger

SECTION 15: Regulatory information

15.1 US Federal Regulations

Toxic and hazardous substances (29 CFR 1910; Subpart Z)	Listed : 64-17-5, 56-81-5, 7722-84-1
National emission standards for hazardous air pollutants (40 CFR 61.01)	Not listed
SARA Title III Section 313	Not listed
TSCA (Toxic Substance Control Act)	Listed : 64-17-5 (Active), 7732-18-5 (Active), 56-81-5 (Active), 7722-84-1 (Active), 124-68-5 (Active)(ODS)

CAA 602 - Ozone Depleting Substances Not listed

15.2 US State Regulations

State Right to Know Lists

Proposition 65 (California)	Not listed
Minnesota	Listed : 64-17-5, 56-81-5, 7722-84-1
New Jersey	Listed : 64-17-5, 56-81-5, 7722-84-1,124-68-5
Pennsylvania	Listed : 64-17-5, 56-81-5, 7722-84-1,124-68-5
Rhode Island	Listed : 64-17-5, 56-81-5

15.3 Other

OSPAR List of Chemicals for Priority Action	Not listed
OSHA (List of Highly Hazardous Chemicals, Toxics and Reactives)	Listed : 7722-84-1
NTP (National Toxicology Program)	Not listed
IARC (International Agency for Research on Cancer)	Listed : 64-17-5, 7722-84-1

SECTION 16: Other information

Indication of changes	: 14-Transport information
Revision date	: 05/19/2020
Acronyms	ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road CAS : Chemical Abstracts Service IATA : International Air Transport Association IBC : Intermediate Bulk Container ICAO : International Civil Aviation Organization IMDG : International Maritime Dangerous Goods LTEL : Long term exposure limit RID : Regulations concerning the International Carriage of Dangerous Goods by Rail STEL : Short term exposure limit STOT : Specific Target Organ Toxicity UN : United Nations

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Custom code: FFC4