











```
<!doctype html>
<html lang="en">
<head>
 <meta charset="utf-8">
 <meta name="viewport" content="width=device-width, initial-scale=1">
 <!-- BOOTSTRAP CSS -->
 k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min
.css" rel="stylesheet"
   integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
 <title>Home | ESD VANUE</title>
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark" aria-</pre>
label="Tenth navbar example">
   <div class="container-fluid">
     <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarsExample08" aria-
controls="navbarsExample08" aria-expanded="false" aria-label="Toggle
navigation">
       <span class="navbar-toggler-icon"></span>
     </button>
     <div class="collapse navbar-collapse justify-content-md-center"</pre>
id="navbarsExample08">
       <a class="nav-link" href="Home.php">Home</a>
         <a class="nav-link" href="Booking.php">Booking</a>
         </div>
   </div>
  </nav>
  <h4 class="text-center py-3">WELCOME TO ESD VENUE RESERVATION</h4>
 <div class="container mb-5">
```

```
<div class="bg-dark">
   Find your best deal for your
event, here!
  </div>
  <div class="d-flex justify-content-center">
   <div class="card " style="width: 27rem;" >
    <img src="img/Nusantara Hall.png" class="card-img-top h-70"</pre>
alt="..." height="275px">
    <div class="card-body">
     <h5 class="card-title" name="type">Nusantara Hall</h5>
     $2000/ Hour
     5000 Capacity
    </div>
    Free
Parking
     Full AC
     Cleaning
Service
     Covid-19
Health Protocol
    <div class="card-footer text-center">
     <a href="Booking.php?type=Nusantara Hall" class="btn btn-</pre>
primary" type="button">Book Now</a>
    </div>
   </div>
   <div class="card mx-3" style="width: 27rem;">
    <img src="img/Garuda Hall.png" class="card-img-top h-75"</pre>
alt="..." height="275px">
    <div class="card-body">
     <h5 class="card-title" name="type">Garuda Hall</h5>
     $1000/ Hour
     2000 Capacity
    Free
Parking
     Full AC
     No Cleaning
Service
     Covid-19
Health Protocol
```

```
<div class="card-footer text-center">
       <a href="Booking.php?type=Garuda Hall" class="btn btn-primary"</pre>
type="button">Book Now</a>
      </div>
    </div>
    <div class="card " style="width: 27rem;">
      <img src="img/Gedung Serba Guna.png" class="card-img-top h-75"</pre>
alt="..." height="275px">
      <div class="card-body">
       <h5 class="card-title" name="type">Gedung Serba Guna</h5>
       $500/ Hour
       500 Capacity
      </div>
      No Free
Parking
       No Full AC
       No Cleaning
Service
       Covid-19
Health Protocol
      <div class="card-footer text-center">
       <a href="Booking.php?type=Gedung Serba Guna" class="btn btn-</pre>
primary" type="button">Book Now</a>
      </div>
    </div>
   </div>
 </div>
 <!-- FOOTER -->
 <footer class="fixed-bottom text-center bg-dark" >
      <a style="color: white;">Created by: Nurul_1202194015</a>
   </footer>
 <!-- BOOTSTRAP JS -->
 <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"</pre>
integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous">
   </script>
   <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js
```

BOOKING

```
<!doctype html>
<html lang="en">
<head>
        <meta charset="utf-8">
         <meta name="viewport" content="width=device-width, initial-scale=1">
        <!-- BOOTSTRAP CSS -->
        k
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap.min">href="https://cdn.jsdelivr.net/npm/bootstrap.min">https://cdn.jsdelivr.net/npm/bootstrap.min</a>
 .css" rel="stylesheet"
        integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
        <title>Booking | ESD VANUE</title>
</head>
<body>
         <nav class="navbar navbar-expand-lg navbar-dark bg-dark" aria-</pre>
label="Tenth navbar example">
                 <div class="container-fluid">
                          <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarsExample08" aria-
controls="navbarsExample08" aria-expanded="false" aria-label="Toggle
navigation">
                                  <span class="navbar-toggler-icon"></span>
```

```
</button>
          <div class="collapse navbar-collapse justify-content-md-</pre>
center" id="navbarsExample08">
              <a class="nav-link" href="Home.php">Home</a>
                  <a class="nav-link"</pre>
href="Booking.php">Booking</a>
                  </div>
       </div>
   </nav>
   <h4 class="text-center py-3"></h4>
   <div class="container mb-5">
       <div class="bg-dark">
          Reserve your venue
now!
       </div>
       <div class="card">
           <div class="row">
              <div class="col-6 d-flex align-items-center justify-</pre>
content-center">
                  if (isset($_GET["type"])) {
                     $img = $_GET['type'];
                     $img = "Nusantara Hall";
                  <img src="img/<?php echo "$img" ?>.png" class="w-75"
alt="">
              </div>
              <div class="col-6">
                  <form action="MyBooking.php" method="POST" class="pe-</pre>
3 my-3 needs-validation">
                     <div class="mb-3">
                         <label for="name" class="form-</pre>
label">Name</label>
```

```
<input type="text" name="name" class="form-</pre>
control " id="name " placeholder="name" value="Nurul 1202194015"
readonly>
                         </div>
                         <div class="mb-3">
                             <label for="date" class="form-label">Event
Date</label>
                             <input type="date" name="date" class="form-</pre>
control " id="date" aria-describedby="inputGroupPrepend2" required>
                             <div class="invalid-feedback">
                                 Please choose a Event Date.
                             </div>
                         </div>
                         <div class="mb-3">
                             <label for="time" class="form-label">Start
Time</label>
                             <input type="time" name="time" class="form-</pre>
control " id="time" required>
                         </div>
                         <div class="mb-3">
                             <label for="duration" class="form-</pre>
label">Duration (Hours)</label>
                             <input type="number" name="duration"</pre>
class="form-control " id="duration" required>
                         </div>
                         <div class="mb-3">
                             <label for="type" class="form-label">Building
Type</label>
                             <select class="form-select" name="type"</pre>
id="type" required>
                                 <option selected</pre>
disabled>Choose...
                                 if (isset($_GET["type"])) {
                                     echo "<option selected>" .
$_GET["type"];
                                     ".</option>";
                                     echo '
                                     <option value="Nusantara</pre>
Hall">Nusantara Hall
                                 <option value="Garuda Hall">Garuda
Hall</option>
```

```
<option value="Gedung Serba Guna">Gedung
Serba Guna</option>
                             </select>
                         </div>
                         <div class="mb-3">
                             <label for="phone" class="form-label">Phone
Number</label>
                             <input type="number" name="phone"</pre>
class="form-control " id="phone" required>
                        </div>
                         <div class="mb-3">
                             Add Service(s)
                             <div class="form-check">
                                 <input class="form-check-input"</pre>
type="checkbox" name="check1" value="1" id="flexCheckDefault">
                                 <label class="form-check-label"</pre>
for="flexCheckDefault">
                                     Catering / $700
                                 </label>
                             </div>
                             <div class="form-check">
                                 <input class="form-check-input"</pre>
type="checkbox" name="check2" value="2" id="flexCheckChecked">
                                 <label class="form-check-label"</pre>
for="flexCheckChecked">
                                     Decoration / $450
                                 </label>
                             </div>
                             <div class="form-check">
                                 <input class="form-check-input"</pre>
type="checkbox" name="check3" value="3" id="flexCheckChecked">
                                <label class="form-check-label"</pre>
for="flexCheckChecked">
                                     Sound System / $250
                                 </label>
                             </div>
                        </div>
                         <div class="d-grid gap-2">
                            <button class="btn btn-primary"</pre>
type="submit">Book</button>
                        </div>
                    </form>
```

```
</div>
            </div>
        </div>
    </div>
 <!-- FOOTER -->
    <footer class="fixed-bottom text-center bg-dark" >
        <a style="color: white;">Created by: Nurul_1202194015</a>
    </footer>
    <!-- BOOTSTRAP JS -->
    <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"</pre>
integrity="sha384-
DfXdz2htPH0lsSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous">
    </script>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js
" integrity="sha384-
9/reFTGAW83EW2RDu2S0VKaIzap3H661ZH81PoY1FhbGU+6BZp6G7niu735Sk71N"
crossorigin="anonymous">
    </script>
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.
js" integrity="sha384-
B4gt1jrGC7Jh4AgTPSdUt0Bvf08shuf57BaghqFfPlYxofvL8/KUEfYiJOMMV+rV"
crossorigin="anonymous">
    </script>
</body>
</html>
```

MYBOOKING

```
<?php

$name = $_POST['name'];
$date = $_POST['date'];
$time = strtotime($_POST['time']);
$duration = $_POST['duration'];
$checkout = $time + 60 * 60 * $duration;

$type = $_POST['type'];</pre>
```

```
if (isset($ POST["check1"])) {
    p1 = 700;
    $ser1 = "Catering";
} else {
    p1 = 0;
if (isset($_POST["check2"])) {
   p2 = 450;
    $ser2 = "Decoration";
   p2 = 0;
if (isset($_POST["check3"])) {
   p3 = 250;
   $ser3 = "Sound System";
if ($type == "Nusantara Hall") {
    $p = 2000;
} else if ($type == "Garuda Hall") {
   p = 1000;
} else if ($type == "Gedung Serba Guna") {
   p = 500;
p_{tot} = p * duration + (p1 + p2 + p3);
$phone = $_POST['phone'];
<!doctype html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
<!-- BOOTSTRAP CSS -->
```

```
href="https://cdn.jsdelivr.net/npm/bootstrap@5.0.2/dist/css/bootstrap.min
.css" rel="stylesheet"
   integrity="sha384-
EVSTQN3/azprG1Anm3QDgpJLIm9Nao0Yz1ztcQTwFspd3yD65VohhpuuCOmLASjC"
crossorigin="anonymous">
   <title>My Booking | ESD VANUE</title>
</head>
<body>
   <nav class="navbar navbar-expand-lg navbar-dark bg-dark" aria-</pre>
label="Tenth navbar example">
       <div class="container-fluid">
          <button class="navbar-toggler" type="button" data-bs-</pre>
toggle="collapse" data-bs-target="#navbarsExample08" aria-
controls="navbarsExample08" aria-expanded="false" aria-label="Toggle
navigation">
              <span class="navbar-toggler-icon"></span>
          </button>
          <div class="collapse navbar-collapse justify-content-md-</pre>
center" id="navbarsExample08">
              <a class="nav-link" href="Home.php">Home</a>
                 <a class="nav-link"</pre>
href="Booking.php">Booking</a>
                 </div>
       </div>
   </nav>
   <div class="pv-3">
       <h4 class="text-center">Thank yous Nurul_1202194015 for
Reserving</h4>
       <h4 class="text-center">Please double check your resevation
detail</h4>
   </div>
   <div class="container mt-5">
       Booking Number
                 Name
                 Check-in
```

```
Check-out
           Building Type
           Phone Number
           Service
           Total Price
        </thead>
      echo (rand(100, 1000));
           <?php echo "$date" . " " . date(' H:i:s', $time)
?>
           <?php echo "$date" . " " . date('H:i:s',
<?php echo "$phone" ?>
           <l
               if (isset($ser1)) {
               if (isset($ser2)) {
                 echo "": $ser2 . "";
               if (isset($ser3)) {
                 echo "": $ser3 . "";
             $<?php echo "$p_tot" ?>
        </div>
```

```
<footer class="fixed-bottom text-center bg-dark" >
        <a style="color: white;">Created by: Nurul_1202194015</a>
    </footer>
    <!-- BOOTSTRAP JS -->
    <script src="https://code.jquery.com/jquery-3.5.1.slim.min.js"</pre>
integrity="sha384-
DfXdz2htPH01sSSs5nCTpuj/zy4C+OGpamoFVy38MVBnE+IbbVYUew+OrCXaRkfj"
crossorigin="anonymous">
    </script>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js
" integrity="sha384-
9/reFTGAW83EW2RDu2S0VKaIzap3H66lZH81PoYlFhbGU+6BZp6G7niu735Sk7lN"
crossorigin="anonymous">
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.5.2/js/bootstrap.min.
js" integrity="sha384-
B4gt1jrGC7Jh4AgTPSdUt0Bvf08shuf57BaghqFfPlYxofvL8/KUEfYiJ0MMV+rV"
crossorigin="anonymous">
    </script>
</html>
```