Assignment 4 (Chapter 4.7 to 5.2)

NICOLE LEE	A24CS0287
SAM WEI LENG	A24CS0295
CRYSTAL YAP WEN JING	A24CS0240
NURUL NASRAHTUL BALQIS BT MOHO FAZLI	A24CS0177

Q1. Dijkstra's Shortest Path Algorithm

1. Dijkstra's Shortest Path Algorithm is a graph search algorithm that find the shortest path between a starting vertices in a weighted graph.

2.

(a) From a to f, b → j, a → g

S = { }

V = { a, b, c, d, e, f, g, h, i, j, z }

S	V	a	b	c	d	e	f	g	h	i	j	z
{}	{a,b,c,d,e,f,g,h,i,j,z}	0	∞	∞	∞	∞	∞	∞	∞	∞	∞	∞
{a}	{b,c,d,e,f,g,h,i,j,z}	0	3	∞	∞	5	∞	∞	4	∞	∞	∞
{a,b}	{c,d,e,f,g,h,i,j,z}	0	3	5	∞	5	10	∞	4	∞	∞	∞
{a,b,h}	{c,d,e,f,g,h,i,j,z}	0	3	5	∞	5	9	∞	4	6	∞	∞
{a,b,h,c}	{d,e,f,g,h,i,j,z}	0	3	5	8	5	7	11	4	6	∞	∞
{a,b,h,c,e}	{d,f,g,h,i,j,z}	0	3	5	8	5	7	11	4	6	∞	∞
{a,b,h,c,e,i}	{d,f,g,h,j,z}	0	3	5	8	5	7	11	4	6	10	∞
{a,b,h,c,e,i,f}	{d,g,h,j,z}	0	3	5	8	5	7	11	4	6	10	∞
{a,b,h,c,e,i,d}	{g,j,z}	0	3	5	8	5	7	11	4	6	10	10
{a,b,h,c,e,i,d,j}	{g,z}	0	3	5	8	5	7	11	4	6	10	10
{a,b,h,c,e,i,d,j,z}	{g}	0	3	5	8	5	7	11	4	6	10	10

$S = \{a, b\}$, $V = \{c, d, e, f, g, h, i, j, z\}$

$L(b) + w(b,f) < L(f)$	$L(b) + w(b,e) < L(e)$	$L(b) + w(b,c) < L(c)$
$3 + 7 = 10 < \infty$	$3 + 5 = 8 > 5$	$3 + 2 = 5 < \infty$
$L(f) = 10$	$L(e)$ remains	$L(c) = 5$

$S = \{a, b, h\}$, $V = \{c, d, e, f, g, i, j, z\}$

$L(h) + w(h,e) < L(e)$	$L(h) + w(h,f) < L(f)$	$L(h) + w(h,i) < L(i)$
$4 + 7 = 11 > 5$	$4 + 5 = 9 < 10$	$4 + 2 = 6 < \infty$
$L(e)$ remains	$L(f) = 9$	$L(i) = 6$

$S = \{a, b, h, c\}$, $V = \{d, e, f, g, i, j, z\}$

$L(c) + w(c,f) < L(f)$	$L(c) + w(c,d) < L(d)$	$L(c) + w(c,g) < L(g)$
$5 + 7 = 7 < 9$	$5 + 3 = 8 < \infty$	$5 + 6 = 11 < \infty$
$L(f) = 7$	$L(d) = 8$	$L(g) = 11$

$S = \{a, b, h, c, e\}$, $V = \{d, f, g, i, j, z\}$

$L(e) + w(e,f) < L(f)$	$L(e) + w(e,b) < L(b)$	$L(e) + w(e,h) < L(h)$
$5 + 4 = 9 > 7$	$5 + 5 = 10 > 3$	$5 + 7 = 12 > 4$
$L(f)$ remains	$L(b)$ remains	$L(h)$ remains

For a to f,

$S = \{a, b, h, c, e, f\}$

$V = \{d, g, i, j, z\}$

The loop terminate at this moment. Thus, the length of a shortest path from a to f is 7; the shortest path is from a to b to c to f.

For other vertices,

$L(f) + w(f,c) < L(c)$ | $L(f) + w(f,j) < L(j)$

$7 + 2 = 9 > 5$ | $7 + 3 = 10 < \infty$

$L(c)$ remains | $L(j) = 10$

$L(f) + w(f,g) < L(g)$ | $L(f) + w(f,i) < L(i)$

$7 + 4 = 11 = L(g)$ | $7 + 4 = 11 > 6$

$L(g) = 11$ | $L(i)$ remains

$S = \{a, b, h, c, e, i\}$, $V = \{d, f, g, h, j, z\}$

$L(i) + w(i,f) < L(f)$ | $L(i) + w(i,j) < L(j)$

$6 + 4 = 10 > 7$ | $6 + 6 = 12 > 10$

$L(f)$ remains | $L(j)$ remains

$S = \{a, b, h, c, e, i, d\}$, $V = \{g, j, z\}$

$L(d) + w(d,g) < L(g)$ | $L(d) + w(d,z) < L(z)$

$8 + 7 = 15 > 11$ | $8 + 2 = 10 < \infty$

$L(g)$ remains | $L(z) = 10$

$S = \{a, b, h, c, e, i, d, j\}$, $V = \{g, z\}$

$L(j) + w(j,g) < L(g)$ | $L(j) + w(j,z) < L(z)$

$10 + 4 = 14 > 11$ | $10 + 5 = 15 > 10$

$L(g)$ remains | $L(z)$ remains

$S = \{a, b, h, c, e, i, d, j, z\}$, $V = \{g\}$

The loops terminate

$a \rightarrow g$

shortest path = a to b to c to g

shortest length = 11

$b \rightarrow j$

shortest path = b to c to f to j

shortest lenght = $10 - 3$

$= 7$

Q2. Trees

1. a and b tree are both balanced because their leaves are all at level h (height) or level h-1

Tree a:
height = 3
leaves = d (level 3), b and c (level 2)

Tree b:
height = 4
leaves = g and h (level 4), f (level 3)

2.







Inorder traversal = A → + → B → * → C → − → D → / → E

3.



Prefix Expression : − * + * + A B C D E − * + A B C D

Post fix Expression : A B + C * D + E * A B + C * D − −

4.



Edge	14	69	25	12	78	36	23	47	45	89	58	15	26	56	57
Weight	2	4	6	8	10	12	14	16	18	20	22	24	26	28	30

Q3. Deterministic Finite Automata

1. Let $M = \{\{q_0, q_1, q_2, q_3, q_4, q_5\}, \{a,b\}, q_0, f_s, \{q_4\}\}$



f_s	a	b
q_0	q_1	q_2
q_1	q_5	q_3
q_2	q_4	q_5
q_3	q_5	q_4
q_4	q_4	q_4
q_5	q_5	q_5

Q4. Finite State Machine

1. A finite-state machine is an abstract model of a machine with a primitive internal memory. It is written as $M = \{S, I, O, q_0, f_s, f_o\}$. Components of finite state machine are finite set of states (S), finite set of input alphabet (I), finite set of output alphabet (O), initial state ($s_0 \in S$), state transition function ($f_s : S \times I \to S$) and output function ($f_o : S \times I \to O$)

2.

(a)



(b)



3. $I = \{a, b\}$, $O = \{0, 1\}$, $S = \{\sigma_0, \sigma_1, \sigma_2, \sigma_3\}$

initial state = σ_0

	f_s		f_o	
I / S	a	b	a	b
σ_0	σ_1	σ_2	0	0
σ_1	σ_0	σ_2	1	0
σ_2	σ_3	σ_0	0	1
σ_3	σ_1	σ_3	0	0

Output function :

$f_o(\sigma_0, a) = 0$

$f_o(\sigma_0, b) = 0$

$f_o(\sigma_1, a) = 1$

$f_o(\sigma_1, b) = 0$

$f_o(\sigma_2, a) = 0$

$f_o(\sigma_2, b) = 1$

$f_o(\sigma_3, a) = 0$

$f_o(\sigma_3, b) = 0$