Detailed Implementation Matrix

FIXED means the requested behavior is present in the current Flutter source. PARTIAL means only the stated subset is complete. NOT FIXED means the requirement remains deferred.

ID	Client requirement	Status	Current implementation and remaining work
01	Welcome Screen	FIXED	Language shows English; OTP help and contact support were added; Apple and Google use the requested side-by-side iOS layout.
02	OTP / Email Verify	PARTIAL	30-second timer, six-digit UI, paste/focus behavior, masked email, and country-code handling are present. WhatsApp-first delivery with SMS fallback still needs API-01.
03	Profile For + Gender	FIXED	The requested choices are present. Profile manager submission now maps the selected relationship instead of always sending self.
04	Name + Date of Birth	FIXED	The dark date picker and adult validation are present. The selected DOB is now sent instead of a hardcoded date.
05	Religion + Country + City	PARTIAL	Dynamic religion/location flows exist, but the exact client option set, Bangladesh default coverage, and 64-district contract require lookup and location API alignment (API-03).
06	Religious Practice	NOT FIXED	No supported onboarding field or persistence contract exists. Requires API-02 before the screen can be completed safely.
07	Marriage Intention	NOT FIXED	The requested two-question values are not supported by the onboarding payload. Requires API-02.
08	Email + Phone	FIXED	Email, phone, country code, availability checks, and verification-channel selection are implemented using the current API contract.
09	Live with Family + Residency	FIXED	The existing onboarding payload already supports liveWithFamily and residencyStatus.
10	Marital Status + Height + Diet	FIXED	Client marital options are filtered, the height selector remains supported, and Jain Vegetarian was removed from the displayed diet list.
11	Education + Institute	PARTIAL	Qualification is integrated. Institute and additional institute are visible but are not part of the onboarding submission contract; API-02 is required.
12	Income + Work + Profession	PARTIAL	Existing income/work/profession fields are used. hideIncome persistence and the exact BDT/work/profession datasets require API-02 and API-03.
13	About Yourself	FIXED	Bio validation is 20-500 characters with a counter and quick-add chips. Verification type was removed from this step.
14	Photo Upload	PARTIAL	Photo selection, camera, validation, guidance, skip, and X removal are present. The exact dashed-circle presentation still needs a small frontend refinement.
15	Hobbies & Interests	PARTIAL	Minimum five selection is enforced. The requested ten-category, 86-plus-item taxonomy cannot be persisted by the current six-array contract; API-04 is required.
16	Family Details	PARTIAL	Sibling range and family type are fixed using existing fields. Father/mother status values need dedicated fields and enums from API-05.

Detailed Implementation Matrix - continued

ID	Client requirement	Status	Current implementation and remaining work
17	Financial Status	NOT FIXED	The requested four values do not align with the current familyEconomicCondition enum. Requires API-05.
18	Profile Complete	FIXED	Animated checkmark/confetti, message, and continuation to partner preferences are implemented.
19	Partner Preferences Intro	FIXED	The existing intro flow already covers the benefits and continue/skip behavior.
20	Preference Age + Height + Marital	PARTIAL	Age 18-60 and height 4ft0in-7ft0in defaults/limits are updated. The exact Open To All marital behavior still needs contract confirmation in API-06.
21	Preference Religion + Mother Tongue	PARTIAL	Expanded mother-tongue choices are present. Open To All semantics and removal of partner community are not fully aligned; API-06 is required.
22	Preference Country + City	NOT FIXED	The exact 24-country list, Any City option, top-city grouping, and complete city results require API-03/API-06.
23	Preference Education	NOT FIXED	The exact multi-select education taxonomy must be supplied and accepted consistently by API-03/API-06.
24	Preference Work + Profession + Income	NOT FIXED	Exact sector, profession, and income-range datasets plus Open To All semantics require API-03/API-06.
25	Suggested Matches	PARTIAL	All returned matches are preselected; count, toggle, restricted-photo blur, and success copy are updated. A profile-level verified badge and explicit entitlement flags require API-07; badge rendering remains frontend work.
26	Premium Plans	PARTIAL	Six FAQs and both support numbers are corrected. Guarantee, exact plan feature limits, and entitlement availability must be authoritative in API-08.
27	Duplicate Field Removal	PARTIAL	Verification type and Jain diet duplication are fixed; profile manager uses Step 1. Partner community and every historical duplicate route still need final cleanup after API-06 alignment.

Required API Changes

The following contracts are proposed implementation requirements. Existing endpoint paths are reused where possible. Field names are recommendations and should be finalized jointly by mobile and backend teams.

ID	Priority	Blocks
API-01	P0 - blocks WhatsApp-first OTP	WhatsApp-first OTP
API-02	P0 - blocks three requested onboarding sections	Religious practice, marriage intention, institute, hide income
API-03	P1 - blocks exact dropdown parity	Exact lookup/location parity
API-04	P1 - blocks full hobbies requirement	Ten interest categories
API-05	P1 - blocks family/financial parity	Parent status and financial values
API-06	P1 - blocks exact preference behavior	Open To All preference behavior
API-07	P1 - blocks exact badge/blur rules	Verified badge and photo gating
API-08	P2 - makes premium screen authoritative	Authoritative premium content

API-01	OTP delivery channel and fallback
Priority	P0 - blocks WhatsApp-first OTP
Affected endpoints	POST /auth/signin-with-otp; POST /auth/sign-up-with-otp; POST /auth/resend-otp; POST /auth/verify-otp
Current gap	The app can request and verify OTP, but the response does not expose which transport was used or whether WhatsApp failed over to SMS.
Required change	Accept deliveryChannel (email, whatsapp, sms) and fallbackChannel. For phone OTP, attempt WhatsApp first and fall back server-side to SMS. Return deliveryChannelUsed, fallbackAttempted, maskedIdentifier, otpLength, and retryAfterSeconds.
Acceptance criteria	A phone request produces one logical OTP transaction; verification uses the same transaction regardless of transport; resend respects a server-supplied 30-second retry window.

API-02	Onboarding profile fields and persistence
Priority	P0 - blocks three requested onboarding sections
Affected endpoints	POST /users/onboarding; GET /users/profile; relevant PUT /users/profile/* endpoints
Current gap	The current SignUpRequestBody has no religious-practice, two marriage-intention, institute, additional-institute, or hide-income fields.
Required change	Add religiousPractice; connectionTimeline; marriageTimeline; institute; additionalInstitute; hideIncome. Recommended enum values: very_religious, moderately_religious, somewhat_religious, not_very_religious, prefer_not_to_say; 1_3_months, 3_6_months, 6_12_months, 1_2_years; within_6_months, 6_12_months, 1_2_years, 2_3_years, no_rush, decide_together.
Acceptance criteria	Create, read, and update return the same canonical values; optional fields may be omitted; Open To All religion permits religiousPractice to be null.

API-03	Authoritative lookup and location datasets
Priority	P1 - blocks exact dropdown parity
Affected endpoints	GET /lookups; GET /countries; GET /cities
Current gap	The client report requires exact religion, education, work-sector, profession, income, country, and city datasets. Current client fallbacks and returned datasets are not guaranteed to match.
Required change	Publish versioned categories for religions, education_levels, work_sectors, professions, income_ranges, and mother_tongues. Country/city responses should include stable id, code, label, sortOrder, isActive, and isTopCity. Cities must support country, search, page, and size.
Acceptance criteria	Bangladesh resolves all 64 districts; required country counts are available; mobile clients render labels but submit stable keys; removed keys remain backwards compatible during migration.

API-04	Ten-category interests taxonomy
Priority	P1 - blocks full hobbies requirement
Affected endpoints	GET /lookups?category=interests (or GET /interests/taxonomy); PUT /users/profile/interests
Current gap	The existing update body uses six fixed arrays and cannot represent all ten client categories reliably.
Required change	Return category objects with id, key, label, sortOrder, minimumSelection, and items. Accept selectedInterestIds as a flat stable-id array, or accept categories [{categoryKey, itemKeys}]. Keep the old six arrays during a deprecation window.
Acceptance criteria	At least 86 active items can be returned; the server validates a minimum of five unique selections; GET returns the selected IDs after PUT.

API-05	Family status and financial enum alignment
Priority	P1 - blocks family/financial parity
Affected endpoints	PUT /users/profile/family; GET /users/profile/family
Current gap	The current model has fatherProfession and motherProfession but no parent-status fields. Existing familyEconomicCondition values do not match the four client choices.
Required change	Add fatherStatus and motherStatus. Support employed, self_employed_business, retired, not_employed, homemaker (mother), deceased, prefer_not_to_say. Align financialStatus to wealthy, upper_middle_class, middle_class, prefer_not_to_say, or publish a documented mapping from the legacy field.
Acceptance criteria	All fields are optional; sibling counts accept 0-10; read-after-write preserves Prefer not to say without converting it to null.

API-06	Partner-preference filtering semantics
Priority	P1 - blocks exact preference behavior
Affected endpoints	PUT/GET /users/profile/preferences; GET /matches
Current gap	Open To All is ambiguous across marital status, religion, mother tongue, location, education, profession, and income. Community is still supported although the client report removes it.
Required change	Define Open To All as an omitted/empty filter or accept a canonical open_to_all key consistently. Document whether mixed selections containing open_to_all are rejected or normalized. Confirm whether communityPreference is deprecated. Accept stable lookup keys in all arrays.
Acceptance criteria	Saved preferences and match-query behavior are identical; Open To All never accidentally filters out profiles; deprecated community data remains readable during migration.

API-07	Suggested-match verification and photo entitlements
Priority	P1 - blocks exact badge/blur rules
Affected endpoints	GET /matches; POST /connections/bulk-send
Current gap	The match response has nested photo visibility and photo verification data, but no unambiguous profile-level verified badge or explicit can-view-photo entitlement.
Required change	Return profileVerified (or verificationStatus), profilePhoto.canView, profilePhoto.blurRequired, and profilePhoto.blurReason. Keep visibilityStatus for compatibility. Bulk-send should return per-user success/failure and ignore already-connected profiles idempotently.
Acceptance criteria	The client never infers verification from premium status; clear versus blurred photos are decided by response flags; all preselected eligible IDs can be submitted safely.

API-08	Premium plan content and entitlement contract
Priority	P2 - makes premium screen authoritative
Affected endpoints	GET /plans; GET /payments/subscription; POST /payments/initiate
Current gap	Plan prices are dynamic, but the client report also specifies guarantee days and exact feature limits. These must not depend on hardcoded mobile copy.
Required change	Return moneyBackGuaranteeDays, ordered features [{key,label,limit,enabled}], plan ranking, durationMonths, price, monthlyEquivalent, currency, and support configuration. Return active entitlements separately for runtime gating.
Acceptance criteria	The five plans and their limits render from server data; purchase and subscription responses use the same plan IDs and feature keys; support/contact configuration is environment-safe.

Recommended implementation sequence

1. Finalize API-02 and API-05 payloads. **2.** Publish API-03/API-04 lookup contracts. **3.** Define API-06 Open To All behavior. **4.** Add API-01 transport metadata and fallback. **5.** Add API-07/API-08 entitlement fields. **6.** Complete the remaining Flutter screens and run end-to-end contract tests.