Nama : Nurvia Agustin NPM : 2210010254 Kelas : 5C Reguler TI

## PRAKTIKUM 241 – ANDROID | 5C BJB

## Source Code

```
刘 File Edit Selection View Go …
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              □ □ □ □ □ −
                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        ▷ 覧 田
O
                                                                                                                                 papp \( \) indextsx \( \) \( \) \( \) \( \) pappoints w

app \( \) import React from "react";

import { view, rext, Stylesheet, Touchableopacity, scrollview \) from "react-native";

import { createbottomiableoying to react-navigation/bottom-tabs";

import Icon from "react-native-vector-icons/MaterialCommunityIcons";

import Icon from "react-native-vector-icons";

import Icon from "react-native-vector-icons";

import Icon from "
                              OPEN EDITORS
                                                                                                                                                                    // Home screen component
function HomeScreen() {
  const handlePromoPress = () => {
   console.log("Promo banner pressed");

<
                         OUTLINE
    Q Ln 21, Col 64 Spaces: 2 UTF-8 LF () TypeScript JSX P Go Live V Prettier
                                                                                                                                                                                                  layout.tsx...

PROJECTSANDROID
                                                                                                                                                                                                        Collapsible.tsx
                                      HelloWave.tsxParallaxScrollView.tsx
                                      ThemedText.tsx
                                                                                                                                                                                                           { label: "BPS kesenatan", loon: "nospital" },
|.map((item, index) > () |
| ClouchableOpacity key=(index) style=[styles.featureItem] onPress=[() => console.log(`$[item.label] pressed`)]>
| ClouchableOpacity |
| Clouchable
```

```
// Bottom tab navigator
const Tab = createBottomTabNavigator();
                                                                             Jayout.tsx index.tsx
                                                                           </a>
<Tab.Screen

name="Finance"


component={HomeScreen}</pre>
             Collapsible.tsx

⇔ HelloWave.tsx

             ThemedText.tsx
ThemedView.tsx
                                                                            Tabsereer
name="pay"
component=(HomeScreen)
options={{
    tabBarIcon: ({ color, size }) => <Icon name="qrcode-scan" size={size} color={color} />,
    tabBarIcon: ({ color, size }) => <Icon name="qrcode-scan" size={size} color={color} />,
            > constants
                                                                           <Tab.Screen
  name="Inbox"
  component={HomeScreen}
  options={{</pre>
            () app.json

**Bel.config.js**
         > OUTLINE
> TIMELINE
                                                                                                                                                                                                                                     Q Ln 9, Col 41 Spaces: 2 UTF-8 LF () TypeScript JSX @ Go Live
😓 _layout.tsx... M
            PROJECTSANDROID
H
            ₽
                                                               const styles = StyleSheet.create({
  container: {
    flex: 1,
    backgroundColor: "#F0F4FA",
            > assets  
components
             Collapsible.tsx
                                                                     backgroundColor: "#4C1D95",
                                                                      padding: 20,
borderRadius: 15,
margin: 15,
             ParallaxScrollView.tsx
             ThemedText.tsx
                                                                   headerTitle: {
                                                                      color: "#FFFFFF",
fontSize: 20,
fontWeight: "bold",
                                                                  headerBalance: {
color: "#FFFFFF",
fontSize: 28,
fontWeight: "bold",
marginVertical: 10,
                                                                  flexDirection: "row",
  justifyContent: "space-around",
},
              Q Ln 9, Col 41 Space
                                                                                                                                                                                                                                                                         s: 2 UTF-8 LF () TypeScript JSX @ Go L
                                                                   headerButton: {
   alignItems: "center",
            PROJECTSANDROID
 Ç.
                                                                   headerButtonText: {
  color: "#FFFFFF",
  marginTop: 5,
  fontSize: 12,
<del>6</del>
                                                                  pupgradeCard: {
  backgroundcolor: "#FFFFFF",
  padding: 15,
  margin: 15,
  borderRadius: 10,
            > assets
components
             > _tests_
> navigation
                                                                      borderRadius: 10,
flexbirection: "now",
justifyContent: "space-between",
alignItems: "center",
shadow.Oor: "megod",
shadowOorsetty: 0.1,
shadowAopacity: 0.1,
shadowAopacity: 0.1,
shadowRadius: 5,
elevation: 3,
             Collapsible.tsx
             ⇔ HelloWave.tsx⇔ ParallaxScrollView.tsx
             ThemedText.tsx
                                                                   upgradeText: {
  fontSize: 14,
  color: "#4C1D95",
  flex: 1,
                                                                  },
upgradeButton: {
backgroundColor: "#7F5609",
paddingHorizontal: 15,
paddingVertical: 8,
borderRadius: 5,
            1) app.json

3 babel.config.js
         > OUTLINE
> TIMELINE
```



## Hasil Program

- Hasil Tampilan WEB

