

Double Circular Queue Document

ไฟล์ทั้งหมดในการทำโปรแกรม

app2.c -> ใช้ในการ run app เป็นการเรียกใช้ 2 ไฟล์ข้างล่าง

DoubleCircularQueue.c -> เป็น function กระบวนการทั้งหมด ของ DCQ

System.c -> ใช้ในการแสดงผล และ ดัก input ต่างๆ

ช่องทางเพิ่มเติม หากต้องการนำไปใช้งาน

Github : [NutNaphop/Circular_Array_C: Using for Project \(github.com\)](https://github.com/NutNaphop/Circular_Array_C_Using_for_Project)

app2.c

```
1 #include <stdio.h>
2 #include <string.h>
3 #include <stdlib.h>
4 #include <ctype.h>
5 #include "DoubleCircularQueue.c"
6 #include "System.c"
7
8 int isRunning = 1;
9 int val;
10 char input[2];
11
12 int main() {
13     while (isRunning) {
14         clear() ;
15         displayMenu();
16         printf("Enter your choice: ");
17         scanf("%s", input);
18         while (getchar() != '\n') ; // Using for get input only one word , with out whitespace
19         clear() ;
20         if (isInt(input)) {
21             switch (input[0]) {
22                 case '1' :
23                     displayEF() ;
24                     printf("Enter the number you want to enqueue at the front: ");
25                     scanf("%s", input);
26                     if (isInt(input)) {
27                         val = atoi(input);
28                         enqueueFront(val);
29                     }
30                     else {
31                         printf("Invalid input. Please enter a valid integer.\n");
32                     }
33                     break;
34                 case '2':
35                     displayER() ;
36                     printf("Enter the number you want to enqueue at the rear: ");
37                     scanf("%s", input);
38                     if (isInt(input)){
39                         val = atoi(input);
40                         enqueueRear(val);
41                     }
42                     else {
43                         printf("Invalid input. Please enter a valid integer.\n");
44                     }
45                     break;
46                 case '3':
47                     displayDF() ;
48                     dequeueFront();
49                     break;
50
51                 case '4':
52                     displayDR() ;
53                     dequeueRear();
54                     break;
55
56                 case '5':
57                     displayItem() ;
58                     showItem() ;
59                     break;
60                 case '6':
61                     displayEXIT() ;
62                     isRunning = 0;
63                     printf("Exiting the program.\n");
64                     break;
65
66                 default:
67                     printf("Invalid choice. Please try again.\n");
68                     break;
69             }
70             wait() ;
71         }
72         else {
73             printf("Invalid input. Please enter a valid integer.\n");
74             wait() ;
75         }
76     }
77 }
```

DoubleCircularQueue.c

```
1 #include <stdio.h>
2 #include <stdlib.h>
3
4 #define SIZE 5
5 int items[SIZE];
6 int front = -1, rear = -1;
7
8 // Function
9 int enqueueFront(int data);
10 int enqueueRear(int data);
11 int dequeueFront();
12 int dequeueRear();
13 void showItem();
14 int isFull();
15 int isEmpty();
16
17
18 int enqueueFront(int data) {
19     if (isFull()) {
20         printf("Queue is full. Cannot enqueue at the front.\n");
21         return 0;
22     }
23     if (isEmpty()) {
24         front = 0;
25         rear = 0;
26     }
27     else {
28         front = (front - 1 + SIZE) % SIZE;
29     }
30     items[front] = data;
31     printf("Enqueued %d at the front. Enqueue Front Complete.\n", items[front]);
32     showItem();
33 }
34
35 int enqueueRear(int data) {
36     if (isFull()) {
37         printf("Queue is full. Cannot enqueue at the rear.\n");
38         return 0;
39     }
40     if (isEmpty()) {
41         front = 0;
42         rear = 0;
43     }
44     else {
45         rear = (rear + 1) % SIZE;
46     }
47     items[rear] = data;
48     printf("Enqueued %d at the rear. Enqueue Complete.\n", items[rear]);
49     showItem();
50 }
51
52 int dequeueFront() {
53     if (isEmpty()) {
54         printf("Queue is empty. Cannot dequeue from the front.\n");
55         return 0;
56     }
57     printf("Dequeued item: %d. Dequeue Complete.\n", items[front]);
58     if (front == rear) {
59         front = -1;
60         rear = -1;
61     }
62     else {
63         front = (front + 1) % SIZE;
64     }
65     showItem();
66 }
67
68 int dequeueRear() {
69     if (isEmpty()) {
70         printf("Queue is empty. Cannot dequeue from the rear.\n");
71         return 0;
72     }
73     printf("Dequeued item: %d. Dequeue Complete.\n", items[rear]);
74     if (front == rear) {
75         front = -1;
76         rear = -1;
77     }
78     else {
79         rear = (rear - 1 + SIZE) % SIZE;
80     }
81     showItem();
82 }
83
84 void showItem() {
85     printf("*****\n");
86     printf("Front -> %d\n", front);
87
88     if (isEmpty()) {
89         printf("Queue is empty. Nothing to display.\n");
90     }
91     else {
92         printf("\n");
93         for (int i = front; i != rear; i = (i + 1) % SIZE) {
94             printf("%d -> ", items[i]);
95         }
96         printf("%d", items[rear]);
97     }
98     printf("\n\nRear -> %d\n", rear);
99     printf("*****\n");
100 }
101
102
103 int isFull() {
104     if ((rear + 1) % SIZE == front) {
105         return 1;
106     }
107     return 0;
108 }
109
110 int isEmpty() {
111     if (front == -1 && rear == -1) {
112         return 1;
113     }
114     return 0;
115 }
```

System.c

```

1 #include <stdio.h>
2 #include <stdlib.h>
3 #include <ctype.h>
4
5 void clear();
6 void wait();
7 int isInt(char *str);
8 void clear();
9 void wait();
10
11 void displayMenu() {
12     printf("\n");
13     printf("***** Double Circular Queue *****\n");
14     printf("1] Enqueue at Front\n");
15     printf("2] Enqueue at Rear\n");
16     printf("3] Dequeue from Front\n");
17     printf("4] Dequeue from Rear\n");
18     printf("5] Display Queue\n");
19     printf("6] Exit\n");
20     printf("*****\n");
21 }
22
23 void displayEF() {
24     printf("\n");
25     printf("***** Double Circular Queue *****\n");
26     printf("1] Enqueue at front\n");
27     printf("\n");
28     printf("\n");
29     printf("\n");
30     printf("\n");
31     printf("\n");
32     printf("*****\n");
33 }
34
35 void displayER() {
36     printf("\n");
37     printf("***** Double Circular Queue *****\n");
38     printf("\n");
39     printf("2] Enqueue at Rear\n");
40     printf("\n");
41     printf("\n");
42     printf("\n");
43     printf("\n");
44     printf("*****\n");
45 }
46
47 void displayDF() {
48     printf("\n");
49     printf("***** Double Circular Queue *****\n");
50     printf("\n");
51     printf("\n");
52     printf("3] Dequeue from Front\n");
53     printf("\n");
54     printf("\n");
55     printf("\n");
56     printf("*****\n");
57 }
58
59 void displayDR() {
60     printf("\n");
61     printf("***** Double Circular Queue *****\n");
62     printf("\n");
63     printf("\n");
64     printf("\n");
65     printf("4] Dequeue from Rear\n");
66     printf("\n");
67     printf("\n");
68     printf("*****\n");
69 }
70
71 void displayItem() {
72     printf("\n");
73     printf("***** Double Circular Queue *****\n");
74     printf("\n");
75     printf("\n");
76     printf("\n");
77     printf("\n");
78     printf("5] Display Queue\n");
79     printf("\n");
80     printf("*****\n");
81 }
82
83 void displayEXIT() {
84     printf("\n");
85     printf("***** Double Circular Queue *****\n");
86     printf("\n");
87     printf("\n");
88     printf("\n");
89     printf("\n");
90     printf("\n");
91     printf("6] Exit\n");
92     printf("*****\n");
93 }
94
95 int isInt(char *str) {
96     while (*str) {
97         if (!isdigit(*str)) {
98             return 0;
99         }
100         str++;
101     }
102     return 1;
103 }
104
105 void clear() {
106     system("cls");
107 }
108
109 void wait() {
110     system("pause");
111 }
112

```

Example of program display

#การแสดงผลทางหน้าจอเมื่อเปิดโปรแกรม

```
***** Double Circular Queue *****
* [1] Enqueue at Front *
* [2] Enqueue at Rear *
* [3] Dequeue from Front *
* [4] Dequeue from Rear *
* [5] Display Queue *
* [6] Exit *
*****
Enter your choice:
```

#เมื่อเลือก [1] Enqueue at Front

```
***** Double Circular Queue *****
* [1] Enqueue at front *
* * *
* * *
* * *
* * *
*****
Enter the number you want to enqueue at the front: 5
Enqueued 5 at the front. Enqueue Front Complete.
*****
Front -> 0
5
Rear -> 0
*****
Press any key to continue . . .
```

#เมื่อเลือก [2] Enqueue at Rear

```
***** Double Circular Queue *****
*
* [2] Enqueue at Rear
*
*
*
*
*
*****
Enter the number you want to enqueue at the rear: 7
Enqueued 7 at the rear. Enqueue Complete.
*****
Front -> 0

5 ->7

Rear -> 1
*****
Press any key to continue . . . █
```

#เมื่อเลือก [3] Dequeue at Front

```
***** Double Circular Queue *****
*
*
* [3] Dequeue from Front
*
*
*
*
*****
Dequeued item: 1. Dequeue Complete!
*****
Front -> 0

5 ->7

Rear -> 1
*****
Press any key to continue . . .
```


#เมื่อเลือก [4] Dequeue at Rear

```
***** Double Circular Queue *****
*                                                                           *
*                                                                           *
*                                                                           *
* [4] Dequeue from Rear                                                  *
*                                                                           *
*                                                                           *
*****
Dequeued item: 7. Dequeue Complete!
*****
Front -> 0

5

Rear -> 0
*****
Press any key to continue . . .
```

#เมื่อเลือก [5] Display Queue

```
***** Double Circular Queue *****
*                                                                           *
*                                                                           *
*                                                                           *
*                                                                           *
* [5] Display Queue                                                      *
*                                                                           *
*****
Front -> 3

99 ->1 ->5 ->41 ->74

Rear -> 2
*****
Press any key to continue . . . █
```


#เมื่อ Input ค่าที่ไม่ใช่ Integer

```
***** Double Circular Queue *****
* [1] Enqueue at Front *
* [2] Enqueue at Rear *
* [3] Dequeue from Front *
* [4] Dequeue from Rear *
* [5] Display Queue *
* [6] Exit *
*****
Invalid input. Please enter a valid integer.
Press any key to continue . . .
```

```
***** Double Circular Queue *****
* [1] Enqueue at front *
* *
* *
* *
* *
* *
* *
*****
Enter the number you want to enqueue at the front: 1.1
Invalid input. Please enter a valid integer.
Press any key to continue . . .
```

```
***** Double Circular Queue *****
* *
* [2] Enqueue at Rear *
* *
* *
* *
* *
* *
*****
Enter the number you want to enqueue at the rear: 1af
Invalid input. Please enter a valid integer.
Press any key to continue . . . ■
```