☰ Submission Detail

ID	#498643
Problem	AndAgainAndAgainAndAgainAndAgainAndAgainAndAgain (https://ejudge.it.kmitl.ac.th/problem/2849)
Username	it60070183(นายธีรภัทร ไกรศรีสิริกุล) (https://ejudge.it.kmitl.ac.th/account/1506)
Language	Python
Correctness Score	100 Points
Bonus Score	900 Points
Quality	100% How to improve your code
Summary Score	1000 Points
Time	2017-10-05 19:27:28

➡] Details

Case 1 [#12449] : **Passed**   0.04231000 sec.
Case 2 [#12450] : **Passed**   0.04157400 sec.
Case 3 [#12451] : **Passed**   0.04522200 sec.
Case 4 [#12452] : **Passed**   0.04239200 sec.
Case 5 [#12453] : **Passed**   0.04129100 sec.

🖥 Code

Pointers=false&textReferences=false&showOnlyOutputs=false&py=3&rawInputLstJSON=%5B%5D&curInstr=0)

```python
"""
PSIT Pair-Programming (5/Oct/2017)
#1 - Attawut Arpornrat (60070116)
#2 - Teerapat Kraisrisirikul (60070183)
"""

def main(sentence):
    """ Main function """
    output_shown = False
    words = sorted(sentence.replace(".", "").split(" "))

    for word in words:
        if two_vowels(word):
            print(word.rstrip(","))
            output_shown = True

    if output_shown == False:
        print("Nope")

def two_vowels(word):
    """ Check if that word has 2 or more vowels """
    vowels = 0
    for letter in word:
        if letter in "AEIOUaeiou":
            vowels += 1
        if vowels == 2:
            #This is now enough.
            break
    return vowels == 2

main(input())
```