

Description

```
>>> import json
>>> json.loads('{ "1": "Hello", "2": "World", "3": ".", "A": 4 }')
{'A': 4, '2': 'World', '1': 'Hello', '3': '.'}
>>> ##PS. Json doesn't support integer as a key.
```

คุณจะได้รับ Dict มา 1 object

ให้คุณทดสอบว่ามี Key ที่ระบุให้อยู่ใน Dict ตัวนี้หรือไม่

ถ้าหากมีให้ตอบว่า Yes และขึ้นอีกบรรทัดแล้วแสดงผล Value ของ Key นั้นๆ

หากไม่มีก็ No ใจ

by Chotipat Pornavalai (<https://ejudge.it.kmitl.ac.th/account/6>)

30 November -0001, 00:00

Specification

Input Specification

สองบรรทัด

1: เป็น Dict ก้อนใหญ่ๆ เล็กๆ ไม่รู้แล้วแต่ความสะดวก

1: เป็น Key ที่ต้องการระบุ

Output Specification

สอง หรือ หนึ่งบรรทัด

1: Yes หรือ No

1: เป็น Value ของ Key ของ Dict ถ้าหากมี Key นั้น

Sample Case

Sample Input

```
{ "sleepiness": "defiant", "unzips": "attire", "cavettos": "localising", "forestall": "tr
anisetete
```

```
{ "mazurka": "finagling", "ickiest": "prewashed", "intromitted": "fallibly", "shibahs": "
KMITL
```

🕒 Time Remaining

4

Days

2

Hours

40

Minutes

34

Seconds

336

📄 Information

Time Limit

1 Second

Memory Limit

32 MB

Language

py

Deadline

5 December 2017, 23:59

Submission Limit**Restrict Word****Required Word****Testcase**

5 case

Rejudge Testcase

0 case

Full Score

100 Point

Bonus Score

900

Your Score (<https://ejudge.it.kmitl.ac.th/problem/submission/504417>)

📁 Submit File

 ไม่ได้เลือกไฟล์ใด