รายงานคุณภาพโค้ด (SonarQube)

โปรเจกต์: POS & Stock — ร้านย่างให้หมูกระทะ บ้านน้องโฟค · ตรวจเมื่อ 2026-09-24 10:33 · สร้างรายงาน 2026-09-24 17:34

Quality Gate: ผ่าน (OK)

Bugs	Vulnerabilities	Security Hotspots	Code Smells
2	**12**	**0**	**118**
Reliability C	Security C	Review A	Maintainability A

บรรทัดโค้ด	โค้ดซ้ำ	Technical Debt	Complexity
7115	**0.6%**	**13.0 ชม.**	**1788**
57 ไฟล์	ของบรรทัดทั้งหมด	เวลาที่ใช้แก้ Code Smells ทั้งหมด	ความซับซ้อนรวม

เงื่อนไข Quality Gate

ตัวชี้วัด	ค่าจริง	เกณฑ์	ผล
ยังไม่มีเงื่อนไขที่ประเมิน (ประเมินกับโค้ดใหม่ตั้งแต่การตรวจครั้งถัดไป)			

แยกตามประเภท

ประเภท	จำนวน
Bug (ทำงานผิดได้)	2
Vulnerability (ช่องโหว่)	12
Code Smell (ดูแลยาก)	118

แยกตามความรุนแรง

ความรุนแรง	จำนวน
BLOCKER · ร้ายแรงมาก	1
CRITICAL · ร้ายแรง	10
MAJOR · สำคัญ	101
MINOR · เล็กน้อย	20
INFO · ข้อมูล	0

ไฟล์ที่มีปัญหามากที่สุด

ไฟล์	ปัญหา
`frontend/src/styles.css`	17
`backend/scripts/demo-data.js`	12
`backend/src/settings.js`	11
`frontend/src/pages/MenuManage.jsx`	10
`frontend/src/pages/StockPage.jsx`	7
`frontend/src/components/ui.jsx`	7
`frontend/src/pages/OrderScreen.jsx`	6
`backend/src/routes/orders.js`	6
`frontend/src/pages/Payment.jsx`	5
`frontend/src/components/CustomerQrModal.jsx`	5

Security Hotspots ที่ต้องตรวจทาน (0)

โอกาสเป็นช่องโหว่	ตำแหน่ง	รายละเอียด	กฎ
ไม่มีจุดที่ต้องตรวจทาน			

รายการปัญหา (132)

ความรุนแรง	ประเภท	ตำแหน่ง	รายละเอียด	กฎ
ร้ายแรงมาก	Code	`backend/tests/api.test.mjs`	Add some tests to this file or delete it.	`javascript:S2187`

ร้ายแรง	Code	backend/scripts/demo-data.js:17	Refactor this function to reduce its Cognitive Complexity from 48 to the 15 allowed.	javascript:S3776
ร้ายแรง	Code	backend/src/routes/ingredients.js:71	Unexpected `await` of a non-Promise (non-"Thenable") value.	javascript:S4123
ร้ายแรง	Code	backend/src/routes/orders.js:101	Refactor this function to reduce its Cognitive Complexity from 18 to the 15 allowed.	javascript:S3776
ร้ายแรง	Code	backend/src/routes/orders.js:120	Unexpected `await` of a non-Promise (non-"Thenable") value.	javascript:S4123
ร้ายแรง	Code	backend/src/routes/orders.js:160	Unexpected `await` of a non-Promise (non-"Thenable") value.	javascript:S4123
ร้ายแรง	Code	backend/src/routes/orders.js:274	Unexpected `await` of a non-Promise (non-"Thenable") value.	javascript:S4123
ร้ายแรง	Code	backend/src/routes/stock.js:170	Unexpected `await` of a non-Promise (non-"Thenable") value.	javascript:S4123
ร้ายแรง	Code	backend/src/services/stockService.js:88	Unexpected `await` of a non-Promise (non-"Thenable") value.	javascript:S4123
ร้ายแรง	Code	frontend/src/pages/OrderScreen.jsx:11	Refactor this function to reduce its Cognitive Complexity from 19 to the 15 allowed.	javascript:S3776
ร้ายแรง	Code	frontend/src/pages/Payment.jsx:10	Refactor this function to reduce its Cognitive Complexity from 17 to the 15 allowed.	javascript:S3776
สำคัญ	Vulnerability	backend/scripts/demo-data.js:12	Make sure that using this pseudorandom number generator is safe here.	javascript:S2245
สำคัญ	Vulnerability	backend/scripts/demo-data.js:13	Make sure that using this pseudorandom number generator is safe here.	javascript:S2245
สำคัญ	Vulnerability	backend/scripts/demo-data.js:68	Make sure that using this pseudorandom number generator is safe here.	javascript:S2245
สำคัญ	Vulnerability	backend/scripts/demo-data.js:69	Make sure that using this pseudorandom number generator is safe here.	javascript:S2245
สำคัญ	Vulnerability	backend/scripts/demo-data.js:70	Make sure that using this pseudorandom number generator is safe here.	javascript:S2245
สำคัญ	Vulnerability	backend/scripts/demo-data.js:76	Make sure that using this pseudorandom number generator is safe here.	javascript:S2245

สำคัญ	Vulnerability	backend/scripts/demo-data.js:84	Make sure that using this pseudorandom number generator is safe here.	javascript:S2245
สำคัญ	Vulnerability	backend/scripts/demo-data.js:97	Make sure that using this pseudorandom number generator is safe here.	javascript:S2245
สำคัญ	Vulnerability	backend/scripts/demo-data.js:97	Make sure that using this pseudorandom number generator is safe here.	javascript:S2245
สำคัญ	Code	backend/scripts/demo-data.js:97	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	backend/scripts/demo-data.js:196	Prefer top-level await over using a promise chain.	javascript:S7785
สำคัญ	Code	backend/scripts/migrate.js:120	Prefer top-level await over using a promise chain.	javascript:S7785
สำคัญ	Code	backend/scripts/restore.js:87	Prefer top-level await over using a promise chain.	javascript:S7785
สำคัญ	Code	backend/src/routes/orders.js:343	Refactor this code to not use nested template literals.	javascript:S4624
สำคัญ	Code	backend/src/services/orderService.js:39	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	backend/src/services/orderService.js:121	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	backend/src/settings.js:10	Expected an error object to be thrown.	javascript:S3696
สำคัญ	Code	backend/src/settings.js:11	Expected an error object to be thrown.	javascript:S3696
สำคัญ	Code	backend/src/settings.js:17	Expected an error object to be thrown.	javascript:S3696
สำคัญ	Code	backend/src/settings.js:19	Expected an error object to be thrown.	javascript:S3696
สำคัญ	Code	backend/src/settings.js:26	Expected an error object to be thrown.	javascript:S3696
สำคัญ	Code	backend/src/settings.js:36	Expected an error object to be thrown.	javascript:S3696

สำคัญ	Code	backend/src/settings.js:46	Expected an error object to be thrown.	javascript:S3696
สำคัญ	Code	backend/src/settings.js:51	Simplify this regular expression to reduce its runtime, as it has super-linear performance due to backtracking.	javascript:S8786
สำคัญ	Code	backend/src/settings.js:52	Expected an error object to be thrown.	javascript:S3696
สำคัญ	Code	backend/src/settings.js:78	Refactor this code to not use nested template literals.	javascript:S4624
สำคัญ	Code	backend/src/utils.js:76	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/components/CustomerQrModal.jsx:59	Simplify this regular expression to reduce its runtime, as it has super-linear performance due to backtracking.	javascript:S8786
สำคัญ	Code	frontend/src/components/CustomerQrModal.jsx:75	Move function 'printSlip' to the outer scope.	javascript:S7721
สำคัญ	Code	frontend/src/components/CustomerQrModal.jsx:131	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/components/Layout.jsx:75	Do not use Array index in keys	javascript:S6479
สำคัญ	Code	frontend/src/components/SoundSwitch.jsx:28	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/components/SoundSwitch.jsx:31	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Vulnerability	frontend/src/components/ui.jsx:12	Make sure that using this pseudorandom number generator is safe here.	javascript:S2245
สำคัญ	Code	frontend/src/components/ui.jsx:38	Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element.	javascript:S6848
สำคัญ	Code	frontend/src/components/ui.jsx:80	Avoid non-native interactive elements. If using native HTML is not possible, add an appropriate role and support for tabbing, mouse, keyboard, and touch inputs to an interactive content element.	javascript:S6848
สำคัญ	Code	frontend/src/components/ui.jsx:135	Use <output> instead of the "status" role to ensure accessibility across all devices.	javascript:S6819

สำคัญ	Code	frontend/src/components/ui.jsx:158	Use <output> instead of the "status" role to ensure accessibility across all devices.	javascript:S6819
สำคัญ	Code	frontend/src/components/ui.jsx:176	Use <output> instead of the "status" role to ensure accessibility across all devices.	javascript:S6819
สำคัญ	Code	frontend/src/components/ui.jsx:184	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/lib/customerUrl.js:5	Refactor this code to not use nested template literals.	javascript:S4624
สำคัญ	Code	frontend/src/lib/customerUrl.js:29	Simplify this regular expression to reduce its runtime, as it has super-linear performance due to backtracking.	javascript:S8786
สำคัญ	Code	frontend/src/lib/customerUrl.js:34	Refactor this code to not use nested template literals.	javascript:S4624
สำคัญ	Code	frontend/src/pages/FloorPlan.jsx:75	Extract the assignment of "z" from this expression.	javascript:S1121
สำคัญ	Code	frontend/src/pages/FloorPlan.jsx:203	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/pages/Kitchen.jsx:93	Move function 'toggleFullscreen' to the outer scope.	javascript:S7721
สำคัญ	Code	frontend/src/pages/Kitchen.jsx:119	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/pages/Kitchen.jsx:125	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/pages/Kitchen.jsx:126	Refactor this code to not use nested template literals.	javascript:S4624
สำคัญ	Bug	frontend/src/pages/Login.jsx:52	Add an explicit "type" attribute to this button.	javascript:S9011
สำคัญ	Code	frontend/src/pages/MenuManage.jsx:92	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/pages/MenuManage.jsx:202	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/pages/MenuManage.jsx:229	Do not use Array index in keys	javascript:S6479

สำคัญ	Code	frontend/src/pages/MenuManage.jsx:351	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/pages/MenuManage.jsx:355	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/pages/MenuManage.jsx:362	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/pages/MenuManage.jsx:366	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/pages/MenuManage.jsx:371	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/pages/MenuManage.jsx:375	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/pages/MenuManage.jsx:429	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/pages/OrderList.jsx:60	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/pages/OrderScreen.jsx:176	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/pages/OrderScreen.jsx:177	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/pages/OrderScreen.jsx:190	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/pages/OrderScreen.jsx:234	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/pages/OrderScreen.jsx:378	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/pages/Payment.jsx:165	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/pages/Payment.jsx:201	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/pages/Payment.jsx:216	A form label must be associated with a control.	javascript:S6853

สำคัญ	Code	frontend/src/pages/Payment.jsx:226	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/pages/Receipt.jsx:49	Do not use Array index in keys	javascript:S6479
สำคัญ	Code	frontend/src/pages/Receipt.jsx:79	Do not use Array index in keys	javascript:S6479
สำคัญ	Code	frontend/src/pages/Reports.jsx:262	Do not use Array index in keys	javascript:S6479
สำคัญ	Code	frontend/src/pages/StockPage.jsx:79	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/pages/StockPage.jsx:103	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/pages/StockPage.jsx:246	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/pages/StockPage.jsx:253	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/pages/StockPage.jsx:257	Do not use Array index in keys	javascript:S6479
สำคัญ	Code	frontend/src/pages/StockPage.jsx:283	A form label must be associated with a control.	javascript:S6853
สำคัญ	Code	frontend/src/pages/StockPage.jsx:343	A form label must be associated with a control.	javascript:S6853
สำคัญ	Bug	frontend/src/pages/customer/CodeGate.jsx:57	Add an explicit "type" attribute to this button.	javascript:S9011
สำคัญ	Code	frontend/src/pages/customer/CustomerBill.jsx:117	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/pages/customer/CustomerMenu.jsx:194	Use <input type="button">, <input type="image">, <input type="reset">, <input type="submit">, or <button> instead of the "button" role to ensure accessibility across all devices.	javascript:S6819
สำคัญ	Code	frontend/src/pages/customer/CustomerMenu.jsx:207	Extract this nested ternary operation into an independent statement.	javascript:S3358
สำคัญ	Code	frontend/src/styles.css:200	Duplicate selector ".sidebar", first used at line 149	css:S4666
สำคัญ	Code	frontend/src/styles.css:670	Duplicate selector ".qr-slip", first used at line 127	css:S4666

สำคัญ	Code	frontend/src/styles.css:747	Duplicate selector ".cust-cart", first used at line 646	css:S4666
สำคัญ	Code	frontend/src/styles.css:791	Duplicate selector ".topbar h1", first used at line 229	css:S4666
สำคัญ	Code	frontend/src/styles.css:799	Duplicate selector ".sidebar", first used at line 149	css:S4666
สำคัญ	Code	frontend/src/styles.css:804	Text does not meet the minimal contrast requirement with its background.	css:S7924
สำคัญ	Code	frontend/src/styles.css:805	Text does not meet the minimal contrast requirement with its background.	css:S7924
สำคัญ	Code	frontend/src/styles.css:806	Duplicate selector ".sidebar.collapsed .nav-label", first used at line 214	css:S4666
สำคัญ	Code	frontend/src/styles.css:811	Text does not meet the minimal contrast requirement with its background.	css:S7924
สำคัญ	Code	frontend/src/styles.css:813	Text does not meet the minimal contrast requirement with its background.	css:S7924
สำคัญ	Code	frontend/src/styles.css:817	Duplicate selector ".cust-top", first used at line 641	css:S4666
สำคัญ	Code	frontend/src/styles.css:819	Text does not meet the minimal contrast requirement with its background.	css:S7924
สำคัญ	Code	frontend/src/styles.css:827	Duplicate selector ".login-wrap", first used at line 625	css:S4666
สำคัญ	Code	frontend/src/styles.css:828	Duplicate selector ".login-head h1", first used at line 632	css:S4666
สำคัญ	Code	frontend/src/styles.css:829	Duplicate selector ".login-head p", first used at line 633	css:S4666
สำคัญ	Code	frontend/src/styles.css:863	Duplicate selector ".sidebar .who", first used at line 808	css:S4666
สำคัญ	Code	frontend/src/styles.css:868	Text does not meet the minimal contrast requirement with its background.	css:S7924
เล็กน้อย	Vulnerability	backend/scripts/dbtools.js:25	Make sure the "PATH" variable only contains fixed, unwriteable directories.	javascript:S4036
เล็กน้อย	Code	backend/src/db.js:7	Prefer `Number.parseFloat` over `parseFloat`.	javascript:S7773
เล็กน้อย	Code	backend/src/db.js:8	Prefer `Number.parseInt` over `parseInt`.	javascript:S7773
เล็กน้อย	Code	backend/src/middleware/auth.js:70	Prefer using an optional chain expression instead, as it's more concise and easier to read.	javascript:S6582
เล็กน้อย	Code	backend/src/routes/auth.js:16	Prefer using an optional chain expression instead, as it's more concise and easier to read.	javascript:S6582
เล็กน้อย	Code	backend/src/routes/orders.js:326	Use the opposite operator (<=) instead.	javascript:S1940

เล็กน้อย	Code	backend/src/routes/payments.js:35	Use the opposite operator (<=) instead.	javascript:S1940
เล็กน้อย	Code	backend/src/routes/stock.js:158	Use the opposite operator (<=) instead.	javascript:S1940
เล็กน้อย	Vulnerability	backend/src/server.js:27	This framework implicitly discloses version information by default. Make sure it is safe here.	javascript:S5689
เล็กน้อย	Code	backend/src/settings.js:72	The catch parameter `msg` should be named `error_`.	javascript:S7718
เล็กน้อย	Code	backend/src/utils.js:54	Prefer `String#replaceAll()` over `String#replace()`.	javascript:S7781
เล็กน้อย	Code	backend/src/utils.js:94	Prefer `String#codePointAt()` over `String#charCodeAt()`.	javascript:S7758
เล็กน้อย	Code	frontend/index.html:10	Handle this exception, don't catch it at all, or explain in a comment why it is ignored.	javascript:S2486
เล็กน้อย	Code	frontend/src/components/CustomerQrModal.jsx:2	'/usr/src/frontend/src/lib/api.js' imported multiple times.	javascript:S3863
เล็กน้อย	Code	frontend/src/components/CustomerQrModal.jsx:4	'/usr/src/frontend/src/lib/api.js' imported multiple times.	javascript:S3863
เล็กน้อย	Code	frontend/src/components/ThemeToggle.jsx:7	useState call is not destructured into value + setter pair	javascript:S6754
เล็กน้อย	Code	frontend/src/lib/alertSound.js:21	Prefer using an optional chain expression instead, as it's more concise and easier to read.	javascript:S6582
เล็กน้อย	Code	frontend/src/lib/alertSound.js:27	Prefer using an optional chain expression instead, as it's more concise and easier to read.	javascript:S6582
เล็กน้อย	Code	frontend/src/lib/alertSound.js:42	Prefer using an optional chain expression instead, as it's more concise and easier to read.	javascript:S6582
เล็กน้อย	Code	frontend/src/pages/Reports.jsx:5	Remove this unused import of 'dateTime'.	javascript:S1128