

Quarto Story Telling

Alexandra-Emilia Fortis

Table of contents

Storytelling in R	1
Introduction	2
Lab 3: Data Storytelling and Visualization in R	3
Overview	4
Setup	5
Exercise 1: Exploratory Data Analysis & Skewness	6
Raw Distribution	6
Log Transformation	7
Interpretation	8
Exercise 2: Interaction vs Parallel Slopes	9
Interaction Model	9
Parallel Slopes Model	10
Interpretation	11
Exercise 3: Time Series Anomaly	12
Peak Detection	12
Interpretation	13
Exercise 4: Composite Visualization	14
Plot A	14
Plot B	14
Combined	15
Exercise 5: Shiny App	17
Capstone: What Drives House Prices?	18
Step 1: Distribution	18
Step 2: Condition Premium	18
Step 3: Size + Condition	19
Final Narrative	20
Conclusions	21
Call to Action	21

Appendix: Shiny App Code

22

Storytelling in R

Introduction

Data interpretation and storytelling mean understanding the results of data analysis, answering important questions, and sharing the findings with others. Visual tools like graphs, charts, plots, and dashboards are often used to make the information clearer and easier to explain. In this chapter, we will look at different data analysis tools and techniques, as well as the different types of data analytics.

A version of this textbook is available at <https://nxrolinf.github.io/QuartoSTell>

Lab 3: Data Storytelling and Visualization in R

Overview

This lab explores data storytelling using R through: - Exploratory data analysis (EDA) - Transformations and skewness - Regression visualization - Time series anomalies - Composite plots - Interactive visualization (Shiny) - A capstone narrative

Setup

```
# Install if needed
# install.packages(c("tidyverse", "moderndive", "fivethirtyeight",
#                   "patchwork", "scales", "shiny"))

library(tidyverse)
library(moderndive)
library(fivethirtyeight)
library(patchwork)
library(scales)
```


Exercise 1: Exploratory Data Analysis & Skewness

Raw Distribution

```
data("house_prices")

p1_raw <- ggplot(house_prices, aes(x = price)) +
  geom_histogram(bins = 50, fill = "steelblue", color = "white") +
  scale_x_continuous(labels = label_dollar(scale = 1e-6, suffix = "M")) +
  labs(
    title = "Distribution of House Prices (Raw)",
    subtitle = "Right-skewed distribution",
    x = "Price (USD)",
    y = "Count"
  ) +
  theme_bw()

p1_raw
```




Log Transformation

```
house_prices <- house_prices %>%  
  mutate(  
    log10_price = log10(price),  
    log10_size = log10(sqft_living)  
  )  
  
p1_log <- ggplot(house_prices, aes(x = log10_price)) +  
  geom_histogram(bins = 50, fill = "darkorange", color = "white") +  
  labs(  
    title = "Distribution of House Prices (log10 scale)",  
    subtitle = "More symmetric distribution",  
    x = "log10(Price)",  
    y = "Count"  
  ) +  
  theme_bw()  
  
p1_log
```

Distribution of House Prices (log10 scale)

More symmetric distribution



Interpretation

The raw distribution is heavily right-skewed due to high-value outliers.


The log transformation reveals a more symmetric, near-normal distribution, improving interpretability.

Exercise 2: Interaction vs Parallel Slopes

```
house_prices <- house_prices %>%  
  mutate(condition = factor(condition, levels = 1:5,  
                             labels = c("Poor", "Fair", "Average", "Good", "Excellent")))  
  
house_sub <- house_prices %>%  
  filter(condition %in% c("Average", "Good", "Excellent"))
```

Interaction Model


```
p2_interaction <- ggplot(house_sub,  
                         aes(x = log10_size, y = log10_price, color = condition)) +  
  geom_point(alpha = 0.15) +  
  geom_smooth(method = "lm", se = FALSE) +  
  labs(title = "Interaction Model") +  
  theme_bw()  
  
p2_interaction
```



Parallel Slopes Model

```
p2_parallel <- ggplot(house_sub,
                      aes(x = log10_size, y = log10_price, color = condition)) +
  geom_point(alpha = 0.15) +
  moderndive::geom_parallel_slopes(se = FALSE) +
  labs(title = "Parallel Slopes Model") +
  theme_bw()

p2_parallel
```



Interpretation


Slopes are similar across conditions, supporting a simpler parallel slopes interpretation: - Size affects price consistently - Condition shifts baseline price

Exercise 3: Time Series Anomaly

```
data("US_births_1994_2003")

births_1999 <- US_births_1994_2003 %>%
  filter(year == 1999) %>%
  mutate(date = as.Date(paste(year, month, date_of_month, sep = "-")))

ggplot(births_1999, aes(x = date, y = births)) +
  geom_line(color = "steelblue") +
  labs(title = "Daily Births in 1999")
```



Peak Detection

```
births_1999 %>%
  arrange(desc(births)) %>%
  head()
```

Peak Detection

```
# A tibble: 6 x 6
  year month date_of_month date      day_of_week births
<int> <int>      <int> <date>      <ord>      <int>
1  1999     9          9 1999-09-09 Thurs      14540
2  1999    12         21 1999-12-21 Tues       13508
3  1999     9          8 1999-09-08 Wed        13437
4  1999     9         21 1999-09-21 Tues       13384
5  1999     9         28 1999-09-28 Tues       13358
6  1999     7          7 1999-07-07 Wed        13343
```


Interpretation

The largest spike occurs on **September 9, 1999 (9/9/99)**, likely due to cultural preferences influencing scheduled births.

Exercise 4: Composite Visualization

Plot A

```
p4a <- ggplot(house_sub,
              aes(x = condition, y = log10_price, fill = condition)) +
  geom_boxplot() +
  theme_bw()
p4a
```




Plot B

```
p4b <- ggplot(house_sub,
              aes(x = log10_size, y = log10_price,
                  color = condition, shape = condition)) +
  geom_point(alpha = 0.3) +
  geom_smooth(method = "lm", se = FALSE) +
```

Exercise 4: Composite Visualization


```
theme_bw()  
p4b
```



Combined

```
p4a | p4b
```

Exercise 4: Composite Visualization



Exercise 5: Shiny App

Run separately as `app.R`


```
# shinyApp(ui, server)
```

(App code omitted in rendering but included in source file)

Capstone: What Drives House Prices?

Step 1: Distribution

```
cap1 <- p1_raw / p1_log
cap1
```



Step 2: Condition Premium


```
median_by_cond <- house_prices %>%
  group_by(condition) %>%
  summarise(median_price = median(price), .groups = "drop")

cap2 <- ggplot(median_by_cond,
               aes(x = condition, y = median_price, fill = condition)) +
  geom_col() +
```

Step 3: Size + Condition

```
scale_y_continuous(labels = label_dollar()) +  
theme_bw()
```

cap2




Step 3: Size + Condition

```
cap3 <- ggplot(house_sub,  
               aes(x = log10_size, y = log10_price, color = condition)) +  
  geom_point(alpha = 0.2) +  
  geom_smooth(method = "lm", se = FALSE) +  
  theme_bw()
```


cap3

Final Narrative



Final Narrative

cap1 | (cap2 / cap3)



Conclusions

- House prices are **right-skewed**, requiring transformation.
- **Condition strongly affects price levels.**
- **Size increases price consistently across conditions.**

Call to Action

- Sellers should invest in condition improvements.
 - Buyers can find value in larger homes needing upgrades.
-

Appendix: Shiny App Code

```
#!/ eval: false
library(shiny)

house_shiny <- house_prices %>%
  filter(condition %in% c("Average", "Good", "Excellent"))

ui <- fluidPage(
  titlePanel("House Prices Explorer"),
  sidebarLayout(
    sidebarPanel(
      selectInput("condition_select", "Condition:",
                  choices = c("Average", "Good", "Excellent"))
    ),
    mainPanel(plotOutput("scatter_plot"))
  )
)

server <- function(input, output) {
  filtered_data <- reactive({
    house_shiny %>% filter(condition == input$condition_select)
  })

  output$scatter_plot <- renderPlot({
    ggplot(filtered_data(),
            aes(x = log10_size, y = log10_price)) +
    geom_point(alpha = 0.3) +
    geom_smooth(method = "lm") +
    theme_bw()
  })
}

shinyApp(ui, server)
```

! Work task

For the final part of the lab, you must produce a coherent data story that includes:

1. **At least three different plot types.**
2. **Proper annotation** (titles, axis labels with units, and captions).
3. **A call to action** or a concluding summary of what the visuals reveal.